286

Section **A** for the entry of Daily Ob

AIR MINISTRY.—METE

OR OFFICIAL USE.

ANIZATION.

FORM 1090.

REGISTER

286

BOUGHTON ALUPH

GLEBE HSE

Kept at Fairlawn, Boughton Al

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 f

,, Ground ,, Sea Level 22

THE MORNING MEASUREMENT

An observer who does not conform to this rule sh
year in the space on the right of this paragrap

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·09	–	·10	–	·01	–	·17	·01	–	–	·01	1
2	·10	·13	–	·12	·02	–	–	·02	·33	–	–	–	2
3	·12	·15	·03	·04	·70	–	–	·19	·62	–	–	·06	3
4	–	·06	–	–	–	–	·01	·02	·10	·03	·03	–	4
5	–	·01	–	·28	–	·50	·03	·30	·01	–	–	·04	5
6	–	·02	–	·02	–	–	–	·08	–	·11	·36	–	6
7	–	·05	–	–	–	·02	–	·07	–	·09	·07	–	7
8	·01	·05	5 ·14	–	·17	·10	·18	·12	–	–	·09	·08	8
9	·01	·08	·01	·02	·01	·05	–	·01	·04	–	·56	·01	9
10	·03	·18	–	–	–	·06	–	·13	–	–	1·30	·07	10
11	·15	·32	–	–	–	–	–	–	–	–	·53	–	11
12	·18	·01	–	·01	–	–	–	·08	·42	–	–	·01	12
13	·22	·01	–	–	·09	–	·01	·05	–	–	–	–	13
14	·02	·07	–	–	–	–	·33	·24	–	–	–	–	14
15	·02	·03	–	·39	·04	–	·36	·18	–	–	–	·03	15
16	·02	·12	–	·25	·16	–	–	·10	–	–	–	–	16
17	–	·47	–	·16	–	–	·20	·26	·02	–	–	·01	17
18	·02	·38	–	·46	–	·03	·04	·26	–	–	·46	–	18
19	·05	–	–	·76	–	–	·16	·30	·17	–	·03	–	19
20	–	·10	–	·06	·02	–	·21	·18	–	·02	–	·02	20
21	–	·11	–	–	·50	–	–	·01	·04	–	–	–	21
22	·10	·01	·07	·01	–	–	–	·02	·08	–	–	–	22
23	·31	·15	·08	–	·02	·01	–	–	·07	–	·08	–	23
24	–	·01	·01	·26	–	·03	·01	·26	·01	–	–	–	24
25	·14	–	–	·38	–	–	·50	–	–	–	–	·01	25
26	–	·07	–	·30	–	–	·34	–	–	·03	·23	–	26
27	·11	·20	–	·05	·22	–	·02	–	–	–	·04	–	27
28	·13	·22	–	·01	·02	–	–	–	–	·01	·01	·13	28
29	·11	–	–	–	·10	–	·07	–	–	·28	·01	·03	29
30	·10	×	–	–	·01	–	·03	–	–	–	–	–	30
31	·22	×	–	×	–	×	–	–	×	–	×	–	31
TOTAL	2·17	3·10	·34	3·68	2·08	·87	2·50	3·05	1·92	·57	3·80	·51	YEAR'S TOTAL 24·53
*Days with ·01 in. or more.	21	26	6	19	14	9	16	22	13	7	14	13	180
*Days with ·04 in. or more.	14	19	3	14	8	4	10	17	9	3	10	5	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ernest Simmons

P.T.O.

286

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Fairlawn, Boughton Aluph

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 220 ft. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·09	–	·10	–	·01	–	·17	·01	–	–	·01	1
2	·10	·13	–	·12	·02	–	–	·02	·33	–	–	–	2
3	·12	·15	·03	·04	·70	–	–	·19	·62	–	–	·06	3
4	–	·06	–	–	–	–	·01	·02	·10	·03	·03	–	4
5	–	·01	–	·28	–	·50	·03	·30	·01	–	–	·04	5
6	–	·02	–	·02	–	–	–	·08	–	·11	·36	–	6
7	–	·05	–	–	–	·02	–	·07	–	·09	·07	–	7
8	·01	·05	5 ·14	–	·17	·10	·18	·12	–	–	·09	·08	8
9	·01	·08	·01	·02	·01	·05	–	·01	·04	–	·56	·01	9
10	·03	·18	–	–	–	·06	–	·13	–	–	1·30	·07	10
11	·15	·32	–	–	–	–	–	–	–	–	·53	–	11
12	·18	·01	–	·01	–	–	–	·08	·42	–	–	·01	12
13	·22	·01	–	–	·09	–	·01	·05	–	–	–	–	13
14	·02	·07	–	–	–	–	·33	·24	–	–	–	–	14
15	·02	·03	–	·39	·04	–	·36	·18	–	–	–	·03	15
16	·02	·12	–	·25	·16	–	–	·10	–	–	–	–	16
17	–	8 AM ·47	–	·16	–	–	·20	·26	·02	–	–	·01	17
18	·02	·38	–	·46	–	·03	·04	·26	–	–	·46	–	18
19	·05	–	–	·76	–	–	·16	·30	·17	–	·03	–	19
20	–	·10	–	·06	·02	–	·21	·18	–	·02	–	·02	20
21	–	·11	–	–	·50	–	–	·01	·04	–	–	–	21
22	·10	·01	·07	·01	–	–	–	·02	·08	–	–	–	22
23	·31	·15	·08	–	·02	·01	–	–	·07	–	·08	–	23
24	–	·01	·01	·26	–	·03	·01	·26	·01	–	–	–	24
25	·14	–	–	·38	–	–	·50	–	–	–	–	·01	25
26	–	·07	–	·30	–	–	·34	–	–	·03	·23	–	26
27	·11	·20	–	·05	·22	–	·02	–	–	–	·04	–	27
28	·13	·22	–	·01	·02	–	–	–	–	·01	·01	·13	28
29	·11	–	–	–	·10	–	·07	–	–	·28	·01	·03	29
30	·10	×	–	–	·01	–	·03	–	–	–	–	–	30
31	·22	×	–	×	–	×	–	–	×	–	×	–	31
TOTAL	2·17	3·10	·34	3·68	2·08	·87	2·50	3·05	1·92	·57	3·80	·51	YEAR'S TOTAL 24·53
*Days with ·01 in. or more.	21	26	6	19	14	9	16	22	13	7	14	13	180
*Days with ·04 in. or more.	14	19	3	14	8	4	10	17	9	3	10	5	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ernest Simmons

P.T.O.

286

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 286

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Fairlawn, Boughton Aluph

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·04	—	·02	·41	—	·01	—	·01	·02	·06	·15	1
2	·03	—	—	·31	·08	—	·01	·13	—	—	·01	·18	2
3	—	—	—	·14	·32	·15	—	·07	·29	·02	—	·01	3
4	—	—	—	—	·01	·07	—	·03	—	—	·01	—	4
5	·06	—	·02	—	·09	·03	·15	—	·05	—	—	—	5
6	·37	—	·01	·28	·01	—	—	—	·04	—	—	·03	6
7	·02	—	·12	·02	—	—	—	—	—	—	—	·07	7
8	—	·05	·19	·03	·26	—	—	—	·07	1·39	—	—	8
9	·17	·02	·02	·11	·72	—	—	—	—	·15	—	—	9
10	·45	·03	—	·29	·05	—	—	—	·03	·09	—	—	10
11	·32	·26	·01	·09	·02	·23	·09	—	·05	·26	—	·02	11
12	·10	—	—	·01	—	—	—	·06	—	·19	—	—	12
13	·06	—	—	·02	·03	—	—	—	·03	1·10	—	—	13
14	·12	·01	—	·16	·08	—	—	·02	—	·15	—	—	14
15	·01	·03	—	·03	·09	—	—	—	—	·13	—	·01	15
16	·04	—	—	·21	·05	—	—	—	—	—	—	—	16
17	—	·01	—	·03	—	—	·04	—	—	·06	—	—	17
18	·01	—	—	—	—	—	·03	—	·06	—	·11	—	18
19	·02	—	—	—	—	—	—	—	—	·16	·20	—	19
20	—	·01	—	·02	·12	—	·16	—	·01	1·04	·25	—	20
21	—	—	—	—	·21	—	—	—	—	·12	—	·02	21
22	—	·02	·50	—	·11	—	·04	·01	1·20	·17	·16	—	22
23	—	·16	—	·11	·05	—	—	—	·20	·70	·05	·03	23
24	—	·05	—	·01	·03	—	·52	—	·07	·05	·03	—	24
25	—	·01	—	—	·03	—	1·65	—	·13	·27	·01	—	25
26	—	—	—	·07	—	—	·24	·42	—	—	·03	—	26
27	—	—	·24	·13	·09	—	·16	—	·15	·53	·09	·03	27
28	—	—	—	·02	·04	—	·23	—	—	·14	—	—	28
29	—	—	·17	·04	—	—	—	·21	·06	·31	—	·01	29
30	—	×	·07	·34	—	·75	—	·02	·02	·08	·05	·02	30
31	—	×	·06	×	—	×	·10	·04	×	·01	×	·01	31
TOTAL	1·86	·72	1·41	2·49	2·90	1·23	3·43	1·01	2·47	7·14	1·06	·59	YEAR'S TOTAL 26·31
*Days with ·01 in. or more.	15	13	11	23	22	5	14	10	17	23	13	13	179
*Days with .04 in. or more.	10	6	7	13	16	4	11	6	12	20	8	3	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ernest Simmons

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 286

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Fairlawn. Boughton Aluph

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 220 ft. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·23	·14	—	—	—	—	—	—	·02	·05	—	1
2	·09	·01	·31	—	·60	—	—	—	—	·14	·05	—	2
3	·04	·14	·10	—	—	—	—	—	—	·04	—	—	3
4	·02	—	—	—	—	—	—	—	—	—	—	—	4
5	·41	—	12	—	·09	—	—	—	—	—	—	—	5
6	—	·05	·09	—	·42	—	—	—	—	·02	·07	—	6
7	·41	·02	·01	—	·26	—	—	—	—	·24	·01	·03	7
8	·18	—	—	—	·05	—	·15	—	—	·02	—	—	8
9	—	—	—	—	·12	—	—	—	—	·26	·13	—	9
10	—	·44	—	—	—	·02	·07	—	—	·17	—	—	10
11	·12	—	—	—	·02	·02	—	·07	·10	—	·02	—	11
12	—	—	—	·07	—	·13	·45	—	·49	—	·04	—	12
13	·01	—	—	—	·14	·02	·23	·02	·54	·01	·21	—	13
14	·01	—	—	—	·03	—	—	—	—	·15	·18	—	14
15	·20	—	·03	—	—	—	·10	·28	—	·02	·07	·03	15
16	·18	·01	·45	—	—	·26	·13	—	—	—	—	—	16
17	—	—	·34	—	—	·08	—	·03	·10	—	·01	—	17
18	·13	—	·01	5 ·11	—	·30	—	—	—	—	—	—	18
19	—	5 ·20	·07	·15	—	·35	—	—	·17	—	—	—	19
20	—	·07	—	·43	—	·09	—	—	·05	—	—	—	20
21	—	5 ·33	—	·01	—	·02	—	·18	·76	—	—	—	21
22	—	·01	—	—	—	·75	·01	·27	—	·07	—	—	22
23	—	—	—	·08	·10	·01	—	—	·73	—	—	—	23
24	—	5 ·06	—	·15	·01	·22	—	—	·57	—	·20	—	24
25	—	—	—	·32	·03	—	—	—	·05	·06	·49	·02	25
26	—	·40	—	·01	—	·07	—	—	·09	·02	·09	·10	26
27	—	·06	—	·01	·09	—	—	—	—	·28	—	·09	27
28	—	·01	—	—	—	·01	·07	—	—	·09	—	·05	28
29	·03	—	—	—	·26	—	·31	—	—	·03	—	—	29
30	·07	×	·02	·27	—	—	·01	—	·02	·06	—	·11	30
31	·01	×	—	×	—	×	—	·09	×	—	×	—	31
TOTAL	1·91	2·04	1·69	1·61	2·22	2·35	1·53	·94	3·67	1·70	1·62	·43	YEAR'S TOTAL 21·71
*Days with ·01 in. or more.	15	15	12	11	14	15	10	7	12	18	14	7	150
*Days with ·04 in. or more.	10	10	8	8	10	9	8	5	11	11	11	4	105

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ernest Simmons

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 286

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Fairlawn, Boughton Aluph, Ashford

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·01	–	–	–	–	–	·40	–	·23	–	·16		1
2	·05	–	·16	·01	–	–	–	–	·31	·60	–	·29		2
3	·01	·05	–	·02	·15	–	–	–	·01	·33	·03	·09		3
4	·17	–	–	–	·03	–	–	–	–	·04	·05	·64		4
5	·01	·01	·03	–	·09	·05	–	·02	–	–	·05	·78		5
6	–	–	·31	·12	·10	·32	–	·09	–	·16	·02	·43		6
7	·03	–	–	–	–	–	–	·02	–	·11	–	·17		7
8	–	·02	–	·68	·24	–	–	·02	·06	–	1·60	·12		8
9	–	–	·04	·01	·01	–	–	–	·03	–	·41	–		9
10	–	–	·20	·18	–	–	–	·03	–	·06	·22	·01		10
11	·55	–	·36	·15	–	–	·18	·10	–	–	–	·54		11
12	·13	–	·22	–	–	–	·05	·20	–	–	·02	·08		12
13	·37	–	·45	·03	–	–	·01	·12	–	–	–	–		13
14	·31	–	–	·12	–	–	·02	–	–	·02	·22	·27		14
15	–	–	·01	–	–	–	–	[illegible]	·03	–	·21	·50		15
16	·10	–	·25	·02	·12	–	–	–	–	–	·01	·01		16
17	·07	–	·56	–	·01	–	–	[illegible]	·46	·06	·18	·17		17
18	·02	–	–	·09	–	–	·02	[illegible]	·01	–	·09	·30		18
19	–	–	·29	–	–	–	–	[illegible]	·18	–	·01	·08		19
20	–	–	·07	–	–	–	·11	–	–	·01	–	·02		20
21	–	–	·02	·05	–	·07	–	–	–	–	–	–		21
22	–	–	–	–	–	–	·04	·25	·15	·01	–	–		22
23	–	–	–	·18	–	·22	–	–	–	–	–	·23		23
24	–	·02	–	·04	–	·43	·54	[illegible]	·08	–	·01	–		24
25	·05	·01	–	·16	·02	–	–	–	–	·03	–	·40		25
26	·09	–	–	·13	–	·09	–	–	–	–	–	·02		26
27	·03	·04	–	·02	–	·12	–	–	–	–	–	·19		27
28	–	·07	–	·10	–	–	·02	·37	–	·01	·04	·12		28
29	–	–	–	–	–	–	·10	·06	·21	–	–	·01		29
30	·26	×	–	–	–	–	–	·34	·01	–	–	·20		30
31	·01	×		×	–	×	–	·07	×	·06	×	24		31
TOTAL	2·26	·23	2·97	2·11	·77	1·30	1·09	2·09	1·54	1·73	3·17	5·47	Year's Total. 24·73	
* Days with .01 in. or more.	17	8	14	18	9	7	10	14	12	14	16	26	165	
* Days with .04 in. or more.	11	3	11	12	5	7	6	10	7	9	10	21	105	

40-9999

† Spare column, no entries required.

(*Signed*) Ernest Simmons

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 286

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Fairlawn. Boughton Aluph

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	·02	·03	·04	–	·17	·02	–	·08	·45	·08	–		1
2	·37	–	·05	·05	–	–	–	–	·01	·43	·02	–		2
3	·02	·04	·04	·18	–	·02	–	–	·08	·45	·10	–		3
4	–	·01	–	·30	–	·10	–	–	·26	·80	·13	·18		4
5	–	·52	·04	·25	–	·07	·02	–	·63	·10	·01	–		5
6	·04	·05	·01	·19	–	·13	–	–	–	·08	·15	·05		6
7	·14	·07	–	·25	–	·22	–	–	–	·01	·90	·07		7
8	–	–	–	·38	–	–	–	·92	–	·17	·14	·04		8
9	–	–	–	·03	–	·58	–	·01	–	·53	·18	·08		9
10	·08	·03	–	–	–	·08	–	–	–	·01	·15	·21		10
11	·05	–	–	·09	–	·05	–	–	–	–	·38	–		11
12	–	·01	–	–	–	·08	–	·60	–	–	·18	–		12
13	·05	·15	–	·09	·03	–	–	·01	–	–	·21	·16		13
14	·06	–	–	·08	·70	·07	–	–	–	·01	–	·09		14
15	–	·12	–	·48	·05	·05	–	–	·55	–	·48	·06		15
16	–	·03	–	·14	–	·09	–	–	·48	–	·80	–		16
17	·06	–	·02	·03	·01	·20	–	·02	–	–	·65	–		17
18	–	–	–	·11	–	·04	·14	–	·20	·05	·01	·02		18
19	–	–	–	·06	·58	·04	·06	–	·05	–	·05	·04		19
20	·05	·29	–	·13	·07	·08	·09	–	·03	·10	·03	–		20
21	–	·30	–	·03	–	–	–	–	–	·15	·04	–		21
22	–	·14	–	–	–	–	–	·02	·06	–	·11	·02		22
23	–	·02	·01	–	–	–	–	·55	–	–	·07	–		23
24	·07	·52	·01	–	·29	–	–	·42	·60	·10	–	·53		24
25	·13	·11	–	·19	·21	·18	–	–	–	·11	·04	·44		25
26	·14	·01	–	–	–	·01	–	·11	·02	·09	·01	·45		26
27	·20	·54	–	·19	–	–	–	·52	·08	–	·05	·16		27
28	·04	·09	–	–	·15	–	–	·07	·01	·05	·01	·10		28
29	–	–	–	–	·01	–	–	–	·35	–	–	·45		29
30	·07	×	–	·05	·03	–	–	1·04	·03	·07	·33	·20		30
31	–	×	–	×	·01	×	–	·01	×	·25	×	·45		31
TOTAL	1·85	3·07	·21	3·34	2·14	2·26	·33	4·30	3·52	3·71	5·31	3·80	Year's Total. 33·84	
* Days with .01 in. or more.	17	20	8	22	12	19	5	13	17	20	27	20	200	
* Days with .04 in. or more.	16	13	3	19	7	17	3	8	12	17	21	18	154	

40-9999

† Spare column, no entries required

* See Instruction 2 (f) on other side.

(*Signed*) Ernest Simmons

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 286

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Fairlawn, Boughton Aluph, Kent

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	·12	·04	·13	–	·36	·10	·07	–	–	·04	·13		1
2	–	·12^{5}	·02	·02	–	·16	·02	·17	–	·01	–	·05		2
3	–	·02	–	·20	·03	·03	·02	–	·03	–	·28	–		3
4	·01	–	·06	–	·01	·14	–	–	·16	–	·06	·04		4
5	·15	–	·01	·02	–	–	–	·03	·14	·09	·04	·05		5
6	·21	–	–	–	–	·08	–	·01	·18	·60	·38	–		6
7	·24	–	·04	–	–	·02	·08	·05	–	·14	·25	–		7
8	·23	–	·02	–	–	–	–	–	·01	–	·47	·33		8
9	·37	–	·03	–	·01	–	·46	·12	–	–	·20	–		9
10	·01	–	–	–	·01	·01	·12	·84	·05	·36	–	–		10
11	–	–	·16	–	–	–	·21	–	–	–	·80	–		11
12	–	–	–	–	–	·02	·21	·07	·01	–	·07	·16		12
13	–	–	–	–	–	·02	·06	–	–	–	·01	·13		13
14	–	·02	–	–	–	·08	·91	–	·22	·09	·13	·36		14
15	–	·05	–	·01	–	–	·02	–	–	–	·01	·13		15
16	·41	·08	–	–	–	–	[illegible]	–	–	–	·26	·18		16
17	·20	·65	–	–	–	·07	–	–	–	·01	·40	·24		17
18	·12	·13	–	–	–	–	·17	·01	02	·03	·36	·04		18
19	·13	·06	–	–	–	13	–	·09	–	·07	·01	[illegible]		19
20	·21	·09	–	·53	·01	–	·02	–	·44	–	–	–		20
21	·01	–	–	·22	–	·65	·02	–	·07	–	–	–		21
22	·05	·33	·02	·03	·03	–	·08	–	–	–	–	·09		22
23	·03	·01	–	·07	–	–	·26	–	–	–	–	–		23
24	·07	·09	–	–	–	–	–	–	·02	·09	–	–		24
25	·64	·02	·10	·09	–	·32	·16	–	·44	·06	·01	·01		25
26	·01	·03	·13	–	–	–	–	–	·07	·10	–	·05		26
27	·10	·07	–	–	–	–	·21	–	·27	·09	–	–		27
28	·52	–	·04	–	–	·27	·15	–	·31	–	·03	·06		28
29	·01	·03	·18	–	–	·15	2·07	–	·05	·03	·13	[illegible]		29
30	·07		–	–	·07	·14	–	–	–	·06	–	–		30
31	·24		14		·03		·11	–		1·20		·04		31
TOTAL	4·34	1·92	·99	1·32	·20	2·65	5·46	1·46	2·49	3·03	3·94	2·09	Year's Total 29·89	✓
* Days with .01 in. or more.	24	17	14	10	8	17	21	10	17	16	20	17	191	✓
* Days with .04 in. or more.	18	11	9	6	1	12	16	7	12	12	15	16	135	✓

† Spare column, no entries required.

(*Signed*) Ernest Simmons

* See Instruction 3 (f) on other side.

[P.T.O.

25aA

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations**

Station No. 286

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Glebe House, Boughton Aluph

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 220 ft. ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·70	·03	–	·04	–	–	–	–	–	–	·48	·30		1
2	·01	·10	·01	·60	–	–	–	–	–	–	–	·70		2
3	·01	·03	–	–	–	–	–	–	–	–	–	·59		3
4	·10	·83	–	·05	–	–	–	–	–	·01	–	·28		4
5	·16	·12	·48	–	–	–	·16	·01	–	·18	–	·15		5
6	·17	–	·37	·01	·18	–	·02	–	–	·03	–	·04		6
7	–	·86	·14	·04	·06	–	–	–	·02	–	–	–		7
8	–	·02	·24	–	·01	·08	–	–	–	–	·10	1·11		8
9	–	·07	·05	·40	·09	·03	·08	–	·24	–	–	·46		9
10	–	–	·37	·09	·06	·45	·17	·28	–	–	–	·21		10
11	–	–	·85	·04	·27	–	·04	–	·01	·03	–	·25		11
12	·39	·25	·46	–	·54	–	·03	·14	·36	–	–	·02		12
13	·38	·01	·43	–	·01	28	–	·04	·36	–	–	·99		13
14	·06	·01	·14	–	·34	·02	–	·24	·05	–	–	·11		14
15	·06	·05	–	·16	·03	·06	·30	–	·12	–	–	–		15
16	·05	·02	·15	·22	–	·06	–	·42	·11	–	–	·01		16
17	·40	·01	–	·14	–	·28	–	–	1·15	–	·40	–		17
18	·27	·07	–	–	·24	·12	–	–	·26	–	·05	–		18
19	·13	·05	·07	·13	·05	·11	·25	–	·05	–	–	–		19
20	·36	–	1·05	·27	·96	·09	–	–	–	–	–	–		20
21	·33	·45	·28	·05	–	–	–	·10	–	–	–	·05		21
22	·34	·03	·05	–	·03	–	·01	–	–	·95	·05	·07		22
23	·02	·01	–	–	–	–	·08	–	–	·37	·01	·02		23
24	·50	·18	·03	–	–	–	–	–	·13	·14	·02	–		24
25	·24	·27	·26	–	–	–	–	–	·08	·58	–	–		25
26	·01	·29	·11	–	–	–	–	–	–	·45	–	–		26
27	–	·11	–	·34	–	–	–	–	–	·08	·02	·01		27
28	·10	·03	–	·01	–	·01	–	–	–	–	–	·23		28
29	·09	–	·02	–	–	–	–	–	–	·17	·01	·02		29
30	·27	✕	–	–	–	–	–	–	–	·42	·10	·16		30
31	·21	✕	–	✕	–	✕	–	–	✕	·04	✕	·15		31
TOTAL	5·36	3·90	5·56	2·59	2·87	1·59	1·14	1·23	2·94	3·45	1·24	5·93	Year's Total 37·60	✓
* Days with .01 in. or more.	25	24	20	16	14	12	10	7	13	13	10	22	186	✓
* Days with .04 in. or more.	21	14	17	14	10	9	7	6	11	10	6	17	142	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ernest Simmons

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 286

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Glebe House, Boughton Aluph

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 220 ft.

ate

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	—	—	—	0·17	·36	·03	—	0·40	·01	·03	·09		1
2	·03	—	—	·05	·10	—	·03	—	—	·27	—	—		2
3	—	—	—	—	·26	—	—	—	—	·47	·01	—		3
4	·04	—	—	—	·05	—	·31	·21	—	—	—	·05		4
5	·01	—	—	—	—	—	·45	·01	—	·49	—	·02		5
6	·05	—	—	—	—	—	·09	·08	·03	—	—	—		6
7	·04	—	—	—	—	—	·02	·31	—	·15	—	·09		7
8	·22	—	—	—	—	·01	·06	—	·06	·10	—	—		8
9	·15	·03	—	—	—	—	·05	·27	·02	·05	—	·57		9
10	·10	·08	—	—	—	·11	—	·18	·01	—	—	·27		10
11	·18	·02	—	—	—	—	—	·01	—	—	·06	·10		11
12	·09	·04	—	—	—	·02	·01	·04	—	·06	·01	—		12
13	·42	·21	—	—	·27	—	—	—	—	·03	·01	·01		13
14	·15	·02	—	—	—	—	—	·05	·20	—	—	·03		14
15	·01	·36	—	—	—	—	·13	—	—	·10	—	·08		15
16	·18	·02	·01	—	·01	—	·01	—	—	·13	—	·20		16
17	—	·09	—	—	·54	—	·03	—	—	·33	·03	—		17
18	·03	—	—	·01	·05	—	·04	—	·11	·05	·32	—		18
19	—	—	—	—	·02	—	—	·01	·06	—	·03	·48	2 days	19
20	—	—	—	—	·04	—	—	—	·47	—	·43			20
21	·06	—	—	·01	—	—	—	·10	·19	—	·14	·10		21
22	·01	—	—	·05	—	·10	—	·01	—	—	·15	·16		22
23	—	—	—	·04	—	—	—	—	—	—	·01	—		23
24	—	—	·08	—	·01	—	—	—	·11	—	·24	·20		24
25	·06	—	·38	·06	·18	—	·10	—	·09	·04	·24	—		25
26	·58	·10	·13	—	·02	—	·06	—	·47	·28	—	·37		26
27	·16	·09	·02	—	·28	·07	·29	—	·23	·79	·21	—		27
28	·17	·03	—	—	·34	·03	—	·72	·10	—	·01	·02		28
29	·26	✕	—	·13	·21	—	—	—	—	—	·01	·30		29
30	·03	✕	—	·34	·32	—	—	—	·06	·03	·22	—		30
31	·24	✕	—	✕	·06	✕	—	—	✕	·07	✕	·10		31
TOTAL	3·32	1·09	0·62	0·69	2.93 ~~2·88~~	0·70	1·71	2·00	2·61	3·45	2·16	3·24	Year's Total 24·47	✓
* Days with .01 in. or more.	25	12	5	8	18	7	16	13	16	18	18	20	176	✓
* Days with .04 in. or more.	19	7	3	6	14	4	10	9	13	15	9	16	125	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ernest Simmons

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 286

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Glebe House. Boughton Aluph

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	–	·03	20	44	–	·04	–	·02	·02	·05	·02		1
2	–	–	–	–	·01	–	–	·43	·02	·37	·01	–		2
3	31	–	–	·18	–	–	–	·27	–	·02	·13	·22		3
4	15	–	·28	·05	–	–	·01	·52	·06	·48	·07	·01		4
5	–	·01	·04	·34	02	–	·05	–	–	·33	·59	·31		5
6	·40	–	·03	·01	–	–	–	·03	–	·07	·24	–		6
7	·15	·04	–	–	–	–	·02	–	–	·02	·17	·06		7
8	–	·04	·20	–	–	–	–	·01	–	·17	–	·51		8
9	·02	·09	–	–	–	–	–	–	–	·54	·33	·13		9
10	·08	–	–	–	–	·30	–	·16	·07	·12	·01	·01		10
11	·10	·01	·32	–	03	·33	–	–	–	·84	–	·02		11
12	–	–	–	–	·04	·21	–	–	–	·01	–	·01		12
13	·01	·01	·04	–	–	·04	–	–	–	1·62	–	·15		13
14	·53	–	·06	–	·11	–	·08	–	–	·18	·39	·02		14
15	·25	–	·01	–	1·20	–	·06	–	·17	·70	·14	–		15
16	·15	–	·07	·03	·25	·16	·19	–	–	–	·58	–		16
17	·14	·19	·06	·03	–	–	·05	–	·03	–	·03	–		17
18	·26	–	·07	–	–	·04	·12	–	·03	·54	·43	–		18
19	·29	–	·11	–	–	–	·37	–	·07	1·20	–	–		19
20	·20	–	–	–	–	·21	–	·03	·15	–	–	·02		20
21	·11	–	·19	–	–	·03	·03	–	·20	·09	–	–		21
22	·10	·24	·08	–	–	·59	·09	–	·04	–	–	–		22
23	·02	–	–	·04	–	–	·25	·18	·04	·09	·70	–		23
24	15	–	·01	·30	–	·03	·40	–	–	·09	·02	–		24
25	1·40	·15	·14	·34	–	–	·65	–	–	–	·38	·02		25
26	·24	–	·37	–	–	–	·07	–	–	·99	·23	·03		26
27	·19	·09	·26	·06	–	–	–	–	·03	1·38	·24	–		27
28	·01	·33	·05	–	–	–	–	–	–	·43	·13	·11^{5}		28
29	–	–	–	·43	–	–	–	–	–	·04	·08	–		29
30	–	✕	–	·51	–	·07	–	–	–	–	·10	–		30
31	–	✕	–	✕	–	✕	·03	·02	✕	·01	✕	–		31
TOTAL	5·50	1·20	2·42	2·58	2·10	2·01	2·51	1·65	·93	10·35	5·05	1.65	Year's Total 37.95	
* Days with .01 in. or more.	24	11	20	13	8	11	17	9	13	25	22	16	189	
* Days with .04 in. or more.	20	8	16	10	5	9	13	5	8	20	18	7	139	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ernest Simmons

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 286

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at The Glebe House, Boughton Aluph

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·01	—	·02	·01	—	—	—	—	—	·01	—		1
2	—	—	—	·07	—	—	—	—	—	·26	·32 ✓	—		2
3	—	·22	—	·08	—	—	·17	—	—	·09	1·33	·14		3
4	—	·16	—	·06	—	—	·01	—	—	·09	·03	·07		4
5	—	·02	—	—	—	—	·03	—	—	·01	·85	·12		5
6	·09	·07	—	—	—	—	·20	—	—	·24	·02	—		6
7	·27	·07	—	—	—	—	·19	—	—	—	—	—		7
8	—	·01	—	·02	—	—	·01	—	·37	·31	—	·35		8
9	—	—	—	—	—	—	—	—	·08	·07	·23	·13		9
10	—	—	—	—	—	—	·11	·01	·03	·50	·15	·03		10
11	—	·01	—	·02	—	—	—	—	—	—	·50	·02		11
12	—	·10	·12	·04	—	·01	·40	—	·02	—	·04	—		12
13	—	·09	·42	—	—	·37	·08	—	·17	—	·86	—		13
14	—	—	·29	·09	—	—	—	—	—	—	—	·41		14
15	—	—	·04	—	·16	·06	·45	—	—	—	·43	·01		15
16	·95	·17	·13	—	—	·22	·28	—	·13	·45	·76	—		16
17	·07	—	·30	—	—	—	·05	—	·01	—	·07	·09		17
18	·04	·40	·29	·34	—	—	·06	·01	—	·20	·16	·18		18
19	—	·12	·04	—	—	—	—	—	·94	—	·06	·16		19
20	·01	·02	·03	—	—	·02	—	·02	·02	·15	·15	—		20
21	·12	—	—	—	·10	—	1·07	—	·05	·02	·12	—		21
22	·04	·01	·04	—	15	·08	—	·01	·07	·01	·03	—		22
23	—	·13	·05	·14	—	—	·02	—	—	—	·01	·02		23
24	—	—	—	·08	—	—	·11	—	—	·08	—	—		24
25	—	—	·37	—	—	—	·20	—	—	·05	—	—		25
26	·93	·18	·42	—	—	·15	—	—	—	·37	—	—		26
27	·16	·08	·01	—	—	—	·11	—	—	·02	—	—		27
28	·07	·01	—	—	·51	—	—	—	—	—	—	—		28
29	·11	—	·06	—	·06	—	—	—	·04	—	—	·23		29
30	·04	✕	—	·38	—	—	—	—	—	·05	—	·01		30
31	·03	✕	—	✕	—	✕	—	—	✕	·36	✕	·07		31
													Year's Total	
TOTAL	2·93	1·88	2·61	1·34	0·99	0·91	3·55	0·05	1·93	3·33	6·13	2·04	27·69	✓
* Days with .01 in. or more.	14	19	15	12	6	7	18	4	12	19	20	16	162	✓
* Days with .04 in. or more.	12	12	13	9	5	5	14	0	8	15	15	11	119	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) [illegible] Simmons

[P.T.O.

287

Section **A** for the entry of Daily Observ

AIR MINISTRY.—METEORO

FORM 1090.

REGISTER OF

287

CHARING P.S.

1931 - 1940

064112001 78 0106

COPY FOR OFFICIAL USE.

AINFALL ORGANIZATION.

1931.

Kept at Charing Pumping St

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft — in.

" Ground " Sea Level 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·08	·03	·11	—	·14	—	·18	—	—	—	—	1
2	·02	·09	—	·17	—	—	—	·02	·40	—	·01	—	2
3	·16	·18	·06	·06	·50	—	—	·20	·60	—	—	·08	3
4	—	·08	—	—	·01	—	—	·03	·13	·01	·03	—	4
5	—	—	—	·30	—	·42	·04	1·40	—	—	—	·09	5
6	—	·06	—	·02	—	—	—	·03	—	·13	·30	—	6
7	·05	·01	—	—	—	·08	—	·10	—	—	·09	—	7
8	·02	·09	·11	—	·05	·12	·04	·17	—	—	·22	·06	8
9	—	·10	—	·01	—	·02	—	—	·04	—	·40	—	9
10	·02	·16	—	—	—	·06	—	·13	—	—	1·33	·07	10
11	·25	·43	—	—	—	—	—	—	·02	—	·79	—	11
12	·15	—	—	—	—	—	—	·04	·40	—	—	·01	12
13	·18	·03	—	—	—	—	·10	·09	—	—	—	·01	13
14	·02	·13	—	—	·07	·04	·36	·15	—	—	—	—	14
15	·01	·03	—	·38	·08	—	·29	·22	—	—	—	·01	15
16	·01	·09	—	·20	·19	—	—	·04	—	—	—	—	16
17	·01	·10	—	·10	—	—	·22	·16	·04	—	—	—	17
18	·05	·30	—	·63	—	·03	·03	·17	—	—	·53	—	18
19	·01	—	—	1·50	—	—	·05	·43	·20	—	·05	—	19
20	—	—	—	·13	—	—	·09	·21	—	—	—	—	20
21	—	·19	—	—	·47	—	—	—	—	—	—	·02	21
22	·09	—	·08	—	—	—	—	—	·09	—	—	—	22
23	·46	—	·03	—	·06	—	—	—	—	—	·06	—	23
24	—	—	·01	·88	—	·08	·02	·26	·02	—	·01	—	24
25	·09	—	—	·45	—	—	·62	—	—	—	—	—	25
26	—	·07	—	·49	—	—	·32	—	—	·04	·21	—	26
27	·12	·26	—	·09	·33	—	·01	—	—	—	·05	—	27
28	·12	·10	—	·03	·03	—	—	—	—	·02	—	·11	28
29	·13	X	—	·02	·08	—	·07	—	—	·30	—	·02	29
30	·12	X	—	—	·01	—	—	—	—	—	—	—	30
31	·34	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	2·43	2·58	·32	5·57	1·88	·99	2·26	4·03	1·94	·50	4·08	·48	YEAR'S TOTAL 27·06
*Days with ·01 in. or more.	22	20	6	18	12	9	14	19	10	5	14	10	159
*Days with ·04 in. or more.	14	17	3	14	9	7	11	16	8	3	11	5	118

40-9999

(Signed) J. J. Ball

*See Instruction 2 (*f*) on other side.

[P.T.O.

287

Section **A** **for the entry of Daily Observa**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL

AINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Charing Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. — in.

,, Ground ,, Sea Level 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·08	·03	·11	—	·14	—	·18	—	—	—	—	1
2	·02	·09	—	·17	—	—	—	·02	·40	—	·01	—	2
3	·16	·18	·06	·06	·50	—	—	·20	·60	—	—	·08	3
4	—	·08	—	—	·01	—	—	·03	·13	·01	·03	—	4
5	—	—	—	·30	—	·42	·04	1·40	—	—	—	·09	5
6	—	·06	—	·02	—	—	—	·03	—	·13	·30	—	6
7	·05	·01	—	—	—	·08	—	·10	—	—	·09	—	7
8	·02	·09	·11	—	·05	·12	·04	·17	—	—	·22	·06	8
9	—	·10	—	·01	—	·02	—	—	·04	—	·40	—	9
10	·02	·16	—	—	—	·06	—	·13	—	—	1·33	·07	10
11	·25	·43	—	—	—	—	—	—	·02	—	·79	—	11
12	·15	—	—	—	—	—	—	·04	·40	—	—	·01	12
13	·18	·03	—	—	—	—	·10	·09	—	—	—	·01	13
14	·02	·13	—	—	·07	·04	·36	·15	—	—	—	—	14
15	·01	·03	—	·38	·08	—	·29	·22	—	—	—	·01	15
16	·01	·09	—	·20	·19	—	—	·04	—	—	—	—	16
17	·01	·10	—	·10	—	—	·22	·16	·04	—	—	—	17
18	·05	·30	—	·63	—	·03	·03	·17	—	—	·53	—	18
19	·01	—	—	1·50	—	—	·05	·43	·20	—	·05	—	19
20	—	—	—	·13	—	—	·09	·21	—	—	—	—	20
21	—	·19	—	—	·47	—	—	—	—	—	—	·02	21
22	·09	—	·08	—	—	—	—	—	·09	—	—	—	22
23	·46	—	·03	—	·06	—	—	—	—	—	·06	—	23
24	—	—	·01	·88	—	·08	·02	·26	·02	—	·01	—	24
25	·09	—	—	·45	—	—	·62	—	—	—	—	—	25
26	—	·07	—	·49	—	—	·32	—	—	·04	·21	—	26
27	·12	·26	—	·09	·33	—	·01	—	—	—	·05	—	27
28	·12	·10	—	·03	·03	—	—	—	—	·02	—	·11	28
29	·13	×	—	·02	·08	—	·07	—	—	·30	—	·02	29
30	·12	×	—	—	·01	—	—	—	—	—	—	—	30
31	·34	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2·43	2·58	·32	5·57	1·88	·99	2·26	4·03	1·94	·50	4·08	·48	YEAR'S TOTAL 27·06
*Days with ·01 in. or more.	22	20	6	18	12	9	14	19	10	5	14	10	159
*Days with ·04 in. or more.	14	17	3	14	9	7	11	16	8	3	11	5	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J J Ball

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 287

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Charing Pumping Station,
in the County of Kent.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft — in.
,, Ground ,, Sea Level 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·07	—	·02	·25	—	—	—	·01	04	·07	·08	1
2	·02	—	—	·31	·07	—	—	·08	—	—	·03	·10	2
3	·02	—	—	·18	·17	·04	—	—	·34	—	·08	—	3
4	·02	—	—	·01	—	·08	—	—	—	—	—	—	4
5	·08	·01	·01	—	·06	·02	·17	—	·06	—	—	—	5
6	·45	—	—	·27	—	—	—	—	·03	—	—	·08	6
7	·02	—	·10	·02	—	—	—	—	—	—	—	·11	7
8	—	·07	·17	·02	·25	—	—	—	·02	1·38	—	—	8
9	·26	·02	·01	·09	·76	—	—	—	—	·25	—	—	9
10	·45	—	—	·26	·09	—	—	—	·02	·08	—	—	10
11	·38	·10	·01	·07	·01	·14	·05	—	—	·29	—	·01	11
12	·10	·11	—	·01	—	—	·14	—	—	·20	—	—	12
13	·09	·02	—	·03	·05	—	—	—	·06	·68	—	—	13
14	·13	—	—	·09	·07	—	—	—	—	·26	—	—	14
15	·03	·03	—	·15	·21	—	—	—	—	·16	—	·01	15
16	·09	—	—	·21	·04	—	—	—	—	—	—	—	16
17	—	—	—	·02	—	—	·02	—	—	·06	—	—	17
18	·02	—	—	·01	—	—	—	—	·04	—	·09	—	18
19	·02	—	—	—	—	—	—	—	—	·18	·11	—	19
20	—	—	—	·01	·32	—	·18	—	·01	1·13	·35	—	20
21	—	—	—	—	·15	—	—	—	—	·13	—	·04	21
22	—	·05	·47	·09	·22	—	·06	·01	·88	·11	·26	·01	22
23	—	·12	—	·06	·08	—	—	—	·42	·73	·12	·04	23
24	—	·06	—	—	·02	—	·68	—	·08	·05	·04	—	24
25	—	·02	—	—	—	—	·88	—	·09	·28	—	—	25
26	—	—	·02	·08	—	—	·45	·04	—	—	·05	—	26
27	—	—	·22	·21	·12	—	·12	—	·05	·33	·08	·02	27
28	—	—	·01	·03	·05	—	·28	—	—	·08	—	—	28
29	—	—	·34	·11	—	—	—	·28	·05	·35	—	·02	29
30	—	✕	·14	·15	·02	·58	—	—	·02	·09	·02	—	30
31	—	✕	·07	✕	—	✕	·06	·04	✕	·05	✕	—	31
													YEAR'S TOTAL
TOTAL	2·27	·68	1·57	2·51	3·01	·86	3·09	·45	2·18	6·91	1·30	·52	25·35
*Days with ·01 in. or more.	17	12	12	25	20	5	12	5	16	22	12	11	169
*Days with .04 in. or more.	10	7	7	15	17	4	11	4	10	22	10	6	123

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) E. J. Ball

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 287

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Charing Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground — ft — in.

,, Ground ,, Sea Level 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·25	·12	—	—	—	—	—	—	·05	·03	—		1
2	·18	—	·42	—	·18	—	—	—	—	·16	·02	—		2
3	·06	·15	·22	—	—	—	—	—	—	·13	—	—		3
4	·01	·01	—	—	—	—	—	—	—	—	—	—		4
5	·30	·01	·12	—	·11	—	—	—	—	—	—	—		5
6	—	·08	·13	—	·43	—	—	—	—	—	09	·01		6
7	·48	·02	·02	—	·18	—	—	—	—	·20	·01	·04		7
8	·18	·01	—	—	·07	—	·19	—	—	—	—	—		8
9	—	—	—	—	·11	·02	·02	—	—	·11	·13	—		9
10	—	·42	—	—	—	·01	·13	—	—	·18	—	—		10
11	·15	—	—	—	·04	·01	·01	·08	·11	·01	·03	—		11
12	—	—	—	—	—	·40	·19	—	·51	—	—	—		12
13	·02	—	—	—	·15	—	·25	—	·42	·14	·19	—		13
14	·01	—	—	—	·04	—	·01	—	—	·15	·28	—		14
15	·28	—	·08	—	—	—	·19	·31	—	·02	·02	·06		15
16	·18	—	·46	—	—	·25	·24	—	—	·01	—	—		16
17	—	—	·46	—	—	·14	—	·02	·11	—	·04	—		17
18	·22	·01	·03	·06	—	·40	—	—	—	—	—	—		18
19	—	·01	·10	·28	—	·38	—	—	·01	—	—	—		19
20	—	—	·01	·38	—	·05	—	—	·04	—	·01	—		20
21	—	—	—	·08	—	—	·04	·24	·47	—	·01	—		21
22	—	·06	—	—	—	·94	—	·27	·01	·06	—	—		22
23	—	·01	—	·11	·06	·02	—	—	1·14	—	·01	—		23
24	—	·35	—	·18	·01	·26	—	—	·35	—	·10	—		24
25	—	·02	—	·38	·01	·05	—	—	·01	·04	·46	·02		25
26	—	·42	—	·01	—	·14	—	—	·05	·02	·12	·10		26
27	—	—	—	·01	·25	—	—	—	—	·28	·01	·14		27
28	—	—	—	—	·06	·01	·09	—	—	·06	—	·07		28
29	·02	×	—	—	·37	—	·22	—	—	·02	·01	·01		29
30	·10	×	·06	—	—	—	·02	—	·01	—	—	·08		30
31	·03	×	—	×	—	×	—	·09	×	·04	×	—		31
TOTAL	2·23	1·83	2·53	1·49	2·07	3·08	1·60	1·01	3·24	1·68	1·57	·53	Year's Total 22·80	
*Days with ·01 in. or more.	16	15	13	9	15	15	13	6	13	18	18	9	160	
*Days with .04 in. or more.	10	7	10	7	13	10	9	5	9	13	8	6	104	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. F. Ball

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 287

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Chasing Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft — in.

,, Ground ,, Sea Level 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	—	—	—	—	—	—	·27	—	·22	—	·23		1
2	·02	—	·17	—	—	—	—	—	·53	·74	—	·29		2
3	·01	·08	—	·02	·03	—	—	·08	—	·46	—	·12		3
4	·19	·01	—	—	·05	—	—	—	—	·06	·11	·66		4
5	—	—	·03	—	·10	·01	—	·01	—	·02	·04	·22		5
6	—	—	·29	·12	·15	·32	—	·10	—	·21	·01	·44		6
7	—	—	—	—	—	—	—	·01	—	·11	·06	·09		7
8	—	·01	—	·32	·22	—	—	·02	—	—	1·38	—		8
9	·06	—	·03	—	—	—	—	—	—	—	·48	·19		9
10	·01	—	·20	·15	—	—	—	·02	—	·05	·14	—		10
11	·66	—	·27	·07	—	—	·02	·09	—	—	·01	·52		11
12	·17	—	·23	—	—	—	·06	·38	—	—	·07	·09		12
13	·33	—	·11	—	—	—	·01	·15	—	—	—	·01		13
14	·39	—	·25	—	—	—	—	—	—	·01	·16	·34		14
15	·02	—	—	—	—	—	—	—	·03	—	·14	·40		15
16	·14	—	·26	·08	·16	—	—	—	—	·01	—	·02		16
17	·08	—	·34	—	·02	—	—	—	·92	·05	·06	·34		17
18	·02	—	·02	·32	—	—	·07	—	—	—	·04	·16		18
19	—	—	·32	—	—	—	·15	—	·18	—	—	·17		19
20	—	—	·08	—	—	—	—	—	—	—	—	—		20
21	—	—	—	·07	—	—	—	—	—	·01	—	—		21
22	—	—	—	—	—	—	·10	·19	·09	·05	—	—		22
23	—	—	—	·25	—	·10	—	—	—	·01	—	·33		23
24	—	·01	—	—	—	·30	·61	·07	·06	—	—	—		24
25	·06	—	—	·17	—	—	—	—	—	·04	—	·35		25
26	·12	—	—	·13	—	·10	—	—	—	—	—	·01		26
27	·01	·02	—	·33	—	·04	—	—	—	—	—	·23		27
28	—	·01	—	·10	—	·01	·02	·44	—	—	—	·06		28
29	—	X	—	—	—	—	·06	·01	·25	—	·01	·01		29
30	·18	X	—	—	—	—	—	·07	—	—	—	·23		30
31	·01	X	—	X	—	X	—	1·49	X	·10	X	·31		31
TOTAL	2·55	·14	2·60	2·13	·73	·88	1·10	3·40	2·06	2·15	2·71	5·82	Year's Total 26·27	
*Days with ·01 in. or more.	19	6	14	13	7	7	9	16	7	16	14	25	153	
*Days with .04 in. or more.	12	1	11	12	5	5	6	11	6	11	11	21	112	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) S. L. Ball

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 287

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Charing Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. — in.

,, Ground ,, Sea Level 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·03	·01	·02	—	·14	·02	—	·07	·12	·10	—		1
2	·35	—	·18	·07	—	—	—	—	—	·28	·01	—		2
3	·03	—	—	·11	—	—	—	—	·24	·33	·12	·01		3
4	—	·03	—	·19	—	·20	—	—	·20	·49	—	·12		4
5	—	·57	·02	·17	—	·16	—	—	·66	·20	·01	·01		5
6	·04	·05	·05	·23	—	·12	—	—	—	·02	·18	·02		6
7	·14	·01	—	·16	—	·19	—	—	—	—	1·06	·08		7
8	—	—	—	·35	—	—	—	·52	—	·17	·26	·05		8
9	—	—	—	·05	—	·19	—	—	—	·63	·19	·03		9
10	·07	—	—	—	—	·08	—	—	—	·01	·15	·12		10
11	·02	·04	—	·21	—	·05	—	—	—	·16	·23	—		11
12	·10	·01	—	—	—	·13	—	·30	—	—	·25	—		12
13	·04	·20	—	·11	—	—	—	—	—	—	·15	·24		13
14	·01	—	—	·09	·46	·05	—	—	—	·01	—	·11		14
15	—	·10	—	·58	—	·03	—	—	·28	—	·18	·07		15
16	—	·04	—	·10	—	·05	—	—	·16	·01	·82	—		16
17	·07	—	·04	·01	·04	·22	—	·07	·13	—	·62	—		17
18	—	—	—	·22	—	·04	·25	—	·15	·07	—	·01		18
19	—	—	—	·02	·68	·05	·03	—	·02	—	·10	·08		19
20	—	·59	—	·03	·09	·07	·11	—	·01	·07	·04	—		20
21	·02	·29	—	·02	—	—	—	—	—	·12	·02	—		21
22	—	·17	—	—	—	—	—	·02	·03	—	·02	—		22
23	—	—	—	—	—	—	—	·17	—	—	—	·08		23
24	·07	·77	—	—	·29	—	—	·45	·32	·15	—	·47		24
25	·14	·10	—	·12	·19	·08	—	—	—	·01	·03	·42		25
26	·03	·02	—	—	—	—	—	·07	·02	·14	—	·38		26
27	·25	·44	—	—	·17	—	—	·13	·11	—	·08	·17		27
28	—	·09	—	—	·14	—	—	·02	·04	·14	·01	·12		28
29	—	×	—	—	—	—	—	·04	·33	—	—	·32		29
30	·10	×	—	·05	·08	—	—	·96	·04	·07	·45	·13		30
31	—	×	—	×	·04	×	—	—	×	·15	×	·56		31
													Year's Total	
Total	1·75	3·55	·30	2·91	2·18	1·85	·41	2·75	2·81	3·35	5·08	3·60	30·54	
* Days with .01 in. or more.	17	18	5	21	10	17	4	11	17	21	23	22	186	
* Days with .04 in. or more.	12	13	3	16	10	16	2	9	13	16	17	17	144	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J L Ball

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No. 287

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Charing Pumping Stat:
in the County of Kent.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. — in.
,, Ground ,, Sea Level 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·12	·02	·19	—	·10	·10	·03	—	—	·08	·19		1
2	·02	·14	·03	·02	—	·16	·04	·14	—	—	—	·02		2
3	—	—	—	·33	·03	·13	—	—	·01	—	·29	—		3
4	·01	—	·09	—	—	·14	—	—	·11	—	·03	·01		4
5	·22	—	·05	·02	—	—	—	·03	·18	·14	·03	·10		5
6	·25	—	—	—	—	·09	—	·08	·10	·33	·47	·01		6
7	·24	—	·08	—	—	·01	·03	—	—	·16	·32	—		7
8	·26	—	·03	—	—	—	·02	·04	·01	·02	·48	·29		8
9	·36	—	—	—	—	—	·49	—	—	—	·09	·01		9
10	—	—	—	—	—	—	·55	·62	·12	·34	—	—		10
11	—	—	—	·09	—	—	·41	—	—	—	·87	—		11
12	—	—	—	—	—	·08	·18	·11	·01	—	·28	·45		12
13	—	—	—	—	·04	·03	·09	—	—	—	·02	·24		13
14	—	·02	—	—	—	—	·82	—	—	·04	·14	·33		14
15	—	·07	—	—	—	—	·02	—	·06	—	·01	·14		15
16	·21	·09	—	—	—	—	—	—	—	—	·20	·16		16
17	·26	·56	—	—	—	·09	—	—	—	—	·34	·15		17
18	·09	·13	—	—	—	—	·22	·02	—	—	·63	·06		18
19	·18	·05	—	—	—	·29	—	·07	—	·09	·01	—		19
20	·13	·18	—	·53	—	—	—	—	·74	—	—	—		20
21	—	—	—	·35	—	·93	·02	—	·06	—	—	—		21
22	·07	·26	—	·07	·01	—	·09	—	—	—	—	·08		22
23	·02	·02	—	·11	—	—	·23	—	—	·02	—	—		23
24	·06	·24	—	—	—	—	—	—	·01	·15	—	—		24
25	·39	—	·17	·12	·01	·24	·02	—	·32	·03	·02	—		25
26	—	·04	·18	·06	—	—	—	—	·07	·07	—	·05		26
27	·14	·02	—	—	—	—	·35	—	·21	·16	·02	—		27
28	·45	—	·04	—	—	·16	·02	—	·13	—	—	·25		28
29	·04	·04	·21	—	—	·32	·32	—	—	·04	·10	·03		29
30	·05	✕	—	—	·16	·15	—	—	—	·10	—	—		30
31	·16	✕	·14	✕	·03	✕	·09	—	✕	·88	✕	·10		31
	✓	✓	✓	✓	✓	✓	✓	✓	✓				Year's Total	
TOTAL	3·88	1·98	1·04	1·89	·28	2·92	4·11	1·14	2·14	2·57	4·43	2·67	29·05	✓
* Days with .01 in. or more.	22	15	11	11	6	15	20	9	15	15	20	19	179 ✓	✓
* Days with .04 in. or more.	18	12	8	9	2	13	14	6	11	12	13	14	132 ✓	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 287

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Charing P.S.
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. — in.
,, Ground ,, Sea Level 295 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·75	·01	—	·07	—	—	—	—	—	—	·47	·14		1
2	—	·23	·09	·41	—	—	—	—	—	·01	—	·74		2
3	·02	·11	·01	—	—	—	—	—	—	·01	—	·35		3
4	·11	·55	—	—	—	—	—	—	—	—	—	·26		4
5	·18	·11	·29	—	—	—	·17	—	—	·11	—	·13		5
6	·04	—	·35	—	·14	—	·05	—	—	·02	—	—		6
7	—	·58	·19	·06	·10	—	—	—	—	—	—	·02		7
8	—	·02	·15	—	·01	·06	—	—	—	—	·09	·55		8
9	—	·07	·12	·38	·14	·04	·09	—	·26	·12	—	·14		9
10	—	—	·37	·12	·08	·61	·18	·11	—	—	—	·45		10
11	—	·01	·57	—	·12	—	·06	—	—	—	—	·21		11
12	·24	·28	·42	—	·35	—	·01	·18	·31	—	—	·04		12
13	·33	·02	·46	—	·02	·46	—	·02	·34	—	—	·87		13
14	·06	·01	·01	—	·26	·03	—	·34	·05	—	—	·04		14
15	·07	·08	—	·16	·01	—	·41	—	·01	—	—	—		15
16	·01	·03	·12	·31	—	·04	—	·44	·13	—	—	—		16
17	·36	—	—	·13	—	·17	—	·06	·68	—	·45	—		17
18	·31	·09	—	—	·24	—	—	—	·45	—	·08	—		18
19	·09	·08	·16	·11	·02	·20	·86	—	·04	—	—	·01		19
20	·21	—	·74	·18	·78	·02	—	—	—	—	—	—		20
21	·34	·38	·24	·11	—	—	—	—	—	—	—	·01		21
22	·29	·02	·03	—	·03	—	·09	—	—	1·12	·28	·10		22
23	·04	—	—	—	—	—	·05	—	—	·31	—	·02		23
24	·53	·18	·01	—	—	—	—	—	·08	·12	—	—		24
25	·21	·32	·28	—	—	—	—	—	·10	·45	—	—		25
26	·01	·38	·08	—	—	—	—	—	—	·35	—	—		26
27	—	·17	—	·38	—	—	—	—	—	·08	·01	—		27
28	—	·07	—	—	—	·01	—	—	—	—	—	·19		28
29	·06	×	—	—	—	—	—	—	—	·27	—	—		29
30	·26	×	—	—	—	—	—	—	—	·22	·12	·08		30
31	·21	×	—	×	—	×	—	—	×	·06	×	·20		31
TOTAL	4·73	3·80	4·69	2·42	2·30	1·64	1·97	1·15	245	3·24	1·50	4·55	Year's Total 34·44	
* Days with .01 in. or more.	23	23	20	12	14	10	10	6	11	14	7	20	170	
* Days with .04 in. or more.	20	16	16	12	9	7	9	6	10	11	6	16	138	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 287

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Charing Pumping Station
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ....ft. ....in.
,, Ground ,, Sea Level 295 ft.

acc.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	—	—	—	·18	·31	—	—	·28	·01	—	·04		1
2	·03	—	—	·03	·09	—	·29	—	—	·29	—	·01		2
3	—	—	—	—	·35	—	·09	—	—	·43	·05	—		3
4	·01	—	—	—	—	·02	·05	·10	—	·01	—	·12		4
5	—	—	—	—	—	—	·75	·12	—	·37	—	·02		5
6	·02	—	—	—	—	—	·09	·14	·03	·01	—	—		6
7	·02	—	—	—	—	—	—	·31	—	·18	—	·07		7
8	·28	—	—	—	—	—	·06	—	·15	·15	—	—		8
9	·21	·02	—	—	—	—	—	·21	·02	·03	—	·45		9
10	·09	·07	—	—	—	·15	—	—	—	—	—	·28		10
11	·18	·02	—	—	—	—	—	—	—	—	·13	·11		11
12	·09	·05	—	—	—	—	—	·26	—	·07	·03	·01		12
13	·37	·22	—	—	—	—	·03	—	—	·06	·03	·04		13
14	·11	·02	—	—	·32	·05	—	·03	·09	—	—	·02		14
15	—	·15	—	—	—	—	·15	—	—	·13	·03	·06		15
16	·14	·21	—	—	—	—	—	—	—	·15	—	·27		16
17	—	·09	—	—	·55	—	·03	—	—	·52	·03	—		17
18	·05	—	—	—	·09	—	·02	—	·06	·05	·36	—		18
19	—	—	—	—	·03	—	—	—	·06	—	·03	— ×		19
20	—	—	—	—	—	—	—	—	·32	—	·45	Snow, not recorded daily ×		20
21	—	—	—	—	·03	—	—	·16	·20	—	·29	×		21
22	—	—	·02	—	—	·01	—	·01	—	—	·16	×		22
23	—	—	—	·08	—	—	—	—	—	—	·02			23
24	—	—	·02	—	·07	—	—	—	·05	—	·18	×		24
25	·10	—	·22	·18	·33	—	—	—	·08	·01	·56			25
26	·48	·12	·22	—	—	—	·06	—	·33	·22	—	Total × 1·24	✓	26
27	·12	·11	·02	—	·17	·10	·25	—	·39	·29	·42	·01		27
28	·08	·03	—	—	·26	·05	—	·53	·12	—	—	—		28
29	·23		—	·09	·15	—	—	—	—	—	—	·27		29
30	·05	▨	—	·36	·35	—	—	—	·07	·03	·22	—		30
31	·22	▨	—	▨	·07	▨	—	—	▨	·16	▨	·14		31
													Year's Total	
TOTAL	✓ 2·94	✓ 1·11	✓ ·48	✓ ·74	✓ 3·04	✓ ·69	✓ 1·87	✓ 1·87	✓ 2·25	✓ 3·16	✓ 2·99	✓ 3·16	24·30	✓
* Days with .01 in. or more.	21	12	4	5	15	7	12	10	15	20	16	~~23~~ 22	~~160~~	✓ 159
* Days with .04 in. or more.	17	8	2	4	13	5	9	8	13	14	10	~~18~~ 17	~~121~~	✓ 120

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 287

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Charing Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. — in.

,, Ground ,, Sea Level 295 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08		·04	·19	·29		·09	·01			·07			1
2	·05			·01	·04			·55	·05	·22				2
3	·23	·01		·18				·22		·01	·13	·28		3
4	·09		·25	·08				·34		·76	·27			4
5		·01	·02	·26			·12			·41	·37	·15		5
6	·43		·04	·02			·03			·22	·18	·01		6
7	·14	·05					·02			·63	·20	·07		7
8	·01	·06	·16							·18	·01	·50		8
9		·08						·02		·68	·43	·20		9
10	·14					·32		·15	·05	·19	·10			10
11		·02	·39		·02	·28				·97	·01	·01		11
12					·08	·05				·01		·01		12
13			·02			·08				1·05	·01	·11		13
14	·52		·08		·08		·13		·02	·22	·48	·01		14
15	·43		·01		·86		·02		·27	·52	·13			15
16	·17		·09	·04	·58	·26	·08				·47			16
17	·18	·14	·02	·01	·08		·15				·05			17
18	·23		·19			·03	·11			·35	·36			18
19	·28		·02				·35		·24	·64		·01		19
20	·21					·15	·17	·04	·10			·03		20
21	·27		·19				·01		·06	·04				21
22	·16	·19	·11			·58	·07				·04			22
23		·01	·01	·07		·01	·06	·10		·06	·83			23
24	·13	·03		·15		·04	·33	·01		·09	·08			24
25	1·43	·17	·13	·14			·55				·54			25
26	·73		·37	·01			·07			·10	·28	·02		26
27	·27	·09	·35							·82	·38			27
28	·01	·36	·05							·17	·15			28
29		X	·01	·48						·16	·08			29
30		✕		·44		·04					·13			30
31		✕		✕		✕	·03		✕		✕			31
TOTAL	6·18	1·22	2·55	2·08	2·03	1·84	2·39	1·44	·79	7·90	5·78	1·41	Year's Total 34·61	
* Days with .01 in. or more.	22	13	21	14	8	11	18	9	7	23	25	13	184	
* Days with .04 in. or more.	20	8	14	10	7	9	13	6	6	20	22	6	1·41	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section [A] for the entry of Daily Observations

Station No. 287 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~1~~40

January corrected for snow.

Kept at Charing Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. — in.

,, Ground ,, Sea Level 295 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	·08	·01	—	—	—	—	—	—	—		1
2	—	·27	—	·12	—	—	—	—	—	·30	·28	—		2
3	—	·42	—	·06	—	—	—	—	—	·10	1·06 ~~·75~~	·09		3
4	—	·15	—	—	—	—	—	—	—	·14	·16 ~~1·06~~	·10		4
5	~~·18~~	·02	—	—	—	—	—	—	—	·20	·75 ~~·46~~	·11		5
6	·28	·09	—	—	·01	—	·21	—	—	·38	—	·11		6
7	·24	·04	—	·02	—	—	·18	—	—	—	—	—		7
8	—	—	—	—	—	—	—	—	—	·26	—	·45		8
9	—	·04	—	—	—	—	—	—	·66	·04	·20	·13		9
10	—	—	—	—	—	—	·29	—	—	—	·14	—		10
11	—	—	—	·02	—	—	—	—	·01	—	·58	·02		11
12	—	—	·24	·05	—	—	·37	—	—	—	·02	—		12
13	—	—	·56	—	—	·31	·05	—	·03	·01	·76	—		13
14	—	—	·23	·07	—	—	—	—	·18	—	—	·25		14
15	—	—	·05	—	·22	·01	·31	—	—	·38	·48	·04		15
16	x	—	·19	—	—	·26	·27	—	—	—	·61	—		16
17	x (50)	·08	·34	—	—	—	·11	—	·15	·17	·16	—		17
18	x	·68	·31	·40	—	—	·05	—	·03	—	·36	·27		18
19	—	·17	·10	—	—	—	—	—	—	—	·04	·29		19
20	·01	·02	·08	—	—	·08	—	·1	·90	—	·14	·29		20
21	—	—	—	—	·01	—	·98	—	—	·02	·22	—		21
22	—	—	·05	—	·22	·11	—	—	·04	·01	·03	—		22
23	—	·17	—	·09	·01	—	·02	—	·07	·16	—	·03		23
24	—	—	—	·17	—	—	·15	—	—	·17	—	—		24
25	—	—	·20	—	—	—	·18	—	—	·27	—	—		25
26	·73	·10	·46	·01	—	·10	—	—	—	·01	—	—		26
27	x	·27	—	—	—	—	·27	—	—	—	—	—		27
28	x	·17	—	—	—	—	—	—	—	—	—	—		28
29	x 1·50	—	·07	—	—	—	—	—	·07	·03	—	·23		29
30	✓ 4x	✕	—	·22	—	—	—	—	—	·36	—	·02		30
31	✓ 4x ·33	✕	—	✕	—	✕	—	—	✕	—	✕	·07		31
TOTAL	2·09 ~~1·59~~	2·69	2·88	1·31	·48	·87	3·44	·18	2·14	3·01	5·99	2·50	Year's Total 27·50	
* Days with .01 in. or more.	12 10 ~~5~~	15	13	12	6	6	14	1	10	18	17	16	138	
* Days with .04 in. or more.	9 8 ~~4~~	13	13	9	2	5	13	1	7	13	15	13	112	

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. A. Parker

[P.T.O.

Section **A** for the entry of Daily Observa

AIR MINISTRY.—METEORO

2 88

COPY FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

REGISTER OF 1931.

288

CHARING - PETT PLACE

1931 - 1939

780106

Kept at The Gardens Pett Pl

in the County of Kent. (Char

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·07	0·07	0·15	0·12		0·09		0·19	0·01			0·02	1
2	0·14	0·10	0·04	0·16	0·05			TRACE	0·38				2
3	0·06	0·15	0·07	0·07	0·77			0·22	0·72			0·07	3
4	0·01	0·15		0·30	0·02			0·03	0·26	0·02	0·03		4
5				TRACE	0·01	0·40	0·05	0·38	0·01			0·06	5
6		0·02		0·03				0·09		0·14	0·29		6
7	0·06	0·06			0·02						0·13		7
8		0·07	0·14		0·06	0·21	0·07	0·29		0·01	0·29	0·07	8
9		0·07	0·05	0·01		0·02		TRACE	0·02		0·47		9
10	0·05	0·23	0·02			0·10		0·24			1·62	0·08	10
11	0·15	0·47						TRACE			0·69	0·01	11
12	0·25							TRACE	0·52			0·02	12
13			TRACE		0·10		0·09	0·07			0·02		13
14	0·17	0·06	TRACE			0·03	0·33	0·16			0·01		14
15	0·02	0·17		0·45			0·28	0·35				0·04	15
16	0·02	0·09		0·30	0·23			0·06					16
17		0·08		0·24			0·23	0·14	0·03	0·01			17
18	0·03	0·39		0·59	TRACE	0·07	0·03	0·16			0·56		18
19	0·05		TRACE	1·39			0·05	0·27	0·19		0·01		19
20	0·01	0·11		0·13	0·02		0·06	0·03					20
21		0·09			0·46			0·02			0·01		21
22	0·10		0·07	0·01	0·01				0·08				22
23	0·45	0·05	0·05		0·07			TRACE	0·03		0·08	0·03	23
24	0·01	TRACE	TRACE	0·43		0·09		0·33	0·02			TRACE	24
25	0·09		0·03	0·44			0·43	0·02					25
26	0·03	0·07		0·50			0·47	TRACE		0·05	0·21	0·01	26
27	0·14			0·07	0·26		0·02				0·07		27
28	0·11	0·26		0·03	0·02					0·02	0·01	0·14	28
29	0·12	X		0·02	0·04		0·06			0·34		0·03	29
30	0·10	X			0·01		0·05	TRACE					30
31	0·35	X		X		X			X		X		31
TOTAL	2·59 ~~2·14~~	2·76 ~~3·11~~	0·62	5·29	2·15	1·01	2·52	3·05	2·27	0·59	4·50	0·58	YEAR'S TOTAL 27·93
*Days with ·01 in. or more.	22	20	9	19	16	8	14	18	12	7	16	12	173
*Days with ·04 in. or more.	15	19	7	14	9	6	12	14	6	3	10	6	121

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) M. A. Pitt

P.T.O.

Section **A** for the entry of Daily Observ

AIR MINISTRY.—METEOROL AINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at The Gardens Pett Place

in the County of Kent. (Charing

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

„ Ground „ Sea Level ft.

? WD.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·07	0·07	0·15	0·12		0·09		0·19	0·01			0·02	1
2	0·14	0·10	0·04	0·16	0·05			TRACE	0·38				2
3	0·06	0·15	0·07	0·07	0·77			0·22	0·72			0·07	3
4	0·01	0·15		0·30	0·02			0·03	0·26	0·02	0·03		4
5				TRACE	0·01	0·40	0·05	0·38	0·01			0·06	5
6		0·02		0·03				0·09		0·14	0·29		6
7	0·06	0·06			0·02						0·13		7
8		0·07	0·14		0·06	0·21	0·07	0·29		0·01	0·29	0·07	8
9		0·07	0·05	0·01		0·02		TRACE	0·02		0·47		9
10	0·05	0·23	0·02			0·10		0·24			1·62	0·08	10
11	0·15	0·47						TRACE			0·69	0·01	11
12	0·25							TRACE	0·52			0·02	12
13			TRACE		0·10		0·09	0·07			0·02		13
14	0·17	0·06	TRACE			0·03	0·33	0·16			0·01		14
15	0·02	0·17		0·45			0·28	0·35				0·04	15
16	0·02	0·09		0·30	0·23			0·06					16
17		0·08		0·24			0·23	0·14	0·03	0·01			17
18	0·03	0·39		0·59	TRACE	0·07	0·03	0·16			0·56		18
19	0·05		TRACE	1·39			0·05	0·27	0·19		0·01		19
20	0·01	0·11		0·13	0·02		0·06	0·03					20
21		0·09			0·46			0·02			0·01		21
22	0·10		0·07	0·01	0·01				0·08				22
23	0·45	0·05	0·05		0·07			TRACE	0·03		008	0·03	23
24	0·01	TRACE	TRACE	0·43		0·09		0·33	002			TRACE	24
25	0·09		0·03	0·44			0·73	0·02					25
26	0·03	0·07		0·50			0·47	TRACE		0·05	0·21	0·01	26
27	0·14			0·07	0·26		0·02				0·07		27
28	0·11	0·26		0·03	0·02					0·02	0·01	0·14	28
29	0·12	X		0·02	0·04		0·06			0·34		0·03	29
30	0·10	×			0·01		0·05	TRACE					30
31	0·35	×		×		×			×		×		31
TOTAL	2·59 ~~2·14~~	2·76 ~~3·11~~	0·62	5·29	2·15	1·01	2·52	3·05	2·27	0·59	4·50	0·58	YEAR'S TOTAL 27·93
*Days with ·01 in. or more.	22	20	9	19	16	8	14	18	12	7	16	12	173
*Days with ·04 in. or more.	15	19	7	14	9	6	12	14	6	3	10	6	121

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 288

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Pett Place, Charing,

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07	0.07	—	0.03	0.29	—	—	—	—	0.04	0.02	0.05	1
2	0.03	—	—	0.29	0.06	—	—	0.08	—	—	0.07	0.10	2
3	—	—	—	0.22	0.41	0.02	—	—	0.36	—	—	—	3
4	0.01	—	—	—	0.09	0.12	—	—	—	—	—	—	4
5	0.08	—	0.02	—	—	0.04	0.12	—	0.07	—	—	—	5
6	0.36	—	0.02	0.26	—	—	—	—	0.06	—	—	0.07	6
7	0.02	—	0.09	0.03	—	—	—	—	—	—	—	0.10	7
8	—	0.05	0.18	0.03	0.42	—	—	—	0.03	1.60	—	—	8
9	0.28	0.10	—	0.10	0.73	—	—	—	—	0.21	—	—	9
10	0.49	0.07	—	0.33	0.08	—	—	—	0.03	0.08	—	—	10
11	0.36	0.15	—	0.10	0.02	0.25	0.04	—	0.05	0.30	—	—	11
12	0.05	0.01	—	—	0.03	—	0.04	—	—	0.22	—	—	12
13	0.09	0.02	—	0.05	0.09	—	—	—	0.04	1.06	—	0.01	13
14	0.14	—	—	0.11	0.19	—	—	—	—	0.18	—	—	14
15	0.01	0.05	—	0.11	0.05	—	—	—	—	0.15	—	—	15
16	0.07	—	—	0.25	—	—	—	—	—	—	—	—	16
17	—	—	—	0.03	—	—	0.02	—	—	0.03	—	—	17
18	0.01	—	—	0.01	—	—	—	0.03	0.04	—	0.11	—	18
19	0.03	—	—	0.02	—	—	—	—	—	0.18	0.12	—	19
20	—	—	—	0.05	0.43	—	0.19	—	0.01	0.19	0.33	0.01	20
21	—	—	—	0.06	0.18	—	—	—	—	0.20	—	0.04	21
22	0.01	0.04	0.50	—	0.21	—	0.06	—	1.19	0.18	0.28	—	22
23	—	0.11	—	—	0.11	—	—	—	0.19	0.84	0.09	0.04	23
24	—	0.09	—	0.09	0.05	—	0.75	—	0.08	0.05	0.04	—	24
25	—	0.04	—	0.18	—	—	1.15	—	0.10	0.33	0.01	—	25
26	—	—	—	0.03	—	—	0.41	0.07	—	—	0.03	—	26
27	—	—	0.26	0.10	0.13	—	0.13	—	0.06	0.35	0.08	0.04	27
28	—	—	—	—	0.06	—	0.32	—	—	0.13	—	—	28
29	—	—	0.35	—	0.01	—	—	0.29	0.05	0.37	—	0.02	29
30	—	×	0.16	0.24	—	0.69	—	—	0.02	0.09	0.07	0.05	30
31	—	×	0.04	×	—	×	0.08	0.04	×	0.01	×	0.03	31
TOTAL	2.11	0.80	1.62	2.72	3.64	1.12	3.31	0.51	2.38	6.79	1.25	0.56	YEAR'S TOTAL 27.82
*Days with ·01 in. or more.	~~17~~	~~12~~	~~4~~	~~23~~	~~20~~	~~5~~	~~12~~	~~5~~	~~16~~	~~22~~	~~12~~	~~12~~	~~165~~
*Days with ·04 in. or more.	~~10~~	~~10~~	~~7~~	~~16~~	~~17~~	~~4~~	~~11~~	~~4~~	~~12~~	~~20~~	~~9~~	~~8~~	~~128~~

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Brig Genl

P.T.O.

288

Section **A** **for the entry of Daily Observations.** ## COPY FOR OFFICIAL USE.

Station No. ~~288~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Pett Place, Charing,
in the County of Kent.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft 11 in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	0.25	0.08	–	–	–	–	–	–	0.01	0.05	–	1
2	0.15	–	0.43	–	0.35	–	–	–	–	0.22	0.03	–	2
3	0.06	0.16	0.21	–	tr	–	–	–	–	0.15	tr	–	3
4	0.02	tr	tr	–	tr	–	–	–	–	–	–	–	4
5	0.34	tr	0.11	–	0.10	–	–	–	–	–	–	–	5
6	–	0.09	0.12	–	0.45	–	–	–	–	0.01	0.09	tr	6
7	0.44	0.03	0.01	–	0.15	–	–	–	–	0.24	0.01	0.06	7
8	0.14	tr	–	–	0.08	–	0.18	–	–	0.01	–	–	8
9	tr	–	–	–	0.10	–	0.04	–	–	0.12	0.14	–	9
10	–	0.74	–	–	tr	tr	0.10	–	–	0.18	0.01	–	10
11	0.16	0.02	–	–	0.04	0.03	0.01	0.09	0.11	tr	0.03	tr	11
12	–	–	tr	tr	0.19	0.40	0.23	–	0.34	–	0.02	–	12
13	0.02	–	–	–	–	0.01	0.26	0.01	0.74	0.15	0.20	–	13
14	0.01	–	–	–	0.04	–	tr	0.01	–	0.19	0.23	tr	14
15	snow 0.09	–	0.07	–	–	–	0.18	0.28	–	0.02	0.10	snow 0.06	15
16	snow 0.34	–	0.77	–	–	0.26	0.19	–	–	tr	tr	–	16
17	–	snow tr	0.46	–	tr	0.21	tr	0.05	0.11	–	0.03	–	17
18	0.14	–	0.09	snow 0.07	–	0.50	–	–	–	–	–	–	18
19	–	snow 0.06	0.04	snow 0.29	–	0.47	–	–	0.02	–	tr	tr	19
20	–	0.02	0.01	snow 0.47	–	0.05	–	–	0.04	–	tr	–	20
21	–	snow 0.22	–	0.04	–	0.08	0.01	0.23	0.66	–	–	–	21
22	–	0.01	–	–	–	0.32	–	0.26	0.04	0.05	0.01	–	22
23	–	tr	–	0.11	0.06	0.02	–	tr	0.83	–	tr	–	23
24	–	0.16	–	0.18	0.04	0.20	–	–	0.57	tr	0.06	–	24
25	–	0.02	–	0.41	0.05	0.03	–	–	tr	0.04	snow 0.74	0.01	25
26	–	0.46	–	0.01	–	0.08	–	–	0.13	0.03	0.17	0.16	26
27	–	0.03	–	tr	0.14	–	tr	–	tr	0.27	0.01	0.16	27
28	–	–	–	–	0.01	0.05	0.10	–	–	0.07	–	0.10	28
29	tr	×	–	–	0.51	–	0.20	–	–	0.03	–	–	29
30	0.11	×	0.05	–	0.01	–	0.03	–	tr	0.04	–	0.10	30
31	0.04	×	–	×	–	×	tr	0.09	×	tr	×	–	31
TOTAL	2.07	2.27	2.45	1.58	2.32	2.71	1.53	1.02	3.59	1.83	1.93	0.65	YEAR'S TOTAL 23.95
*Days with ·01 in. or more.	~~15~~	~~14~~	~~13~~	~~8~~	~~16~~	~~15~~	~~12~~	~~8~~	~~11~~	~~18~~	~~17~~	~~7~~	~~154~~
*Days with .04 in. or more.	~~11~~	~~8~~	~~11~~	~~7~~	~~14~~	~~11~~	~~9~~	~~6~~	~~10~~	~~12~~	~~9~~	~~6~~	~~114~~

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Brig Genl

P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. 288

Kept at Pett Place, Charing

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 11 in.

,, Ground ,, Sea Level ~~300~~ 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	tr	–	–	–	tr	–	0.27	0.01	0.60	tr	0.22	1
2	0.05	tr	0.18	tr	–	–	–	–	0.49	0.42	–	0.29	2
3	0.02	0.12	–	tr	0.07	–	–	0.10	tr	0.04	tr	0.12	3
4	0.17	0.01	tr	–	0.03	tr	–	–	–	–	0.11	0.73	4
5	tr	tr	0.02	–	0.12	0.02	–	–	–	–	0.04	0.22	5
6	tr	–	0.34	0.17	0.15	0.47	–	0.12	–	0.22	0.01	0.45	6
7	0.04	tr	–	tr	tr	tr	–	0.02	–	0.11	–	0.16	7
8	–	tr	–	0.38	0.25	–	–	0.02	–	–	1.52	tr	8
9	tr	–	0.04	0.01	tr	–	T	0.01	tr	–	0.44	0.20	9
10	tr	tr	0.24	0.21	–	–	–	0.04	–	0.05	0.08	–	10
11	0.79	–	0.31	0.11	–	–	0.03	0.09	–	–	tr	0.55	11
12	0.13	–	0.21	tr	–	–	0.06	0.32	–	–	0.06	0.07	12
13	0.52	–	0.15	0.03	–	–	0.01	0.17	–	–	0.01	0.01	13
14	0.42	–	0.47	0.07	0.01	–	tr	tr	–	0.01	0.28	0.31	14
15	0.01	–	tr	–	tr	–	–	–	0.01	tr	0.22	0.39	15
16	0.13	–	0.29	0.01	0.14	–	–	–	–	0.02	tr	0.03	16
17	0.05	–	0.45	–	0.01	–	–	–	0.84	0.07	0.12	0.28	17
18	0.03	–	0.04	0.31	–	–	0.07	–	0.01	tr	0.08	0.17	18
19	–	–	0.33	tr	–	–	–	–	0.18	0.01	–	0.20	19
20	–	–	0.09	tr	–	tr	0.14	–	0.01	tr	–	0.01	20
21	–	–	–	0.06	–	0.08	0.02	tr	tr	tr	–	–	21
22	–	–	–	tr	–	–	0.13	0.22	0.19	0.02	–	tr	22
23	–	–	–	0.25	–	0.07	–	tr	–	0.01	–	0.32	23
24	–	0.02	tr	0.06	–	0.49	0.77	0.05	0.15	–	tr	tr	24
25	0.04	tr	–	0.21	–	0.01	–	–	–	0.02	–	0.35	25
26	0.12	tr	–	0.26	–	0.10	–	–	–	–	–	0.01	26
27	0.01	0.02	–	0.26	–	0.05	–	–	–	–	–	0.22	27
28	0.01	0.03	–	0.15	–	0.03	0.02	0.46	0.24	tr	0.02	0.11	28
29	–	×	–	tr	–	–	0.08	0.01	–	–	tr	tr	29
30	0.18	×	–	–	–	–	–	0.06	0.25	–	–	0.30	30
31	0.01	×	–	×	–	×	–	1.11	×	0.00	×	0.20	31
TOTAL	2.73	0.20	3.16	2.55	0.78	1.32	1.33	3.07	2.38	1.69	2.99	5.92	YEAR'S TOTAL 28.12
*Days with ·01 in. or more.	~~18~~	~~5~~	~~14~~	~~16~~	~~8~~	~~9~~	~~10~~	~~16~~	~~11~~	~~14~~	~~13~~	~~25~~	~~159~~
*Days with ·04 in. or more.	~~12~~	~~1~~	~~13~~	~~13~~	~~5~~	~~6~~	~~6~~	~~12~~	~~7~~	~~8~~	~~10~~	~~21~~	~~114~~

40-9999

(Signed) P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 288

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Pett Place, Charing

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 11 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.27	0.03	0.02	0.03	–	0.14	0.02	–	0.10	0.15	0.11	tr		1
2	0.39	–	0.14	0.05	–	–	tr	–	tr	0.38	0.02	–		2
3	0.02	0.05	0.03	0.10	–	–	–	–	0.24	0.33	0.13	tr		3
4	–	0.01	–	0.26	–	0.16	–	–	0.24	0.52	0.01	0.18		4
5	–	0.59	0.03	0.18	–	0.16	tr	–	0.66	0.18	–	tr		5
6	0.06	0.05	tr	0.24	–	0.22	–	–	–	0.03	0.16	0.02		6
7	0.16	0.02	–	0.26	–	0.22	–	–	–	0.02	0.96	0.07		7
8	–	–	tr	0.27	–	tr	–	0.69	–	0.21	0.25	0.04		8
9	–	–	–	0.20	–	0.20	–	0.03	–	0.70	0.23	0.06		9
10	0.05	0.02	–	0.01	–	0.14	–	–	–	0.01	0.10	0.33		10
11	0.04	0.01	–	0.25	–	0.10	–	–	–	0.21	0.32	tr		11
12	0.04	0.01	–	–	–	0.13	–	0.65	–	tr	0.33	–		12
13	0.02	0.23	–	0.09	tr	0.01	–	–	0.01	–	0.14	0.35		13
14	0.02	–	–	0.10	0.65	0.09	–	–	–	0.01	tr	0.12		14
15	tr	0.16	–	0.53	0.03	0.02	–	–	0.41	–	0.26	0.07		15
16	–	0.05	–	0.27	tr	0.08	–	–	0.52	0.01	0.83	0.01		16
17	0.09	tr	0.02	0.02	tr	0.24	0.02	0.05	0.01	–	0.77	–		17
18	–	–	–	0.22	–	0.03	0.28	–	0.31	0.04	0.01	–		18
19	–	–	–	0.02	0.73	0.06	0.04	–	0.04	tr	0.10	0.04		19
20	tr	0.60	–	0.08	0.09	0.08	0.14	–	0.03	0.09	0.03	–		20
21	0.04	0.33	–	0.02	tr	–	tr	–	tr	0.12	0.04	–		21
22	tr	0.20	tr	–	–	–	–	0.02	0.04	–	0.06	–		22
23	–	–	0.01	tr	tr	–	–	0.20	tr	–	0.04	0.10		23
24	0.07	0.76	tr	–	0.34	–	–	0.51	0.62	0.21	–	0.46		24
25	0.15	0.10	–	0.18	0.21	0.03	–	–	–	0.05	0.03	0.43		25
26	0.06	tr	–	tr	tr	tr	–	0.09	0.04	0.12	tr	0.40		26
27	0.27	0.47	–	–	0.19	–	tr	0.19	0.11	tr	0.08	0.17		27
28	–	0.09	–	–	0.14	–	tr	–	0.03	0.06	0.01	0.17		28
29	–	×	–	–	–	–	–	0.02	0.42	–	–	0.61		29
30	0.10	×	–	0.06	0.10	–	–	1.07	0.06	0.13	0.43	0.27		30
31	–	×	–	×	0.01	×	–	tr	×	0.34	×	0.55		31
TOTAL	1.85	3.78	0.25	3.44	2.49	2.11	0.50	3.52	3.89	3.92	5.45	4.45	Year's Total. 35.65	
* Days with .01 in. or more.	~~17~~	~~19~~	~~6~~	~~22~~	~~10~~	~~18~~	~~5~~	~~11~~	~~18~~	~~22~~	~~25~~	~~20~~	~~143~~	
* Days with .04 in. or more.	~~14~~	~~13~~	~~1~~	~~17~~	~~8~~	~~14~~	~~3~~	~~8~~	~~14~~	~~19~~	~~19~~	~~18~~	~~146~~	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 288

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Pett Place, Charing

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.31	0.16	0.04	0.18	–	0.11	0.11	0.05	–	tr	0.06	0.18		1
2	0.01	0.02	0.02	0.02	–	0.33	0.10	0.21	–	0.01	tr	0.04		2
3	–	–	tr	0.33	0.05	0.25	tr	tr	0.02	–	0.29	tr		3
4	–	–	0.08	tr	tr	0.13	tr	–	0.15	tr	0.03	0.06		4
5	0.21	–	0.03	0.02	–	tr	–	0.04	0.21	0.14	0.05	0.04		5
6	0.32	–	tr	tr	–	0.10	–	0.06	0.17	0.34	0.65	–		6
7	0.28	–	0.08	–	–	tr	0.03	tr	0.03	0.14	0.49	–		7
8	0.27	–	0.02	–	–	–	0.02	tr	tr	tr	0.65	0.34		8
9	0.51	–	0.01	–	–	–	0.54	0.01	–	–	0.14	tr		9
10	tr	–	tr	–	tr	tr	0.48	0.61	0.13	0.41	–	tr		10
11	–	–	tr	0.10	tr	–	0.43	tr	–	tr	0.98	–		11
12	–	–	–	snow 0.03	–	0.07	0.22	0.07	0.01	tr	0.28	0.17		12
13	–	–	–	tr	0.03	0.04	0.07	tr	–	–	0.02	0.23		13
14	–	0.02	–	–	–	0.08	0.86	–	–	0.08	0.15	0.41		14
15	tr	0.07	–	tr	–	0.01	0.02	–	0.11	tr	0.01	0.20		15
16	0.14	0.22	–	0.01	tr	–	tr	–	tr	–	0.28	0.29		16
17	0.41	0.51	–	–	–	0.07	–	–	–	0.01	0.29	0.28		17
18	0.07	0.16	–	–	–	tr	0.27	0.03	tr	0.03	0.59	0.08		18
19	0.20	0.04	–	–	–	0.83	–	0.10	–	0.06	0.01	–		19
20	0.22	0.17	0.01	0.56	tr	–	0.04	–	0.51	tr	–	–		20
21	–	tr	–	0.29	tr	0.82	0.02	–	0.08	–	–	–		21
22	0.06	0.32	0.02	0.08	0.02	tr	0.10	–	–	–	–	0.10		22
23	tr	0.01	tr	0.08	–	–	0.35	–	–	0.02	–	–		23
24	0.07	0.30	–	tr	–	tr	tr	–	tr	0.17	–	–		24
25	0.45	tr	0.14	0.13	0.01	0.27	0.08	–	0.39	0.02	0.03	0.01		25
26	tr	0.05	0.14	0.09	tr	tr	–	–	0.09	0.14	–	0.04		26
27	0.14	0.03	tr	tr	–	–	0.38	–	0.35	0.10	0.04	–		27
28	0.60	0.01	0.05	–	–	0.21	0.08	–	0.13	tr	tr	0.05		28
29	0.05	0.04	0.21	–	–	0.29	0.38	–	tr	0.05	0.11	0.01		29
30	0.09	✕	tr	–	0.14	0.20	tr	–	tr	0.08	tr	tr		30
31	0.24	✕	0.16	✕	0.04	✕	0.14	–	✕	1.02	✕	0.09		31
TOTAL	4.65	2.13	1.01	1.92	0.29	3.81	4.72	1.18	2.38	2.82	5.15	2.62	Year's Total 32.68	
* Days with .01 in. or more.	20	16	14	13	6	16	21	9	14	17	20	18	184	
* Days with .04 in. or more.	19	11	8	9	3	15	17	7	11	12	15	16	143	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 288.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Pett Place, Charing.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.77	0.01	tr	0.06	tr	–	–	–	–	–	0.69	0.14		1
2	tr	0.17	0.07	0.42	–	–	–	–	–	0.01	–	0.97		2
3	tr	0.09	tr	–	–	–	–	–	0.01	tr	–	0.67		3
4	0.11	0.67	–	–	–	–	–	–	–	tr	–	0.28		4
5	0.19	0.16	0.32	–	–	–	0.16	tr	–	0.10	–	0.15		5
6	0.17	–	0.40	–	0.16	–	0.08	–	–	0.05	tr	–		6
7	–	0.86	0.34	0.07	0.05	–	tr	–	0.01	0.02	–	0.02		7
8	–	0.03	0.27	–	tr	0.08	–	–	–	0.09	0.13	0.93		8
9	–	0.09	0.03	0.40	0.07	0.03	0.13	–	0.28	–	tr	0.27		9
10	–	–	0.37	0.12	0.12	0.64	0.28	0.05	–	–	–	0.40		10
11	–	–	0.62	0.02	0.13	–	0.05	tr	tr	tr	–	0.23		11
12	0.34	0.28	0.61	tr	0.41	tr	0.06	0.17	0.44	tr	–	0.04		12
13	0.36	tr	0.52	0.01	0.01	0.48	tr	0.07	0.24	–	–	0.90		13
14	0.06	tr	0.05	tr	0.39	0.01	–	0.35	0.06	–	–	0.06		14
15	0.08	0.08	–	0.15	tr	tr	0.33	–	0.02	–	–	tr		15
16	0.02	0.04	0.14	0.28	tr	0.03	–	0.46	0.10	–	–	0.01		16
17	0.38	0.01	0.03	0.15	–	0.16	–	–	1.17	–	0.42	–		17
18	0.41	0.08	tr	tr	0.30	0.18	–	–	0.38	–	0.07	tr		18
19	0.09	0.08	0.13	0.12	0.02	0.15	0.59	–	0.11	–	–	tr		19
20	0.38	–	0.99	0.26	0.91	0.01	–	–	0.01	–	–	–		20
21	0.37	0.41	0.35	0.12	tr	–	0.01	0.06	tr	–	–	0.01		21
22	0.30	0.02	0.05	tr	0.04	tr	0.02	–	–	1.10	0.10	0.10		22
23	0.04	tr	–	tr	–	–	0.09	–	–	0.42	tr	0.01		23
24	0.51	0.18	0.04	–	tr	–	–	–	0.01	0.17	–	tr		24
25	0.28	0.36	0.31	–	–	–	–	–	0.20	0.40	–	–		25
26	0.01	0.37	0.11	–	–	–	–	–	–	0.46	–	–		26
27	tr	0.13	tr	0.34	–	–	–	–	tr	0.08	–	–		27
28	0.09	0.08	–	0.01	–	tr	–	–	–	–	–	0.22		28
29	0.07	×	tr	–	–	tr	–	–	–	0.25	0.01	0.02		29
30	0.30	×	–	–	–	–	–	–	–	0.27	0.15	0.07		30
31	0.25	×	–	×	–	×	0.01	–	×	0.06	×	0.07		31
TOTAL	5.58	4.20	5.75	2.53	2.61	1.77	1.81	1.16	3.04	3.48	1.57	5.57	Year's Total 39.07	✓
* Days with .01 in. or more.	~~23~~	~~21~~	~~20~~	~~15~~	~~12~~	~~10~~	~~11~~	~~6~~	~~14~~	~~14~~	~~7~~	~~21~~	~~174~~	✓
* Days with .04 in. or more.	~~21~~	~~17~~	~~18~~	~~12~~	~~10~~	~~6~~	~~9~~	~~6~~	~~9~~	~~12~~	~~6~~	~~16~~	~~142~~	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 288.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Pett Place, Charing.

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.06	–	0.01	–	0.23	0.31	0.09	–	0.30	0.01	0.04	0.05		1
2	0.02	–	–	0.06	0.11	tr	0.31	–	–	0.33	–	0.01		2
3	tr	–	–	–	0.33	–	0.12	–	–	0.58	0.02	–		3
4	0.03	–	–	–	–	0.04	0.33	0.12	tr	0.01	–	0.09		4
5	0.01	–	–	–	–	–	0.59	0.03	–	0.43	–	0.04		5
6	0.03	–	–	–	–	–	0.06	0.19	0.04	tr	0.01	tr		6
7	0.02	–	–	–	tr	–	0.02	0.26	–	0.22	tr	0.08		7
8	0.29	–	–	–	–	–	0.07	tr	0.20	0.15	–	tr		8
9	0.25	0.03	–	tr	–	–	0.03	0.23	0.02	0.04	–	0.49		9
10	0.11	0.08	–	–	–	0.15	–	0.13	tr	–	–	0.30		10
11	0.21	0.02	–	–	–	–	–	tr	–	tr	0.09	0.11		11
12	0.20	0.06	–	–	–	0.03	0.02	0.07	–	0.08	0.03	tr		12
13	0.42	0.18	–	–	–	–	–	tr	–	0.05	0.06	0.03		13
14	0.17	0.04	–	–	0.40	–	–	tr	0.15	–	–	0.07		14
15	0.02	0.16	–	–	–	–	0.16	–	–	0.15	–	0.03		15
16	0.25	0.09	0.01	tr	0.01	–	tr	tr	–	0.13	–	0.24		16
17	tr	0.10	0.01	–	0.54	–	0.04	–	–	0.50	–	–		17
18	0.07	tr	–	tr	0.02	–	0.03	–	0.08	0.05	0.39	–		18
19	–	–	–	tr	0.03	–	tr	tr	0.03	–	0.03	snow 0.10		19
20	–	0.01	–	–	0.03	–	–	–	0.42	–	0.48	snow 0.81		20
21	0.05	–	–	–	–	–	–	0.22	0.17	–	0.28	snow tr		21
22	0.01	–	–	0.04	–	0.03	–	0.01	tr	–	0.17	snow 0.09		22
23	–	–	–	0.05	–	tr	–	–	–	–	tr	snow tr		23
24	–	–	0.13	tr	tr	–	–	–	0.08	–	0.25	snow 0.24		24
25	0.03	–	0.42	0.27	0.17	–	0.04	–	0.10	0.03	0.48	–		25
26	0.57	0.11	0.16	tr	tr	–	0.09	–	0.37	0.26	–	sleet 0.50		26
27	0.16	0.12	0.09	–	0.18	0.11	0.28	–	0.38	0.48	0.44	–		27
28	0.23	0.03	–	–	0.30	0.05	–	0.67	0.13	tr	–	0.01		28
29	0.34	✕	–	0.11	0.22	–	–	–	0.02	–	tr	0.33		29
30	0.06	✕	–	0.41	0.42	–	–	–	0.08	0.04	0.25	0.01		30
31	0.27	✕	–	✕	0.09	✕	–	–	✕	0.15	✕	0.17		31
TOTAL	3.88	1.03	0.83	0.94	3.08	0.72	2.28	1.93	2.57	3.69	3.02	3.80	Year's Total 27.77	
* Days with .01 in. or more.	~~25~~	~~13~~	~~7~~	~~6~~	~~15~~	~~7~~	~~16~~	~~10~~	~~16~~	~~19~~	~~15~~	~~20~~	~~169~~	
* Days with .04 in. or more.	~~17~~	~~10~~	~~4~~	~~6~~	~~11~~	~~5~~	~~12~~	~~8~~	~~13~~	~~16~~	~~11~~	~~16~~	~~129~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. A. Pitt [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 288

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at Pett Place, Charing

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.12	-	0.05	0.20	0.48	-	0.10	0.01	tr	tr	0.04	0.01	1
2	0.05	-	tr	0.02	0.05	-	tr	0.55	0.01	0.29	tr	-	2
3	0.31	tr	-	0.22	tr	-	-	0.37	-	0.01	0.14	0.27	3
4	0.17	-	0.26	0.11	-	-	0.07	0.49	0.31	0.59	0.19	0.01	4
5	-	-	0.03	0.27	0.02	-	0.13	-	-	0.49	0.36	0.30	5
6	0.41	-	0.03	tr	-	-	0.04	-	-	0.03	0.19	tr	6
7	0.20	0.06	-	-	-	-	0.05	0.02	-	0.03	0.21	0.10	7
8	tr	0.06	0.20	-	-	-	tr	tr	-	0.21	tr	0.54	8
9	0.03	0.11	tr	-	-	-	-	0.01	-	0.89	0.42	0.19	9
10	0.12	tr	-	-	-	0.31	-	0.18	0.05	0.17	0.10	-	10
11	0.03	0.01	0.37	-	0.05	0.26	-	tr	-	0.85	0.01	0.01	11
12	-	-	-	-	0.09	0.10	-	-	tr	tr	-	0.01	12
13	tr	0.01	0.04	tr	tr	0.07	-	-	0.01	1.20	tr	0.12	13
14	0.53	-	0.10	0.02	0.12	tr	0.16	-	0.01	0.19	0.51	0.01	14
15	0.49	-	0.01	-	1.22	tr	0.07	-	0.33	0.65	0.23	tr	15
16	0.20	-	0.09	0.02	0.49	0.29	0.09	-	0.01	-	0.44	-	16
17	0.19	0.18	0.11	0.03	0.06	-	0.16	-	0.01	-	0.05	-	17
18	0.26	tr	0.07	-	0.03	0.03	0.11	-	0.03	0.38	0.49	-	18
19	0.31	tr	0.03	-	-	tr	0.39	-	0.32	1.17	tr	0.03	19
20	0.22	-	tr	-	-	0.36	0.16	0.02	0.16	-	-	0.04	20
21	0.14	-	0.20	-	-	0.04	tr	-	0.04	0.05	-	-	21
22	0.16	0.20	0.10	-	-	0.57	0.08	-	0.06	-	0.03	-	22
23	0.01	0.01	0.03	0.09	-	tr	0.09	0.16	tr	0.08	0.95	-	23
24	0.12	tr	0.01	0.17	-	0.06	0.74	tr	0.02	0.07	0.01	-	24
25	snow 1.15	0.24	0.13	0.11	-	tr	0.49	tr	-	-	0.55	-	25
26	sleet 0.42	tr	0.49	0.01	-	-	0.05	-	tr	sleet 0.29	0.31	0.04	26
27	0.31	0.11	0.44	0.01	-	-	tr	-	-	hail 1.08	0.36	-	27
28	tr	0.32	0.05	tr	-	0.02	-	-	-	0.18	0.18	snow 0.12	28
29	-	×	0.02	0.73	-	tr	-	-	-	0.14	0.11	-	29
30	-	×	-	0.66	-	0.05	tr	-	-	tr	0.11	-	30
31	-	×	-	×	-	×	0.03	0.01	×	0.01	×	-	31
TOTAL	5.95	1.31	2.86	2.67	2.61	2.16	3.01	1.82	1.37	9.05	5.99	1.80	YEAR'S TOTAL 40.60
*Days with ·01 in. or more.	23	11	22	15	10	12	18	10	14	23	23	15	196
*Days with .04 in. or more.	20	8	15	9	8	10	17	5	7	19	20	9	147

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

Section **A** for the entry of Daily Observat

AIR MINISTRY.—METEOROL

289

DEAL + WALMER W.W

1931 - 1940

780106

RAINFALL ORGANIZATION.

289

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER OF 1931.

Kept at Deal + Walmer Water Work

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06	·02	·02				·46				·01	1
2	·11	·07		·04	·12				·36				2
3	·19	·22			·64			·19	·20			·15	3
4		·03						·04	·18		·17		4
5				·20		·41	·41	·07				·12	5
6	·04	·01		·02		·01		·13		·23	·09		6
7	·08	·01				·14		·04	·10	·03		·06	7
8		·09	·05				·01	·09			·02		8
9	·01	·18	·03			·07					·60	·02	9
10	·02	·15				·03		·05			1·08	·06	10
11	·11	·71							·03		·56		11
12	·14						·02		·30			·01	12
13	·25				·04		·04	·04					13
14	·01	·04				·01	·74	·57			·01		14
15	·01	·02		·17	·05		·25	·08				·07	15
16	·01	·06		·16	·16		·04	·11					16
17		·02		·16			·19	·08	·01	·02		·11	17
18		·29		·38		·05	·03	·14			·31		18
19				·53			·28	·84	·13		·05	·03	19
20	·31	·05		·05	·04		·19	·32		·03			20
21		·08			·45		·02	·01	·24		·01		21
22	·11		·16	·08					·07		·17		22
23	1·15	·12	·17		·15				·04				23
24			·01	·10	·01	·05		·19					24
25	·07	·01		·25			·18	·02		·20			25
26		·05		·13	·01		·34			·15	·25		26
27	·14	·24		·08	·27		·02				·64		27
28	·15	·14		·03	·03					·03	·14	·08	28
29	·07	✕		·05			·03			·24		·05	29
30	·05	✕			·11		·03				·01		30
31	·25	✕		✕		✕			✕		✕		31
TOTAL	2·98	2·65	0·44	2·45	2·08	0·77	2·82	3·47	1"·66	0·93	4·11	0·77	YEAR'S TOTAL 25·13
*Days with ·01 in. or more.	~~21~~	~~22~~	~~6~~	~~17~~	~~13~~	~~8~~	~~17~~	~~19~~	~~11~~	~~8~~	~~15~~	~~12~~	~~169~~
*Days with ·04 in. or more.	~~15~~	~~16~~	~~3~~	~~14~~	~~10~~	~~5~~	~~10~~	~~17~~	~~9~~	~~4~~	~~11~~	~~8~~	~~122~~

40-9999

(Signed) A. Mantle.

P.T.O.

*See Instruction 2 (*f*) on other side.

Section A for the entry of Daily Observat
AIR MINISTRY.—METEOROL
COPY FOR OFFICIAL USE.
AINFALL ORGANIZATION.

289

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at *Deal + Walmer Water Works*
in the County of *Kent*
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 110 ft.

Tot files

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06	·02	·02				·46				·01	1
2	·11	·07		·04	·12				·36				2
3	·19	·22			·64			·19	·20			·15	3
4		·03						·04	·18		·17		4
5				·20		·41	·41	·07				·12	5
6	·04	·01		·02		·01		·13		·23	·09		6
7	·08	·01				·14		·04	·10	·03		·06	7
8		·09	·05				·01	·09			·02		8
9	·01	·18	·03			·07					·60	·02	9
10	·02	·15				·03		·05			1·08	·06	10
11	·11	·71							·03		·56		11
12	·14						·02		·30			·01	12
13	·25				·04		·04	·04					13
14	·01	·04				·01	·74	·57			·01		14
15	·01	·02		·17	·05		·25	·08				·07	15
16	·01	·06		·16	·16		·04	·11					16
17		·02		·16			·19	·08	·01	·02		·11	17
18		·29		·38		·05	·03	·14			·31		18
19				·53			·28	·84	·13		·05	·03	19
20	·01	·05		·05	·04		·19	·32		·03			20
21		·08		[illegible]	·45		·02	·01	·24		·01		21
22	·11		·16	·08					·07		·17		22
23	1·15	·12	·17		·15				·04				23
24			·01	·10	·01	·05		·19					24
25	·07	·01		·25			·18	·02		·20			25
26		·05		·13	·01		·34			·15	·25		26
27	·14	·24		·08	·27		·02				·64		27
28	·15	·14		·03	·03					·03	·14	·08	28
29	·07	✕		·05			·03			·24		·05	29
30	·05	✕			·11		·03				·01		30
31	·25	✕		✕		✕			✕		✕		31
TOTAL	2·98	2·65	0·44	2·45	2·08	0·77	2·82	3·47	1"·66	0·93	4·11	0·77	YEAR'S TOTAL 25·13
*Days with ·01 in. or more.	~~21~~	~~22~~	~~6~~	~~17~~	~~13~~	~~8~~	~~17~~	~~19~~	~~11~~	~~8~~	~~15~~	~~12~~	~~169~~
*Days with ·04 in. or more.	~~15~~	~~16~~	~~3~~	~~14~~	~~10~~	~~5~~	~~10~~	~~17~~	~~9~~	~~4~~	~~11~~	~~8~~	~~122~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. Mantle

P.T.O.

289

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Deal & Walmer Water Works

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 110·11 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·02		·06	·18		·02			·31	·01	·01	1
2	·02			·25	·02		·05			·04		·24	2
3				·20	·15	·12		·02	·35	·23		·01	3
4	·01				·01	·10							4
5	·23	·01	·02	·01		·02	·16		·02				5
6	·58		·01	·14					·03			·01	6
7			·07	·01			·02					·04	7
8		·06	·01	·02	·17					·47			8
9	·08	·03		·10	·40					·28			9
10	·50			·16	·04				·01	·05			10
11	·25	·08	·02	·07		·08	·01		·01	·24			11
12	·21			·02		·07		·04		·22			12
13	·14			·08	·03					·94			13
14	·20	·11	·01	·17	·10			·03		·18			14
15	·02	·04		·19	·18					·05			15
16	·03			·12									16
17				·02			·09			·01			17
18	·01						·01		·05		·07		18
19										·16	·14	·01	19
20		·02		·04	·05		·05		·01	·79	·16		20
21					·11	·03		·01		·23		·09	21
22			·60		·02		·07	·01	·33	·24	·30	·02	22
23		·10		·18	·12				·25	1·26	·18	·06	23
24		·03					·99		·23	·04	·02		24
25		·06					2·42		·17	·26			25
26				·03			·15	·11		·04	·04		26
27			·37	·15	·05		·30		·54	·85	·10	·04	27
28				·02			·19			·28			28
29			·29	·24				·13	·03	·87		·01	29
30		×	·02	·24		·63	·02	·02		·01	·04	·06	30
31		×	·02	×		×			×		×	·02	31
TOTAL	2·32	0·56	1·44	2·52	1·63	1·05	4·55	0·37	2·03	8·05	1·06	0·62	YEAR'S TOTAL 26·20
*Days with ·01 in. or more.	~~14~~	~~11~~	~~11~~	~~23~~	~~15~~	~~7~~	~~15~~	~~8~~	~~13~~	~~24~~	~~10~~	~~13~~	~~164~~
*Days with .04 in. or more.	~~9~~	~~6~~	~~4~~	~~16~~	~~11~~	~~5~~	~~10~~	~~3~~	~~7~~	~~22~~	~~8~~	~~6~~	~~107~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. Mantle

P.T.O.

289

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. ~~289~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Deal & Walmer Water Works
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 110·11 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·28	·09	–	–	–	–	–	–	·01	·02	–	1
2	·26	–	·38	–	·25	–	–	–	–	·04	·05	–	2
3	–	·10	·22	–	–	–	–	–	–	·06	·46	–	3
4	·04	–	·01	–	–	–	–	–	–	–	·38	–	4
5	·35	–	·25	–	·01	–	–	–	–	–	–	–	5
6	–	·08	·11	–	·36	–	–	–	–	·02	·11	–	6
7	·41	·01	·03	·04	·06	–	–	–	–	·18	–	·02	7
8	·16	–	–	–	·01	–	·31	–	–	–	–	–	8
9	–	–	–	–	·02	–	–	–	–	–	·04	–	9
10	–	·10	–	–	–	–	–	–	–	·26	·02	–	10
11	·12	·02	–	–	·03	·03	·09	·06	·01	–	·03	–	11
12	–	–	–	–	–	·32	·38	–	·55	–	·28	–	12
13	·01	–	–	–	·29	·14	·31	–	·72	–	·33	–	13
14	–	–	–	–	·05	–	–	–	–	·18	·17	·05	14
15	·11	–	·08	–	–	·21	·19	·08	–	·01	·19	·16	15
16	·26	–	·63	–	–	–	·15	–	–	–	·04	·02	16
17	·54	–	·18	–	–	·02	–	·02	·31	–	–	–	17
18	·16	·06	·01	·03	–	·18	–	–	–	–	–	–	18
19	·01	·11	·14	·16	–	·12	–	–	·02	–	–	–	19
20	–	·09	–	·21	–	·32	–	–	·11	–	–	·01	20
21	–	·15	–	–	–	–	–	·04	1·49	–	–	–	21
22	–	·03	–	–	–	–	–	·31	·35	·33	–	–	22
23	–	–	–	·04	–	–	–	–	·81	–	·01	–	23
24	–	·06	–	·12	·05	–	–	–	1·32	–	·15	–	24
25	–	–	–	·28	·02	–	–	–	–	·04	·19	·05	25
26	–	·10	–	–	–	·31	–	–	·08	–	·05	·24	26
27	–	·10	–	–	·14	–	–	–	–	·18	–	·05	27
28	–	–	–	·04	–	·01	·06	–	–	·13	–	·05	28
29	·01	×	–	–	·03	–	·31	–	–	–	–	–	29
30	·05	×	·01	–	–	–	·03	–	·02	·06	–	·06	30
31	·04	×	–	×	–	×	–	·05	×	–	×	–	31
TOTAL	2·53	1·29	2·14	·92	1·32	1·66	1·83	·56	5·79	1·50	2·52	·71	YEAR'S TOTAL 22·77
*Days with ·01 in. or more.	~~15~~	~~14~~	~~13~~	~~8~~	~~13~~	~~10~~	~~9~~	~~6~~	~~12~~	~~13~~	~~17~~	~~10~~	~~140~~
*Days with .04 in. or more.	~~12~~	~~11~~	~~9~~	~~7~~	~~7~~	~~7~~	~~8~~	~~5~~	~~9~~	~~10~~	~~13~~	~~7~~	~~105~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. Mantle Esq

P.T.O.

289

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~289~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Deal & Walmer Water Works

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 110·11 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·37	·06	·12		·05		1
2			·15	·03					·40	·78		·35		2
3	·01	·02			·37				·01	·30	·02	·05		3
4	·12				·27					·22	·12	·38		4
5		·01	·06		·10	·11					·21	·23		5
6			·29	·20	·11	·22		·02		·17	·17	·43		6
7	·01	·01						·01		·04		·21		7
8				·35	·24			·03		·01	1·02			8
9			·04								·14	·15		9
10			·22	·19				·13			·02			10
11	1·06		·44	·11				·11			·01	·36		11
12	·30		·13				·07	·08				·35		12
13	·31		·25				·01	·29				·02		13
14	·28		·42	·20			·07			·08	·03	·27		14
15	·12										·14	·14		15
16	·09		·37	·03	·04							·01		16
17	·10		·43		·07				·03	·09	·20	·25		17
18			·01	·11					·02		·03	·45		18
19			·21						·27		·01	·20		19
20			·23				·17							20
21				·31		·10	·01			·02				21
22						·19		·05	·19	·08				22
23				·64		·09						·10		23
24				·24			·35	·72	·17					24
25	·04	·03		·18				·01		·01		·44		25
26	·03			·04		·01						·02		26
27		·04				·26						·30		27
28	·01	·20				·15		·63			·06	·21		28
29		X					·26	·23	·14					29
30	·09	X					·03	·03				·20		30
31	·01	X		X		X	·04	·11	X	·01	X	·35		31
TOTAL	2·58	·31	3·26	2·63	1·20	1·13	1·01	2·82	1·29	1·93	2·18	5·52	Year's Total 25·86	
* Days with .01 in. or more.	~~15~~	~~6~~	~~14~~	~~13~~	~~7~~	~~8~~	~~9~~	~~15~~	~~9~~	~~13~~	~~14~~	~~24~~	~~147~~	
* Days with .04 in. or more.	~~10~~	~~2~~	~~13~~	~~11~~	~~7~~	~~7~~	~~6~~	~~10~~	~~6~~	~~9~~	~~8~~	~~21~~	~~110~~	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Mantle

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Deal & Walmer Waterworks

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·02	·02	·01	—	·22	—	—	·28	·06	·06	—		1
2	·09	—	—	·02	—	—	—	—	—	·54	·01	—		2
3	·02	·01	·11	·17	—	—	—	—	·01	·30	·04	—		3
4	—	·05	—	·16	—	·08	—	—	·39	·42	·07	—		4
5	—	·36	—	·07	—	·06	—	—	·66	·41	—	—		5
6	·30	·01	—	·30	—	·20	—	—	—	·81	·14	·08		6
7	·19	·06	·01	·27	—	·29	—	—	—	—	·94	·04		7
8	—	—	—	·30	—	—	—	·79	—	·24	·04	·04		8
9	—	—	—	·09	—	·82	—	—	—	—	·48	·09		9
10	·06	·03	—	·01	—	·13	—	—	—	·64	·03	·08		10
11	·04	—	—	·01	—	·04	—	—	—	—	·21	—		11
12	—	—	—	—	·07	·05	—	·74	—	—	·79	—		12
13	·01	·16	—	·28	·02	·03	—	·36	·03	—	·64	·01		13
14	—	—	—	·09	·48	—	—	—	—	—	·01	·14		14
15	—	·06	—	·52	·08	·04	—	—	·22	—	·02	·14		15
16	—	·04	—	·51	—	·23	—	—	·17	—	·63	—		16
17	·02	—	—	·09	—	·26	—	·01	·06	—	·22	—		17
18	—	—	—	·16	—	—	·20	—	·37	·08	—	—		18
19	—	—	—	·01	·37	·04	·04	—	·05	—	·03	·07		19
20	—	·76	—	·02	·02	—	·17	—	—	—	·05	—		20
21	·04	·21	—	·05	—	—	—	—	—	·04	·08	—		21
22	—	·06	—	—	—	—	—	—	·08	—	·13	—		22
23	—	—	·01	—	·01	—	—	·06	—	—	—	·09		23
24	·05	·53	—	—	·19	—	—	·22	·74	·06	·25	·48		24
25	·15	·29	—	·14	·08	·18	—	—	—	·04	·02	·30		25
26	·10	·01	—	—	·32	·02	—	·21	·03	·10	—	·24		26
27	·40	·31	—	—	—	—	—	·41	·13	—	·06	·25		27
28	·27	·31	—	—	·18	—	—	·01	—	·05	—	·23		28
29	—	X	—	—	—	—	—	·06	·48	—	—	·57		29
30	·11	✕	—	—	—	—	—	1·14	·15	·08	·63	·34		30
31	—	✕	—	✕	—	✕	—	·04	✕	·18	✕	·59		31
TOTAL	2·05	3·28	·15	3·28	1·82	2·69	·41	4·05	3·85	4·05	5·58	3·78	Year's Total 34·99	
* Days with .01 in. or more.	~~16~~	~~18~~	~~4~~	~~21~~	~~11~~	~~16~~	~~3~~	~~12~~	~~16~~	~~16~~	~~24~~	~~18~~	~~175~~	
* Days with .04 in. or more.	~~13~~	~~13~~	~~1~~	~~15~~	~~8~~	~~14~~	~~3~~	~~10~~	~~13~~	~~16~~	~~18~~	~~17~~	~~141~~	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W. Mantle

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Deal + Walmer Waterworks

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·35	·17	·03	·14		·24	·12	·05		·01	·01	·08		1
2	·03	·08	·03			·21	·04	·05				·16		2
3		·01		·32	·01				·07		·38			3
4			·04			·17			·13		·07	·04		4
5	·16			·02				·07	·42	·22	·19	·01		5
6	·19	·14				·03			·30	·33	·37			6
7	·20		·05			·02	·04	·02		·20	·63			7
8	·44		·04				·19		·04		·84	·30		8
9	·42		·06				·53	·15			·38			9
10					·04	·01	·03	·96		·11				10
11				·01			·45	·24	·02		·86			11
12				·16			·31				·16	·10		12
13				·05		·02						·17		13
14				·01		·04	·91				·25	·41		14
15				·01					·13			·59		15
16	·39										·31	·28		16
17	·08	·79				·05	·01		·01		·19	·48		17
18	·04	·12					·31	·05	·04	·03	·34	·07		18
19	·18	·02				·99		·02		·01				19
20	·41	·10		·40					·56	·02				20
21		·01		·19	·01	·13	·05		·03					21
22	·15	·41		·01		·01	·03					·11		22
23	·02	·02		·07			·34							23
24	·09	·06								·14				24
25	·40	·13	·05	·09		·22			·24	·04				25
26		·22	·06	·01					·03	·22				26
27	·16	·42	·05				·59		·52					27
28	·40		·01			·48	·24		·32	·03				28
29			·14			·27	·07		·24		·07			29
30	·06	✗			·15	·12								30
31	·19	✗	·16	✗		✗	·12		✗	·65	✗	·11		31
TOTAL	4·36	2·70	·72	1·49	·21	3·01	4·38	1·61	3·10	2·01	5·05	2·91	Year's Total 31·55	✓
* Days with .01 in. or more.	~~20~~	~~15~~	~~12~~	~~14~~	~~4~~	~~16~~	~~18~~	~~9~~	~~16~~	~~13~~	~~15~~	~~14~~	~~166~~	✓
* Days with .04 in. or more.	~~18~~	~~4~~	~~9~~	~~8~~	~~2~~	~~11~~	~~15~~	~~7~~	~~12~~	~~8~~	~~14~~	~~13~~	~~128~~	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. Mantle

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Deal & Walmer Waterworks

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·64	·01	—	·07	—	—	—	—	—	—	·31	·40		1
2	—	·17	·14	·32	—	—	—	—	—	·03	—	·74		2
3	—	·97	—	—	—	—	—	—	·02	—	—	·32		3
4	·12	·26	—	·01	—	—	—	—	—	·39	—	·27		4
5	·16	·05	·47	—	—	—	·15	—	—	·04	—	·09		5
6	·14	—	·66	—	·12	—	·04	—	—	—	—	—		6
7	—	·63	·07	·10	·07	—	—	—	—	—	—	—		7
8	—	·08	·39	—	—	·13	—	—	—	·03	·12	·41		8
9	—	·01	·07	·64	·06	—	·06	—	·19	—	—	·23		9
10	—	—	·48	·08	·14	·48	·10	·61	—	—	—	·46		10
11	—	—	·39	·02	·10	—	·04	—	·01	·04	—	·51		11
12	·13	·28	·44	—	·87	—	—	·26	·17	—	—	·01		12
13	·54	·03	·51	·01	—	·15	—	·04	·43	—	—	·73		13
14	·11	—	·16	—	·79	—	—	·14	·18	—	—	·30		14
15	·05	·05	—	·16	·07	·04	·64	—	·26	—	—	—		15
16	—	·01	·11	·09	—	—	—	·44	·40	—	—	·91		16
17	·29	—	·01	·11	—	·35	—	—	·48	—	·39	—		17
18	·24	·07	—	·01	·27	·03	—	—	·89	—	·10	—		18
19	·05	·03	—	·24	·01	·10	—	—	·55	—	—	·02		19
20	·54	—	·43	·24	·86	·14	—	—	—	—	—	—		20
21	·30	·42	·25	·01	·03	—	—	·17	·04	—	—	·01		21
22	·36	·02	·04	—	·02	—	—	—	—	·65	—	·10		22
23	·02	—	—	—	—	—	—	—	—	1·54	·04	—		23
24	·47	·26	—	—	—	·01	—	—	·06	·05	—	—		24
25	·18	·28	·25	—	—	—	—	—	·18	·10	·04	—		25
26	·01	·39	—	—	—	—	—	—	—	·40	—	—		26
27	·15	·13	·09	·09	—	—	—	—	—	·06	—	—		27
28	—	·30	·08	—	—	·01	—	—	—	·02	—	·12		28
29	·03	X	·04	—	—	—	—	—	—	—	·02	—		29
30	·33	X	—	—	—	—	—	—	—	·01	·07	·13		30
31	·34	X	—	X	—	X	—	—	X	·04	X	·03		31
TOTAL	5·20	4·45	5·08	2·20	3·41	1·44	1·03	1·66	3·86	3·40	1·09	5·79	Year's Total 38·61	✓ ✓
* Days with .01 in. or more.	~~21~~	~~21~~	~~20~~	~~16~~	~~13~~	~~10~~	~~6~~	~~6~~	~~14~~	~~14~~	~~8~~	~~19~~	~~168~~	✓ ✓
* Days with .04 in. or more.	~~18~~	~~15~~	~~19~~	~~11~~	~~10~~	~~7~~	~~6~~	~~6~~	~~12~~	~~10~~	~~7~~	~~15~~	~~136~~	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Mantle

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Deal Waterworks

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	—	—	·25	1·14	—	—	·21	·04	·08	·03		1
2	·07	—	—	·05	·12	—	·06	—	—	·29	—	·02		2
3	—	—	—	—	·14	—	·13	—	—	·87	·01	—		3
4	·03	—	—	—	—	·05	·22	·67	—	·22	—	·24		4
5	—	—	—	—	—	—	·80	—	—	·27	—	—		5
6	·13	—	—	—	—	—	·02	·17	·03	—	—	—		6
7	·01	—	—	—	—	—	·45	1·22	—	·42	—	·10		7
8	·26	—	—	—	—	—	·05	—	·08	·24	—	·02		8
9	·47	·04	—	—	—	—	·07	·21	·01	·17	—	·59		9
10	·13	·08	—	—	—	—	—	·01	—	—	—	·18		10
11	·19	—	—	—	—	—	—	—	—	—	·11	·02		11
12	·23	·06	—	—	—	—	·06	—	—	·04	·02	·03		12
13	·46	·20	—	—	—	—	—	·01	—	·01	·03	—		13
14	·19	·02	—	—	·05	—	—	—	·10	—	—	·05		14
15	·02	·17	—	—	—	—	·32	—	—	·03	—	—		15
16	·51	·03	—	·01	·02	—	·41	—	—	·09	—	—		16
17	—	·07	—	·02	·72	—	·02	—	—	·04	—	—		17
18	·09	—	—	—	·02	—	—	—	·11	—	·59	—		18
19	—	—	—	·04	·03	—	—	—	·01	—	·22	—		19
20	—	—	—	—	·02	—	—	—	·48	—	·52	·26		20
21	—	—	—	·05	—	—	—	·09	·27	—	·15	·12		21
22	—	—	—	·03	—	·05	—	—	—	—	·33	·06		22
23	—	—	—	·05	—	—	—	—	—	—	·03	—		23
24	—	—	·15	—	·02	—	—	—	·07	—	·32	·03		24
25	—	—	·18	—	·05	—	·18	—	·18	—	·58	—		25
26	·57	·21	·05	—	—	—	·03	—	·49	·21	—	·30		26
27	·03	·07	—	—	·12	·04	·19	—	·31	·38	·43	—		27
28	·10	·02	—	—	·11	·04	—	·16	—	·05	—	·01		28
29	·16	✕	—	·19	·32	—	—	—	—	—	·05	·26		29
30	·10	✕	—	·29	·14	—	—	—	—	·02	·52	—		30
31	·15	✕	—	✕	·03	✕	—	—	✕	·09	✕	·24		31
TOTAL	3·89	·97	·38	·73	2·18	1·32	3·01	2·54	2·35	3·48	3·99	2·56	Year's Total 27·40 ✓	
* Days with .01 in. or more.	21	11	3	9	16	6	15	8	13	18	16	18	153 ✓	
* Days with .04 in. or more.	16	8	3	6	10	5	12	6	10	15	12	11	114 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Mantle

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Deal Waterworks, St Richards Rd

in the County of Deal, Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 110·11 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	–	·01	·07	·43	–	·14	–	–	·14	–	·03		1
2	·02	–	–	–	·01	–	–	·24	·01	1·14	·05	·02		2
3	·51	–	–	·46	–	–	–	·12	–	–	·20	·22		3
4	·30	–	·40	·05	–	–	–	1·24	–	–	·19	·01		4
5	–	–	·02	·93	·01	–	·09	–	–	·11	·47	·14		5
6	·33	–	·05	–	–	–	·01	·01	–	·29	·19	·10		6
7	·20	·04	–	–	–	–	·02	–	–	·04	·40	·08		7
8	–	·05	·12	–	–	–	–	–	–	·09	·01	·59		8
9	·03	·05	–	–	–	–	–	·05	–	·52	·66	·27		9
10	·09	–	–	–	–	·19	–	·29	·03	·04	·03	–		10
11	·32	–	·22	–	·03	·20	–	·05	–	·68	·01	·02		11
12	–	–	–	–	·12	·29	–	–	·02	·09	–	–		12
13	–	–	·06	–	–	–	·10	–	·04	2·02	–	·09		13
14	·82	–	·02	–	·05	·02	–	–	·09	·17	·32	–		14
15	·17	–	–	–	·84	–	–	–	·18	·82	·11	–		15
16	·22	–	·08	·01	·30	·07	·12	–	·09	·02	·46	–		16
17	·18	·07	·06	–	·01	–	·09	–	·10	–	·02	–		17
18	·20	–	·05	–	–	·03	·24	–	·19	·64	·44	–		18
19	·21	–	·15	–	–	–	·12	–	·07	1·19	–	·01		19
20	·24	–	–	–	–	–	–	·08	·31	–	–	–		20
21	·09	–	·13	–	–	·05	–	–	·27	·29	–	–		21
22	·19	·13	·09	–	–	·71	·02	–	·32	–	·02	–		22
23	·03	·01	–	–	–	·01	–	·11	·03	·13	·24	–		23
24	·01	·05	–	·36	–	·05	·48	–	·06	–	·03	–		24
25	1·18	·24	·11	·09	–	–	·06	–	–	–	·43	–		25
26	·10	–	·19	–	–	–	·18	–	–	·48	·31	·01		26
27	·14	·03	·06	·01	–	·07	–	–	–	2·01	·44	–		27
28	–	·32	·06	–	–	–	–	–	–	1·69	·11	·02		28
29	–	✕	–	·35	–	–	–	–	–	–	·02	–		29
30	–	✕	–	·54	–	·01	·02	–	–	–	–	–		30
31	–	✕	–	✕	–	✕	–	·10	✕	–	✕	–		31
TOTAL	5·68	·99	1·88	2·87	1·80	1·70	1·68	2·29	1·81	12·60	5·16	1·61	Year's Total 40·07	
* Days with .01 in. or more.	~~23~~	~~10~~	~~18~~	~~10~~	~~9~~	~~12~~	~~14~~	~~10~~	~~15~~	~~21~~	~~23~~	~~14~~	~~179~~	
* Days with .04 in. or more.	~~19~~	~~8~~	~~15~~	~~8~~	~~8~~	~~8~~	~~10~~	~~9~~	~~11~~	~~20~~	~~16~~	~~7~~	~~136~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. Mantle

P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~ 40

Kept at Deal Waterworks

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 110 : 11 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·03	–	–	–	–	–	–	–	–	–	–		1
2	–	·01	–	·08	–	–	–	–	–	·36	·40	·04		2
3	–	·20	–	·06	–	–	·03	–	–	·01	1·31	·16		3
4	–	·02	–	·07	–	–	–	–	–	·09	·16	–		4
5	–	–	–	–	–	–	–	–	–	·01	·82	·26		5
6	·10	·05	–	–	–	–	·18	–	–	·59	·03	–		6
7	·19	·05	–	·01	–	–	·25	–	–	–	–	–		7
8	–	·02	–	–	–	–	·09	–	·36	·29	–	·19		8
9	–	–	–	–	–	–	–	–	·23	·10	·18	·13		9
10	–	–	–	–	–	–	·13	·01	·02	·68	·07	1·07		10
11	–	·07	–	·04	–	–	–	–	–	–	1·37	–		11
12	–	·12	·18	·03	–	–	·14	–	·01	–	·01	–		12
13	–	·06	·29	–	–	·03	–	–	·13	–	·94	–		13
14	–	·02	·38	·08	–	–	–	–	–	–	·32	·38		14
15	–	–	–	–	·04	·01	·07	–	–	–	–	–		15
16	·01	·18	·11	·01	–	·07	·24	–	·05	·76	·34	·02		16
17	–	·02	·31	–	–	–	·06	–	·03	·16	·24	–		17
18	·30	·34	·20	·47	–	–	·22	–	–	–	·12	·14		18
19	–	·07	·03	–	–	–	–	·07	·89	–	–	·01		19
20	·16	–	·01	–	–	·02	–	·01	·05	–	·49	–		20
21	·15	–	–	–	·02	–	·31	–	·03	·01	·34	–		21
22	·03	–	·03	–	–	–	–	–	·12	·01	·02	–		22
23	–	·13	·01	·03	–	–	·02	·02	–	–	–	–		23
24	–	–	–	·06	–	–	·09	–	–	–	–	–		24
25	–	–	·41	–	–	–	·24	–	–	·11	–	–		25
26	·61	·25	·58	–	·01	–	–	–	–	·16	–	·05		26
27	·05	·12	–	–	–	–	·51	–	–	·08	–	·01		27
28	–	·03	–	–	·10	–	–	–	–	–	–	–		28
29	·06	–	·14	–	–	–	–	·01	·21	–	·07	·09		29
30	·05	✕	–	·01	–	–	–	–	–	·10	·02	·03		30
31	·16	✕	–	✕	–	✕	–	–	✕	·52	✕	·05		31
TOTAL	1·87	1·79	2·68	·95	·17	·13	2·57	·12	2·13	4·04	7·25	1·63	Year's Total 25·33	
* Days with .01 in. or more.	12	19	13	12	4	4	15	5	12	17	19	15	147	
* Days with .04 in. or more.	10	12	10	7	2	1	13	1	8	13	15	11	103	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. Muntle

[P.T.O.

289/5

BARHAM OLD HOUSE

1932 - 40

Section **A** for the entry of
AIR MINISTRY

COPY FOR OFFICIAL USE.
…L ORGANIZATION.

(289/5)

Kent/2

OK print

FORM 1090.

REGIST…

…2.

Kept at Old House B…

in the County of Kent

Diameter of Funnel of Gauge…

Height of top of Gauge above Ground…

,, Ground ,, Sea Le…

…Ringwood (Hants). No 642

THE MORNING MEASUR…

An observer who does not conform to th… …ollowing year in the space on the right of this…

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·07	–	·10	·79	–	·00[illegible]	–	·02	·10	·02	–	1
2	·02	–	–	·25	·05	Tr	·01	·04	–	·03	·01	·17	2
3	–	–	–	·11	·19	·10	–	·01	·35	–	–	–	3
4	·01	–	–	–	·02	·13	–	–	–	–	Tr	–	4
5	·14	·02	·02	–	·06	·04	·19	·01	·02	–	–	–	5
6	·42	–	–	·20	–	–	–	–	·04	–	–	·01	6
7	·01	–	·07	·01	–	–	–	–	–	Tr	·01	·05	7
8	–	·05	·11	·06	·24	–	–	–	·03	·77	–	–	8
9	·12	·08	·01	·11	·48	–	–	–	–	·28	–	–	9
10	·68	·04	–	·22	·08	–	–	–	·01	·05	–	–	10
11	·35	·13	·01	·15	·07	·11	·05	–	·00[illegible]	·28	·01	–	11
12	·14	·01	–	–	–	Tr	–	·08	–	·17	–	–	12
13	·02	–	–	·09	·09	–	–	–	·01	1·00	–	·01	13
14	·18	·01	–	·19	·10	–	–	–	–	·15	–	–	14
15	·02	·04	–	·11	·08	–	–	Tr	–	·08	–	Tr	15
16	·06	–	–	·20	·04	–	–	–	–	–	–	·01	16
17	–	–	·02	·02	–	–	·11	–	–	·03	–	–	17
18	·01	–	–	–	–	–	·05	–	·06	–	·10	–	18
19	–	–	–	·01	–	–	–	–	TR	·15	·14	–	19
20	–	·01	–	·02	·09	·02	·05	Tr	–	·97	·21	–	20
21	–	–	–	·01	·09	·02	–	Tr	–	·25	–	·05	21
22	–	·09	·36	Tr	·08	–	·19	·02	·65	·20	·33	·00[illegible]	22
23	–	·11	–	·13	·01	–	–	–	·18	1·06	·11	·05	23
24	–	·04	–	–	·01	–	·82	–	·10	·05	·02	–	24
25	–	–	–	–	–	–	1·89	–	·26	·24	·01	–	25
26	–	–	–	·05	–	–	·11	·09	–	–	·04	–	26
27	–	–	·33	·15	·06	–	·18	–	·28x	·76	·08	·05	27
28	–	–	·00[illegible]	·04	·02	–	·19	–	–	·17	–	–	28
29	–	–	·27	·12	–	–	–	·23	·03	·53	–	·01	29
30	–	×	·12	·63	–	·68	–	·04	·01	·02	·06	·04	30
31	–	×	·03	×	–	×	·01	–	×	Tr	×	·02	31
TOTAL	2·26	~~·69~~ ·70	1·35	~~2·99~~ 2·98	2·65	1·10	~~3·84~~ 3·85	·52	~~1·65~~ 2·05	7·34	1·15	·47	YEAR'S TOTAL 26·01
*Days with ·01 in. or more.	15	13	11	23	20	7	13	8	14	22	14	11	171
*Days with ·04 in. or more.	8	8	6	18	16	5	11	5	8	19	8	6	118

40-9999

*See Instruction 2 (*f*) on other side.

×·28 N

(*Signed*) L.S. OSMASTON ESQ

[P.T.O.

Section A for the entry of

289/5

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kent/2

Kept at Old House, Barham
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft 9 in.
,, Ground ,, Sea Level 175 ft.

C 1932

OK print

G from Ringwood (Hants). No 642

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·07	—	·10	·79	—	·005	—	·02	·10	·02	—	1
2	·02	—	—	·25	·05	Tr	·01	·04	—	·03	·01	·17	2
3	—	—	—	·11	·19	·10	—	·01	·35	—	—	—	3
4	·01	—	—	—	·02	·13	—	—	—	—	Tr	—	4
5	·14	·02	·02	—	·06	·04	·19	·01	·02	—	—	—	5
6	·42	—	—	·20	—	—	—	—	·04	—	—	·01	6
7	·01	—	·07	·01	—	—	—	—	—	Tr	·01	·05	7
8	—	·05	·11	·06	·24	—	—	—	·03	·77	—	—	8
9	·12	·08	·01	·11	·48	—	—	—	—	·28	—	—	9
10	·68	·04	—	·22	·08	—	—	—	·01	·05	—	—	10
11	·35	·13	·01	·15	·07	·11	·05	—	·005	·28	·01	—	11
12	·14	·01	—	—	—	Tr	—	·08	—	·17	—	—	12
13	·02	—	—	·09	·09	—	—	—	·01	1·00	—	·01	13
14	·18	·01	—	·19	·10	—	—	—	—	·15	—	—	14
15	·02	·04	—	·11	·08	—	—	Tr	—	·08	—	Tr	15
16	·06	—	—	·20	·04	—	—	—	—	—	—	·01	16
17	—	—	·02	·02	—	—	·11	—	—	·03	—	—	17
18	·01	—	—	—	—	—	·05	—	·06	—	·10	—	18
19	—	—	—	·01	—	—	—	—	Tr	·15	·14	—	19
20	—	·01	—	·02	·09	·02	·05	Tr	—	·97	·21	—	20
21	—	—	—	·01	·09	·02	—	Tr	—	·25	—	·05	21
22	—	·09	·36	Tr	·08	—	·19	·02	·65	·20	·33	·005	22
23	—	·11	—	·13	·01	—	—	—	·18 ~~·26~~	1·06	·11	·05	23
24	—	·04	—	—	·01	—	·82	—	·10	·05	·02	—	24
25	—	—	—	—	—	—	1·89	—	·26	·24	·01	—	25
26	—	—	—	·05	—	—	·11	·09	—	—	·04	—	26
27	—	—	·33	·15	·06	—	·18	—	·28×	·76	·08	·05	27
28	—	—	·005	·04	·02	—	·19	—	—	·17	—	—	28
29	—	—	·27	·12	—	—	—	·23	·03	·53	—	·01	29
30	—	×	·12	·63	—	·68	—	·04	·01	·02	·06	·04	30
31	—	×	·03	×	—	×	·01	—	×	Tr	×	·02	31
TOTAL	2·26	·70 ~~·69~~	1·35	2.98 ~~2·99~~	2·65	1·10	3.85 ~~3·84~~	·52	2.05 ~~1·65~~	7·34	1·15	·47	YEAR'S TOTAL 26·01
*Days with ·01 in. or more.	15	13	11	23	20	7	13	8	14	22	14	11	171
*Days with ·04 in. or more.	8	8	6	18	16	5	11	5	8	19	8	6	118

40-9999

*See Instruction 2 (*f*) on other side.

×·28 N

(Signed) ~~[illegible]~~ L.S. OSMASTON ESQ

[P.T.O.

289/5

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Old House – Barham
in the County of Kent
Diameter of Funnel of Gauge Same as in 1932 in.
Height of top of Gauge above Ground ....ft. ....in.
„ Ground „ Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	} ·14	·23	·08	–	–	–	–	–	–	Tr	·04	–	1
2		Tr	·38	–	·27	–	–	–	–	·05	·05	–	2
3	·01	·07	·23	–	–	–	–	–	–	·23	·16	–	3
4	·01	·01	–	–	–	–	–	–	–	Tr	·48	–	4
5	·34	–	·20	–	·05	–	–	–	–	–	–	–	5
6	–	·07	·15	–	·33	–	–	–	–	·02	·11	Tr	6
7	·41	·01	·05	·02	·27	–	–	–	–	·43	·01	–	7
8	·11	–	–	–	·03	–	·17	–	–	·05	–	–	8
9	–	–	–	–	·02	–	–	–	–	·01	·07	–	9
10	–	·44	–	–	–	·02	·12	–	–	·20	Tr	–	10
11	·15	·01	–	–	·04	·09	–	~~Tr~~ ·03	·10	–	·03	–	11
12	–	–	–	·02	–	·38	·75	–	1·00	–	·41	–	12
13	–	–	–	–	·16	·04	·26	–	·54	–	·15	–	13
14	·02	–	–	–	·02	–	·04	–	–	·15	·23	·03	14
15	·27	–	·08	–	–	–	·10	·23	Tr	·01	·13	·06	15
16	·16	·02	·56	–	–	·26	·38	–	Tr	Tr	Tr	Tr	16
17	·05	·02	·30	–	–	·07	–	·03	·08	–	Tr	–	17
18	·08	Tr	·05	·09	–	·26	–	–	Tr	–	–	–	18
19	–	·05	·06	·13	–	·12	–	–	·06	–	–	Tr	19
20	–	·04	–	·14	–	·07	–	Tr	·07	–	–	Tr	20
21	Tr	–	–	–	–	·02	–	·08	1·85	Tr	–	–	21
22	–	·20	·01	–	–	–	–	·20	·06	·10	–	–	22
23	–	Tr	–	·04	·02	·04	–	–	·61	–	Tr ~~·23~~	–	23
24	–	·18	–	·10	·02	·06	–	–	·89	Tr	·23	–	24
25	–	–	–	·29	·03	–	–	–	–	·01	·25 ~~·29~~	·03	25
26	–	·33	–	·02	–	·21	–	–	·01	·04	·09	·17	26
27	–	·02	Tr	·02	·12	–	–	–	–	·18	·01	·12	27
28	–	–	–	–	Tr	–	·09	–	–	·13	–	·02	28
29	·03		–	–	·03	–	·10	–	–	·01	–	–	29
30	·06	×	·01	–	–	–	·02	–	–	·06	–	·10	30
31	·04	×	–	×	–?	×	–	·07	×	–	×	–	31
TOTAL	1·88	1·70	2·16	·87	1·41	1·63	2·03	·64	5·27	1·68	2·45	·53	YEAR'S TOTAL 22·25
*Days with ·01 in. or more.	16	15	13	10	14	13	10	6	11	16	16	7	147
*Days with ·04 in. or more.	12	9	11	6	7	11	9	4	10	10	13	4	106

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)........

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 289/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Old House - Barham

in the County of Kent

Diameter of Funnel of Gauge last year in.

Height of top of Gauge above Ground ..... ft ..... in.

,, Ground ,, Same as Sea Level ..... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	—	·49	—	·09	—	·14		1
2	·01	—	·12	·04	—	—	—	—	·36	·75	—	·30		2
3	·01	·06	—	—	·44	—	—	—	Tr	·70	·08	·10		3
4	·15	—	Tr	—	·05	·01	—	—	—	·27	·08	·60		4
5	—	—	·06	—	·11	·03	—	·01	—	—	·14	·21		5
6	—	—	·30	·32	·10	·34	—	·05	—	·23	·04	·43		6
7	·04	—	—	—	—	Tr	—	·02	—	·07	—	·20		7
8	—	—	—	·32	·20	—	—	·02	·02	—	1·47	Tr		8
9	Tr	—	—	·01	Tr	—	—	—	—	—	·73	·23		9
10	—	—	·04	·20	—	—	—	·07	—	·03	·14	Tr		10
11	·88	—	·23	·20	—	—	·03	·13	—	—	—	·50		11
12	·11	—	·45	—	—	—	·02	·13	—	—	·01	·09		12
13	·39	—	·19	·05	—	—	·01	·16	—	—	·01	·02		13
14	·42	—	·12	·10	·03	—	·07	·01	—	·09	·33	·39		14
15	—	—	·45	—	—	—	—	—	—	—	·22	·27		15
16	·11	—	·27	·09	·12	—	—	—	—	Tr	Tr	Tr		16
17	·09	—	·35	Tr	·01	—	—	—	·18	·06	·26	·21		17
18	·06	—	·01	·12	—	—	—	—	—	—	·11	·49		18
19	—	—	·27	—	—	—	—	—	·22	—	Tr	·19		19
20	—	—	·09	—	—	—	·14	—	—	—	Tr	·01		20
21	—	—	—	·15	—	·08	Tr	—	—	·05	Tr	—		21
22	—	—	—	—	—	—	Tr	·19	·21	·03	·01	·01		22
23	—	—	—	·46	—	·17	·02	Tr	—	·03	—	·09		23
24	—	·03	—	·36	—	·15	·41	—	·13	—	—	—		24
25	·05	·05	—	·19	Tr	—	—	—	—	·03	—	·37		25
26	·05	Tr	—	·05	—	·07	—	—	—	—	—	·03		26
27	·04	·05	—	—	—	·24	—	—	—	—	—	·44		27
28	Tr	·05	—	—	—	·12	—	·49	—	—	·05	·24		28
29	—	·06	—	—	—	—	·32	·19	·15	—	—	·02		29
30	·11	×	—	—	—	—	Tr	·13	—	—	—	·40		30
31	·02	×	—	×	—	×	—	—	×	—	×	·08		31
TOTAL	2·54	~~·24~~ ·30	2·95	2·66	1·06	1·21	1·02	2·09	1·27	2·43	3·68	6·06	Year's Total, 27·21	
* Days with .01 in. or more.	16	6	14	15	8	9	8	14	7	13	15	26	151	
* Days with .04 in. or more.	13	5	~~14~~ 13	14	6	7	4	10	6	9	12	20	119	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A. Umasten

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 289/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Barham

in the County of Kent

Diameter of Funnel of Gauge Last year in.

Height of top of Gauge above Ground Same as ft. in.

" Ground " Sea Level ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·03	·01	·01	–	·05	Tr	–	·20	·10	·09	–	1
2	·13	–	·06	·03	–	–	–	–	·01	·59	–	–	2
3	·03	·05	·09	·11	–	·04	–	–	·02	·15	·05	Tr	3
4	Tr	Tr	–	·20	–	·08	–	–	·43	·78	·23	·06	4
5	–	–	·03	·12	–	·04	–	–	·64	·28	·01	–	5
6	·11	·47	–	·20	–	·21	–	–	–	·11	·17	·07	6
7	·15	·21	·01	·23	–	·24	–	–	–	·02	1·18	·05	7
8	–	–	Tr	·49	–	–	–	·88	–	·42	·27	·03	8
9	–	·01	–	·11	–	·96	–	·09	–	·63	·38	·05	9
10	·08	·03	–	–	–	·10	–	–	–	Tr	·05	·15	10
11	–	Tr	–	·02	–	·03	–	–	–	–	·45	–	11
12	·01	}·20	–	–	·02	·07	–	·73	–	–	·49	–	12
13	–		–	·10	–	–	–	–	·03	–	·36	·04	13
14	·02	Tr	–	·04	·52	·01	–	–	–	–	Tr	·11	14
15	–	·15	–	·55	·03	·04	–	–	·31	·01	·15	·09	15
16	Tr	·03	·01	·27	–	·02	–	·01	·27	·01	·98	·01	16
17	·05	–	Tr	·35	Tr	·14	·01	·01	–	–	·35	–	17
18	–	–	–	·20	·04	·04	·16	–	·35	·10	–	·05	18
19	–	–	–	·02	·56	·04	·03	–	·07	Tr	·04	·02	19
20	·01	·48	–	·12	·02	·07	·15	–	–	–	·04	–	20
21	·03	·34	–	·03	–	–	–	–	·02	·14	·06	Tr	21
22	–	·07	–	–	–	–	–	–	·13	–	·20	–	22
23	–	–	·02	–	·01	–	–	·34	–	–	·15	·04	23
24	·06	·70	–	–	·33	–	–	·27	·79	×	–	·45	24
25	·10	·11	–	·17	·25	·31	–	–	–	}·29 ×	–	·55	25
26	·11	–	–	–	·12	·01	–	·10	·02	×	Tr	·37	26
27	·26	·49	–	–	·50	–	–	·40	·10	–	·10	·23	27
28	·10	·18	–	–	·01	–	–	·05	Tr	·07	–	·26	28
29	·01		–	–	–	–	–	·03	·58	–	Tr	·44	29
30	·06	×	–	–	–	–	–	·64	·16	·09	·63	·38	30
31	–	×	–	×	–	×	–	–	×	·18	×	·57	31
TOTAL	1·52	3·55	·23	3·37	2·41	2·50	·35	3·55	4·13	3·97	6·43	4·02	YEAR'S TOTAL 36·03
*Days with ·01 in. or more.	18	16	7	20	12	19	4	12	17	? 19	22	21	187
*Days with .04 in. or more.	11	12	2	15	7	15	2	9	12	? 16	21	18	140

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 289/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Old House - Barham.
in the County of Kent
Diameter of Funnel of Gauge..........in. } Same as before
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·45	·10	·05	·21	—	·78	·10	·05	—	—	·05	·11		1
2	—	—	·06	·01	—	·13	·07	·13	—	—	Tr	·27		2
3	—	Tr	—	·35	—	Tr	—	—	·20	—	·29	·01		3
4	Tr	—	·04	—	—	·22	—	—	·25	—	·12	·06		4
5	·19	—	—	·06	·02	—	—	·05	·17	·13	·08	·04		5
6	·32	—	·01	—	—	·03	·06	·01	·27	·78	·57	—		6
7	·22	—	·07	—	—	·01	·26	·02	·01	·19	·33	—		7
8	·42	—	—	—	—	—	—	—	·02	—	·87	·24		8
9	·01	—	·64	—	·04	—	·56	·04	—	·02	·23	Tr		9
10	—	—	—	—	·01	·04	·11	·53	·05	·11	—	—		10
11	—	—	—	·04	Tr	—	·35	·01	—	Tr	·73	—		11
12	—	—	—	·02	—	·02	·30	—	—	·01	·30	·14		12
13	—	—	—	—	—	·05	·01	—	—	—	Tr	·21		13
14	—	·07	—	Tr	—	·06	·94	—	—	·02	·16	·58		14
15	—	·09	—	—	—	—	·03	—	·58	—	—	·41		15
16	·53	·07	—	—	—	—	—	—	—	—	·27	·15		16
17	·15	} ·96	—	—	—	·07	·08	—	Tr	·01	·32	·33		17
18	·01		—	—	—	·42	·32	·01	·04	·04	·28	·06		18
19	·26	·10	—	—	—	·16	—	·07	—	·04	—	Tr		19
20	·26	·05	—	·43	—	—	—	—	·40	Tr	—	—		20
21	—	·02	·03	·38	—	·55	·03	—	·04	—	—	—		21
22	·10	·37	—	·03	·05	—	·05	—	—	Tr	—	·15		22
23	—	·04	—	·10	—	—	·33	—	—	·03	—	—		23
24	·08	·14	·09	—	—	—	·12	—	·03	·17	—	—		24
25	·43	·04	·07	·06	—	·10	—	—	·32	·09	·02	·03	—	25
26	—	·10	—	—	—	—	Tr	—	·07	·14	—	—		26
27	·17	·29	·04	—	·04	—	·38	—	·61	·02	·01	—		27
28	·50	—	—	—	—	·04	·89	—	·16	—	—	·07		28
29	—	·02	·19	—	—	·28	·16	—	·02	·03	·10	—		29
30	·09		—	—	·07	·10	·04	—	·01	·05	—	—		30
31	·25		·15		·01		·15	—		·96		·09		31
TOTAL	~~4·87~~ 4·44	2·46	1·44	1·69	·24	3·06	~~5·28~~ 5·34	·92	3·25	2·84	4·73	2·96	Year's Total 33·~~60~~73	✓
* Days with .01 in. or more.	18	16	12	11	7	17	22	10	18	18	17	17	183	✓
* Days with .04 in. or more.	14	14	10	8	4	13	19	6	13	11	15	15	142	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 289/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Old House – Barham

in the County of Kent

Diameter of Funnel of Gauge ......in.

Height of top of Gauge above Ground........ft.........in.

,, Ground ,, Sea Level ....ft.

Same as before

Day

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Daily readings were taken [illegible] that but not before the total had been obtained

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·57	x	—	·05	—	—	—	—	—	—	·48	·27		1
2	—	x	·07	·37	—	—	—	—	—	—	—	·57		2
3	·01	x	—	—	—	—	—	—	·01	—	—	1·13		3
4	·12	x	—	·17	—	—	—	—	—	·35	—	·53		4
5	·23	x	·56	—	—	—	·16	—	—	·17	—	x		5
6	·20		·48	—	·11	—	·02	—	—	·04	—	—		6
7	—	x	·49	·09	·31	—	—	—	·01	Tr	—	·04		7
8	Tr	x	·01	—	Tr	·10	—	—	—	·05	·11	·82		8
9	—	✓	·54	·50	·06	Tr	·06	—	·20	—	—	·24		9
10	—		x ·97	·09	·13	·44	·11	—	—	·02	—	·45		10
11	—		x	·07	·19	—	·03	—	—	·03	Tr	·26		11
12	·25	x	·26	—	·51	—	·02	·25	·24	·01	—	·06		12
13	·50		·50	·01	—	—	—	·01	·85	—	—	1·11		13
14	·15		·13	Tr	·70	·21	—	·20	·10	—	—	·14		14
15	·05	x	—	·19	·16	·07	·55	—	·04	—	—	—		15
16	·03	x	·18	·21	—	·04	—	·41	·17	—	·02	·39		16
17	·37	x	·02	·25	·31	·41	—	—	·59	—	·46	—		17
18	·33	x	Tr	·02	—	·10	—	—	·60	—	·04	—		18
19	·07	x	·05	·24	·95	·15	—	—	·45	—	—	Tr		19
20	·54		·70	·28	—	·05	—	Tr	·01	—	—	—		20
21	·37	x	·21	·04	·07	—	—	·20	·03	—	·01	·09		21
22	·35	x	·04	—	—	—	—	—	—	·66	·03	·16		22
23	·02		—	—	—	—	·09	Tr	—	·54	·01	·01		23
24	·64	x	—	—	—	—	—	—	·06	·13	—	—		24
25	·22	x	·29	—	—	—	—	—	·09	·46	—	·02		25
26	Tr	x	·10	—	—	—	—	—	—	·30	·03	—		26
27	Tr	x	·01	·12	—	—	—	—	—	·09	—	—		27
28	·15	x	·15	·02	—	·02	—	—	—	·01	—	·20		28
29	·08	4·47	·03	—	—	—	—	—	—	·16	·04	—		29
30	·29	✕	—	—	—	—	—	—	—	·06	·05	·06		30
31	·34	✕	—	✕	—	✕	·02	—	✕	·01	✕	·08		31
TOTAL	5·88	4·47	5·79	2·72	3·50	1·59	1·06	1·07	3·45	3·09	1·28	6·63	Year's Total 40·53 ✓	
* Days with .01 in. or more.	23	(21)	22	17	11	10	9	5	15	17	11	21	182 ✓	
* Days with .04 in. or more.	20	(19)	18	14	11	9	5	4	11	12	6	19	148 ✓	

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 289/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Old House - Barham

in the County of Kent

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

as before

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	—	—	·32	·73	·09	—	·28	·01	·04	·05		1
2	·01	—	—	·04	·07	—	—	—	—	·33	—	—		2
3	—	—	—	—	·27	—	·23	—	—	·86	·01	—		3
4	—	—	—	—	—	·07	·40	·24	—	·14	—	·13		4
5	·08	—	—	—	—	—	·10	Tr	—	·44	—	·01		5
6	·10	—	—	—	—	—	—	·14	·04	—	·01	·01		6
7	·03	—	—	—	—	·01	·34	·42	·01	·25	Tr	·08		7
8	·25	—	—	—	—	—	·15	—	·08	·16	—	—		8
9	·19	·05	—	—	—	—	·06	·50	} ·03	·04	—	·82		9
10	·13	·06	—	—	—)	·06	—	·09		—	—	·18		10
11	·19	·03	—	—	—	—	—	—	—	—	·10	·09		11
12	·20	·17	—	—	—	·38	—	—	—	·06	—	—		12
13	·39	·33	—	—	—	—	—	·06	—	·04	·04	·01		13
14	·18	·06	—	—	·10	—	—	—	·27	—	—	·18		14
15	·04	·29	—	—	—	—	·15	·01	—	·06	·01	·05		15
16	·31	·05	—	—	—	—	·05	·04	—	·10	·04	·18		16
17	—	·11	—	—	·72	—	·02	—	·09	·20	·02	—		17
18	·06	—	—	·04	·03	—	·02	—	—	—	·56	—		18
19	—	—	—	·02	·04	—	—	Tr	·03	—	·12	·03		19
20	—	·02	—	·01	·17	—	—	—	·51	—	·38	·31		20
21	·03	—	—	·06	—	—	—	·21	·31	—	·07	·13		21
22	Tr	—	—	·06	—	·07	—	·02	—	—	·22	·20		22
23	—	—	—	·02	—	—	—	—	—	—	·02	·01		23
24	—	—	·11	—	—	—	·19	—	·10	—	·28	·16		24
25	·06	—	·38	·01	·14	—	—	—	·15	·03	·56	·01		25
26	·59	·14	·08	·01	—	·09	·07	—	·45	·26	—	·38		26
27	·14	·09	—	—	·41	·04	·27	—	·65	·63	·28	Tr		27
28	·18	·02	—	·04	·09	—	—	·56	—	·01	—	—		28
29	·21		—	·15	·29	—	—	—	—	—	·03	·29		29
30	·05	✕	—	·40	·15	—	—	·06	—	—	·44	—		30
31	·25	✕	—	✕	·07	✕	—	—	✕	·15	✕	·25		31
TOTAL	3·69	1·42	·57	·86	2·87	1·45	2·14	2·35	3·00	3·77	3·23	3·56	Year's Total 28·91	
* Days with .01 in. or more.	23	13	3	12	14	8	14	12	14	18	19	22	172	
* Days with .04 in. or more.	19	10	3	7	13	7	12	10	11	15	13	16	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 289/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Old House – Barham

in the County of Kent

Diameter of Funnel of Gauge Same as before in.

Height of top of Gauge above Ground ft. in.

,, Ground ,, Sea Level ft.

Days

Dec est.

1.82" in Dec. gives required annual total & agrees with nearby stations

W.A.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	–	·02	·15	·52	–	–	Tr	·03	·08	·01			1
2	·02	–	·01	–	·03	–	–	·23	Tr	·54	–			2
3	·33	–	–	·33	–	–	–	·24	–	·05	·18			3
4	·18	·02	·35	·10	–	–	–	·94	·02	·14	·11			4
5	–	Tr	·03	·55	·02	–	·08	–	–	·17	·48			5
6	·29	–	·04	·01	–	–	·01	·55	–	·14	·27			6
7	·24	·05	–	–	–	–	–	·02	–	·07	·21			7
8	–	·10	·10	–	–	–	Tr	–	–	·05	·03			8
9	·04	·08	–	–	–	–	–	·05	–	·45	·57			9
10	·09	–	–	–	–	·24	–	·38	·04	·08	Tr			10
11	·20	–	·26	–	·11	·23	–	–	–	·71	–			11
12	–	–	–	–	·08	·60	–	–	·02	·01	–			12
13	·05	–	·04	–	–	Tr	–	–	·04	1·38	·01			13
14	·80	–	·06	·01	·09	Tr	·10	–	·02	·24	·39			14
15	·13	·01	Tr	–	·34	–	–	–	·41	1·09	·12			15
16	·22	–	·11	·02	·17	·11	·17	–	·10	·03	·45			16
17	·18	·11	·06	·11	·02	–	Tr	–	·10	–	·03			17
18	·27	–	·05	–	–	·01	·11	–	·08	·62	·51			18
19	·25	–	·02	–	–	Tr	·27	–	·01	1·40	–			19
20	·22	–	–	–	–	–	·06	–	·98	–	–			20
21	·14	–	·16	–	–	·04	–	–	1·26	·18	–			21
22	·14	·21	·11	–	–	·39	·08	–	·10	–	–			22
23	·01	·01	–	·04	–	·02	·06	·13	·13	·10	·45			23
24	·05	·02	Tr	·38	–	·02	·36	–	·02	·02	·05			24
25	1·98	·26	·18	·06	–	–	·19	–	–	–	·55			25
26	·03	–	·40	–	–	–	·23	–	·06	·88	·29			26
27	·10	·05	·20	·01	–	–	–	–	·03	1·90	·34			27
28	–	·41	·08	–	–	·07	–	–	·03	·96	·13			28
29	–	·26	–	·41	–	–	–	–	–	·01	·02			29
30	–		–	·56	–	·05	·10	–	–	–	·05			30
31	–		–		–		·07	·09		·01		1·82		31
TOTAL	6·03	~~1·33~~ 1.59	2·28	2·74	1·38	1·78	1·89	2·63	3·48	11·31	5·25	(1·82)	Year's Total (41·92)	
* Days with .01 in. or more.	24	13	19	14	9	11	14	9	19	26	21	(13)	192	
* Days with .04 in. or more.	21	9	15	10	6	8	13	8	11	21	17	(7)	146	

"d"

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. ~~269~~ 289/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Old House - Barham.

in the County of Kent

Diameter of Funnel of Gauge........in. same as before

Height of top of Gauge above Ground........ft........in.

,, Ground ,, Sea Level................ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·02	—	·02	·09	—	—	—	—	—	—			1
2	—	—	—	·11	—	—	—	—	—	·36	·45	—		2
3	—	·26	—	·06	—	—	·05	—	—	·07	1·21	·03		3
4	—	·05	—	·06	—	—	—	—	—	·16	·11	·25		4
5	—	·01	—	—	—	—	Tr	—	—	·01	·76	·07		5
6	·07	·04	—	—	Tr	—	·15	—	—	·52	·06	·13		6
7	·21	·09	—	Tr	—	—	·15	—	—	—	—	—		7
8	Tr	·08	—	·01	—	—	·02	—	·20	·43	—	—		8
9	—	—	—	·03	—	—	—	·01	·04	·05	·25	·23		9
10	—	—	—	Tr	—	—	·03	—	·03	·55	·10	·10		10
11	—	·02	—	·02	—	—	—	—	—	—	·87	·02		11
12	—	·14	·20	·07	—	(·38)	·45 ~~·38~~	—	·01	—	·03	—		12
13	—	·10	·39	—	—	—	·14	—	·15	—	·79	—		13
14	—	·01	·45	·08	—	—	—	—	Tr	·01	—	—		14
15	—	—	Tr	—	·07	·11	·47	—	—	Tr	·52	·28		15
16	·68	·20	·11	·03	—	·16	·28	—	·08	·50	·73	Tr ·09		16
17	·28	—	·27	—	—	—	·15	—	·04	—	·20	—		17
18	·09	·30	·18	·40	—	—	·19	—	Tr	·20	·02	·16		18
19	—	·13	·08	—	—	—	·10	—	·87	—	Tr	·07		19
20	·05	Tr	·03	Tr	—	·06	·11	—	·06	—	·34	—		20
21	·09	—	—	—	Tr	—	·65	·01	·03	·05	·33	—		21
22	·19	—	·03	—	·12	·05	—	Tr	·06	·08	·01	—		22
23	—	·18	·02	·05	—	—	·03	·03	—	—	—	—		23
24	—	Tr	—	·12	—	—	·11	—	—	·04	—	—		24
25	—	—	·34	—	—	—	·17	—	—	·06	—	—		25
26	·71	·24	·58	—	·06	·04	—	—	—	·28	—	·07		26
27	·16	·11	—	—	·03	—	·34	·01	—	·07	—	—		27
28	·01	·02	—	—	·46	—	—	Tr	—	—	—	—		28
29	·16	—	·10	—	·01	—	—	—	·08	—	—	·17		29
30	·05	✕	—	·12	—	—	—	—	Tr	·08	—	·03		30
31	·05	✕	—	✕	—	✕	—	—	✕	·41	✕	·08		31
TOTAL	2·80	2·00	2·78	1·18	·84	·80	3·59	·06	1·65	3·93	6·78	1·78	Year's Total ~~27·96~~	28·19
* Days with .01 in. or more.	14	18	13	14	7	6	18	4	12	19	17	15	157	
* Days with .04 in. or more.	13	13	10	9	5	6	15	0	9	17	14	12	123	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

289/7

BARHAM HOUSE

1935 - 1940

Y80106

381801/35
: not given me.

Section **A** for the entry c… Station No. 289/7
AIR MINIST… …ALL ORGANIZATION.

FORM 1090.

REG… …35.

Kep~~t~~ at Barham House, …
in the County of Kent…
Diameter of Funnel of Gauge….
Height of top of Gauge above …
„ Ground „ …

THE MORNING MEASU…

An observer who does not conform … the following year in the space on the right of this paragraph.

Jan. 1, following
·46"

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·04	·01	·01	–	·06	TR	–	·20	·11	·08	TR		1
2	·17	–	TR	·03	–	–	–	–	TR	·62	·01	–		2
3	·03	·03	·15	·15	–	·07	–	–	TR	·14	·06	TR		3
4	–	·02	–	·20	–	·09	–	–	·43	·82	·23	·15		4
5	–	·50	·04	·44	–	·04	·02	–	·67	·28	·01	TR		5
6	·10	·05	TR	·19	–	·22	–	–	–	·10	·16	·02		6
7	·11	·19	·02	·24	–	·26	–	–	–	TR	1·18	·05		7
8	–	–	·01	·49	–	–	–	1·08	–	·44	·25	·02		8
9	–	–	–	·14	–	1·00	–	·11	–	·73	·44	·06		9
10	·18	·03	–	–	–	·11	–	–	–	TR	·05	·14		10
11	·08	TR	–	·03	–	·04	–	–	–	–	·51	TR		11
12	–	·02	–	–	–	·08	–	·74	TR	–	·51	–		12
13	·01	·20	TR	·12	·03	TR	–	–	·03	–	·38	·04		13
14	·02	–	–	·05	·49	TR	–	–	–	–	TR	·11		14
15	–	·16	–	·63	·03	·04	–	–	·33	–	·14	·09		15
16	–	·05	TR	·26	–	·04	–	–	·32	·01	·94	TR		16
17	·05	–	TR	·36	·02	·15	·01	·01	·01	–	·37	–		17
18	–	–	–	·22	·04	·03	–	·36	·36	·10	TR	·05		18
19	–	–	–	·04	·59	·04	–	·08	·08	–	·04	·03		19
20	·01	·59	–	·13	·03	·07	–	·02	·02	·04	·06	–		20
21	·03	·36	–	·03	–	–	–	–	–	·09	·07	–		21
22	–	·09	–	–	–	–	–	–	·13	TR	·17	–		22
23	–	–	·02	–	·02	–	–	·36	–	–	·17	·05		23
24	·06	·80	–	–	·32	–	–	·27	·82	·09	–	·42		24
25	·08	·10	–	·17	·29	·36	–	–	–	·06	·03	·49		25
26	·08	–	–	–	·10	·01	–	·14	·01	·13	TR	·43		26
27	·27	·57	–	–	·53	–	–	·47	·10	TR	·08	·23		27
28	·09	·19	–	–	·01	–	–	·01	TR	·07	TR	·29		28
29	–	X	–	–	–	–	–	·03	·59	–	TR	·48		29
30	·06		–	TR	–	–	–	1·01	·22	·12	·70	·38		30
31	–		–		–		–	·01		·22		·68		31
TOTAL	1·62	3·99	·25	3·63	2·50	2·71	·39	4·24	4·32	4·17	6·64	4·21	Year's Total 38·67	
* Days with .01 in. or more.	18	18	6	20	13	18	5	12	16	18	24	20	188	
* Days with .04 in. or more.	13	14	2	16	7	16	3	8	12	17	21	17	146	

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) ~~R. G. Clarke (Colonel)~~ [P.T.O.

X COL. R.G CLARKE X

381801/35

COPY FOR OFFICIAL USE. Station no. not given me.

Section **A** for the entry of Daily Observations. Station No. 289/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Barham House, ~~Barham~~ X

in the County of Kent

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground – ft. 9" in.

,, Ground ,, Sea Level 194 ft.

This return is in agreement [illegible] should be printed [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·46"

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·19	·04	·01	·01	–	·06	TR	–	·20	·11	·08	TR		1
2	·17	–	TR	·03	–	–	–	–	TR	·62	·01	–		2
3	·03	·03	·15	·15	–	·07	–	–	TR	·14	·06	TR		3
4	–	·02	–	·20	–	·09	–	–	·43	·82	·23	·15		4
5	–	·50	·04	·14	–	·04	·02	–	·67	·28	·01	TR		5
6	·10	·05	TR	·19	–	·22	–	–	–	·10	·16	·02		6
7	·11	·19	·02	·24	–	·26	–	–	–	TR	1·18	·05		7
8	–	–	·01	·49	–	–	–	1·08	–	·44	·25	·02		8
9	–	–	–	·14	–	1·00	–	·11	–	·73	·44	·06		9
10	·18	·03	–	–	–	·11	–	–	–	TR	·05	·14		10
11	·08	TR	–	·03	–	·04	–	–	–	–	·51	TR		11
12	–	·02	–	–	–	·08	–	·74	TR	–	·51	–		12
13	·01	·20	TR	·12	·03	TR	–	–	·03	–	·38	·04		13
14	·02	–	–	·05	·49	TR	–	–	–	–	TR	·11		14
15	–	·16	–	·63	·03	·04	–	–	·33	–	·14	·09		15
16	–	·05	TR	·26	–	·04	–	–	·32	·01	·94	TR		16
17	·05	–	TR	·36	·02	·15	·01	·01	·01	–	·37	–		17
18	–	–	–	·22	·04	·03	–	·36	·36	·10	TR	·05		18
19	–	–	–	·04	·59	·04	–	·08	·08	–	·04	·03		19
20	·01	·59	–	·13	·03	·07	–	·02	·02	·04	·06	–		20
21	·03	·36	–	·03	–	–	–	–	–	·09	·07	–		21
22	–	·09	–	–	–	–	–	–	·13	TR	·17	–		22
23	–	–	·02	–	·02	–	–	·36	–	–	·17	·08		23
24	·06	·80	–	–	·32	–	–	·27	·82	·09	–	·42		24
25	·08	·10	–	·17	·29	·36	–	–	–	·06	·03	·49		25
26	·08	–	–	–	·10	·01	–	·14	·01	·13	TR	·43		26
27	·27	·57	–	–	·53	–	–	·47	·10	TR	·08	·23		27
28	·09	·19	–	–	·01	–	–	·01	TR	·07	TR	·29		28
29	–	X	–	–	–	–	–	·03	·59	–	TR	·48		29
30	·06		–	TR	–	–	–	1·01	·22	·12	·70	·38		30
31	–		–		–		–	·01		·22		·68		31
TOTAL	1·62	3·99	·25	3·63	2·50	2·71	·39	4·24	4·32	4·17	6·64	4·21	Year's Total 38·67	
* Days with .01 in. or more.	18	18	6	20	13	18	5	12	16	18	24	20	188	
* Days with .04 in. or more.	13	14	2	16	7	16	3	8	12	17	21	17	146	

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) ~~R. G. Clarke (Colonel)~~ [P.T.O.

X COL. R.G. CLARKE X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 289/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Barham House, Barham. Canterbury.

in the County of KENT.

FILE NO. 381801/35.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft 9 in.

,, Ground ,, Sea Level 194 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

at 9.0 am

Jan. 1, following

.61

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.46	.17	.03	.22	-	.77	.11	.04	-	-	.04	.10		1
2	TR	.09	.08	.01	-	.12	.05	.13	-	-	-	.27		2
3	-	.03	.TR	.35	.05	-	-	-	.22	-	.28	.01		3
4	TR	-	.04	-	-	.21	-	-	.23	-	.12	.03		4
5	.18	-	TR	.05	-	-	-	.05	.20	.14	.08	.06		5
6	.29	-	.01	-	-	.02	-	TR	.28	.78	.58	-		6
7	.27	-	.06	-	-	TR	.05	.02	-	.19	.36	-		7
8	.44	-	.01	-	-	-	.25	-	TR	-	.82	.25		8
9	.47	-	.68	-	.03	-	.56	.03	-	.02	.31	TR		9
10	.01	-	TR	-	TR	.03	.10	.53	.05	.11	-	-		10
11	-	-	-	.03	TR	-	.35	TR	-	-	.79	TR		11
12	-	-	-	.02	-	.02	.29	-	.01	.TR	~~.TR~~ .31	.14		12
13	-	-	-	-	.05	.04	.02	-	-	-	TR	.25		13
14	-	.02	-	TR	-	.05	.94	-	-	.01	.16	.61		14
15	-	.08	-	-	-	-	.03	-	.59	-	TR	.44		15
16	.53	.07	-	-	-	-	-	-	TR	-	.26	.18		16
17	.12	.89	-	-	-	.06	.08	-	TR	TR	.27	.36		17
18	.07	.15	-	-	-	.42	.31	TR	.04	.03	.27	.06		18
19	.22	.11	-	-	-	.18	-	.06	-	.03	TR	TR		19
20	.25	.06	TR	.44	-	-	-	-	.40	-	-	-		20
21	-	.03	-	.36	-	.60	.02	-	.03	-	-	TR		21
22	.11	.35	.02	.02	.01	TR	.05	-	-	-	TR	.14		22
23	.02	.05	TR	.10	-	-	.35	-	-	.02	-	-		23
24	.06	.14	-	-	-	-	.02	-	.02	.15	-	TR		24
25	.44	.05	.10	.06	-	.11	.09	-	.32	.05	TR	TR		25
26	TR	.11	.06	-	-	-	TR	-	.06	.20	-	.01		26
27	.15	.27	-	-	.04	-	.38	-	.64	.02	TR	-		27
28	.54	-	.03	-	-	.35	.91	-	.15	-	-	.06		28
29	.01	.02	.22	-	-	.30	.17	-	.01	.03	.09	-		29
30	.08	×	TR	-	.08	.09	.03	-	.01	.03	-	TR		30
31	~~.08~~ .24	×	~~TR~~ .15	×	-	×	.14	-	×	1.05	×	.07		31
TOTAL	4.96	2.69	1.49	1.66	.26	3.37	5.30	.86	3.26	2.86	4.~~43~~ 74	3.04	Year's Total. 34.49	✓
* Days with .01 in. or more.	21	18	13	11	6	16	23	7	17	16	15	17	180	✓
* Days with .04 in. or more.	18	14	8	7	4	13	18	5	12	8	15	14	136	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. G. Clarke (Colonel).

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 289/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Barham House, Barham nr Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

" Ground " Sea Level 194 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

~~at 9 a.m~~

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·61	·16	TR	·06	—	—	—	TR	—	—	·46	·27		1
2	—	·18	·06	·36	—	—	—	—	—	—	TR	·53		2
3	TR	·14	—	—	—	—	—	—	—	—	—	1·20		3
4	·12	1·05	—	·20	—	—	—	—	—	·25	—	·32		4
5	·22	·09	·56	—	—	—	·16	—	—	·27	—	·20		5
6	·21	—	·83	TR	·11	—	·01	—	—	·04	—	—		6
7	—	·74	·10	·08	·30	—	—	—	TR	TR	—	·04		7
8	TR	·07	·56	—	—	·10	—	—	—	·04	·11	·84		8
9	—	·03	·06	·51	·05	—	·05	—	·21	TR	—	·29		9
10	TR	—	·52	·09	·14	·42	·10	—	—	·01	—	·37		10
11	—	—	·43	·07	·18	—	·02	—	—	·02	—	·33		11
12	·23	·25	·25	—	·50	—	·01	·20	·24	TR	—	·03		12
13	·52	TR	·53	·01	TR	·16	—	·06	·85	—	—	1·21		13
14	·16	TR	·13	TR	·70	·05	—	·20	·10	—	—	·13		14
15	·04	·08	—	·19	·17	·06	·52	—	·04	—	TR	—		15
16	·03	·05	·17	·21	—	·02	—	·42	·16	—	TR	·38		16
17	·40	·03	·01	·23	—	·42	—	—	·62	—	·44	TR		17
18	·35	·06	·01	·02	·32	·08	—	—	·61	—	·04	—		18
19	·07	·05	·04	·24	TR	·11	TR	—	·45	—	—	·07		19
20	·54	—	·64	·26	·98	·08	—	TR	TR	—	—	—		20
21	·37	·40	·32	·03	—	—	TR	·20	·02	—	—	·02		21
22	·36	·05	·01	—	·07	—	—	—	—	·70	·02	·16		22
23	·02	—	—	—	—	—	·06	—	—	·58	·01	·01		23
24	·68	·17	·03	—	—	—	—	—	·05	·15	·01	TR		24
25	·28	·32	·25	—	—	—	—	—	·09	·50	—	TR		25
26	TR	·37	·11	—	·01	—	—	—	—	·31	TR	—		26
27	—	·12	—	·11	—	—	—	—	—	·08	·02	—		27
28	·14	·18	·14	·02	—	·02	—	—	—	·01	TR	·20		28
29	·07		·03	—	—	—	—	—	—	·16	·01	TR		29
30	·29	✕	—	—	—	—	—	—	—	·05	·05	·05		30
31	·34	✕	—	✕	—	✕	·02	—	✕	·01	✕	·07		31
TOTAL	6·05	4·59	5·79	2·69	3·53	1·52	·95	1·08	3·44	3·18	1·17	6·72	Year's Total 40·71	✓ ✓
* Days with .01 in. or more.	22	21	23	17	12	11	9	5	12	16	10	21	179	✓ ✓
* Days with .04 in. or more.	20	19	18	13	11	9	5	5	11	12	5	18	146	✓ ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. E. Lake. Head Gardener P.T.O.

for Colonel R G Clarke

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 289/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Barham Heath, Barham, nr. Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 9" in.

" Ground " Sea Level 194 ft.

Red ink entries are corrections by observer. LB

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

at 9.0 am

Jan. 1, following ·06

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	–	TR	–	·33	·75	·07	–	·29	·01	·03	·04		1
2	·01	–	–	·03	·14	–	–	–	–	·32	–	TR		2
3	–	–	–	–	·26	–	·22	–	–	·83	·01	–		3
4	·05	–	–	–	–	·07	·25	·22	–	·07	–	·11		4
5	–	–	–	–	–	–	·36	–	–	·49	TR	TR		5
6	·10	TR	–	–	–	–	·01	·15	·04	–	TR	·01		6
7	·02	TR	–	–	–	–	·32	·44	·01	·24	–	·08		7
8	·25	–	–	–	–	–	·15	–	·07	·17	TR	TR		8
9	·19	·04	–	–	–	–	·08	·49	·01	·05	–	·83		9
10	·12	·06	–	–	–	·06	–	·09	·01	–	–	·18		10
11	·20	·02	–	–	–	–	–	–	–	–	·08	·07		11
12	·21	·14	–	–	–	·37	–	–	–	·04	–	·01		12
13	·40	·33	–	–	–	–	–	·03	TR	·04	·04	TR		13
14	·19	·04	–	–	·09	–	–	·01	·29	–	TR	·17		14
15	·02	·29	–	–	–	–	·14	–	–	·05	TR ~~·05~~	·04		15
16	·33	·04	TR	–	·01	–	·06	·04	–	·11	·03 ~~·11~~	·18		16
17	–	·10	–	–	·70	–	·03	–	–	·19	·03 ~~·19~~	–		17
18	·06	–	TR	·03	·02	–	·02	–	·09	TR	·35 ~~TR~~	–		18
19	TR	–	–	·02	·04	–	–	TR	·03	–	·11 ~~–~~	·02		19
20	–	·01	–	·01	·17	–	–	–	·52	–	·40 ~~–~~	·25		20
21	·03	–	–	·05	–	–	–	·20	·31	–	·06 ~~·08~~	·07		21
22	TR	–	–	·07	–	·06	–	·01	–	–	·22 ~~–~~	~~·07~~	·16	22
23	–	TR	–	·01	–	–	–	–	–	–	TR ~~·04~~	·02 ~~TR~~		23
24	–	–	·09	TR	–	–	–	–	·09	–	·28 ~~–~~	·22 ~~·47~~		24
25	·06	–	·36	TR	·14	–	·21	–	·15	·02	·55 ~~·65~~	– ~~·04~~		25
26	·61	·14	·07	–	TR	–	·06	–	·45	·24	TR ~~·14~~	·35 ~~·18~~		26
27	·10	·07	–	–	·41	·09	·26	–	·66	·61	·27 ~~·19~~	–		27
28	·19	·02	–	·05	·08	·04	–	·55	·01	·01	~~TR~~	·01 ~~–~~		28
29	·20	x	–	·13	·25	–	–	–	–	–	·02 ~~–~~	·26 ~~·02~~		29
30	·04	✕	–	·37	·14	–	–	·07	–	TR	·43 ~~–~~	·23 ~~·25~~		30
31	·26	✕	–	✕	·08	✕	–	–	✕	·13	✕			31
TOTAL	3·66	1·30	·52	·77	2·86	1·44	2·24	2·30	3·03	3·62	3·11	3·31	Year's Total 28·16	
* Days with ·01 in. or more.	23	13	3	10	15	7	15	12	16	18	16	21	169	
* Days with ·04 in. or more.	18	10	3	5	13	7	12	9	11	15	11	16	130	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. G. Clarke

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 289/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Barham House, Barham, near Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 194 ft.

at 9 a.m

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06	—	·02	·15	·50	—	—	TR	·03	·13	·01	·02		1
2	·02	—	·01	TR	·03	—	—	·29	—	·50	—	—		2
3	·36	TR	—	·32	—	—	—	·17	—	·03	·18	·50		3
4	·10	TR	·36	·11	—	—	·01	·96	·02	·14	·10	—		4
5	—	TR	·03	·54	·02	—	·05	—	—	·18	·48	·15		5
6	·34	TR	·03	·01	—	—	·02	·54	—	·14	·30	—		6
7	·16	·03	—	—	—	—	·02	·01	—	·06	·18	·06		7
8	TR	·10	·10	—	—	—	TR	—	—	·09	·02	·53		8
9	·03	·07	—	—	—	—	—	·05	—	·43	·58	·17		9
10	·08	—	—	—	—	·21	—	·40	·03	·09	TR	TR		10
11	·19	TR	·26	—	·12	·25	—	—	—	·75	TR	·03		11
12	—	—	—	—	·06	·61	—	—	—	·01	TR	TR		12
13	·03	TR	·05	TR	—	TR	—	—	·05	1·48	—	·14		13
14	·80	—	·04	·01	·11	TR	·10	—	·01	·20	·38	·01		14
15	·14	TR	TR	—	1·35	—	—	—	·42	1·08	·11	—		15
16	·21	—	·0[illegible]	·02	·18	·10	·17	—	·09	·03	·44	—		16
17	·17	·10	·05	·10	TR	—	—	—	·15	—	·02	—		17
18	·25	—	·04	—	—	—	·09	—	·03	·67	·49	—		18
19	·25	—	·02	—	—	·02	·30	—	·01	1·28	—	·01		19
20	·22	TR	—	—	—	—	·05	—	1·00	—	—	·03		20
21	·12	—	·16	—	—	·03	—	—	1·13	·19	—	—		21
22	·14	·21	·10	—	—	·38	·08	—	·09	—	—	—		22
23	·01	·01	T.R.	·02	—	·01	·12	·13	·13	·09	·43	—		23
24	·07	·02	·01	·40	—	·03	·31	—	·01	·01	·03	—		24
25	1·97	·24	·17	·05	—	—	·24	—	—	—	·52	·01		25
26	·04	—	·43	—	—	—	·19	—	·06	1·13	·34	·03		26
27	·11	·08	·17	·01	—	—	—	—	·03	1·58	·30	—		27
28	—	·39	·07	·01	—	·08	—	—	·03	·93	·12	·06		28
29	—		—	·40	—	—	—	—	—	·01	·04	—		29
30	—	✕	—	·54	—	·04	·08	—	—	—	·03	—		30
31	—	✕	=	✕	—	✕	·05	·09	✕	·07	✕	—		31
TOTAL	5·87	1·25	2·20	2·69	2·37	1·76	1·88	2·64	3·32	11·24	5·10	1·75	Year's Total 42·07	
* Days with .01 in. or more.	25	10	20	15	8	11	16	9	18	26	21	14	193	
* Days with .04 in. or more.	20	7	14	9	6	7	13	8	9	20	16	7	136	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. G. Clarke (Colonel.)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 289/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Barham House, Barham

in the County of Kent

Diameter of Funnel of Gauge ~~9~~5 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 194 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

9.0 am

Jan. 1, following ·06

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·01	—	·02	·03	—	—	—	—	—	·02	—		1
2	—	·01	—	·14	—	—	TR	—	—	·38	·48	·02		2
3	—	·24	—	·04	—	—	·05	—	—	·06	1·25	·26		3
4	—	·06	—	·06	—	—	TR	—	—	·16	·09	·08		4
5	—	·01	—	—	—	—	—	—	—	·01	·80	·14		5
6	·06	·05	—	—	·01	—	·15	—	—	·50	·04	—		6
7	·21	·09	—	—	—	—	·16	—	—	—	—	—		7
8	TR	·02	—	·01	—	—	·01	—	·21	·44	—	·23		8
9	—	—	—	·02	—	—	—	—	·04	·05	·25	·11		9
10	—	—	—	TR	—	—	·03	TR	·01	·52	·10	·02		10
11	—	·01	TR	·05	—	—	·05	—	—	—	·88	—		11
12	—	·11	·21	·04	—	—	·46	—	·02	—	·03	—		12
13	—	·11	·38	—	—	·52	·07	TR	·15	—	·79	—		13
14	—	TR	·41	·07	—	TR	—	—	—	·01	—	·28		14
15	—	—	·01	—	·07	·11	·48	—	—	—	·52	·01		15
16	·68	·13	·12	·03	—	·18	·30	—	·10	·47	·75	·10		16
17	·28	—	·26	—	—	—	·14	—	·02	TR	·21	TR		17
18	·07	·35	·18	·40	—	—	·18	—	TR	·20	·03	·18		18
19	—	·10	·08	—	—	—	—	—	·90	—	·01	·06		19
20	·05	·01	·03	TR	—	·07	·20	·01	·04	—	·31	—		20
21	·08	TR	—	—	·01	—	·65	—	·05	·04	·31	—		21
22	·03	TR	·03	—	·10	·06	—	TR	·05	·02	TR	—		22
23	—	·18	·01	·07	—	—	·03	·03	—	—	TR	·02		23
24	—	—	—	·10	—	—	·12	—	—	·05	—	—		24
25	—	—	·36	—	—	—	·18	—	—	·05	TR	—		25
26	·75	·27	·52	—	·05	·03	—	—	—	·28	—	·04		26
27	·10	·11	—	TR	·02	—	·32	—	—	·07	—	—		27
28	·01	·02	—	—	·44	—	—	·01	—	—	—	—		28
29	·15	—	·10	—	·01	—	—	—	·09	—	—	·16		29
30	·06	×	—	·11	—	—	—	—	—	·07	—	·05		30
31	·05	×	—	×	—	×	—	—	×	·41	×	·07		31
TOTAL	2·58	1·89	2·70	1·16	·74	·97	3·58	·05	1·68	3·79	6·87	1·83	Year's Total 27·84	
* Days with .01 in. or more.	14	19	14	14	9	6	18	3	12	19	18	17	163	
* Days with .04 in. or more.	12	12	10	10	4	5	15	0	9	16	14	13	120	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. G. Clark

[P.T.O.

290

Section **A** for the entry of Da

AIR MINISTRY.—

FORM 1090.

290

BARHAM P.S

1931-40

064640004

80106

3/26

COPY FOR OFFICIAL USE.

BRITISH RAINFALL ORGANIZATION.

REGISTE L IN 1931.

Kept at Barham Pump

in the County of Ken

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground ... ft — in.

,, Ground ,, Sea Level 173 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·09	·12	·09	—	·02	—	·24	—	—	—	—	1
2	·12	·07	—	·09	·13	—	—	—	·37	—	—	—	2
3	·15	·10	·03	·02	·87	—	—	·20	·31	—	—	·10	3
4	—	·01	—	—	—	—	—	·04	·07	·03	·08	—	4
5	—	—	—	·25	—	·25	·09	·12	·04	—	—	·08	5
6	—	—	—	·03	—	—	—	·02	—	·21	·19	—	6
7	·01	·03	—	—	·02	·01	·02	—	·08	·03	·02	—	7
8	—	·05	·17	—	—	·05	·01	·09	—	—	·08	·07	8
9	·01	·11	·02	·60	—	—	—	·01	·05	—	·70	·03	9
10	—	·18	·01	—	—	·04	—	·06	—	—	1·46	·04	10
11	·15	·57	—	—	—	—	—	—	·01	—	·26	—	11
12	·18	·01	—	·01	—	—	—	—	·35	—	—	·01	12
13	·22	·05	—	—	·13	—	—	·03	—	—	—	·01	13
14	·01	·05	—	—	—	·01	·99	·58	—	—	—	—	14
15	·02	·04	—	·27	—	—	·53	·15	—	—	—	·08	15
16	—	·08	—	·17	·21	—	·01	—	—	—	—	—	16
17	—	·07	—	·15	—	—	—	·06	·02	—	—	·02	17
18	·01	·58	—	·55	—	·06	—	·18	—	—	·38	—	18
19	—	·01	—	·70	—	·06	—	·65	·18	—	·60	—	19
20	—	·03	—	·01	·04	·01	·41	·32	—	·03	—	·01	20
21	—	·12	—	—	·48	—	·23	·05	·11	—	—	—	21
22	·13	—	·07	·04	—	—	—	—	·26	—	—	—	22
23	·80	·15	·04	—	·17	·05	—	—	·02	—	·12	—	23
24	—	—	·01	·35	·03	·02	·04	·47	—	—	—	—	24
25	·05	—	—	·30	—	—	·30	—	—	·05	·01	—	25
26	—	·02	—	·18	—	—	·34	—	—	·12	·25	—	26
27	·10	·20	—	·01	·44	—	·01	—	—	·01	·33	—	27
28	·14	·09	—	·02	·05	—	—	—	—	·01	—	·12	28
29	·11	×	—	—	—	—	·03	—	—	·25	·02	·01	29
30	·06	×	—	—	·07	—	·09	—	—	—	—	—	30
31	·28	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2·55	2·71	·47	3·84	2·64	·58	3·10	3·27	1·87	·74	4·50	·58	YEAR'S TOTAL 26·85
*Days with ·01 in. or more.	18	23	8	19	12	11	14	17	13	9	14	12	170
*Days with ·04 in. or more.	13	17	4	13	10	6	9	14	10	4	11	6	117

40-9999

(Signed) J. J. Ball

[P.T.O.

*See Instruction 2 (*f*) on other side.

666583/26 290

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Barham Pumping Station
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft — in.
,, Ground ,, Sea Level 173 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·09	·12	·09	—	·02	—	·24	—	—	—	—	1
2	·12	·07	—	·09	·13	—	—	—	·37	—	—	—	2
3	·15	·10	·03	·02	·87	—	—	·20	·31	—	—	·10	3
4	—	·01	—	—	—	—	—	·04	·07	·03	·08	—	4
5	—	—	—	·25	—	·25	·09	·12	·04	—	—	·08	5
6	—	—	—	·03	—	—	—	·02	—	·21	·19	—	6
7	·01	·03	—	—	·02	·01	·02	—	·08	·03	·02	—	7
8	—	·05	·17	—	—	·05	·01	·09	—	—	·08	·07	8
9	·01	·11	·02	·60	—	—	—	·01	·05	—	·70	·03	9
10	—	·18	·01	—	—	·04	—	·06	—	—	1·46	·04	10
11	·15	·57	—	—	—	—	—	—	·01	—	·26	—	11
12	·18	·01	—	·01	—	—	—	—	·35	—	—	·01	12
13	·22	·05	—	—	·13	—	—	·03	—	—	—	·01	13
14	·01	·05	—	—	—	·01	·99	·58	—	—	—	—	14
15	·02	·04	—	·27	—	—	·53	·15	—	—	—	·08	15
16	—	·08	—	·17	·21	—	·01	—	—	—	—	—	16
17	—	·07	—	·15	—	—	—	·06	·02	—	—	·02	17
18	·01	·58	—	·55	—	·06	—	·18	—	—	·38	—	18
19	—	·01	—	·70	—	·06	—	·65	·18	—	·60	—	19
20	—	·03	—	·01	·04	·01	·41	·32	—	·03	—	·01	20
21	—	·12	—	—	·48	—	·23	·05	·11	—	—	—	21
22	·13	—	·07	·04	—	—	—	—	·26	—	—	—	22
23	·80	·15	·04	—	·17	·05	—	—	·02	—	·12	—	23
24	—	—	·01	·35	·03	·02	·04	·47	—	—	—	—	24
25	·05	—	—	·30	—	—	·30	—	—	·05	·01	—	25
26	—	·02	—	·18	—	—	·34	—	—	·12	·25	—	26
27	·10	·20	—	·01	·44	—	·01	—	—	·01	·33	—	27
28	·14	·09	—	·02	·05	—	—	—	—	·01	—	·12	28
29	·11	×	—	—	—	—	·03	—	—	·25	·02	·01	29
30	·06	×	—	—	·07	—	·09	—	—	—	—	—	30
31	·28	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2·55	2·71	·47	3·84	2·64	·58	3·10	3·27	1·87	·74	4·50	·58	YEAR'S TOTAL 26·85
*Days with ·01 in. or more.	18	23	8	19	12	11	14	17	13	9	14	12	170
*Days with ·04 in. or more.	13	17	4	13	10	6	9	14	10	4	11	6	117

40-9999

(*Signed*) J. J. Ball

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Barham Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft — in.

,, Ground ,, Sea Level 173 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·07	—	·07	·95	—	—	·01	—	·09	·01	·02	1
2	·02	—	—	·26	·04	—	—	·06	·03	·02	—	·18	2
3	—	—	—	·11	·19	·08	—	·02	·30	—	—	—	3
4	·01	—	—	—	—	·10	—	—	—	—	—	—	4
5	·16	·02	·01	—	·02	·04	·17	·01	·02	—	—	—	5
6	·48	—	—	·24	—	—	—	—	·04	—	—	—	6
7	·01	—	·06	—	—	—	—	—	—	—	—	·03	7
8	—	·08	·10	·05	·17	—	—	—	·02	·71	·02	—	8
9	·13	·10	·02	·10	·68	—	—	—	—	·44	—	—	9
10	·84	·01	—	·29	·02	—	—	—	·01	·06	·02	—	10
11	·39	·13	—	·14	·01	·05	·05	—	·02	·28	—	—	11
12	·17	—	·01	—	—	—	—	·02	—	·16	—	—	12
13	·04	—	—	·05	·04	—	—	—	·01	·89	—	·01	13
14	·20	—	—	·24	·10	—	—	—	—	·24	—	—	14
15	·02	·04	—	·09	·08	—	—	—	—	·08	—	—	15
16	·08	—	—	·20	·02	—	—	—	—	—	—	—	16
17	—	—	—	·01	—	—	·15	—	—	·02	—	—	17
18	—	—	—	—	—	—	·03	—	·07	—	·11	—	18
19	—	—	—	—	—	—	—	—	·01	·14	·19	—	19
20	—	—	—	·04	·08	—	·11	—	—	1·04	·22	—	20
21	—	·01	—	·08	·09	·01	—	—	—	·26	—	·03	21
22	—	—	·38	—	·07	—	·21	·02	·74	·26	·36	·02	22
23	—	·08	—	·10	·02	—	—	—	·13	1·05	·13	·05	23
24	—	·01	—	—	—	—	·80	—	·06	·05	·01	—	24
25	—	—	—	—	—	—	1·95	—	·33	·26	·02	—	25
26	—	—	—	·04	—	—	·11	·14	—	—	·05	—	26
27	—	—	·38	·15	·06	—	·13	—	·24	·76	·06	·04	27
28	—	—	—	·04	—	—	·22	·33	—	·15	—	—	28
29	—	—	·42	·12	—	—	—	—	·03	·58	—	·01	29
30	—	×	·02	·77	—	·73	—	—	—	·01	·07	·04	30
31	—	×	·02	×	—	×	—	·03	×	—	×	·02	31
TOTAL	2·62	·55	1·42	3·19	2·64	1·01	3·93	·64	2·06	7·55	1·27	·45	YEAR'S TOTAL 27·33
*Days with ·01 in. or more.	14	10	10	21	17	6	11	9	16	22	13	11	160
*Days with .04 in. or more.	10	6	5	20	12	5	10	3	8	19	8	4	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. J. Rall

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Barham Pumping Station
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft — in.
,, Ground ,, Sea Level 143 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·31	·07	—	—	—	—	—	—	—	·03	—		1
2	·18	—	·38	—	·30	—	—	—	—	·03	—	—		2
3	—	·07	·26	—	—	—	—	—	—	·21	·15	—		3
4	—	·01	—	—	—	—	—	—	—	—	·45	—		4
5	·31	—	·20	—	·04	—	—	—	—	—	·04	—		5
6	—	·08	·15	—	·34	—	—	—	—	·02	·12	—		6
7	·42	·01	·05	·03	·18	—	—	—	—	·71	·02	·07		7
8	·13	—	—	—	·04	—	·15	—	—	·05	—	—		8
9	—	—	—	—	·01	—	—	—	—	·02	·05	—		9
10	—	·40	—	—	—	·02	·10	—	—	·21	—	—		10
11	·14	·02	—	—	·04	·08	—	·08	·10	—	·03	—		11
12	—	—	—	·02	—	·36	·60	—	1·01	—	·20	—		12
13	—	—	—	—	·17	·05	·28	—	·50	—	·15	—		13
14	—	—	—	—	·02	—	·01	—	—	·12	·19	—		14
15	·28	—	·07	—	—	—	·09	·19	—	·01	·18	·08		15
16	·17	·02	·60	—	—	·28	·19	—	—	—	—	—		16
17	·03	·01	·30	—	—	·02	—	·10	·08	—	—	—		17
18	·07	—	·02	·10	—	·30	—	—	—	—	—	—		18
19	—	·06	·09	·13	—	·17	—	—	·18	—	—	—		19
20	—	·04	—	·19	—	·05	—	·01	·04	—	—	—		20
21	—	·14	—	—	—	—	—	·07	1·96	—	—	—		21
22	—	—	—	—	—	·01	—	·16	·01	·10	—	—		22
23	—	·04	—	·05	·03	·02	—	—	·61	—	—	—		23
24	—	·15	—	·10	·01	·03	—	—	·80	—	·24	—		24
25	—	—	—	·28	·04	—	—	—	—	—	·22	·04		25
26	—	·32	—	·02	—	·25	—	—	·03	·04	·09	·21		26
27	—	·03	—	·01	·12	—	—	—	—	·18	·01	·10		27
28	—	—	—	—	—	—	·09	—	—	·13	—	·03		28
29	—	×	—	—	·05	—	·10	—	—	—	—	—		29
30	·07	×	—	—	—	—	·02	—	·01	·10	—	·08		30
31	·03	×	—	×	—	×	—	·07	×	—	×	—		31
TOTAL	1·83	1·71	2·19	·93	1·39	1·64	1·63	·68	5·33	1·93	2·17	·61	Year's Total 22·04	
*Days with ·01 in. or more.	11	16	11	10	14	13	10	7	12	14	16	7	141	
*Days with .04 in. or more.	9	10	10	6	10	8	8	6	9	10	12	6	104	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. F. Ball

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Barham Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft — in.

,, Ground ,, Sea Level 173 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	—	·38	·03	·10	—	·10		1
2	·02	—	·12	·04	—	—	—	—	·45	·82	—	·36		2
3	—	·04	—	·01	·43	—	—	—	·02	·40	—	·09		3
4	·16	—	·02	—	·03	—	—	—	—	·29	·08	·65		4
5	—	—	·05	—	·12	·02	—	·02	—	—	·12	·16		5
6	—	—	·31	·29	·10	·34	—	·04	—	·22	·03	·43		6
7	·04	—	—	—	—	—	—	·01	—	·07	—	·20		7
8	—	—	—	·30	·20	—	—	·03	—	—	1·79	—		8
9	—	—	·04	—	—	—	—	—	—	—	·83	·17		9
10	—	—	·21	·19	—	—	—	·07	—	—	·22	—		10
11	·88	—	·44	·20	—	—	·05	·11	—	—	—	·50		11
12	·15	—	·24	—	—	—	·01	·12	—	—	·01	·13		12
13	·47	—	·27	·03	—	—	—	·15	—	—	—	·02		13
14	·40	—	·54	·11	·03	—	·11	·01	—	·11	·30	·35		14
15	—	—	—	—	—	—	—	—	—	—	·22	·37		15
16	·11	—	·37	·08	·11	—	—	—	—	—	—	·03		16
17	·09	—	·37	—	—	—	—	—	·24	·05	·30	·24		17
18	·05	—	·01	·12	—	—	—	—	—	—	·10	·37		18
19	—	—	·30	—	—	—	—	—	·20	·04	—	·24		19
20	—	—	·10	—	—	—	·14	—	—	—	—	—		20
21	—	—	—	·14	—	·07	—	—	—	—	—	—		21
22	—	—	—	—	—	—	·01	·16	·22	·01	—	—		22
23	—	—	—	·50	—	·20	—	·04	—	—	—	·14		23
24	—	·01	—	·37	—	·22	·32	·01	·14	—	—	—		24
25	·05	·04	—	·17	—	—	—	—	—	·02	—	·40		25
26	·06	—	—	·01	—	·07	—	—	—	—	—	·03		26
27	·03	·03	—	·04	—	·17	—	—	—	—	—	·38		27
28	—	·08	—	—	—	·11	—	·54	—	—	·04	·26		28
29	—	×	—	—	—	—	·29	·12	·15	—	—	—		29
30	·11	×	—	—	—	—	—	·24	—	—	—	·21		30
31	·02	×	—	×	—	×	—	—	×	·06	×	·27		31
TOTAL	2·64	·20	3·39	2·60	1·02	1·20	·93	2·05	1·45	2·19	4·04	6·10	Year's Total 27·81	
*Days with ·01 in. or more.	15	5	15	16	7	8	7	16	8	12	12	24	145	
*Days with ·04 in. or more.	12	3	13	13	5	7	5	11	6	10	10	21	116	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section A for the entry of Daily Observations.

Station No. 290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Barham Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. — in.

,, Ground ,, Sea Level 173 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·03	—	—	—	·06	—	—	·35	·09	·10	·05		1
2	·17	—	—	·02	—	—	—	—	·02	·65	·02	—		2
3	·03	·01	·13	·11	—	·12	—	—	—	·11	·05	—		3
4	—	·04	·04	·21	—	·05	—	—	·37	·93	·32	·12		4
5	—	·47	—	·14	—	·06	·01	—	·56	·23	—	—		5
6	·08	·04	·04	·19	—	·25	—	—	—	·05	·14	·01		6
7	·07	·19	·01	·24	—	·23	—	—	—	—	1·12	·05		7
8	—	—	·01	·44	—	—	—	·83	—	·40	·28	·03		8
9	—	—	—	·10	—	1·05	—	·02	—	·81	·40	·06		9
10	·18	·03	—	—	—	·10	—	—	—	—	·06	·14		10
11	·08	—	—	·04	—	·02	—	—	—	—	·43	—		11
12	—	·01	—	—	·02	·09	—	·83	·01	—	·40	—		12
13	·01	·18	—	·10	·05	—	—	—	—	—	·38	·03		13
14	·02	—	—	·03	·51	—	—	—	—	—	·01	·10		14
15	—	·15	—	·58	—	·04	—	—	·35	—	·18	·08		15
16	—	·04	—	·25	—	·03	—	—	·35	—	·94	—		16
17	·05	—	—	·22	·04	·16	·01	·01	—	—	·37	—		17
18	—	—	—	·21	·05	·02	·25	—	·30	·10	—	·07		18
19	—	—	—	·01	·55	·03	·03	—	·07	—	·03	·05		19
20	—	·60	—	·12	—	·07	·16	—	·02	·03	·05	—		20
21	·03	·33	—	·01	—	—	—	—	—	·11	·06	—		21
22	—	·10	—	—	—	—	—	—	·10	—	·15	—		22
23	—	—	·01	—	·02	—	—	·35	—	—	·22	·06		23
24	·05	·89	—	—	·48	—	—	·26	·74	·08	—	·38		24
25	·11	·10	—	·18	·10	·29	—	—	—	·07	·03	·51		25
26	·08	—	—	—	·26	—	—	·13	—	·11	·01	·43		26
27	·25	·58	—	—	·21	—	—	·40	·08	—	·07	·19		27
28	·13	·18	—	—	·05	—	—	—	—	·06	—	·26		28
29	·01	✕	—	—	—	—	—	·05	·66	—	—	·48		29
30	·05	✕	—	—	—	—	—	1·04	·05	·11	·95	·40		30
31	—	✕	—	✕	—	✕	—	—	✕	·22	✕	·67	Year's Total	31
TOTAL	1·58	3·97	·24	3·20	2·34	2·67	·46	3·92	4·03	4·16	6·77	4·17	37·51	
* Days with .01 in. or more.	18	18	6	19	12	17	5	10	15	17	25	21	183	
* Days with .04 in. or more.	13	14	3	15	10	13	2	8	12	16	20	18	144	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. L Ball [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Barham P.S.

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. — in.

,, Ground ,, Sea Level 173 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·43	·20	·03	·18	—	·90	·10	·04	—	—	·03	·11		1
2	·01	·09	·02	—	—	·11	·04	·11	—	—	—	·30		2
3	—	·04	—	·35	·04	—	—	—	·18	—	·28	·03		3
4	—	—	·04	—	—	·21	—	—	·23	—	·11	·03		4
5	·17	—	—	·03	—	—	—	·06	·06	·15	·07	·04		5
6	·24	—	·01	—	—	·03	—	—	·27	·91	·56	—		6
7	·27	—	·07	—	—	—	·05	—	·01	·22	·29	—		7
8	·44	—	—	—	—	—	·09	—	—	—	·78	·24		8
9	·54	—	·44	—	·03	—	·50	·02	—	·04	·38	—		9
10	·01	—	—	—	—	·02	·06	·46	·03	·10	—	—		10
11	—	—	—	·03	—	—	·33	·01	—	—	·81	—		11
12	—	—	—	·02	—	·02	·31	—	·01	·01	·35	·13		12
13	—	—	—	—	·09	·04	·02	—	—	—	—	·24		13
14	—	·02	—	—	—	·06	·93	—	—	·02	·13	·65		14
15	·01	·05	—	—	—	—	·01	—	·95	—	—	·39		15
16	·57	·07	—	—	—	—	—	—	—	—	·27	·22		16
17	·13	·90	—	—	—	·09	·07	—	—	·01	·25	·40		17
18	·06	·13	—	—	—	·54	·33	—	·01	·02	·28	·06		18
19	·22	·12	—	—	—	·22	—	·06	—	·02	—	—		19
20	·31	·07	—	·44	—	—	—	—	·38	—	—	—		20
21	—	·02	—	·33	·01	·62	·01	—	·02	—	—	·02		21
22	·09	·36	·01	·01	—	·24	·06	—	—	—	—	·15		22
23	·03	·03	—	·02	—	—	·36	—	—	·02	—	—		23
24	·05	·12	—	—	—	—	·10	—	·02	·17	—	·02		24
25	·44	·07	·10	·10	—	·11	—	—	·35	—	—	·02		25
26	—	·20	—	—	—	—	—	—	·06	·20	—	·01		26
27	·13	·10	—	—	·03	—	·40	—	·54	—	—	—		27
28	·56	—	·03	—	—	·42	1·30	—	·27	—	—	·08		28
29	·01	·02	·20	—	—	·33	·20	—	·02	·03	·11	·05		29
30	·09	☒	—	—	·08	·11	·03	—	—	·03	—	—		30
31	·21	☒	·15	☒	—	☒	·14	—	☒	1·30	☒	·05		31
TOTAL	5·02	2·61	1·10	1·51	·28	4·07	5·44	·76	3·41	3·25	4·70	3·24	Year's Total 35·39	
* Days with .01 in. or more.	23	18	11	10	6	17	22	7	17	16	15	21	83	
* Days with .04 in. or more.	18	14	6	5	3	14	18	3	10	8	14	15	30	

40-9999.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Barham P.S.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. — in.

,, Ground ,, Sea Level 173 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·56	·18	—	·05	—	—	—	—	—	—	·40	·34		1
2	—	·18	·05	·37	—	—	—	—	—	—	—	·60		2
3	—	·12	—	—	—	—	—	—	—	—	—	1·08		3
4	·12	1·11	—	·06	—	—	—	—	—	·21	—	·30		4
5	·22	·09	·57	—	—	—	·15	—	—	·62	—	·20		5
6	·13	—	·80	—	·11	—	·02	—	—	·04	—	—		6
7	—	·65	·24	·08	·31	—	—	—	—	·01	—	·03		7
8	—	·08	·49	—	—	·09	—	—	—	·01	·11	·90		8
9	—	·03	·06	·50	·06	·01	·06	—	·20	—	—	·25		9
10	—	—	·47	·07	·16	·49	·12	—	—	·03	—	·37		10
11	—	—	·42	·04	·09	—	·02	—	—	·01	—	·31		11
12	·23	·25	·28	—	·55	—	—	·25	·22	—	—	·02		12
13	·52	—	·58	·01	—	·13	—	—	1·13	—	—	1·21		13
14	·16	·01	·11	—	·73	·04	—	·16	·11	—	—	·11		14
15	—	·08	—	·21	·17	·03	·47	—	·01	—	—	—		15
16	·04	·04	·16	·18	—	·03	—	·42	·16	—	—	·41		16
17	·42	·04	·01	·22	—	·42	—	—	·70	—	·45	—		17
18	·35	·06	·02	·02	·34	·17	—	—	·61	—	·07	—		18
19	·06	·04	·02	·22	—	·14	—	—	·34	—	—	—		19
20	·56	—	·57	·26	·87	·03	—	—	—	—	—	—		20
21	·40	·42	·37	·02	—	—	—	·15	—	—	—	·02		21
22	·36	·05	·02	—	·06	—	—	—	—	·71	·01	·12		22
23	·02	—	—	—	—	—	·03	—	—	·54	—	·01		23
24	·66	·18	·02	—	—	—	—	—	·07	·13	·02	—		24
25	·23	·32	·26	—	—	—	—	—	·09	·23	—	·01		25
26	—	·34	·10	—	—	—	—	—	—	·32	—	·01		26
27	—	·18	—	·11	—	—	—	—	—	·09	—	—		27
28	·12	·14	·10	·01	—	·02	—	—	—	—	—	·23		28
29	·07	×	·02	—	—	—	—	—	—	·19	·02	·01		29
30	·33	×	—	—	—	—	—	—	—	·09	·04	·06		30
31	·30	×	—	×	—	×	·01	—	×	—	×	·08		31
TOTAL	5·86	4·59	5·74	2·43	3·45	1·60	·88	·98	3·64	3·23	1·12	6·68	Year's Total 40·20	
* Days with .01 in. or more.	21	22	23	17	11	12	8	4	11	15	8	23	175	
* Days with .04 in. or more.	20	20	17	13	11	7	4	4	10	[illegible]	5	16	138	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Barham Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft......in.

,, Ground ,, Sea Level 173 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	—	—	·37	·99	·10	—	·31	—	·03	·06		1
2	—	—	—	·03	·15	—	—	—	—	·39	—	—		2
3	—	—	—	—	·25	—	·19	—	—	·85	—	—		3
4	·05	—	—	—	—	·10	·45	·19	—	·13	—	·13		4
5	—	—	—	—	—	—	·24	—	—	·39	—	—		5
6	·10	—	—	—	—	·01	·01	·12	·02	—	—	—		6
7	—	—	—	—	—	·00	·30	·42	·01	·28	—	·08		7
8	·27	—	—	—	—	—	·15	—	·05	·20	—	—		8
9	·16	·04	—	—	—	—	·08	·48	·02	·06	—	·88		9
10	·13	·06	—	—	—	·09	—	·06	—	—	—	·16		10
11	·19	·02	—	—	—	—	—	—	—	—	·08	·07		11
12	·22	·13	—	—	—	·57	—	—	—	·04	—	·61		12
13	·42	·30	—	—	—	—	—	·09	—	·04	·03	·01		13
14	·20	·05	—	—	·10	—	—	—	·25	—	—	·11		14
15	·01	·20	—	—	—	—	·15	—	—	·06	·01	·03		15
16	·38	·15	—	—	—	—	·04	·03	—	·10	·02	·16		16
17	—	·10	—	—	·67	—	·05	—	·02	·25	·02	—		17
18	·06	—	—	·03	·02	—	—	—	·06	—	·51	—		18
19	—	—	—	·01	·03	—	—	—	·01	—	·10	·01		19
20	—	—	—	—	·14	—	—	—	·50	—	·40	·40		20
21	·02	—	—	·05	—	—	—	·28	·30	—	·08	·08		21
22	—	—	—	·06	—	·05	—	·01	·01	—	·23	·20		22
23	—	—	—	·02	—	—	—	—	—	—	—	—		23
24	—	—	·11	—	—	—	—	—	·06	—	·29	·20		24
25	·05	—	·38	·01	·15	—	·13	—	·13	·01	·53	—		25
26	·66	·15	·06	—	—	—	·06	—	·40	·24	—	·29	✓	26
27	·10	·05	—	—	·37	·10	·28	—	·65	·76	·35	—		27
28	·13	·03	—	·04	·11	·04	—	·55	·03	—	—	—		28
29	·18	×	—	·15	·27	—	—	—	—	—	·01	·29		29
30	·04	×	—	·37	·13	—	—	·04	—	—	·44	—		30
31	·27	×	—	×	·07	×	—	—	×	·14	×	·22		31
TOTAL	3·65	1·28	·55	·77	2·83	1·96	2·23	2·27	2·83	3·94	3·13	3·39	Year's Total 28·83	
* Days with .01 in. or more.	21	12	3	10	14	9	14	11	17	16	16	19	162	
* Days with .04 in. or more.	18	10	3	5	12	7	13	9	10	15	10	15	127	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Barham Pumping Station
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. — in.
,, Ground ,, Sea Level 173 ft.

TRAVELLING FORM.
VALUES FORWARDED MONT

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09		·02	·15	·53				·09	·17	·04	·03		1
2	·02				·02			·35		·65				2
3	·38			·33				·07			·17	·38		3
4	·14		·38	·10			·02	1·08		·08	·10			4
5			·03	·56			·26			·24	·49	·15		5
6	·31		·03				·02	·22		·03	·33			6
7	·17	·01					·02	·01		·04	·16	·06		7
8		·12	·15							·13	·02	·60		8
9	·03	·08						·08		·41	·56	·20		9
10	·08					·32		·30	·02	·05				10
11	·17		·26		·09	·12				·66	·01	·03		11
12					·03	·48			·03	·04				12
13	·01		·04			·01			·04	1·54		·17		13
14	·95		·03	·01	·10				·01	·21	·42	·01		14
15	·12				1·08		·08		·24	1·04	·13			15
16	·20		·10	·01	·14	·09			·10	·03	·43			16
17	·18	·10	·04	·10			·07		·22		·02			17
18	·29		·05			·01	·09		·02	·78	·52			18
19	·28		·01				·18		·03	1·32		·01		19
20	·22					·02			2·39			·03		20
21			·16			·03			·29	·18				21
22	·16	·25	·10			·44	·05		·05					22
23		·01		·05			·17	·12	·19	·09	·44			23
24	·07	·01		·25		·03	·35		·01	·01	·02			24
25	1·70	·25	·18	·10			·25				·64			25
26	·03		·43				·22		·09	1·15	·34			26
27	·12	·07	·14	·04					·01	1·88	·30			27
28		·40	·08			·04			·02	·85	·13	·09		28
29		X		·46						·01	·03			29
30				·54		·05	·01				·03			30
31							·06	·09						31
TOTAL	5·72	1·30	2·23	2·70	1·99	1·64	1·85	2·32	3·85	11·59	5·33	1·96	Year's Total 42·48	✓
* Days with .01 in. or more.	22	10	18	13	7	12	15	9	18	24	22	12	182	✓
* Days with .04 in. or more.	18	7	13	11	5	7	11	8	10	20	16	7	133	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~1~~40

Kept at Barham Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. — in.

,, Ground ,, Sea Level 173 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·02	—	·05	·07	—	—	—	—	—	·06	—		1
2	—	·01	—	—	—	—	—	—	—	·39	·65	·09		2
3	—	·22	—	·12	—	—	·02	—	—	·07	1·28	·18		3
4	—	—	—	·05	—	—	·01	—	—	·16	·04	—		4
5	—	·06	—	—	—	—	—	—	—	—	·72	·36		5
6	·08	·04	—	—	—	—	·15	—	—	·56	·04	—		6
7	·20	·08	—	—	—	—	·14	—	—	—	—	—		7
8	—	·02	—	—	—	—	—	—	·27	·43	—	·24		8
9	—	—	—	·02	—	—	—	—	·02	·16	·25	·11		9
10	—	—	—	—	—	—	·03	—	—	·33	·09	·02		10
11	—	·01	·01	·07	—	—	·18	—	—	—	1·02	—		11
12	—	·12	·18	·02	—	—	·07	—	·06	—	·03	—		12
13	—	·07	·43	—	—	·49	·05	—	·12	—	·82	·27		13
14	—	—	·39	·10	—	—	—	—	—	·02	—	—		14
15	—	—	·01	—	·07	—	·43	—	—	—	·55	·01		15
16	·90	·17	·16	·01	—	·10	·36	—	·12	·45	·57	·10		16
17	·13	—	·24	—	—	·16	·07	—	·01	—	·23	—		17
18	·10	·34	·22	·44	—	—	·24	—	—	·21	·03	·18		18
19	—	·11	·08	—	—	—	—	—	·84	—	·12	·06		19
20	·03	—	·02	—	—	·05	·03	—	·11	—	·26	—		20
21	—	—	—	—	·06	—	·60	·01	·01	·03	·37	—		21
22	—	—	·01	—	—	·05	—	—	·05	·03	—	—		22
23	—	·18	—	·08	—	—	·03	—	—	—	·01	—		23
24	—	—	—	·11	—	—	·12	·03	—	·06	—	—		24
25	—	—	·40	—	—	—	·19	—	—	·05	—	—		25
26	·83	·36	·55	—	·01	·02	—	—	—	·34	—	·05		26
27	—	·10	—	—	—	—	·45	—	—	·03	—	—		27
28	—	—	—	—	·38	—	—	·01	—	—	—	—		28
29	·29	—	·11	—	·01	—	—	—	·07	—	—	·19		29
30	·06	✕	—	·10	—	—	—	—	—	·11	—	·05		30
31	·10	✕	—	✕	—	✕	—	—	✕	·46	✕	·07		31
TOTAL	2·72	1·91	2·81	1·17	·60	·87	3·~~24~~17	·05	1·68	3·89	7·14	1·98	Year's Total ~~28·05~~ 27·99	
* Days with .01 in. or more.	10	16	14	12	6	6	18	3	11	18	19	15	148	
* Days with .04 in. or more.	9	13	10	9	4	5	13	—	8	14	16	13	115	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

291

Section **A** for the entry of Da
AIR MINISTRY.

FORM 1090.

REGISTE

FOR OFFICIAL USE.
ORGANIZATION.

291

NONINGTON

1931 ONLY

780106

Kept at Nonington
in the County of Kent
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASURE

An observer who does not conform to this
year in the space on the right of this paragraph. *owing*

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·11											1
2	·14		·15	·12				·30					2
3				·21	1·05								3
4	·16												4
5				·27			·18						5
6													6
7													7
8													8
9		·53											9
10						·58							10
11											3·40		11
12	·30												12
13	·34												13
14							50						14
15			·13				~~50~~ 62						15
16							~~62~~						16
17													17
18		1·32		1·12			·38						18
19													19
20								2·70					20
21					·97	~~·97~~							21
22				·67									22
23	·98												23
24					·09								24
25	~~35~~	·35											25
26				·40									26
27				·19	·35								27
28			·20										28
29													29
30		×	·02										30
31	·70	×		×		×			×		×		31
TOTAL	2·62	2·31	0·50	2·98	2·46	0·58	2·~~4~~8						YEAR'S TOTAL
Days with ·01 in. or more.													
Days with ·04 in. or more.													

40-9999

(Signed)

[~~P.T.O.~~

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE. 291

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Nonington Dover

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft 10 in.

,, Ground ,, Sea Level 128 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·11											1
2	·14		·15	·12				·30					2
3				·21	1·05								3
4	·16												4
5				·27			·18						5
6													6
7													7
8													8
9		·53											9
10						·58							10
11											3·40		11
12	·30												12
13	·34												13
14							50						14
15			·13				~~50~~ 62						15
16							~~62~~						16
17													17
18		1·32		1·12			·38						18
19													19
20								2·70					20
21					·97	~~·97~~							21
22				·67									22
23	·98												23
24					·09								24
25	[illegible]	·35											25
26				·40			50						26
27				·19	·35		30						27
28			·20										28
29													29
30		×	·02										30
31	·70	×		×		×			×		×		31
TOTAL	2·62	2·31	0·50	2·98	2·46	0·58	2·~~4~~6						YEAR'S TOTAL
Days with ·01 in. or more.													
Days with ·04 in. or more.													

40-9999

(*Signed*) ....

[P.T.O.

291|1

NONINGTON
(RED TILES)

1940 ONLY

780106

Section A for the entry o
AIR MINISTI

Station No. 291/1
ALL ORGANIZATION

FORM 1090

REGIS 40

Kept at Nonington (
in the County of Ken
Diameter of Funnel of Gauge......
Height of top of Gauge above Gr
,, Ground ,, Sea
27]

THE MORNING MEASUR IS DAY

An observer who does not conform e following year in the space on the right of th

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									–	–	✓	–		1
2									–	0·37	+	0·05		2
3									–	0·05	(2·00) +	0·22		3
4									–	0·13	+	0·07		4
5									–	0·01	0·63	0·15		5
6									–	0·49	0·03	–		6
7									–	–	Trace	–		7
8									+	0·35	–	0·19		8
9									✓	0·06	0·21	0·10		9
10									✓	0·61	0·06	0·06		10
11										–	0·91	–		11
12									1·50 +	–	0·01	–		12
13										–	0·92	–		13
14										Trace	–	0·33		14
15									✓	–	0·61	Trace		15
16									+	+	0·54	Trace		16
17										✓	0·12	–		17
18											0·03	0·22		18
19									0·88		0·01	0·04		19
20									0·07		0·28	–		20
21									0·03		0·37	–		21
22									0·05	(1·23)	Trace	–		22
23									–		–	–		23
24									–		–	–		24
25									–		–	–		25
26									–		–	–		26
27									–		–	–		27
28									Trace		–	–		28
29									0·10		0·01	–		29
30		✕							Trace	+	–	–		30
31		✕		✕		✕			✕	+	✕	Trace		31
TOTAL									2·63	3·30	6·74	1·43	Year's Total "	
* Days with .01 in. or more.									11	20	19	10	"	
* Days with .04 in. or more.									7	16	14	10	"	

[illegible] 3·23 ins

No Diary
WH

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) Cyril G W Lewis

[P.T.O.

N

OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 291/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Jonnington (Red Tiles)

in the County of Kent.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 140 ft.

742402/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									–	–	✓	–		1
2									–	0·37	✓	0·05		2
3									–	0·05	(2·00) ✓	0·22		3
4									–	0·13	✓	0·07		4
5									–	0·01	0·63	0·15		5
6									–	0·49	0·03	–		6
7									–	–	Trace	–		7
8									✓	0·35	–	0·19		8
9									✓	0·06	0·21	0·10		9
10									✓	0·61	0·06	0·06		10
11										–	0·91	–		11
12									1·50 ✓	–	0·01	–		12
13										–	0·92	–		13
14										Trace	–	0·33		14
15									✓	–	0·61	Trace		15
16									✓	✓	0·54	Trace		16
17										✓	0·12	–		17
18										3·23 [illegible]	0·03	0·22		18
19									0·88		0·01	0·04		19
20									0·07		0·28	–		20
21									0·03		0·37	–		21
22									0·05	(1·2) [illegible]	Trace	–		22
23									–	[illegible]	–	–		23
24									–		–	–		24
25									–		–	–		25
26									–	✓	–	–		26
27									–	✓	–	–		27
28									Trace		–	–		28
29									0·10		0·01	–		29
30		✕							Trace	✓	–	–		30
31		✕		✕		✕			✕	✓	✕	Trace		31
TOTAL									2·63	3·30	6·74	1·43	Year's Total 〃	
* Days with .01 in. or more.									11	20	19	10	〃	
* Days with .04 in. or more.									7	16	14	10	〃	

WH

† Spare column, no entries required

(*Signed*) Cyril G.W. Lewis. [P.T.O.

* See Instruction 3 (f) on other side.

N

Section | **A** | for the entry of
AIR MINISTRY

Form 1090.

REGIST

Kept at Deal

in the County of Kent

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to *following year in the space on the right of this paragraph.*

292

DEAL

1931 - 1940

780106

FOR OFFICIAL USE.
L ORGANIZATION.

185

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·31				2
3												·10	3
4					·45								4
5						·43							5
6													6
7													7
8													8
9													9
10											·88		10
11		·63											11
12													12
13													13
14							·83						14
15													15
16													16
17													17
18													18
19				·52				·65					19
20													20
21													21
22			·13										22
23	·93												23
24													24
25										·25			25
26													26
27													27
28												·10	28
29		×											29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.60	2.25	0.32	2.22	1.85	0.60	3.22	2.94	1.43	0.84	3.35	0.67	YEAR'S TOTAL 22.29
*Days with ·01 in. or more.	19	17	5	15	11	5	15	16	10	6	11	12	142
*Days with ·04 in. or more.	14	16	2	12	9	3	9	15	8	5	10	8	111
40-9999	66.0	57.2	8.1	56.4	47.0	15.2	81.8	74.7	36.3	21.3	85.1	17.0	566.1

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

292

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1931.

185

Kept at Deal

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·31				2
3												·10	3
4					·45								4
5						·43							5
6													6
7													7
8													8
9													9
10											·88		10
11		·63											11
12													12
13													13
14							·83						14
15													15
16													16
17													17
18													18
19				·52				·65					19
20													20
21													21
22			·13										22
23	·93												23
24													24
25										·25			25
26													26
27													27
28												·10	28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.60	2.25	0.32	2.22	1.85	0.60	3.22	2.94	1.43	0.84	3.35	0.67	YEAR'S TOTAL 22.29
*Days with ·01 in. or more.	19	17	5	15	11	5	15	16	10	6	11	12	142
*Days with ·04 in. or more.	14	16	2	12	9	3	9	15	8	5	10	8	111
40-9999	66.0	57.2	8.1	56.4	47.0	15.2	81.8	74.7	36.3	21.3	85.1	17.0	566.1

(Signed) .... P.T.O.

*See Instruction 2 (*f*) on other side.

292

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

185

REGISTER OF RAINFALL IN 1932.

Kept at Deal

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2												·15	2
3													3
4													4
5													5
6	·51												6
7													7
8													8
9					·36								9
10													10
11													11
12													12
13													13
14													14
15				·28									15
16													16
17													17
18													18
19													19
20													20
21													21
22			·56								0·21		22
23		·13								1·14			23
24													24
25							1·94						25
26													26
27									·44				27
28													28
29								·12					29
30		✕				·51							30
31		✕		✕		✕			✕		✕		31
TOTAL	1·92	0·66	1·27	2·32	1·64	0·94	3·71	0·28	1·69	7·16	0·75	0·43	YEAR'S TOTAL 22·77
*Days with ·01 in. or more.	13	12	9	21	15	7	11	7	9	25	8	9	147 147
*Days with ·04 in. or more.	9	7	4	16	11	6	9	3	7	21	6	6	105 105
40-9999	48·8	16·8	32·3	58·9	41·7	23·9	94·2	7·1	42·9	181·9	19·1	10·9	

(Signed) ....

*See Instruction 2 (*f*) on other side.

[P.T.O.

292

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Deal

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·20											1
2													2
3											·46		3
4													4
5													5
6													6
7													7
8							·31						8
9													9
10													10
11													11
12						·37							12
13					·32								13
14													14
15													15
16			·49										16
17	0.54												17
18													18
19													19
20													20
21		0.19							1·50				21
22								·33		·29			22
23													23
24													24
25				0.25									25
26												·24	26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.27 ✓	1.31 ✓	1.71 ✓	0.84 ✓	1.46 ✓	1.66 ✓	1.47 ✓	0.57 ✓	5.79 ✓	1.30 ✓	2.41 ✓	0.69 ✓	YEAR'S TOTAL 21.48
*Days with ·01 in. or more.	13	14	10	8	12	11	9	6	11	11	17	9	131
*Days with ·04 in. or more.	11	12	10	7	8	7	8	5	10.	9.	13	6	106
40-9999	57·7			21·3		42·2	37·3						

*See Instruction 2 (*f*) on other side.

D

(*Signed*) ....

P.T.O.

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

292

Kept at Deal

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. ...... in.

,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·32	·82			2
3					·47								3
4													4
5												·44	5
6						·24							6
7													7
8											·87		8
9													9
10													10
11	·90												11
12													12
13													13
14													14
15													15
16													16
17			·42										17
18													18
19													19
20													20
21													21
22													22
23				·44									23
24							·35	2·10					24
25													25
26													26
27													27
28		·23											28
29		×											29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·16 ✓	0·38 ✓	2·95 ✓	226 ✓	1·24 ✓	1·09 ✓	1·25 ✓	3·65 ✓	1·03 ✓	1·97 ✓	1·89 ✓	5·02 ✓	YEAR'S TOTAL 24·89
*Days with ·01 in. or more.	12	6	13	15	8	9	6	14	8	11	12	23	137
*Days with ·04 in. or more.	9	3	12	12	6	8.	6	9	5	10.	10	21	111

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 292

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Deal

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3			·10											3
4														4
5														5
6										·63				6
7											·95			7
8														8
9						·89								9
10														10
11														11
12														12
13														13
14					·54									14
15														15
16				·49										16
17														17
18							·25							18
19														19
20		·62					·25							20
21														21
22														22
23														23
24									·55					24
25														25
26														26
27	0·47													27
28														28
29												·46		29
30		✕						·90						30
31		✕		✕		✕			✕		✕			31
TOTAL	2·11	2.82	0.14	2·55	1.42	2·54	0.52	2·82	2·24	3·40	4·89	3·05	Year's Total 28·50	
*Days with ·01 in. or more.	15	16	4	16	6	15	3	8	12	16	21	19	151	
*Days with .04 in. or more.	13	11	1	15	6	10	2	6	8	15	17	16	120	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 292

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

185

Kept at Deal

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 25 ft.

m.m.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8											·78			8
9														9
10								·95						10
11														11
12														12
13					·08									13
14							·84							14
15												·37		15
16	·35													16
17		·67												17
18														18
19						·61								19
20				·37										20
21														21
22														22
23														23
24														24
25	·35													25
26														26
27									·49					27
28						·61								28
29														29
30		×												30
31		×	·14	×		×			×	·43	×			31
													Year's Total.	
TOTAL	3·41	2·19	0·58	1·32	0·17	2·47	3·61	1·52	2·73	1·88	4·24	2·10	26·22	
* Days with .01 in. or more.	18	15	12	11	6	13	17	9	17	15	14	13	160	
* Days with .04 in. or more.	18	12	6	8	2	10	12	7	11	9	14	11	120	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 292 185

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR[illegible]090.

REGISTER OF RAINFALL IN 1937.

Kept at Deal (Wellington Rd)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·47										·27			1
2														2
3														3
4		·77												4
5														5
6			·53											6
7														7
8														8
9				·64										9
10						·60								10
11														11
12														12
13														13
14														14
15							·78							15
16								·39				·91		16
17														17
18									1·20					18
19														19
20					·98									20
21														21
22										·50				22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	3·92	3·53	4·08	1·77	3·05	1·63	1·03	·85	3·16	1·83	·76	4·64	3025	✓ ✓
* Days with .01 in. or more.	21	19	20	12	11	9	5	4	14	12	6	17	150	✓ ✓
* Days with .04 in. or more.	17	15	16	11	9	6	3	4	11	6	5	16	119	✓ ✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 292

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Deal (Wellington Rd.)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 25 ft.

Jan & Feb totals estimated from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·92								1
2														2
3										·65				3
4														4
5							·56							5
6														6
7								1·00						7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17					·42									17
18											·50			18
19														19
20												·48		20
21														21
22														22
23														23
24														24
25			·26											25
26														26
27														27
28														28
29														29
30		✕		·34										30
31		✕		✕		✕			✕		✕			31
TOTAL	(3·70)	(·95)	·45	·74	1·35	1·04	2·56	2·70	2·28	2·58	2·86	2·75	Year's Total (23·96)	
* Days with .01 in. or more.	(24)	(12)	4	8	15	5	12	7	12	17	17	20	(153)	
* Days with .04 in. or more.	(20)	(9)	3	4	12	2	9	6	10	13	10	14	(112)	

Print

23/3/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 292

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Deal (Wellington Rd)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4			33					·83						4
5				·88										5
6														6
7														7
8												·35		8
9											·57			9
10														10
11														11
12														12
13														13
14														14
15														15
16					·80									16
17														17
18														18
19														19
20									·39					20
21														21
22						·41								22
23														23
24							·87							24
25	91													25
26														26
27										1·92				27
28		·24												28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	4·33	·76	1·72	2·73	1·95	1·20	2·00	1·67	1·61	10·70	4·07	1·16	3390	
* Days with .01 in. or more.	21	10	19	9	7	9	12	8	13	22	20	14	164	
* Days with .04 in. or more.	19	7	14	8	6	6	10	6	9	18	17	7	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 292 185

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Deal (Wellington Rd.)
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7							·31							7
8				·33										8
9														9
10										·58				10
11														11
12														12
13											·68			13
14												·28		14
15														15
16						·04								16
17														17
18		·33												18
19								·06	·78					19
20														20
21														21
22														22
23														23
24														24
25														25
26	·64		·49											26
27														27
28					·06									28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	2·42	1·51	2·27	·75	·12	·05	2·01	·10	1·92	3·09	3·12	1·16	Year's Total 18·52	
* Days with .01 in. or more.	11	20	13	14	5	2	16	4	13	14	15	19	146	
* Days with .04 in. or more.	10	13	10	7	1	1	12	1	8	12	13	10	98	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Section A for the entry of D
AIR MINISTRY.

FORM 1090

REGIST

Kept at Pump House Lydd

in the County of Kent

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea Le

THE MORNING MEASUREM

An observer who does not conform to th
year in the space on the right of this paragrap

—

292|5

LYDDEN VALLEY

1937 - 1940

780106

ation No. 292/5

L ORGANIZATION

82

937

DAY

llowing

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·06	–	–	–	–	–	–	·36	·18		1
2				·24	–	–	–	–	–	·02		·42		2
3				–	–	–	–	–	–	–	–	·90		3
4				–	–	–	–	–	–	·17	–	·25		4
5				–	–	–	·03	–	–	·30	–	·11		5
6				–	·10	–	·13	–	–	·01	–	–		6
7				·03		–	–	–	–	–	–	–		7
8				–	·02	·15	–	–	–	–	·18	·50		8
9				·62	·02	–	·07	·01	·15	·02	–	·24		9
10				·05	·14	·55	·09	–	–	–	–	·36		10
11				·03	·05	–	·10	–	–	·02	–	·39		11
12				–	1·07	–	–	·04	·14	–	–	·01		12
13				–	–	–	–	·26	·37	–	–	·78		13
14				–	·64	·13	–	·27	·04	–	–	·27		14
15				·08	·06	·08	·60	–	·06	–	–	·02		15
16				·08	–	–	·08	·37	·35	–	–	·80		16
17				·15	–	·34	–	–	·47	–	·38	–		17
18				·01	·27	·06	–	–	·72	–	·06	–		18
19				·09	–	·07	–	–	·29	–	–	·03		19
20				·55	1·09	·17	–	–	–	–	–	–		20
21				–	·01	–	–	·18	·01	–	–	–		21
22				–	·02	–	–	–	–	·56	·02	·01		22
23				–	–	–	–	–	–	·87	–	·08		23
24				–	–	–	–	–	·07	·08	–	–		24
25				–	–	–	–	–	·10	·03	–	·01		25
26				–	–	–	–	–	–	·47	–	–		26
27				·12	–	–	–	–	–	·05	–	–		27
28				–	–	·03	–	–	–	–	–	·10		28
29				–	–	–	–	–	–	–	·04	·01		29
30		✕		·01	–	–	–	–	–	·02	·07	·04		30
31		✕		✕	–	✕	–	–	✕	·06	✕	·11		31
TOTAL				2·12	3·49	1·58	1·10	1·13	2·77	2·68	1·11	5·62	Year's Total	
* Days with .01 in. or more.				14	13	9	7	6	12	14	8	22		
* Days with .04 in. or more.				10	79	8	56	5	11	8	7	16		

* See Instruction 3 (f) on other side.

15·79 at Upton House Worth

N

† Spare column, no entries required.

(Signed) L. S. Layman [P.T.O.

for Pearson • Dorman Long Ltd

~~COPY FOR OFFICIAL USE~~

Section **A** for the entry of Daily Observations

Station No. 292/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Pump House, Lydden Valley Kent

in the County of Kent. 6" Ord. XLVIII

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 5 ft.

686982

c.up 1937

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·06	–	–	–	–	–	–	} ·36	·18		1
2				·24	–	–	–	–	–	·02	}	·42		2
3				–	–	–	–	–	–	–	–	·90		3
4				–	–	–	–	–	–	·17	–	·25		4
5				–	–	–	·03	–	–	·30	–	·11		5
6				–	} ·10	–	·13	–	–	·01	–	–		6
7				·03	}	–	–	–	–	–	–	–		7
8				–	·02	·15	–	–	–	–	·18	·50		8
9				·62	·02	–	·07	·01	·15	·02	–	·24		9
10				·05	·14	·55	·09	–	–	–	–	·36		10
11				·03	·05	–	·10	–	–	·02	–	·39		11
12				–	1·07	–	–	·04	·14	–	–	·01		12
13				–	–	–	–	·26	·37	–	–	·78		13
14				–	·64	·13	–	·27	·04	–	–	·27		14
15				·08	·06	·08	·60	–	·06	–	–	·02		15
16				·08	–	–	·08	·37	·35	–	–	·80		16
17				·15	–	·34	–	–	·47	–	·38	–		17
18				·01	·27	·06	–	–	·72	–	·06	–		18
19				·09	–	·07	–	–	·29	–	–	·03		19
20				·55	1·09	·17	–	–	–	–	–	–		20
21				–	·01	–	–	·18	·01	–	–	–		21
22				–	·02	–	–	–	–	·56	·02	·01		22
23				–	–	–	–	–	–	·87	–	·08		23
24				–	–	–	–	–	·07	·08	–	–		24
25				–	–	–	–	–	·10	·03	–	·01		25
26				–	–	–	–	–	–	·47	–	–		26
27				·12	–	–	–	–	–	·05	–	–		27
28				–	–	·03	–	–	–	–	–	·10		28
29				–	–	–	–	–	–	–	·04	·01		29
30		✕		·01	–	–	–	–	–	·02	·07	·04		30
31		✕		✕	–	✕	–	–	✕	·06	✕	·11		31
TOTAL				2·12	3·49	1·58	1·10	1·13	2·77	2·68	1·11	5·62	Year's Total	
* Days with .01 in. or more.				14	13	9	7	6	12	14	8	22		
* Days with .04 in. or more.				10	79	8	56	5	11	8	7	16		

* See Instruction 3 (f) on other side.

15·79 at Upton House Worth

N

† Spare column, no entries required.

(*Signed*) L.S. Layman

for Pearson • Dorman Long Ltd

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 292/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

Worth (Betteshanger Colliery)

REGISTER OF RAINFALL IN 1938

Kept at Pump House Lydden Valley

in the County of Kent /2 6" ord. XLVIII

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 5 ft.

68698/37 cannot be found.

imp 37

corr. for Dec 19–26 snow notified 4.9.8.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	-	-	-	·32	1·22	-	-	·25	·02	·05	·22		**1**
2	·02	-	-	·05	·06	-	-	-	-	·32	-	·02		**2**
3	-	-	-	-	·29	-	·23	-	-	1·01	-	-		**3**
4	·03	-	-	-	-	·04	·05	·93	-	·05	-	·05		**4**
5	·01	-	-	-	-	-	·68	-	-	·43	-	·02		**5**
6	·05	-	-	-	-	-	·04	·24	·03	-	-	-		**6**
7	-	-	-	-	-	-	·55	1·16	-	·20	-	·07		**7**
8	·17	-	-	-	-	-	·09	-	·04	·09	-	-		**8**
9	·28	·02	-	-	-	-	·03	·26	-	·04	-	·51		**9**
10	·16	·08	-	-	-	·01	-	·01	-	-	-	·17		**10**
11	·15	·02	-	-	-	-	-	-	-	-	·08	·01		**11**
12	·14	·06	-	-	-	-	·01	-	-	·05	·01	·04		**12**
13	·41	·05	-	-	-	-	-	·05	-	·03	·02	-		**13**
14	·12	·15	-	-	ESTIMATED ·05	-	-	·01	·10	-	·03	·03		**14**
15	·01	·13	-	-	-	-	·29	-	-	·02	·01	-		**15**
16	·20	-	-	-	-	-	·28	-	-	·05	-	·15		**16**
17	·04	·08	-	-	·75	-	·01	-	-	·03	·01	-		**17**
18	·05	-	-	·02	·02	-	-	-	·03	·04	·47	-		**18**
19	-	-	-	·06	·02	-	-	-	-	-	·06	-		**19**
20	-	-	-	-	·04	-	-	-	·40	-	·46	-		**20**
21	-	-	-	·05	-	-	-	·16	·39	-	·25	-	Snow and frost Thaw on Dec 26th	**21**
22	·01	-	-	-	-	·04	-	-	-	-	·14	-		**22**
23	-	-	-	·07	-	·06	-	-	-	-	·08	(1·00)		**23**
24	-	-	·12	-	·08	-	-	-	·07	-	·02	-		**24**
25	·05	-	·30	·03	·06	-	·10	-	·17	-	·77	-		**25**
26	·61	·14	·06	-	-	-	·04	-	·51	·24	·04	·60		**26**
27	-	·06	-	-	·14	·06	·13	-	·38	·36	·17	-		**27**
28	·12	·03	-	·04	·10	·03	-	·15	-	·16	·10	·01		**28**
29	·16	X	-	·21	·23	-	-	·01	-	-	·01	·29		**29**
30	-	X	-	·24	·03	-	-	·02	-	·02	·14	-		**30**
31	·21	X	-	X	·02	X	-	-	X	·04	X	·14		**31**
TOTAL	3·04	0·82	0·48	0·77	2·21	1·46	2·53	3·00	2·37	3·20	2·92	(2·73) ~~2·33~~	Year's Total ~~25·13~~	25·53
* Days with .01 in. or more.	22	11	3	9	15	7	14	11	11	19	20	20 ~~15~~	~~157~~	162
* Days with .04 in. or more.	17	8	3	7	11	5	11	7	9	14	13	13 ~~10~~	~~115~~	118

May: Gauge tampered with on 13th

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. S. Layman [P.T.O.

Passed CB 14/3/39

PEARSON & DORMAN LONG LTD

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 292/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

File No.686982/37

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Pump House, Lydden Valley
in the County of Kent. 6" Ordnance XLVIII.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	-	-	.06	.46	-	.23	-	-	.07	-	-		1
2	.02	-	-	-	-	-	-	.21	-	.87	.04	-		2
3	.21	-	-	.35	-	-	-	.08	-	.08	.15	.23		3
4	.33	-	.25	.07	-	-	-	.55	.03	.11	.18	-		4
5	-	.02	.02	.88	-	-	.06	-	-	.01	.41	.14		5
6	.04	-	.04	-	-	-	-	-	-	.20	.22	.05		6
7	.38	.08	-	-	-	-	.01	-	-	.03	.12	.03		7
8	-	.04	.16	-	-	-	-	-	-	.02	.27	.31		8
9	.03	.06	-	-	-	-	-	-	-	.60	.60	.16		9
10	.06	-	-	-	-	.12	-	.24	.02	.05	-	-		10
11	.29	-	.23	-	.01	.22	-	.05	-	.53	.01	.03		11
12	-	-	-	-	.20	.50	-	-	.02	.01	-	-		12
13	-	-	.04	-	-	.01	-	-	.03	1.45	-	.06		13
14	.55	-	.05	-	.05	-	.03	-	.12	.40	.24	.01		14
15	.15	-	-	-	.81	-	-	-	.35	.77	.12	-		15
16	.20	-	.09	.02	.37	.06	.10	-	.01	.06	.31	-		16
17	.12	.07	.02	.01	.12	-	.04	-	-	-	-	-		17
18	.14	-	.11	-	-	.01	.16	-	.06	.30	.41	-		18
19	.14	-	.07	-	-	-	.17	-	.03	1.17	-	-		19
20	.21	-	-	-	-	-	-	-	.20	-	-	.03		20
21	.08	-	.05	-	-	-	-	-	.49	.18	-	-		21
22	.11	.11	.11	.01	-	.34	.20	-	.30	-	-	-		22
23	.01	.02	.07	.02	-	.01	.01	.08	.02	.14	.19	-		23
24	-	.08	-	.27	-	.02	.58	-	.07	-	.10	-		24
25	1.42	.17	.10	-	-	-	.02	-	-	-	.35	-		25
26	.04	-	.20	-	-	-	.35	-	.01	.51	.13	.02		26
27	.15	-	.10	-	-	-	-	-	-	1.33	.50	-		27
28	-	.31	.09	.01	-	.01	-	-	-	2.40	.08	-		28
29	-	X	-	.29	-	-	-	-	-	.02	.01	-		29
30	-	☒	-	.48	-	.02	.02	-	-	-	.02	-		30
31	-	☒	-	☒	-	☒	-	.06	☒	-	☒	-		31
TOTAL	4.78	0.96	1.80	2.47	2.02	1.32	1.98	1.27	1.76	11.31	4.46	1.07	Year's Total 35.20	
* Days with .01 in. or more.	22	10	18	12	7	11	14	7	15	24	21	11	172	
* Days with .04 in. or more.	19	8	16	7	6	5	9	7	7	19	18	6	127	

† Spare column, no entries required.

(*Signed*) Layman

P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 292/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

File Nº 686982/37

Kept at Pump House Lydden Valley

in the County of Kent. 6" Ordnance XLVIII

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 5 ft.

January adjusted for snow - observer informed.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Jan 16th, 17th Blizzard Snow 7" / 22nd Snow 3" / 26th-27th snow 1" } 11" Snow = ~~0.92~~ ins "Rain"

Feb. 1st-20th... 1.50 ins from melted snow } adjusted to 2.00 ins "Rain" to cover estimated losses

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-		-	-	-	-	-	-	-	-	-	-		1
2	-		-	·03	-	-	-	-	-	·35	·35	-		2
3	-		-	·09	-	-	·07	-	-	·05	1·16	·15		3
4	-		-	·08	-	-	-	-	-	·07	·21	·06		4
5	-		-	-	-	-	-	-	-	-	·63	·15		5
6	·07		-	-	-	-	·18	-	-	·40	·08	-		6
7	·24		-	-	-	-	·16	-	-	-	·01	-		7
8			-	-	-	-	·05	-	·12	·26	-	·14		8
9			-	-	-	-	-	-	·27	·15	·15	·10		9
10			-	-	-	-	·07	-	·03	·54	·04	·07		10
11			-	-	-	-	·04	-	-	-	·82	·01		11
12			·08	-	-	-	·03	-	-	-	-	-		12
13			·19	-	-	·01	-	-	·16	-	1·06	-		13
14			·21	-	-	-	-	-	-	·01	-	·31		14
15	(·30)		-	·06	·02	-	·07	-	-	-	·20	·02		15
16			·08	·03	-	·04	·39	-	·03	·70	·57	·03		16
17	(·05)		·41	-	-	-	·03	-	·02	-	·11	-		17
18	(·20)		·17	·42	-	-	·08	-	-	·12	·12	·15		18
19	-		·09	-	-	-	-	·07	·70	-	·01	·03		19
20	(·10)		·03	-	-	·01	-	·03	·04	-	·22	-		20
21		-	-	-	-	-	·35	-	·05	-	·14	-		21
22		-	·01	-	·04	-	-	-	·02	·03	·08	-		22
23	(·20)	·12	-	·01	-	-	·03	·02	-	-	·01	-		23
24		-	-	·09	-	-	·10	-	-	-	-	-		24
25		-	·40	-	-	-	·25	-	-	·09	-	·03		25
26	(·50)	·09	·55	-	-	-	·11	-	-	·14	-	·02		26
27		·08	-	-	-	-	·11	·01	-	·08	-	·01		27
28	-	·01	-	-	·12	-	-	-	-	-	-	-		28
29	(·15)		·05	-	-	-	-	-	·19	-	·04	·09		29
30	~~·05~~	✕	-	·02	-	-	-	-	-	·03	·07	·02		30
31	·10	✕	-	✕	-	✕	-	-	✕	·40	✕	·05		31
TOTAL	~~1·38~~ 1·91	2·30	2·27	0·83	0·18	0·06	2·12	0·13	1·63	3·42	6·08	1·44	Year's Total ~~21·84~~	22·37
* Days with .01 in. or more.	8	15	12	9	3	3	17	4	11	16	21	18	137	
* Days with .04 in. or more.	7	10	10	5	2	1	14	1	7	13	18	10	98	"d"

"Frozen Rain" step

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

293

Section **A** for the entry
AIR MINIST

FORM 1090.

REGI

Kept at Upton Hous

in the County of K

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA

An observer who does not conforn
year in the space on the right o

293

UPTON HOUSE WORD

1931 - 1940

780106

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

931.

293

DAY.

f the following

Jan. 1, following

Please read the Notes and Instructions Ove

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–		02	·03	–	–	–	·42	–	–		·01	1
2	·15	·06	01	·03	·21	–	–	–	·31	–		–	2
3	·20	·12	–	–	·63	–	–	·19	·27	–		·03	3
4	–	·18	–	–	–	–	–	·05	15	–	·12	–	4
5	–	–	–	·20	–	·43	·46	·06	–	–	13	·02	5
6	·03	·01	–	·01	–	–	–	·07	–	·21	–	–	6
7	·04	–	–	–	–	·02	–	·01	08	·11	·02	–	7
8	–	05	·10	–	–	·08	·06	·10	–	–	–	·10	8
9	–	·05	–	–	–	–	–	–	–	–	71	·04	9
10	·03	·14	–	–	–	·01	–	–	–	–	1·27	·05	10
11	·16	·47	–	–	–	–	–	–	·02	–	·25	·01	11
12	·15	–	–	–	–	–	·02	–	·30	–	–	·01	12
13	·51	·01	–	–	–	–	–	·04	–	–	–	–	13
14	–	–	–	–	–	–	·72	·72	–	–	–	–	14
15	·01	·06	–	·20	·09	–	·50	·31	–	–	–	–	15
16	·01	·07	–	·19	·16	–	·40	·08	·01	–	–	–	16
17	–	·04	–	·20	–	–	–	–	–	–	–	·16	17
18	–	·33	–	·49	–	·05	·18	13	–	–	·27	–	18
19	·02		–	·53	–	–	·65	·65	·16	–	·01	·01	19
20	–	·05	–	–	·06	–	·20	·27	–	·03	·01	·01	20
21	·01	07	–	–	·52	–	–	–	·12	–	–	–	21
22	·14	–	·10	–	–	–	–	–	·11	–	–	–	22
23	·78	·18	·05	–	–	·05	–	–	·04	–	·05	–	23
24	–	–	·01	–	–	·01	–	·40	–	–	–	–	24
25	08	–	–	·47	–	–	·25	–	–	·14	·01	·01	25
26	–	07	–	·20	–	–	·29	–	–	·06	·22	–	26
27	·14	·15	–	·08	·30	–	–	–	–	–	·20	–	27
28	·23	11	–	·02	–	–	·03	–	–	·02	–	·10	28
29	·12	–	–	·04	–	–	–	–	–	·31	·12	04	29
30	·05	×	–	–	·14	–	·08	–	–	–	–	–	30
31	·20	×	–	×	–	×	–	–	×	–	×	–	31
TOTAL	3·06	2·22	·29	2·69	2·11	·65	3·81	3·50	1·57	·88	3·39	·60	YEAR'S TOTAL 24·77
*Days with ·01 in. or more.	20	19	7	14	8	7	13	15	11	7	14	14	149
*Days with ·04 in. or more.	14	17	3	10	8	3	11	14	9	5	10	6	110

40-9999

(Signed) W. Elwin Napier

P.T.O.

*See Instruction 2 (*f*) on other side.

293

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Upton House

in the County of Kent.

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

Station No. 293

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–		02	·03	–	–	–	·42	–	–		·01	1
2	·15	·06	01	·03	·21	–	–	–	·31	–		–	2
3	·20	·12	–	–	·63	–	–	·19	·27	–		·03	3
4	–	·18	–	–	–	–	–	·05	15	–	·12	–	4
5	–	–	–	·20	–	·43	·46	·06	–	–	13	·02	5
6	·03	·01	–	·01	–	–	–	·07	–	·21	–	–	6
7	·04	–	–	–	–	·02	–	·01	08	·11	·02	–	7
8	–	05	·10	–	–	·08	·06	·10	–	–	–	·10	8
9	–	·05	–	–	–	–	–	–	–	–	71	·04	9
10	·03	·14	–	–	–	·01	–	–	–	–	1·27	·05	10
11	·16	·47	–	–	–	–	–	–	·02	–	·25	·01	11
12	·15	–	–	–	–	–	·02	–	·30	–	–	·01	12
13	·51	·01	–	–	–	–	–	·04	–	–	–	–	13
14	–	–	–	–	–	–	·72	·72	–	–	–	–	14
15	·01	·06	–	·20	·09	–	·50	·31	–	–	–	–	15
16	·01	·07	–	·19	·16	–	·40	·08	·01	–	–	–	16
17	–	·04	–	·20	–	–	–	–	–	–	–	·16	17
18	–	·33	–	·49	–	·05	·18	43	–	–	·27	–	18
19	·02		–	·53	–	–	·65	·65	·16	–	·01	·01	19
20	–	·05	–	–	·06	–	·20	·27	–	·03	·01	·01	20
21	·01	07	–	–	·52	–	–	–	·12	–	–	–	21
22	·14	–	·10	–	–	–	–	–	·11	–	–	–	22
23	·78	·18	·05	–	–	·05	–	–	·04	–	·05	–	23
24	–	–	·01	–	–	·01	–	·40	–	–	–	–	24
25	08	–	–	·47	–	–	·28	–	–	·14	·01	·01	25
26	–	07	–	·20	–	–	·29	–	–	·06	·22	–	26
27	·14	·15	–	·08	·30	–	–	–	–	–	·20	–	27
28	·23	11	–	·02	–	–	·03	–	–	·02	–	·10	28
29	·12	–	–	·04	–	–	–	–	–	·31	·12	04	29
30	·05	×	–	–	·14	–	·08	–	–	–	–	–	30
31	·20	×	–	×	–	×	–	–	×	–	×	–	31
TOTAL	3·06	2·22	·29	2·69	2·11	·65	3·81	3·50	1·57	·88	3·39	·60	YEAR'S TOTAL 24·77
*Days with ·01 in. or more.	20	19	7	14	8	7	13	15	11	7	14	14	149
*Days with ·04 in. or more.	14	17	3	10	8	3	11	14	9	5	10	6	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. Elwin Napier

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1096.

REGISTER OF RAINFALL IN 1932.

Kept at UPTON HOUSE WORD

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·03	–	–	·32	–	–	·03	·01	·17	·02	·02	1
2	·01	–	–	·27	·07	–	–	·01	·01	·06	–	·13	2
3	–	–	–	·04	·14	·36	–	–	·30	–	–	–	3
4	–	–	–	–	·01	·06	–	–	–	–	–	–	4
5	·10	–	·02	–	·05	·02	·17	–	–	–	–	·01	5
6	·44	–	·04	·14	–	–	–	–	–	–	–	·06	6
7	·01	–	·10	·01	–	–	·01	–	·03	–	·01	·03	7
8	–	·09	·02	–	·30	–	–	–	–	·48	–	–	8
9	·12	–	·02	·05	·50	–	–	–	–	·42	–	–	9
10	·45	–	–	·18	·09	–	–	–	·01	·05	–	–	10
11	·26	·26	–	·19	–	·11	·01	–	–	·24	–	–	11
12	·11	–	–	–	–	–	–	·08	–	·31	–	–	12
13	·03	–	–	·11	–	–	–	–	–	1·07	–	·01	13
14	·13	–	–	·06	–	–	–	–	–	·20	–	–	14
15	–	–	–	·07	·13	–	·02	–	–	·07	–	·01	15
16	·02	02	–	·13	·20	–	–	–	–	–	–	·01	16
17	–	–	–	·01	–	–	·05	–	–	·01	–	–	17
18	–	–	–	–	–	–	–	–	·08	·14	·07	–	18
19	–	–	–	–	·10	–	–	–	–	–	·12	–	19
20	–	–	–	·02	–	–	·06	·01	–	·68	·22	–	20
21	·02	04	–	–	–	·02	–	·02	–	·18	·01	·15	21
22	–	–	·54	–	·11	–	·08	·02	·80	·27	·27	–	22
23	–	·12	–	·19	·13	–	–	–	·13	1·12	·05	·05	23
24	–	–	–	–	–	–	·77	–	·14	·04	·01	·01	24
25	–	·06	–	–	–	–	1·98	–	·30	·24	–	–	25
26	–	–	–	·04	·03	–	·08	·57	–	·02	–	–	26
27	–	–	·34	·11	·10	–	·12	–	·28	·83	·13	·05	27
28	–	–	–	·01	01	–	·16	–	–	·32	–	–	28
29	–	–	·39	·18	–	–	–	·17	·02	·52	–	–	29
30	–	×	·01	·19	–	·55	–	·09	–	·01	·02	·06	30
31	–	×	–	×	–	×	–	·01	×	·01	×	·02	31 11
TOTAL	1·76	·62	1·48	2·00	2·29	1·12	3·51	1·01	2·11	7·66	·93	·62	YEAR'S TOTAL 25[illegible]
*Days with ·01 in. or more.	13	7	9	19	16	6	12	10	12	24	11	14	153
*Days with .04 in. or more.	8	5	5	15	13	4	9	4	7	20	6	6	102

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. Elvin Napier

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Upton House WORD

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·18	·10	–	–	–	–	–	–	–	·04			1
2	·16	–	·30	–	·33	–	–	–	–	·04	·07			2
3	·01	·11	·18	–	–	–	–	–	–	·10	·27			3
4	·02	–	–	–	–	–	–	–	–	–	·57			4
5	·31	–	·17	–	–	–	–	–	–	–	–			5
6	·01	·05	·09	–	·44	–	–	–	–	·04	·13			6
7	·47	–	·04	·05	·06	–	–	–	–	·50	·01			7
8	·18	–	–	–	·03	–	·20	–	–	–	–			8
9	–	–	–	–	·05	–	–	–	–	–	·10			9
10	·01	·12	–	–	–	·03	–	–	–	·29	·02			10
11	·13	–	–	–	–	·06	–	–	–	–	·03			11
12	–	·01	–	–	–	·52	·38	–	·92	–	·30			12
13	·02	–	–	–	·32	·15	·22	–	·55	–	·25			13
14	–	–	–	–	·04	–	–	–	–	·18	·18	·08		14
15	·18	–	05	–	–	–	·26	·07	–	·02	·18			15
16	·20	–	·60	–	–	–	·15	–	–	·02	·02			16
17	·60	–	·17	–	–	·25	–	–	·22	–	–			17
18	·04	·06	·02	·04	–	·34	–	–	–	–	·01			18
19	–	·09	·10	·09	–	·21	–	–	·34	–	·01	·17		19
20	–	·29	·01	·04	–	·11	–	–	·06	–	–			20
21	–	·12	–	–	–	–	–	·07	2·02	·01	–			21
22	–	–	–	–	–	–	–	·22	·23	·39	·01			22
23	–	·01	–	·06	–	–	–	–	·61	·01	–			23
24	–	·06	–	·14	·06	·09	–	–	1·63	–	·22			24
25	–	–	–	·28	·01	–	–	–	·02	·05	·27	·05		25
26	–	·13	–	–	·11	·40	–	–	·09	·04	·17	·20	(?) /	26
27	–	·10	–	–	–	–	–	–	–	·12	–	·10		27
28	·	–	·02	–	–	05	·10	–	–	·32	–	·06		28
29	–	–	–	–	–	–	·20	–	·01	·01	–	–		29
30	–	×	–	–	–	–	–	–	–	·06	–	·12		30
31	·04	×	–	×	–	×	–	·06	×	–	×	–		31
TOTAL	2·43	1·32	1·85	·75	1·45	2·21	1·51	·42	6·70	2·20	2·86	·78	Year's Total 24·48	
*Days with ·01 in. or more.	·15	13	13	7	10	11	7	4	12	17	20	7	136	
*Days with .04 in. or more.	10	11	9	7	8	10	7	4	10	12	13	7	108	

(?) On Dec 26th an accident the fall was most probably near ·30

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. Elliott Napier

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at UPTON HOUSE WORD

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	·02	—	·31	—	·20	—	·08		1
2	·01	—	·18	—	—	—	—	—	·31	1·15	—	·25		2
3	·01	·03	—	·05	·55	—	—	—	—	·31	·04	·03		3
4	·15	—	—	—	·20	—	—	—	—	·26	·10	·46		4
5	—	·02	·01	—	·07	·15	—	—	—	—	·16	·13		5
6	·02	—	·33	22	·20	·24	—	·03	—	·20	·17	·32		6
7	·02	·01	—	~~25~~	—	—	—	—	—	·09	—	·19		7
8	—	·01	—	·46	·33	—	—	·03	·03	—	·83	—		8
9	·02	—	·03	[illegible]	—	—	—	—	—	—	·30	16		9
10	—	—	·20	·16	—	—	—	·03	—	·02	·10	—		10
11	·87	—	·43	·13	—	—	—	·08	—	—	—	·40		11
12	·35	·01	·19	—	—	—	·08	·19	—	—	—	·25		12
13	·48	—	·13	—	—	—	—	·24	—	—	—	·03		13
14	·35	—	·50	·10	—	—	·35	—	—	·16	·12	·28		14
15	·01	—	—	—	—	—	—	—	—	—	·16	·27		15
16	·04	·02	·34	·05	·16	—	—	—	—	—	—	·01		16
17	04	—	·54	·03	·05	—	—	—	·11	·13	·24	·20		17
18	·06	—	·01	·09	—	—	—	—	—	—	·07	·50		18
19	·01	—	·37	—	—	—	—	—	·21	—	·02	·21		19
20	—	—	·26	—	—	—	·20	—	—	—	—	·01		20
21	—	—	·01	·19	—	·07	—	—	—	—	—	—		21
22	—	—	—	—	—	—	—	·14	·16	—	—	·16		22
23	—	—	—	·39	—	·11	—	—	—	·11	—	—		23
24	—	·01	—	·18	—	·05	—	·84	·13	—	—	—		24
25	·05	—	—	·15	—	—	·27	—	—	·01	—	·29		25
26	·03	—	—	·02	—	·16	—	—	—	—	—	08		26
27	·02	·07	—	·03	—	—	—	—	—	—	—	·23		27
28	·02	·11	—	—	—	·18	—	·50	—	—	·07	·26		28
29	—	—	—	—	—	—	·27	·26	·16	—	—	·01		29
30	·12	×	—	—	—	—	·09	·13	—	—	—	·09		30
31	·04	×	—	×	—	×	—	·01	×	·07	×	·36		31
TOTAL	2·72	·29	3·53	2·26	1·56	·98	1·26	2·79	1·11	2·71	2·38	5·26	Year's Total 26·35	
*Days with ·01 in. or more.	21	9	15	16	7	8	6	13	7	12	13	26	153	
*Days with .04 in. or more.	11	2	11	11	7	7	6	9	6	10	12	21	113	

† Spare column, no entries required.

(*Signed*) W Elwin Napier

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at UPTON HOUSE WORD
in the County of KENT

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·24	04	—	—	—	·18	—	—	17	·17	·08	·01		1
2	·14	—	—	—	—	—	—	—	·02	·36	—	—		2
3	04	·01	·13	·17	—	—	—	—	·02	·30	·10	·01		3
4	—	·06	·01	·17	—	·07	—	—	·33	·40	·08	—		4
5	—	·39	—	·10	—	·06	—	—	·67	·29	·03	—		5
6	·42	—	—	·23	—	·23	—	—	—	·32	·10	·09		6
7	·20	—	·02	·22	—	·23	—	—	—	·06	1·26	·04		7
8	·02	—	—	·33	—	—	—	·70	—	·33	·11	·09		8
9	—	—	—	·06	—	1·11	—	—	—	57	·47	·04		9
10	·09	·14	—	—	—	·17	—	—	—	—	·02	·10		10
11	·07	—	—	·02	—	—	—	—	—	—	·31	—		11
12	—	·01	—	—	·04	·06	—	·79	—	—	·59	—		12
13	·02	·13	—	·22	·12	—	—	—	—	—	·43	·01		13
14	·01	—	—	·06	·51	—	—	—	—	—	·01	·15		14
15	—	·09	—	·56	·02	·03	—	—	·31	—	·06	·09		15
16	—	·02	—	·35	—	·03	—	—	·42	01	·85	—		16
17	·05	—	·02	·13	—	·35	—	·01	—	—	·25	·05		17
18	—	—	—	·10	—	—	·17	—	·35	·06	—	—		18
19	—	—	—	·04	·35	·07	·03	—	·03	—	·04	·04		19
20	·01	·52	—	·04	—	—	·10	—	—	—	·08	—		20
21	·03	·34	—	—	—	—	—	—	·03	·06	·12	—		21
22	—	·05	—	—	—	—	—	—	·20	—	·43	—		22
23	—	—	—	—	·01	—	—	·02	·01	—	·20	·12		23
24	·06	·66	—	—	·21	—	—	·24	·56	—	·02	·40		24
25	·28	·14	—	·22	—	·50	—	—	—	·26	·05	·34		25
26	·14	—	—	—	·42	·01	—	·09	—	·14	—	·30		26
27	40	·40	—	—	·29	—	—	·32	·11	—	·05	·25		27
28	·13	·32	—	—	—	—	—	—	·01	·14	—	·18		28
29	·01	—	—	—	—	—	—	·02	·71	—	—	·45		29
30	·05	×	—	—	—	—	—	·92	·04	·05	·42	·32		30
31	—	×	—	×	—	×	—	—	×	·14	×	·51		31
TOTAL	2·41	3·32	·18	3·02	1·97	3·10	·30	3·11	3·99	3·66	6·16	3·59	Year's Total. 34·81	
* Days with .01 in. or more.	20	16	4	17	9	14	3	9	17	17	25	21	172	
* Days with .04 in. or more.	13	13	1	15	7	11	2	6	11	16	20	17	132	

40-9999

† Spare column, no entries required.

(*Signed*) W. Elwin Napier

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at UPTON HOUSE, WORD

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·39	·23	·11	·12	–	·37	·11	·03	–	–	·03	·08		1
2	·04	10	·06	–	–	·15	·01	·05	–	–	–	·24		2
3	–	–	–	·42	·05	–	–	–	·20	–	·43	–		3
4	–	–	·06	–	–	·18	–	–	·10	–	·12	·01		4
5	·18	–	–	–	–	–	–	·03	–	·18	·16	–		5
6	·10	–	–	–	–	·04	–	–	·35	·66	·45	–		6
7	·16	–	·06	–	–	–	–	–	·06	·13	·43	–		7
8	·26	–	·04	–	–	–	·28	–	–	–	·75	·36		8
9	·41	–	10	–	·03	–	·68	10	–	–	·44	–		9
10	·01	–	–	–	–	·03	·08	1·13	–	·16	-	–		10
11	–	–	–	·18	–	–	·26	·15	–	–	·76	–		11
12	–	–	–	·15	–	·03	·13	–	–	–	·29	·19		12
13	–	–	–	–	–	–	–	–	–	–	–	·22		13
14	·01	·12	–	·03	–	–	·95	–	–	·06	·13	·42		14
15	–	–	–	–	–	·03	·03	–	·23	–	–	·44		15
16	·42	·11	–	–	–	–	–	–	·02	–	·42	·19		16
17	·11	·85	–	–	–	–	–	–	–	·04	·29	·24		17
18	·10	·15	–	–	–	·07	·27	–	·26	–	·36	–		18
19	·16	·02	–	–	–	·35	–	·08	·01	–	–	·09		19
20	·25	·08	·01	·39	–	–	–	–	1·05	·11	–	–		20
21	–	–	–	·26	–	·13	·01	–	·02	–	–	–		21
22	11	·51	–	–	–	–	·04	–	–	–	·01	19		22
23	·04	·03	–	·11	–	–	·29	–	–	·02	–	–		23
24	09	·10	·08	–	–	–	–	–	·37	·13	–	·		24
25	·45	·12	–	–	–	28	–	–	–	·08	–	–		25
26	·01	·10	–	–	–	–	–	–	·07	·12	–	·03		26
27	·10	56	·12	05	–	–	·65	–	1·03	–	–	–		27
28	·44	–	·02	–	–	·72	·44	–	·32	–	–	·01		28
29	·01	–	·09	–	–	·18	·01	–	·05	·08	·12	–		29
30	·09	✕	–	–	·08	·15	–	–	–	–	–	–		30
31	·24	✕	·20	✕	–	✕	·12	–	✕	·54	✕	·06	-d	31
TOTAL	4·18	3·08	·95	1·71	·16	2·71	4·36	1·57	4·14	2·31	5·19	2·77	Year's Total 33·12	✓
* Days with .01 in. or more.	23	14	12	9	3	14	17	7	15	13	16	15	~~158~~	✓
* Days with .04 in. or more.	20	12	9	8	2	11	13	5	12	12	14	12	130	✓

40-9999. 4-18

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at UPTON HOUSE WORD

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·55	·10	—	·09	—	—	—	—	—	—	·34	·17		1
2	—	·12	·17	·28	—	—	—	—	—	— ✓	·01	·69		2
3	—	·07	—	—	—	—	—	—	—	—	—	·45		3
4	·09	·90	—	—	—	—	—	—	—	·42	—	·31		4
5	·18	·08	·60	—	—	—	·20	—	—	·20	—	·09		5
6	10	—	·82	—	·16	—	—	—	—	— ✓	—	—		6
7	—	·70	·08	·04	·14	—	—	—	01	—	—	·02		7
8	—	·04	·50	—	—	17	—	—	—	— ✓	·21	·57		8
9	—	·04	—	·65	·10	—	·09	·03	·18	·04	—	·28		9
10	—	—	·62	·07	·14	·60	—	—	—	—	—	·42		10
11	·04	—	·40	·02	·05	—	·21	—	—	— ✓	—	·23		11
12	·08	·09	·18	—	1·20	—	—	·36	·18	— ✓	—	—		12
13	·56	·03	·52	—	—	·10	·01	—	·35	—	—	·95		13
14	·26	·02	·19	—	·78	—	—	·25	·06	—	—	·33		14
15	·07	·06	—	·13	·08	—	·70	—	·03	—	—	—		15
16	—	·03	14	·16	—	—	—	·38	·31	—	—	·59		16
17	·31	—	01	·26	—	·53	—	—	·50	—	·40	—		17
18	·35	·10	—	·02	·35	·11	—	—	·84	—	·06	—		18
19	·07	·02	—	·16	—	·19	—	—	·33	—	—	·02		19
20	·67	—	·41	·22	1·10	·04	—	—	·03	—	—	—		20
21	·35	·50	·38	·02	—	—	·02	·30	—	—	—	·01		21
22	·38	·04	—	—	—	—	—	—	—	·70	·02	·10		22
23	—	—	—	—	—	—	—	—	—	·74	—	·01		23
24	·69	·31	·06	—	—	—	—	—	·12	·07	—	·01		24
25	·22	·36	·29	—	—	—	—	—	·13	·09	—	—		25
26	—	·31	·10	—	·05	—	—	—	—	·41	—	—		26
27	—	—	—	17	—	—	—	—	—	·08	·05	·02		27
28	·15	·47	·07	—	—	·04	—	—	—	—	—	·16		28
29	·05	—	09	—	—	—	—	—	—	·04	·05	—		29
30	·30	✕	—	—	—	—	—	—	—	—	·09	·06		30
31	·32	✕	—	✕	—	✕	·03	—	✕	·12	✕	·07		31
TOTAL	5·78	4·39	5·63	2·29	4·15	1·78	1·26	1·32	3.07	2·91	1·23	5·54	Year's Total 39·35	✓ ✓
* Days with .01 in. or more.	21	21	19	14	11	8	7	5	13	16	9	22	166	✓ ✓
* Days with .04 in. or more.	21	17	18	11	11	8	4	4	10	11	8	16	139	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. Elwin Napier [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at UPTON HOUSE WORD
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ Ground „ Sea Level 32 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	04	–	–	–	·33	·65	–	–	·30	·09	·02	·04		1
2	·03	–	–	·08	·19	–	·06	–	–	·31	–	·02		2
3	–	–	–	–	·18	–	·30	–	–	·88	–	–		3
4	·06	–	–	–	~~·18~~	·05	·40	1·27	–	·67	–	·05		4
5	–	–	–	–	–	–	·35	–	·03	·50	–	–		5
6	·08	·02	–	–	–	–	·10	·27	–	–	–	·02		6
7	–	–	–	–	–	–	·62	·98	–	·21	–	·08		7
8	·20	–	–	·01	–	–	·11	·29	·11	·10	–	–		8
9	·32	·04	–	–	–	·03	·09	–	–	·05	–	·60		9
10	·18	·08	–	–	–	–	–	·02	–	–	–	·19		10
11	·49	·03	–	–	–	–	–	–	–	–	·10	·06		11
12	·15	·07	–	–	–	–	·04	–	–	·12	–	–		12
13	·43	·31	–	–	–	–	–	·11	–	–	·03	·01		13
14	·15	·08	–	–	·08	–	–	–	·17	–	–	·05		14
15	–	·19	–	–	–	–	·30	–	–	·04	·03	–		15
16	·22	04	·02	–	·08	–	·27	–	–	–	–	·14		16
17	–	·09	–	–	·71	–	·03	–	–	–	·02	–		17
18	04	–	–	·05	·04	–	–	–	·05	·15	·52	–		18
19	–	–	–	·04	·05	–	–	–	·03	·03	·07	·03		19
20	–	02	–	·01	–	–	–	·09	·57	–	·48	·26		20
21	–	–	–	·07	–	–	–	–	–	–	·21	·14		21
22	·03	–	–	·05	–	·03	–	–	–	–	·20	·18		22
23	–	–	–	·03	–	–	–	–	–	–	·02	–		23
24	–	–	·14	–	·11	–	–	–	·09	–	·30	–		24
25	·09	–	·33	·03	·12	–	14	–	·20	01	·65	–		25
26	·60	·15	·08	–	–	–	·06	–	·50	·27	–	·43		26
27	·05	·09	–	–	·21	·09	·16	–	·40	·35	·21	·01		27
28	·13	·03	–	·05	·10	·02	–	·20	–	·07	–	–		28
29	·20	–	–	·22	·25	–	–	–	–	–	–	·32		29
30	·02		–	·27	·04	–	–	·05	–	–	·35	–		30
31	·20		–		·04		–	–		·09		·16		31
TOTAL	3·41	1·24	·57	·91	2·53	·87	3·03	3·28	2·45	3·34	3·21	2·79	Year's Total 27·63	✓
* Days with .01 in. or more.	21	14	4	12	15	6	15	9	11	17	15	19	158	✓
* Days with .04 in. or more.	18	10	3	8	15	3	14	8	9	15	10	14	127	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Elwin Napier

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at UPTON HOUSE WORD
in the County of KENT
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. — in.
,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	–	·02	·07	·50	–	·36	–	–	·24	–	·04		1
2	·03	–	–	–	–	–	–	·31	–	·92	·05	–		2
3	·34	–	–	·32	–	–	–	·10	–	–	·21	·30		3
4	·16	–	·25	·08	–	–	–	·68	–	·14	·15	–		4
5	–	·02	·03	·79	·01	–	·09	–	–	·18	·44	·16		5
6	·30	–	·05	–	–	–	·01	–	–	·06	·29	·03		6
7	·13	·09	–	–	–	–	–	–	–	·07	·29	·07		7
8	–	·07	·14	–	–	–	–	–	–	·18	·02	·27		8
9	·03	·08	–	–	–	–	–	·02	–	·48	·60	·16		9
10	·09	–	–	–	–	·29	–	·35	·04	·09	–	–		10
11	·36	–	·24	–	·02	·12	–	–	–	·54	01	–		11
12	–	–	–	–	·26	·45	–	–	·02	·02	–	–		12
13	–	–	·08	–	–	–	–	–	·05	1·80	–	·13		13
14	·61	–	·04	–	·12	–	·11	–	·15	·21	·33	·02		14
15	·21	·02	–	–	1·21	–	–	–	·37	·81	·13	–		15
16	·23	–	·11	·02	·31	·09	·20	–	·08	·14	·31	–		16
17	·14	·10	·06	–	–	–	–	–	·06	–	·02	–		17
18	·18	–	·16	–	–	–	·20	–	–	·59	·44	–		18
19	·15	·02	·04	–	–	–	·29	–	·10	1·12	–	02		19
20	·24	–	·01	–	–	–	–	–	1·35	·14	–	·05		20
21	·09	–	·13	–	–	–	–	–	·47	–	–	–		21
22	·12	·15	·09	–	–	·33	·28	–	·16	–	·05	–		22
23	–	–	·08	·06	–	·03	·04	·09	·08	16	·28	–		23
24	·03	·10	·02	·31	–	·04	·47	–	·09	–	–	–		24
25	1·42	·19	·13	–	–	–	·15	–	–	–	·76	·02		25
26	·16	–	·29	–	–	–	·35	–	–	·61	–	·02		26
27	13	·05	·08	·01	–	–	–	–	–	2·35	·42	–		27
28	–	·34	·14	–	–	–	–	–	–	1·55	·12	·02		28
29	–	–	–	·34	–	–	–	–	–	01	02	–		29
30	–	×	–	·54	–	·08	–	·06	–	–	–	–		30
31	–	×	–	×	–	×	·09	–	×	–	×	–		31
TOTAL	5·24	1·23	2·19	2·54	2·43	1·43	2·64	1·61	3·02	12·41	4·94	1·31	Year's Total 40·99	✓
* Days with .01 in. or more.	22	12	21	10	7	8	13	7	13	23	20	14	170	✓
* Days with .04 in. or more.	19	9	17	8	5	7	12	6	12	21	16	8	140	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W Elwin Napier

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No 293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at UPTON HOUSE WORD

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground [illegible] ft. 12 in.

,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01	–	·03	–	–	–	–	–	–	–			1
2	–	–	–	·11	–	–	–	–	–	·44	·50	·13		2
3	–	·23	–	·02	–	–	·07	–	–	·01	1·38	·15		3
4	–	·03	–	·08	–	–	–	–	–	·10	·05	·08		4
5	–	–	–	–	–	–	–	–	–	·02	·75	·15		5
6	·09	·03	–	–	–	–	·16	–	–	·42	·04	–		6
7	·28	·05	–	–	–	–	·18	–	–	–	–	–		7
8	–	–	–	–	–	–	·05	–	·29	·32	–	·20		8
9	–	–	–	·03	–	–	–	–	·27	·16	·18	·13		9
10	–	–	–	–	–	–	·11	–	·02	·36	·08	·05		10
11	–	·09	–	·09	–	–	·04	–	–	–	·89	–		11
12	–	·08	·15	–	–	–	·05	–	·13	–	–	–		12
13	–	·14	·28	·08	–	·08	–	–	·07	–	1·00	–		13
14	–	–	·30	–	–	–	–	–	–	·01	–	·35		14
15	–	–		–	·07	–	·12	–	–	–	·43	·01		15
16	·21	·15	·18	–	–	·09	·40	–	07	·69	·42	–		16
17	–	–	·37	–	–	–	03	–	–		·29	–		17
18	·14	·38	·22	·48	–	–	·13	–	–	·13	·05	·21		18
19		·13	·12	–	–	–	·01	·04	·84	–	·07	·03		19
20	·07	02	·04	–	–	·03	–	·04	·07	–	·17	–		20
21	·18	–	–	–	05	–	·36	–	·03	–	·24	–		21
22	–	–	–	–	–	–	–	–	·04	·03	–	–		22
23	–	·13	–	·04	–	–	·04	–	–	–	–	–		23
24	–	–	–	·09	–	–	·14	–	–	·01	–	–		24
25	–	–	·50	–	–	–	·27	–	–	–	–	·02		25
26	·73	·18	·47	–	–	–	–	–	–	·40	–	·03		26
27	–	·03		–	·03	–	·13	·07	–	·04	–	–		27
28	–	–		–	·17	–	–	–	–	–	–	–		28
29	·27	–	·08	–	–	–	–	–	·11	–	·20	·14		29
30	·05	✕	–	–	–	–	–	–	–	·04	–	·04		30
31	·18	✕	–	✕	–	✕	–	–	✕	·43	✕	·05		31
TOTAL	2·20	1·68	2·71	1·05	·32	·20	2·29	·15	1·94	3·61	6·74	1·77	Year's Total 24·66	
* Days with .01 in. or more.	10	15	11	10	4	3	17	3	11	17	17	16	134	
* Days with .04 in. or more.	10	10	11	7	3	2	15	3	9	12	17	12	111	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. Elwin Napier

[P.T.O.

Section **A** for the entry
AIR MINIST

294

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

FORM 1090.

REGIS

31.

Kept at Felder Lodge

in the County of

294

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

„ Ground „ Sea

294

WORTH

FELDER LODGE

1931 - 1940

780106

THE MORNING MEAS AY.

An observer who does not conform t *he following*
year in the space on the right of t

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	tr	.05	.02	.03	–	–	–	.40	tr	–	–	tr	1
2	.10	.11	tr	.03	.09	–	tr	tr	.23	–	tr	tr	2
3	.17	.18	tr	tr	.71	–	–	.18	.26	–	tr	.04	3
4	tr	tr	–	tr	.01	–	–	.06	.16	–	.09	–	4
5	–	–	–	.18	–	.41	.42	.05	tr	–	tr	.03	5
6	.02	tr	–	.01	–	tr	–	.06	–	.18	.11	–	6
7	.03	.02	–	tr	–	.02	tr	.01	.07	.09	.03	–	7
8	.02	.04	.10	–	–	.06	–	.09	–	tr	.04	.08	8
9	.01	.04	.04	–	–	tr	.02	tr	–	–	.58	.03	9
10	.02	.12	.01	–	–	.02	tr	.05	–	–	1.06	.06	10
11	.14	.43	–	–	–	–	tr	–	.01	tr	.24	.03	11
12	.13	tr	–	tr	–	–	.02	tr	.30	–	–	.01	12
13	.52	.03	–	–	.06	–	–	.04	–	–	tr	tr	13
14	.01	.05	–	–	–	.01	.63	.70	–	–	tr	–	14
15	.02	.03	–	.17	.04	–	.48	.30	–	–	–	.05	15
16	.03	.07	–	.18	.14	tr	.33	.05	.01	–	–	tr	16
17	–	.04	–	.20	tr	–	.11	.06	–	tr	–	.07	17
18	tr	.38	–	.40	–	.03	.03	.09	.13	.01	.24	.01	18
19	.02	tr	–	.52	–	.01	.59	.43	–	–	.02	tr	19
20	tr	.05	–	.04	.06	–	.17	.39	.01	.02	–	.01	20
21	tr	.08	–	–	.47	–	.03	.01	.14	–	tr	–	21
22	.08	tr	.07	tr	tr	–	tr	tr	.09	–	tr	–	22
23	.72	.17	.04	–	.02	.03	–	–	.04	tr	.05	tr	23
24	tr	tr	tr	.06	.01	.02	tr	.40	tr	–	–	tr	24
25	.08	tr	–	.34	–	–	.20	tr	tr	.12	.01	tr	25
26	–	.07	tr	.20	.01	–	.24	–	.01	.06	.21	–	26
27	.12	.13	–	.07	.29	–	.05	–	–	–	.20	–	27
28	.18	.13	–	.03	.01	–	–	tr	–	.02	tr	.11	28
29	-10	X	–	.03	–	–	.03	–	–	.24	.11	.05	29
30	.05	X	–	tr	.15	–	.02	tr	–	tr	tr	tr	30
31	.18	X	–	X	–	X	–	–	X	–	X	–	31
TOTAL	2.75	2.22	.28	2.49	2.07	.61	3.37	3.37	1.46	.74	2.99	.58	YEAR'S TOTAL 22.93
*Days with ·01 in. or more.	22	20	6	16	14	9	16	18	13	8	14	13	169
*Days with ·04 in. or more.	13	17	4	11	9	2	10	16	9	5	11	7	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. S. Campbell

[P.T.O.

294

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Felder Lodge, Worth

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

„ Ground „ Sea Level 26 ft.

Station No. 294

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	tr	.05	.02	.03	–	–	–	.40	tr	–	–	tr	1
2	.10	.11	tr	.03	.09	–	tr	tr	.23	–	tr	tr	2
3	.17	.18	tr	tr	.71	–	–	.18	.26	–	tr	.04	3
4	tr	tr	–	tr	.01	–	–	.06	.16	–	.09	–	4
5	–	–	–	.18	–	.41	.42	.05	tr	–	tr	.03	5
6	.02	tr	–	.01	–	tr	–	.06	–	.18	.11	–	6
7	.03	.02	–	tr	–	.02	tr	.01	.07	.09	.03	–	7
8	.02	.04	.10	–	–	.06	–	.09	–	tr	.04	.08	8
9	.01	.04	.04	–	–	tr	.02	tr	–	–	.58	.03	9
10	.02	.12	.01	–	–	.02	tr	.05	–	–	1.06	.06	10
11	.14	.43	–	–	–	–	tr	–	.01	tr	.24	.03	11
12	.13	tr	–	tr	–	–	.02	tr	.30	–	–	.01	12
13	.52	.03	–	–	.06	–	–	.04	–	–	tr	tr	13
14	.01	.05	–	–	–	.01	.63	.70	–	–	tr	–	14
15	.02	.03	–	.17	.04	–	.48	.30	–	–	–	.05	15
16	.03	.07	–	.18	.14	tr	.33	.05	.01	–	–	tr	16
17	–	.04	–	.20	tr	–	.11	.06	–	tr	–	.07	17
18	tr	.38	–	.40	–	.03	.03	.09	.13	.01	.24	.01	18
19	.02	tr	–	.52	–	.01	.59	.43	–	–	.02	tr	19
20	tr	.05	–	.04	.06	–	.17	.39	.01	.02	–	.01	20
21	tr	.08	–	–	.47	–	.03	.01	.14	–	tr	–	21
22	.08	tr	.07	tr	tr	–	tr	tr	.09	–	tr	–	22
23	.72	.17	.04	–	.02	.03	–	–	.04	tr	.05	tr	23
24	tr	tr	tr	.06	.01	.02	tr	.40	tr	–	–	tr	24
25	.08	tr	–	.34	–	–	.20	tr	tr	.12	.01	tr	25
26	–	.07	tr	.20	.01	–	.24	–	.01	.06	.21	–	26
27	.12	.13	–	.07	.29	–	.05	–	–	–	.20	–	27
28	.18	.13	–	.03	.01	–	–	tr	–	.02	tr	.11	28
29	.10	X	–	.03	–	–	.03	–	–	.24	.11	.05	29
30	.05	X	–	tr	.15	–	.02	tr	–	tr	tr	tr	30
31	.18	X	–	X	–	X	–	–	X	–	X	–	31
TOTAL	2.75	2.22	.28	2.49	2.07	.61	3.37	3.37	1.46	.74	2.99	.58	YEAR'S TOTAL 22.93
*Days with ·01 in. or more.	22	20	6	16	14	9	16	18	13	8	14	13	169
*Days with ·04 in. or more.	13	17	4	11	9	2	10	16	9	5	11	7	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. S. Campbell [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 294

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

2

Kept at Felder Lodge, Worth

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 26 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.02	–	.04	.27	tr	.01	.01	tr	.12	.03	.03	1
2	.02	–	–	.18	.06	–	tr	.02	tr	.01	tr	.09	2
3	–	–	tr	.11	.15	.34	–	.01	.24	.01	–	–	3
4	tr	tr	tr	tr	.01	.06	–	.02	tr	–	tr	tr	4
5	.08	.02	.01	tr	.04	.02	.16	tr	.01	–	–	–	5
6	.40	–	.04	.14	.02	tr	–	–	tr	–	–	.03	6
7	tr	tr	.09	.01	–	–	.02	–	tr	–	.01	.04	7
8	–	.12	.03	.03	.14	tr	–	–	.01	.40	tr	–	8
9	.08	.11	.02	.04	.56	–	–	–	–	.39	–	–	9
10	.41	tr	tr	.19	.07	–	–	–	tr	.04	–	–	10
11	.22	.15	tr	.16	.01	.09	.01	–	tr	.23	–	tr	11
12	.10	tr	–	.03	–	tr	–	.09	–	.26	–	tr	12
13	.04	–	–	.06	.02	–	tr	–	–	.88	–	tr	13
14	.10	tr	–	.07	.09	–	–	.08	–	.24	–	tr	14
15	tr	.02	–	.08	.17	–	.02	tr	–	.06	–	tr	15
16	.02	tr	–	.11	tr	–	tr	–	tr	tr	–	tr	16
17	–	.02	tr	.01	–	–	.05	–	–	.02	–	–	17
18	–	–	–	–	tr	tr	.03	–	.05	–	.07	–	18
19	–	.01	–	–	–	–	–	–	–	.12	.10	tr	19
20	–	.03	–	.03	.06	tr	.06	.01	.01	.74	.19	–	20
21	tr	.01	tr	–	.04	.01	tr	.01	–	.14	tr	.11	21
22	tr	tr	.47	–	.10	–	.07	.02	.51	.20	.23	.03	22
23	–	.11	tr	.16	.11	–	–	–	.31	.97	.06	.04	23
24	tr	.02	–	–	.01	tr	.59	–	.11	.04	.03	tr	24
25	tr	.04	–	–	–	–	1.89	–	.24	.23	tr	tr	25
26	–	–	–	.04	.01	–	.09	.76	–	.03	.01	tr	26
27	–	–	.26	.10	.12	–	.12	–	.26	.74	.11	.03	27
28	–	–	–	.01	.02	–	.16	–	–	.29	tr	tr	28
29	–	–	.32	.16	tr	–	tr	.15	.02	.46	tr	tr	29
30	tr	×	.01	.17	–	.49	–	.09	.01	.03	.01	.05	30
31	tr	×	.01	×	tr	×	tr	.01	×	tr	×	.02	31
TOTAL	1.54	.68	1.26	1.93	2.08	1.01	3.28	1.28	1.78	6.65	.85	.47	YEAR'S TOTAL 22.81
*Days with .01 in. or more.	11	13	10	22	21	6	14	13	12	24	11	10	167
*Days with .04 in. or more.	9	5	5	16	14	4	9	5	7	19	6	5	104

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. S. Campbell

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 294

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Felder Lodge, Worth

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 26 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr	·19	·08	tr	–	–	–	–	tr	tr	·03	–		1
2	·13	–	·24	tr	·33	–	tr	–	–	·02	·06	–		2
3	tr	·09	·18	–	tr	–	–	–	–	·12	·25	–		3
4	·02	·01	tr	–	–	–	–	–	–	tr	·49	–		4
5	·28	tr	·13	–	·02	–	tr	–	–	tr	tr	–		5
6	tr	·05	·09	–	·35	–	–	–	–	·02	·11	tr		6
7	·41	·01	·04	·05	·05	–	–	–	–	·49	·01	·03		7
8	·17	tr	–	–	·03	–	·12	–	–	–	tr	–		8
9	tr	tr	–	tr	·06	tr	tr	–	–	tr	·08	–		9
10	tr	·12	–	–	·01	·03	·01	tr	–	·23	·01	–		10
11	·11	·02	–	–	·03	·06	tr	·04	·91	–	·05	tr		11
12	tr	–	–	tr	tr	·49	·32	–	·72	tr	·25	tr		12
13	·01	–	–	–	·23	·11	·14	tr	·62	–	·27	–		13
14	tr	–	–	–	·05	tr	tr	tr	tr	·14	·15	·04		14
15	·13	·01	·03	–	–	–	·26	·04	–	·01	·15	·12		15
16	·18	tr	·42	–	·01	·14	·13	–	–	·03	·03	tr		16
17	·46	tr	·09	–	–	·05	tr	·01	·12	–	tr	–		17
18	·03	·03	·02	·03	–	·29	tr	–	tr	–	tr	–		18
19	tr	·09	·09	·09	–	·24	–	tr	·07	–	tr	tr		19
20	–	·07	·01	·07	–	·11	–	tr	·24	–	–	·02		20
21	–	·12	–	tr	–	–	–	·06	2·14	·01	tr	–		21
22	–	·01	–	–	–	tr	–	·20	·16	·33	tr	tr		22
23	–	tr	–	·04	tr	tr	–	–	·57	tr	tr	–		23
24	–	·07	–	·11	·04	·08	–	–	1·55	tr	·22	–		24
25	–	tr	–	·23	·02	tr	–	–	·03	·05	·21	·04		25
26	–	·12	–	tr	–	·35	–	–	·08	·01	·12	·29		26
27	–	·08	–	tr	·11	–	tr	–	tr	·21	·01	·08		27
28	–	–	–	–	–	·04	·05	–	tr	·20	–	·04		28
29	tr	×	–	–	·01	–	·21	–	tr	·01	–	tr		29
30	·04	×	·01	tr	–	–	·01	–	tr	·05	tr	·09		30
31	·03	×	–	×	–	×	tr	·05	×	tr	×	tr		31
TOTAL	2·00	1·09	1.43	·62	1.35	1·99	1·25	·40	6·31	1·93	2·50	·75	Year's Total 21.62	
*Days with ·01 in. or more.	13	16	13	7	15	12	9	6	12	16	18	9	146	
*Days with .04 in. or more.	9	10	9	6	8	11	7	5	10	9	13	7	104	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Campbell

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 294

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Felder Lodge, Worth

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 26 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	tr	tr	tr	–	.01	–	.25	tr	.15	–	.06		1
2	.01	–	.13	.04	tr	–	–	tr	.22	.91	–	.21		2
3	tr	.04	–	tr	.41	tr	–	–	.03	.41	.02	.03		3
4	.11	tr	tr	–	.29	tr	–	–	tr	.20	.10	.36		4
5	tr	.02	.01	tr	.05	.10	–	tr	–	tr	.15	.11		5
6	tr	–	.27	.18	.17	.22	–	.03	–	.16	.16	.28		6
7	.02	tr	tr	.01	tr	tr	–	.01	–	.07	–	.16		7
8	–	–	–	.44	.31	–	–	.02	.01	tr ~~[illegible]~~	.81	.01		8
9	–	–	.04	.02	tr	–	–	tr	–	tr	.27	.11		9
10	–	tr	.16	.14	–	–	–	.02	–	.02	.09	–		10
11	.73	tr	.42	.12	–	–	tr	.06	–	–	.01	.38		11
12	.19	tr	.18	–	–	–	.08	.17	–	tr	tr	.21		12
13	.39	–	.14	tr	–	–	tr	.19	–	tr	–	.04		13
14	.33	–	.42	.09	.01	tr	.32	.02	–	.12	.09	.24		14
15	.01	tr	tr	tr	tr	–	tr	–	–	tr	.12	.26		15
16	.04	tr	.27	.05	.13	–	–	–	–	tr	tr	.01		16
17	.04	tr	.48	.04	.03	–	–	–	.11	.12	.14	.16		17
18	.05	–	.02	.08	–	–	–	–	tr	tr	.15	.41		18
19	–	–	.34	tr	–	tr	–	–	.16	tr	tr	.17		19
20	tr	–	.24	tr	tr	tr	.20	tr	tr	tr	tr	–		20
21	–	–	tr	.16	tr	.03	tr	–	–	tr	tr	tr		21
22	–	tr	–	–	–	–	tr	.12	.11	.05	–	tr		22
23	–	–	–	.28	–	.11	tr	tr	–	.02	tr	.15		23
24	tr	tr	–	.16	–	.05	.26	.54	.08	tr	tr	tr		24
25	.02	tr	–	.14	tr	–	–	.08	–	.01	–	.25		25
26	.02	tr	–	.02	tr	.03	–	tr	tr	–	–	.10		26
27	.02	.08	–	.03	–	.26	–	–	–	–	–	.23		27
28	.01	.07	–	–	–	.02	tr	.43	–	tr	.06	.19		28
29	–	X	–	–	–	tr	.28	.26	.14	–	.02	.02		29
30	.10	X	–	tr	–	–	.06	.09	tr	–	–	.08		30
31	.04	X	tr	X	–	X	.03	.01	X	.06	X	.33		31
TOTAL	2.13	.21	3.12	2.00	1.40 ~~1.40~~	.83	1.23	2.30	.86	2.30	2.19	4.56	Year's Total 23.13	
*Days with .01 in. or more.	17	4	14	17	8	9	7	16	8	13	14	26	153	
*Days with .04 in. or more.	10	3	12	13	6	5	6	10	6	10	11	22	114	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) J. A. Campbell

[P. T. O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 294

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Felder Lodge, Worth

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 26 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.26	.04	.01	.03	–	.13	tr	–	.17	.12	.06	.03		1
2	.11	–	tr	.04	–	–	tr	–	.02	.32	tr	–		2
3	.05	.03	.16	.16	–	tr	tr	–	.03	.28	.08 ~~.08~~	.02		3
4	tr	.06	tr	.18	–	.07	–	–	.26	.34	.07	tr		4
5	–	.33	tr	.09	–	.04	tr	–	.65	.26	.03	tr		5
6	.42	.04	–	.20	–	.12	–	–	.01	.34	.17	.05		6
7	.21	.05	.03	.17	–	.24	–	–	–	.05	.98	.03		7
8	tr	–	.01	.34	tr	–	–	.61	–	.31	.09	.07		8
9	–	tr	–	.06	–	.98	–	tr	–	.47	.44	.09		9
10	.08	.04	–	tr	–	.14	–	–	–	tr	.04	tr		10
11	.06	tr	–	.03	–	.02	–	–	–	–	.25	–		11
12	tr	.01	–	–	.02	.03	–	.75	tr	–	.53	–		12
13	.02	.12	–	.18	.03	.02	–	–	.03	tr	.36	.02		13
14	.01	–	–	.05	.56	tr	–	–	.01	tr	.01	.12		14
15	–	.08	–	.46	.05	.02	–	–	.24	tr	.05	.06		15
16	tr	.05	tr	.27	tr	.07	–	–	.32	tr	.73	.02		16
17	.06	–	tr	.14	.01	.27	tr	.01	.01	–	.28	tr		17
18	tr	–	–	.08	tr	tr	.13	tr	.26	.07	.01	.01		18
19	tr	–	–	.03	.29	.06	.03	tr	.04	tr	.03	.04		19
20	.02	.44	–	.04	tr	.05	.10	–	tr	–	.08 ~~.08~~	–		20
21	.05	.29	–	.03	–	–	tr	–	.02	.05	.11	–		21
22	tr	.06	tr	–	–	–	–	tr	.18	–	.43	–		22
23	–	.01	.01	–	.02	–	–	.02	.01	–	.18	.09		23
24	.07	.58	tr	tr	.21	–	–	.20	.49	.11	tr	.36		24
25	.33	.12	–	.21	tr	.53	tr	–	–	.14	.04	.27		25
26	.17	tr	–	–	.23	.03	–	.05	tr	.13	.02	.29		26
27	.29	.36	–	tr	.40	–	–	.40	.10	.01	.03	.20		27
28	.16	.33	–	–	tr	–	tr	.02	tr	.08	tr	.17		28
29	.01	×	tr	–	tr	–	–	.02	.42	tr	–	.44		29
30	.12	×	tr	–	tr	–	–	.78	.24	.05	.37	.27		30
31	tr	×	–	×	tr	×	–	tr	×	.16	×	.46		31
TOTAL	2.50	3.04	.22	2.79	1.82	2.82	.26	2.86	3.51	3.29	5.47	3.11	Year's Total. 31.69	
* Days with .01 in. or more.	19	19	5	20	10	17	3	10	20	18	26	21	188	
* Days with .04 in. or more.	15	16	~~2~~ 1	16	6	12	2	6	12	17	20	15	138	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) J. S. Campbell

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 294

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Felder Lodge, Worth

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 26 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.34	.21	.09	.12	tr	.27	.09	.04	–	tr	.02	.09		1
2	.05	.12	.05	tr	tr	.13	.01	.04	–	.01	tr	.22		2
3	tr	.05	tr	.35	.05	–	.02	–	.18	–	.35	tr		3
4	–	tr	.04	tr	–	.18	–	tr	.12	tr	.08	.01		4
5	.14	–	tr	.01	–	–	–	.03	.08	.12	.17	.04		5
6	.17	–	–	tr	–	.04	–	.01	.23	.61	.37	tr		6
7	.14	–	.04	tr	tr	.01	.04	.02	.03	.16	.47	–		7
8	.24	–	.05	tr	–	–	.20	–	.07	tr	.69	.29		8
9	.35	–	.10	–	.04	–	.58	.09	tr	tr	.40	tr		9
10	tr	–	tr	.01	–	.02	.09	.88	.01	.12	tr	–		10
11	–	–	–	.20	–	–	.27	.34	–	tr	.58	–		11
12	–	–	–	.12	–	.01	.13	tr	.01	tr	.27	.18		12
13	tr	–	–	tr	.01	.02	.01	.02	–	.01	tr	.23		13
14	tr	.02	–	.02	–	.03	.83	–	–	.05	.10	.40		14
15	tr	.07	–	tr	–	tr	.03	–	.20	–	tr	.41		15
16	.43	.09	–	tr	–	–	tr	–	.03	–	.38	.22		16
17	.12	.86	–	–	–	.04	tr	tr	tr	.04	.31	.23		17
18	.07	.14	–	–	–	.04	.24	.01	.26	.03	.41	.06		18
19	.11	.03	tr	–	–	.34	tr	.09	tr	.05	.01	tr		19
20	.24	.09	tr	.39	tr	–	tr	–	1.06	.03	–	–		20
21	–	.02	–	.20	tr	.11	.02	–	.01	–	–	–		21
22	.11	.43	.01	.02	–	.02	.05	–	tr	–	tr	.16		22
23	.03	.02	tr	.08	tr	–	.27	–	–	.02	–	tr		23
24	.09	.10	–	tr	–	–	tr	–	.02	.12	tr	tr		24
25	.44	.11	.07	.07	–	.28	.02	tr	.32	.04	tr	tr		25
26	tr	.10	.06	tr	–	–	.06	tr	.05	.14	–	tr		26
27	.09	.48	.07	–	tr	–	.60	–	1.07	.04	tr	–		27
28	.39	tr	.03	–	tr	.49	.38	–	.32	–	tr	.02		28
29	.02	.02	.08	–	tr	.34	tr	–	.05	.03	.12	tr		29
30	.11	✕	–	tr	.07	.10	.01	–	tr	.02	–	–		30
31	.24	✕	.17	✕	tr	✕	.12	–	✕	.43	✕	.04		31
TOTAL	3.92	2.96	.86	1.59	.17	2.47	4.07	1.57	4.12	2.07	4.73	2.60	Year's Total 31.13 ✓	
* Days with .01 in. or more.	21	18	13	12	4	18	22	11	19	19	16	15	188 ✓	
* Days with .04 in. or more.	19	13	11	8	3	12	15	6	13	12	14	13	139 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. S. Campbell [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 294

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Felder Lodge, Worth

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 30 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.47	·11	tr	.06	tr	—	tr	—	—	—	·39	·19		1
2	.01	.10	·14	·25	—	—	—	—	—	.01	tr	.64		2
3	tr	·06	—	tr	—	—	—	—	tr	—	tr	·50		3
4	.09	·73	—	tr	—	—	—	—	—	·43	—	·33		4
5	.16	.11	.55	—	tr	—	.15	—	—	·19	tr	·16		5
6	.08	tr	·49	—	·12	—	.02	—	—	·04	—	tr		6
7	tr	·59	.07	·04	.08	—	—	—	tr	tr	—	.03		7
8	tr	.05	.31	tr	tr	·15	—	—	—	·03	·23	·63		8
9	—	.07	·17	·58	.06	.01	·07	·07	·14	.01	—	·34		9
10	—	tr	·48	.07	.10	.63	.10	tr	—	—	tr	·44		10
11	—	tr	.34	.01	.11	—	·11	—	tr	.03	—	.35		11
12	.07	·28	·17	—	·88	—	tr	·26	·16	.02	—	.01		12
13	·48	·03	.46	tr	tr	.14	tr	.09	·34	—	—	·97		13
14	·23	.01	.16	tr	·58	tr	—	.26	·05	tr	—	·34		14
15	·06	·05	—	·11	.08	.05	·64	—	.03	—	tr	tr		15
16	·01	.03	·13	·13	tr	tr	·01	·35	·31	—	—	·63		16
17	·29	—	·02	·22	tr	.42	—	—	·50	—	·37	tr		17
18	.32	·09	tr	·03	·31	·12	—	—	.76	—	·06	—		18
19	·06	·03	tr	·14	tr	·09	tr	—	.41	—	—	·03		19
20	·55	—	·46	·20	1.03	·12	—	tr	·03	—	—	tr		20
21	·33	·49	·28	.02	·02	—	·02	·27	.03	—	tr	.01		21
22	·34	·05	·02	tr	.03	—	tr	—	—	·64	·02	·09		22
23	·04	tr	tr	—	—	—	tr	—	tr	·67	tr	tr		23
24	.58	·27	·04	—	—	tr	—	tr	·09	·10	·01	·01		24
25	·23	·37	·28	tr	tr	—	—	—	·12	·07	—	.02		25
26	tr	·28	·11	tr	.07	—	—	—	—	·46	tr	tr		26
27	—	·17	·03	·14	—	—	—	—	.01	·08	.04	tr		27
28	·06	·33	·07	.02	—	·04	tr	—	—	·02	tr	·15		28
29	·05	×	·08	tr	—	.01	—	—	—	·05	.05	tr		29
30	·24	✕	tr	tr	—	tr	tr	—	—	·03	.08	·11		30
31	·33	✕	—	✕	—	✕	.02	—	✕	·08	✕	·07		31
TOTAL	5·08	4·30	4·86	2·02	3·47	1·78	1·14	1·30	2·98	2·96	1·25	6·05	Year's Total 37·19	✓
* Days with .01 in. or more.	23	22	22	15	13	11	9	6	14	18	9	22	184	✓
* Days with .04 in. or more.	21	18	19	11	11	9	5	6	10	11	7	16	144	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) J. S. Campbell [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 294

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Felder Lodge, Worth

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 1 0 in.

,, Ground ,, Sea Level 26 ft. ?

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	tr	.02	–	.30	.59	.01	–	.32	.03	.03	.04		1
2	.03	–	–	.06	.14	–	.07	–	–	.37	tr	.02		2
3	tr	–	–	–	.17	–	.39	–	–	.94	tr	–		3
4	.07	–	–	–	–	.05	.13	1.45	tr	.07	–	.09		4
5	tr	–	–	tr	–	–	.62	tr	tr	.48	tr	.03		5
6	.07	tr	–	–	–	–	.09	.25	.03	tr	tr	.01		6
7	tr	–	–	–	–	tr	.59	.97	.03	.22	tr	.08		7
8	.19	tr	–	tr	–	tr	.11	tr	.12	.11	–	tr		8
9	.27	.03	–	tr	–	–	.04	.28	.01	.05	–	.55		9
10	.18	.09	–	–	–	.03	tr	.02	.02	–	–	.19		10
11	.18	.03	–	–	–	tr	tr	–	tr	tr	.09	.04		11
12	.16	.08	–	–	–	–	.03	–	–	.09	.01	.03		12
13	.44	.21	–	–	–	–	–	.09	–	.02	.03	.01		13
14	.14	.03	–	–	.06	–	–	.03	.18	.03	.01	.06		14
15	.03	.06	–	–	tr	–	.31	–	tr	.03	tr	tr		15
16	.26	.02	tr	tr	.01	–	.27	–	–	.08	tr	.12		16
17	.04	.06	–	tr	.79	–	.02	–	tr	.07	.02	–		17
18	.02	.01	tr	.02	.04	tr	.02	–	.04	.03	.56	–		18
19	tr	–	–	.03	.03	–	tr	tr	.01	–	.06	.01		19
20	–	tr	–	.01	.02	–	–	–	.52	–	.48	.24		20
21	.03	–	–	.05	–	–	–	.07	.44	–	.20	.19		21
22	tr	–	–	.04	–	.02	–	tr	–	–	.21	.20		22
23	tr	–	–	.03	–	.01	–	–	tr	–	.02	.01		23
24	–	–	.13	tr	.09	–	–	–	.08	–	.33	.05		24
25	.08	–	.33	.03	.11	–	.13	–	.20	.02	.56	tr		25
26	.61	.13	.06	–	tr	–	.05	–	.53	.27	–	.28		26
27	.04	.07	tr	–	.23	.06	.11	–	.40	.38	.24	tr		27
28	.14	.03	tr	.04	.07	tr	tr	.15	.02	.08	tr	.02		28
29	.19	×	tr	.19	.24	–	–	–	tr	tr	.03	.33		29
30	.02		–	.26	.04	tr	–	.06	tr	.03	.35	tr		30
31	.23		–		.05		–	tr		.07		.16		31
TOTAL	3.46	.85	.54	.76	2.39	.76	2.99	3.37	2.95	3.47	3.23	2.76	Year's Total 27.53	
* Days with .01 in. or more.	23	13	4	11	16	6	17	10	16	21	17	23	177	
* Days with .04 in. or more.	18	7	3	6	13	3	13	8	10	14	10	15	120	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. D. Campbell

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 294

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Felder Lodge, Worth

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 26-36 ft. ?

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	—	.02	.07	.55	—	.39	.02	tr	.21	—	.01		1
2	.03	—	tr	—	.02	—	tr	.30	tr	.90	.05	—		2
3	.27	tr	—	.30	—	—	—	.08	—	.02	.18	.27		3
4	.15	—	.25	.09	—	—	tr	.65	.01	.12	.13	tr		4
5	tr	—	.03	.77	.01	—	.07	—	—	.10	.41	.12		5
6	.31	—	.05	.01	—	—	tr	—	tr	.09	.23	.02		6
7	.11	.09	—	—	—	—	tr	tr	—	.07	.29	.04		7
8	tr	.06	.27	—	—	—	tr	—	—	.09	tr	.27		8
9	.03	.07	tr	—	—	—	—	.02	—	.53	.49	.15		9
10	.08	—	—	—	—	.21	tr	.31	.03	.05	tr	tr		10
11	.34	—	.28	tr	.03	.17	—	.03	tr	.49	tr	.03		11
12	—	—	—	—	.25	.46	—	tr	tr	.02	—	tr		12
13	—	tr	.08	tr	—	.02	—	—	.05	1.62	tr	.07		13
14	.64	—	.05	tr	.12	tr	.10	—	.13	.21	.31	.01		14
15	.19	tr	.01	tr	1.18	.01	—	—	.28	.86	.09	tr		15
16	.20	—	.12	.02	.33	.07	.17	—	.10	.11	.30	—		16
17	.12	.08	.06	.03	tr	—	tr	—	.03	—	.03	—		17
18	.16	tr	.13	—	—	.01	.16	—	.06	.61	.42	—		18
19	.15	tr	.04	—	—	tr	.26	—	.07	1.22	tr	tr		19
20	.26	tr	tr	—	—	—	.03	—	1.17	—	—	.04		20
21	.09	—	.11	—	—	.03	—	—	.62	.12	—	—		21
22	.12	.15	.10	tr	—	.28	.24	—	.19	—	.03	—		22
23	.01	.02	.07	.04	—	.03	.02	.09	.06	.14	.24	—		23
24	.03	.09	.01	.32	—	.04	.41	.01	.09	tr	.03	—		24
25	1.37	.21	.12	tr	—	tr	.10	tr	—	—	.40	.02		25
26	.15	tr	.32	—	—	—	.39	—	—	.60	.29	.02		26
27	.14	.05	.07	tr	—	tr	tr	—	.01	2.25	.44	—		27
28	tr	.37	.13	tr	tr	.02	—	—	—	1.58	.09	.02		28
29	tr	×	tr	.35	—	tr	—	—	—	.01	.02	—		29
30	—	✕	—	.59	tr	.06	.03	—	—	tr	.02	tr		30
31	—	✕	—	✕	—	✕	.06	.06	✕	—	✕	—		31
TOTAL	5.01	1.19	2.32	2.59	2.49	1.41	2.43	1.57	2.90	11.92	4.49	1.09	Year's Total 39.41	✓
* Days with .01 in. or more.	23	10	21	11	8	13	14	10	15	24	21	14	184	✓
* Days with .04 in. or more.	19	9	17	8	5	7	11	6	11	21	16	7	137	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. S. Campbell [P.T.O.]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 294

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Felder Lodge, Worth

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 36 ft. ?

Dupe.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.02	–	.02	–									1
2	–	.02	–	.06	–									2
3	tr	.16	–	.04	–									3
4	–	.02	–	.07	–									4
5	–	tr	–	–	–									5
6	.07	.03	–	–	tr									6
7	.25	.06	–	tr	–									7
8	tr	.02	–	tr	–									8
9	–	–	–	.02	–									9
10	–	–	–	–	–									10
11	–	.03	tr	.06	–									11
12	–	.13	.11	.03	–									12
13	–	.14	.23	–	–									13
14	–	.02	.30	.07	–									14
15	tr	tr	tr	tr										15
16	.09	.15	.12	.03										16
17	.02	–	.37	–										17
18	.13	.36	.20	.41										18
19	tr	.11	.10	–	.13									19
20	.08	tr	.04	–										20
21	.09	–	tr	–										21
22	.03	–	.01	–										22
23	–	.11	–	.04	tr									23
24	–	tr	tr	.08	–									24
25	–	–	.43	–	–									25
26	.74	.14	.53	–	tr									26
27	.03	.06	–	tr	.03									27
28	.02	tr	–	tr	.16									28
29	.11	–	.06	–	–									29
30		×	tr	.02	–									30
31	.10	×	–	×		×			×		×			31
TOTAL	1.76	1.58	2.50	.95	.32	·19	2·17	·16	1·86	3·40	6·57	1·60	Year's Total 23·06	
* Days with .01 in. or more.	14	17	12	13										
* Days with .04 in. or more.	10	10	11	8										

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. T. Campbell

[P.T.O.

295

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIST

/ .

Kept at Margate Wa

in the County of Kent

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to t
year in the space on the right of this

ollowing

Jan. 1, following

295

WINGHAM - MARGATE W.W

1931 - 1940

780106

the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·08	—	·07	—	—	—	·31	—	—	—	—	1
2	·15	·09	—	·10	·35	—	—	·20	·40	—	—	—	2
3	·15	·08	·02	·01	·55	—	—	—	·37	—	—	·08	3
4	—	—	—	—	—	—	—	·05	·14	—	·07	—	4
5	—	—	—	—	—	·40	·12	·14	·03	—	—	·04	5
6	—	—	—	—	—	—	—	·04	—	·20	·15	—	6
7	·03	·03	—	—	—	·01	·35	·04	·03	·05	—	—	7
8	—	·04	SNOW ·17	—	—	·08	·07	·05	—	·01	·05	·09	8
9	·02	—	—	—	—	·01	—	·08	·02	—	·78	·06	9
10	·03	·15	—	—	—	—	—	·06	—	—	1·24	·02	10
11	·11	·55	—	—	—	·03	—	—	·02	—	·23	—	11
12	·20	·02	—	·23	—	—	—	—	·31	—	—	·02	12
13	·20	·05	—	—	·13	—	·02	·10	—	—	—	—	13
14	·02	·06	—	—	—	·01	·70	·40	—	—	—	—	14
15	·02	·04	—	·15	·04	—	·38	·21	—	—	—	·10	15
16	—	·03	—	·17	·20	—	·02	·07	—	—	—	—	16
17	—	·08	—	·20	—	—	·16	·06	·02	—	—	·02	17
18	·01	·42	—	·37	—	·05	·12	·16	—	—	·26	—	18
19	·01	·02	—	·55	—	—	·28	·40	·15	—	·03	—	19
20	—	·07	—	·01	·04	·03	·28	·45	—	·03	—	·02	20
21	—	·05	—	·02	·59	—	—	·01	·16	—	—	—	21
22	·31	—	·05	·01	—	—	—	—	·38	—	—	—	22
23	·52	·17	—	—	·23	—	—	—	·07	—	·07	—	23
24	—	·01	·02	—	—	·05	—	·38	—	—	·01	—	24
25	·08	—	—	·70	—	—	·25	—	—	·06	—	—	25
26	—	·04	—	·18	·01	—	·31	—	—	·10	·22	—	26
27	·10	·16	—	·08	·32	—	—	—	—	—	·20	—	27
28	·16	SNOW ·15	—	·02	·05	—	·01	—	—	·01	—	·10	28
29	·15	×	—	·02	—	—	·03	—	—	·26	·05	·03	29
30	·03	×	—	—	·06	—	·03	—	—	—	—	—	30
31	·22	×	—	×	·02	×	—	—	×	—	×	—	31
TOTAL	2·52	2·39	·26	2·89	2·59	·67	3·13	3·21	2·10	·72	3·36	·58	YEAR'S TOTAL 24·42
*Days with ·01 in. or more.	20	22	4	17	13	9	16	19	13	8	13	11	165
*Days with ·04 in. or more.	12	17	2	11	11	4	11	18	8	5	11	6	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. H. Parker

P.T.O.

295

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Margate Waterworks

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 137·5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·08	—	·07	—	—	—	·31	—	—	—	—	1
2	·15	·09	—	·10	·35	—	—	·20	·40	—	—	—	2
3	·15	·08	·02	·01	·55	—	—	—	·37	—	—	·08	3
4	—	—	—	—	—	—	—	·05	·14	—	·07	—	4
5	—	—	—	—	—	·40	·12	·14	·03	—	—	·04	5
6	—	—	—	—	—	—	—	·04	—	·20	·15	—	6
7	·03	·03	—	—	—	·01	·35	·04	·03	·05	—	—	7
8	—	·04	SNOW ·17	—	—	·08	·07	·05	—	·01	·05	·09	8
9	·02	—	—	—	—	·01	—	·08	·02	—	·78	·06	9
10	·03	·15	—	—	—	—	—	·06	—	—	1·24	·02	10
11	·11	·55	—	—	—	·03	—	—	·02	—	·23	—	11
12	·20	·02	—	·23	—	—	—	—	·31	—	—	·02	12
13	·20	·05	—	—	·13	—	·02	·10	—	—	—	—	13
14	·02	·06	—	—	—	·01	·70	·40	—	—	—	—	14
15	·02	·04	—	·15	·04	—	·38	·21	—	—	—	·10	15
16	—	·03	—	·17	·20	—	·02	·07	—	—	—	—	16
17	—	·08	—	·20	—	—	·16	·06	·02	—	—	·02	17
18	·01	·42	—	·37	—	·05	·12	·16	—	—	·26	—	18
19	·01	·02	—	·55	—	—	·28	·40	·15	—	·03	—	19
20	—	·07	—	·01	·04	·03	·28	·45	—	·03	—	·02	20
21	—	·05	—	·02	·59	—	—	·01	·16	—	—	—	21
22	·31	—	·05	·01	—	—	—	—	·38	—	—	—	22
23	·52	·17	—	—	·23	—	—	—	·07	—	·07	—	23
24	—	·01	·02	—	—	·05	—	·38	—	—	·01	—	24
25	·08	—	—	·70	—	—	·25	—	—	·06	—	—	25
26	—	·04	—	·18	·01	—	·31	—	—	·10	·22	—	26
27	·10	·16	—	·08	·32	—	—	—	—	—	·20	—	27
28	·16	SNOW ·15	—	·02	·05	—	·01	—	—	·01	—	·10	28
29	·15	×	—	·02	—	—	·03	—	—	·26	·05	·03	29
30	·03	×	—	—	·06	—	·03	—	—	—	—	—	30
31	·22	×	—	×	·02	×	—	—	×	—	×	—	31
TOTAL	2·52	2·39	·26	2·89	2·59	·67	3·13	3·21	2·10	·72	3·36	·58	YEAR'S TOTAL 24·42
*Days with ·01 in. or more.	20	22	4	17	13	9	16	19	13	8	13	11	165
*Days with ·04 in. or more.	12	17	2	11	11	4	11	18	8	5	11	6	116

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. H. Parker

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Margate Waterworks

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 137·5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·04	—	·03	·63	—	—	·07	·01	·10	·02	·09	1
2	·02	—	—	·20	·03	—	—	—	—	·05	—	·15	2
3	—	—	—	·10	·16	·15	—	—	·25	·10	—	—	3
4	—	—	—	—	·02	·14	—	—	—	—	—	—	4
5	·12	·02	·01	—	·02	—	·25	—	·01	—	—	·01	5
6	·47	—	·01	·13	—	—	—	—	·02	—	—	·02	6
7	·01	—	·08	·01	—	—	·63	—	—	—	·02	·02	7
8	—	·04	·06	·05	·20	—	—	—	·02	·85	—	—	8
9	·12	—	SNOW ·08	·09	·40	—	—	—	—	·20	—	—	9
10	·56	·10	—	·23	·03	—	—	—	·03	·05	·03	·01	10
11	·35	SNOW ·13	SNOW ·01	·10	·01	·05	·05	—	—	·23	—	—	11
12	·12	—	—	·04	—	—	—	·06	—	·23	—	—	12
13	·03	—	—	·08	·03	—	—	—	—	·94	—	·01	13
14	·10	—	—	·10	·10	—	—	—	—	·02	—	—	14
15	—	·01	—	·10	·10	—	—	—	·01	·08	—	·01	15
16	·06	—	—	·16	·03	—	—	—	—	—	—	—	16
17	—	—	·02	·02	—	—	·18	—	—	—	—	—	17
18	—	—	—	—	—	—	·01	—	·08	—	·12	—	18
19	—	—	—	—	—	—	—	—	—	·12	·17	—	19
20	—	·01	—	·02	·08	—	·12	—	·02	·84	·22	—	20
21	—	—	—	·01	·08	·04	—	—	—	·20	—	·09	21
22	—	—	·36	—	·15	—	·16	·02	·92	·17	·27	—	22
23	—	·12	—	·11	·01	—	—	—	·20	·88	·19	·05	23
24	·01	—	—	—	·01	—	·73	—	·09	·04	·02	—	24
25	—	—	—	—	—	—	1·45	—	·17	·18	·02	—	25
26	—	—	—	·04	—	—	·10	·84	—	—	·04	—	26
27	—	—	·30	·12	·06	—	·07	—	·18	·88	·08	·04	27
28	—	—	—	·02	·02	—	·15	—	—	·19	·01	—	28
29	—	—	·31	·15	—	—	—	·20	·03	·48	—	—	29
30	—	×	·01	·23	—	·66	—	·04	·01	·02	·03	·04	30
31	—	×	·03	×	—	×	—	—	×	·01	×	·01	31
TOTAL	2·01	·47	1·28	2·14	2·17	1·04	3·90	1·23	2·05	6·83	1·24	·55	YEAR'S TOTAL 24·91
*Days with ·01 in. or more.	13	8	12	23	20	5	12	6	16	23	14	13	165
*Days with .04 in. or more.	9	4	6	17	10	5	11	5	7	20	7	6	107

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. H. Parker

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Margate Waterworks

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 137·5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·20	·06	—	—	—	—	—	—	—	·03	—		1
2	·17	—	—	—	·15	—	—	—	—	·06	·05	—		2
3	·01	·09	·45	—	—	—	—	—	—	·32	·16	—		3
4	·06	·01	—	—	—	—	—	—	—	—	·50	—		4
5	·25	—	·16	—	—	—	—	—	—	·01	·01	—		5
6	—	·05	·10	—	·33	—	—	—	—	·01	·10	—		6
7	·43	·01	·02	·01	·05	—	—	—	—	·68	·02	·06		7
8	·03	—	—	—	·05	—	·17	—	—	·05	—	—		8
9	·01	—	—	—	·04	—	·01	—	—	·03	·08	—		9
10	—	·20	—	—	·02	·03	·04	—	—	·21	·01	—		10
11	·12	·01	—	—	·03	·08	—	·12	·07	—	·05	—		11
12	—	—	—	·02	—	·57	·20	—	1·20	—	·22	—		12
13	—	—	—	—	·17	·27	·16	—	·67	—	·16	—		13
14	·02	—	—	—	·10	—	—	—	—	·08	·17	—		14
15	·13	·01	·05	—	—	—	·10	·13	—	—	·14	SNOW ·06		15
16	·16	—	·49	—	—	·19	·08	—	—	·02	·02	—		16
17	·03	—	·16	—	—	·03	·01	·02	·18	—	·01	—		17
18	·06	—	·05	·12	—	·29	—	—	—	—	—	—		18
19	—	SNOW ·07	·06	·20	—	·24	—	—	·03	—	—	·03		19
20	—	·06	—	·22	—	·06	—	—	·04	—	—	·01		20
21	—	SNOW ·13	—	—	—	—	—	·08	1·73	—	—	—		21
22	—	SNOW ·02	—	—	—	·26	—	·20	·05	·18	—	—		22
23	—	—	—	·05	·01	—	—	—	·53	·01	—	—		23
24	—	SNOW ·15	—	·12	·03	·05	—	—	·68	—	·22	—		24
25	—	—	—	·25	·02	—	—	—	·04	—	·23	·05		25
26	—	·30	—	·02	—	·60	—	—	·02	·03	·13	·23		26
27	—	·03	—	—	·09	—	—	—	—	·18	·01	·09		27
28	—	—	—	—	—	·01	·08	—	—	·14	—	·05		28
29	—	—	—	—	—	—	·10	—	—	—	—	—		29
30	·04	×	—	·04	—	—	·01	—	—	·08	—	·07		30
31	·06	×	—	×	—	×	—	·06	×	—	×	—		31
TOTAL	1·58	1·34	1·60	1·01	1·09	2·68	·96	·61	5·24	2·09	2·32	·66	Year's Total 21·1~~7~~8	
*Days with ·01 in. or more.	15	15	10	10	13	13	11	6	12	16	20	9	150	
*Days with .04 in. or more.	10	9	9	7	8	10	8	4	10	10	13	8	106	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. H. Parker.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Margate Waterworks,

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 137·5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·01	—	—	·02	—	·48	·05	·13	—	·10		1
2	·03	—	·14	·03	—	—	—	—	·36	·72	—	·22		2
3	·01	·05	—	·07	·45	—	—	·07	·02	·70	·03	·03		3
4	·14	—	—	·01	·20	·01	—	—	—	·28	·09	·54		4
5	·01	—	·03	—	·08	·02	—	—	—	—	·13	·15		5
6	—	—	·33	·34	·12	·36	—	·02	—	·17	·03	·35		6
7	·03	—	—	—	·30	—	—	·02	—	·05	—	·17		7
8	·01	—	—	·33	·01	—	—	·02	·02	—	1·52	—		8
9	—	—	·02	·01	—	—	—	—	—	—	·56	·17		9
10	—	—	·25	·16	—	—	—	·05	—	—	·13	·01		10
11	·73	—	·34	·18	—	—	—	·09	—	—	—	·42		11
12	·15	—	·20	—	—	—	·04	·18	·01	—	·01	·11		12
13	·41	—	·17	·07	—	—	—	·11	—	—	—	·03		13
14	·31	—	·50	·07	—	—	·07	·01	—	·07	·17	·28		14
15	·01	·01	—	—	—	—	—	—	—	—	·20	·20		15
16	·06	·01	·28	·10	·16	—	—	—	—	—	—	—		16
17	·05	—	·30	·05	—	—	—	—	·13	·07	·23	·19		17
18	·10	—	·07	·10	—	—	—	—	—	—	·12	·44		18
19	—	—	·34	—	—	—	—	—	·17	—	·01	·16		19
20	—	—	·17	—	—	—	·19	—	—	—	—	·02		20
21	—	—	·01	·15	—	·07	·01	—	—	·01	·01	—		21
22	—	·01	—	—	—	—	·11	·14	·17	·01	—	·07		22
23	—	—	—	—	—	·08	—	—	—	—	·01	·16		23
24	—	—	—	·71	—	·01	·29	·01	·11	—	—	—		24
25	·05	·04	·01	·16	—	·16	—	—	—	·03	—	·28		25
26	·05	—	—	·03	—	·05	—	—	—	—	—	·03		26
27	·09	SNOW ·03	—	·08	—	·16	—	—	—	—	—	·27		27
28	·01	SNOW ·06	—	—	—	—	—	·45	—	—	·03	·20		28
29	—	×	—	—	—	—	·31	·18	·15	—	—	—		29
30	·12	×	—	—	—	—	—	·19	—	—	—	·42		30
31	·06	×	—	×	—	×	—	—	×	·05	×	·05		31
TOTAL	2·44	·21	3·15	2·65	1·32	·94	1·02	2·02	1·19	2·29	3·28	5·07	Year's Total. 25·58	
* Days with .01 in. or more.	21	7	17	18	7	10	7	15	10	12	16	26	166	
* Days with .04 in. or more.	13	3	12	13	6	6	6	10	7	9	9	21	115	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. H. Parker

[P.T.O.]

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 275

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Margate Waterworks,

in the County of Kent.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft 12" in.

,, Ground ,, Sea Level 137·5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·03	·03	·02	—	·10	·01	—	·30	·12	·05	—		1
2	·12	—	·06	—	—	—	—	—	—	·45	—	—		2
3	·03	·05	·16	·21	—	·13	—	—	—	·13	·04	—		3
4	—	·02	·01	·24	—	·07	—	—	·57	1·00	·17	·15		4
5	—	·37	·01	·10	—	·08	·03	—	·60	·20	—	—		5
6	·30	—	·01	·18	—	·29	—	—	—	·05	·13	·03		6
7	·21	SNOW ·20	·03	·17	—	·08	—	—	—	—	1·05	·03		7
8	—	—	—	·38	—	—	—	·88	—	·20	·20	·02		8
9	—	—	—	·06	—	·90	—	—	—	·51	·25	·04		9
10	·12	·04	—	—	—	·18	—	—	—	—	·01	·11		10
11	·06	—	—	—	—	·04	—	—	—	—	·31	—		11
12	—	·01	—	—	·02	·08	—	·67	—	—	·39	—		12
13	·02	·14	—	·20	·04	—	—	—	—	—	·21	·03		13
14	·02	—	—	·03	·56	—	—	—	—	—	·01	—		14
15	—	·09	—	·48	·02	·02	—	—	·30	—	·18	·06		15
16	—	·04	—	·27	—	·13	—	—	·35	·01	·83	·01		16
17	·05	—	—	·09	—	·25	—	·01	—	—	·23	·01		17
18	—	—	—	·11	—	—	·15	—	·23	·08	—	·08		18
19	—	—	—	·02	·38	·05	·04	—	·02	·01	·03	SLEET ·06		19
20	—	·55	—	·08	—	·05	·15	—	·01	·03	·05	—		20
21	·04	·31	—	·06	—	—	—	—	—	·09	·08	—		21
22	—	·05	—	—	—	—	—	·05	·14	—	·18	—		22
23	—	—	—	—	·01	—	—	·20	—	—	·21	·09		23
24	—	·73	—	—	·25	—	—	·20	·46	·10	·01	·30		24
25	·30	·12	—	·20	·01	·83	—	—	—	·05	·04	·40		25
26	·12	—	—	—	·30	·01	—	·11	—	—	—	·33		26
27	SNOW ·26	·46	—	—	·50	—	—	·45	·08	·11	·05	·21		27
28	SNOW ·09	·16	—	—	·01	—	—	—	·03	·06	—	·22		28
29	·02	×	—	—	—	—	—	·01	·37	—	—	·34		29
30	·08	×	—	—	—	—	—	·95	·15	·07	·35	·29		30
31	—	×	—	×	—	×	—	·01	×	·13	×	·45		31
TOTAL	2·05	3·37	·31	2·90	2·10	3·29	·38	3·54	3·61	3·40	5·06	3·26	Year's Total. 34·27	
* Days with .01 in. or more.	17	17	7	18	11	17	5	11	14	19	24	21	181	
* Days with .04 in. or more.	13	14	2	15	6	15	3	8	11	16	20	15	138	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. H. Parker

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at MARGATE WATERWORKS.

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 137·5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·34	·22	·02	·16	—	·70	·09	·04	—	—	·02	·11		1
2	·02	·07	·08	—	—	·10	·03	·05	—	—	·03	·27		2
3	—	·04	—	·35	—	—	—	—	·08	—	·30	—		3
4	·14	—	·03	—	—	·19	—	—	·12	—	·06	·04		4
5	—	—	—	·03	—	—	—	·03	·18	·15	—	—		5
6	·18	—	·02	—	—	·03	—	·01	·16	·72	·45	·02		6
7	·15	—	·04	—	—	·04	·02	·03	—	·25	·32	—		7
8	·27	—	·01	—	·01	—	—	—	·05	—	·84	·24		8
9	·43	—	·52	—	·05	—	·67	·03	—	—	·30	—		9
10	—	—	·01	—	·01	·03	·09	·57	·09	·14	—	—		10
11	—	—	—	·03	—	—	·34	·11	—	—	·53	—		11
12	—	—	—	·10	—	·02	·13	—	—	—	·41	·13		12
13	—	—	—	·01	·16	·10	·01	—	—	—	—	·23		13
14	—	·02	—	—	—	·05	·98	—	—	·03	·10	·65		14
15	—	·03	—	—	—	—	·01	—	·22	—	—	·44		15
16	·51	·09	—	—	—	—	—	—	·03	—	·40	·22		16
17	·17	·75	—	—	—	·09	·07	—	—	·02	·25	·32		17
18	·01	·12	—	—	—	·34	·21	—	·09	—	·30	·06		18
19	·17	·07	—	—	—	·28	—	·07	—	·03	—	—		19
20	·25	·07	·01	·40	—	—	—	—	1·12	·01	—	—		20
21	—	·01	—	·30	—	·28	·02	—	·02	—	—	—		21
22	·09	·35	—	·01	·01	—	·04	—	—	—	·01	·14		22
23	·02	·01	—	·06	—	—	·22	—	—	·03	—	—		23
24	·08	·15	—	—	—	—	·03	—	—	·13	—	—		24
25	·35	·04	·12	·07	—	·14	·01	—	—	·10	—	·02		25
26	·01	·08	·08	·03	—	—	—	—	·28	·03	—	—		26
27	·11	·13	·01	—	·04	—	·50	—	·05	·02	—	—		27
28	·42	—	·08	—	—	·48	1·10	—	·44	—	—	·04		28
29	·02	·02	·07	—	—	·24	·32	—	·13	·02	·09	—		29
30	·07	✕	—	—	·06	·08	·01	—	—	·03	—	—		30
31	·21	✕	·17	✕	·01	✕	·09	—	✕	·79	✕	·10		31
TOTAL	4·02	2·27	1·27	1·55	·35	3·19	4·99	·94	3·06	2·50	4·41	3·03	Year's Total 31·58	✓
* Days with .01 in. or more.	22	18	15	12	8	17	22	9	15	16	16	16	186	✓
* Days with .04 in. or more.	17	13	8	7	4	14	14	5	13	7	13	14	129	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. K. Parker

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at MARGATE WATERWORKS

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12" in.

,, Ground ,, Sea Level 137·5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·46	—	—	·06	—	—	—	—	—	—	·45	·25		1
2	—	·16	·09	·20	—	—	—	—	—	—	·01	·47		2
3	·01	·08	—	—	—	—	—	—	—	—	—	1·10		3
4	·11	·90	—	—	—	—	—	—	—	—	—	·42		4
5	·16	·08	·48	—	—	—	—	—	—	·25	—	·07		5
6	·07	·03	·88	—	·12	—	·17	—	—	·41	—	—		6
7	—	·66	·06	·08	·06	—	—	—	—	·05	—	·03		7
8	—	·01	·25	—	—	·10	—	—	·03	—	·20	·88		8
9	—	·05	—	·59	·08	·01	—	—	—	·11	—	·43		9
10	—	—	·45	·10	—	·55	·05	—	·15	—	—	·47		10
11	—	—	·39	·02	·18	—	·02	·07	—	—	—	·30		11
12	·11	·22	·29	—	·65	·04	·05	—	—	·02	—	·02		12
13	·46	·03	·49	—	—	·17	—	·12	·21	—	—	1·16		13
14	·15	—	·10	—	·63	·01	—	·13	·51	·01	—	·13		14
15	·05	·07	·01	—	·14	·05	—	·23	·07	—	—	·02		15
16	—	—	·15	·28	—	·02	—	—	—	—	—	·31		16
17	·39	·08	·01	·23	—	·23	—	·41	·14	—	·52	·01		17
18	·30	·07	—	·01	·36	·09	—	—	·81	—	·08	—		18
19	·06	—	·07	·22	—	·22	·01	—	·72	—	—	·05		19
20	·52	·02	·55	·23	·92	·05	—	—	—	—	—	—		20
21	·33	·51	·08	·03	—	—	—	—	—	—	·01	·01		21
22	·35	·03	·01	—	—	—	—	·12	—	·68	·02	·07		22
23	·05	—	—	—	—	—	—	—	—	·72	·01	·02		23
24	·65	·23	·03	—	—	—	—	—	—	·14	·01	—		24
25	·22	·31	·26	—	—	—	—	—	·12	·53	—	·02		25
26	—	·28	·08	—	·08	—	—	—	·13	·33	—	—		26
27	—	·23	·01	·15	—	—	—	—	—	·10	·03	—		27
28	SNOW ·15	·10	·14	·02	—	·02	—	—	—	·01	·01	·14		28
29	·09	×	·02	—	—	—	—	—	—	·14	·03	·01		29
30	·26	×	—	—	—	—	—	—	—	·10	·07	·07		30
31	·47	×	—	×	—	×	—	—	×	·03	×	·06		31
TOTAL	5·42	4·15	4·90	2·22	3·22	1·56	·30	1·08	2·89	3·63	1·45	6·52	Year's Total 37·34	✓
* Days with .01 in. or more.	22	21	23	14	10	13	5	6	10	16	13	25	178	✓
* Days with .04 in. or more.	21	16	17	10	10	9	3	6	9	12	4	17	134	✓

† Spare column, no entries required.

(*Signed*) J. H. Parker

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at MARGATE WATERWORKS

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 137·5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	—	·06	—	·11	1·08	·07	—	·38	—	·02	·08		1
2	·02	—	—	·07	·28	—	—	—	—	·38	—	—		2
3	·01	—	—	—	·15	—	·16	—	—	1·0	·02	—		3
4	·01	—	—	—	—	·03	·40	·60	—	·15	—	·14		4
5	·03	—	—	—	—	—	·35	—	—	·37	·01	·03		5
6	·01	—	—	—	—	—	·20	·14	·03	·01	—	—		6
7	·05	·01	—	—	—	—	·37	1·34	—	·21	—	·07		7
8	—	—	—	—	—	—	·15	—	·10	·13	—	—		8
9	·23	·03	—	—	—	—	·04	·30	·01	·04	—	·77		9
10	·20	·10	—	—	—	·11	·01	·02	—	—	—	·07		10
11	·11	·02	—	—	—	—	—	—	—	—	·08	·06		11
12	·19	·07	—	—	—	·08	·01	—	—	·02	·01	—		12
13	·19	SNOW ·24	—	—	—	—	—	·06	—	·02	·04	·01		13
14	·42	·02	—	—	·08	—	—	—	·20	—	·02	·11		14
15	·22	·09	—	—	—	—	·18	·04	—	·03	·01	·03		15
16	·03	·05	—	—	·03	—	·11	·01	—	·07	·04	·14		16
17	·34	·07	—	—	·71	—	·02	—	—	·02	·02	—		17
18	—	·01	—	·03	·03	—	—	—	·04	·04	·54	—		18
19	·06	—	—	·06	·10	—	—	—	·02	—	·13	—		19
20	·01	—	—	·02	·07	—	—	—	·54	—	·52	SNOW ·28		20
21	—	—	—	·05	—	—	—	·08	·35	—	·13	SNOW ·06		21
22	·02	—	—	·08	—	·02	—	—	—	—	·25	SNOW ·15		22
23	—	—	—	·01	—	—	—	—	—	—	—	—		23
24	—	—	·15	—	·04	—	—	—	·03	—	·32	·20		24
25	·10	—	·33	·01	·07	—	·22	—	·20	·04	·65	·03		25
26	·63	·18	·08	·02	·01	—	·07	—	·44	·24	—	·10		26
27	·06	·10	·01	—	·43	·08	·21	—	·52	·55	·38	—		27
28	·15	·03	—	·05	·08	·04	—	·62	—	·02	—	·02		28
29	·21	×	—	·10	·25	—	—	—	—	—	·02	·30		29
30	·04	×	—	·50	·06	—	—	·13	—	·02	·43	—		30
31	·28	×	—	×	·06	×	—	—	×	·12	×	·24		31
TOTAL	3·68	1·02	·63	1·00	2·56	1·44	2·57	3·34	2·86	3·48	3·64	2·89	Year's Total 29·11	✓
* Days with .01 in. or more.	26	14	5	12	17	7	16	11	13	20	20	20	181	✓
* Days with .04 in. or more.	19	8	4	7	13	5	13	9	9	13	12	15	127	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. H. Parker

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at MARGATE WATERWORKS

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" Ground " Sea Level 137·5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	—	·01	·08	·54	—	—	·01	—	·19	·01	·02		1
2	·03	—	—	—	·02	—	—	·37	—	·83	·04	—		2
3	·38	·01	—	·30	—	—	—	·10	—	·03	·17	·40		3
4	·10	—	·29	·12	—	—	·01	·52	—	·20	·12	—		4
5	—	·01	·04	·52	·01	—	·27	—	—	·12	·50	·14		5
6	·32	—	·03	·01	—	—	·03	—	—	·15	·30	·01		6
7	·13	·08	—	—	—	—	—	·01	—	·09	·16	·04		7
8	—	·08	·15	—	—	—	—	—	—	·18	·03	·40		8
9	·02	·09	—	—	—	—	—	·03	—	·53	·42	·17		9
10	·09	—	—	—	—	·25	—	·26	·02	·07	·02	·01		10
11	·18	—	·28	—	·04	·57	—	—	—	·74	·02	·04		11
12	—	—	—	—	·07	·36	—	—	—	·03	·01	·01		12
13	—	·01	·05	—	—	·01	—	—	·04	1·60	—	—		13
14	·96	—	·05	·01	·14	—	·04	—	—	·22	—	—		14
15	·16	—	—	—	·90	—	—	—	·10	1·08	·39	·39		15
16	·21	—	·12	·02	·26	·08	·10	—	·14	·04	·35	·35		16
17	·16	·10	·03	·04	·01	—	·02	—	·13	—	·03	·03		17
18	·26	—	·04	—	—	·01	·15	—	·04	·60	·43	·43		18
19	·17	—	·01	—	—	—	·20	—	·02	1·47	·02	·02		19
20	·25	—	—	—	—	·02	—	·02	2·68	—	—	—		20
21	·07	—	·13	—	—	—	—	—	·38	·13	—	—		21
22	·14	·24	·11	—	—	·35	·17	—	·06	·01	·03	—		22
23	·02	·01	·02	·02	—	·02	·07	·10	·14	·17	·28	·02		23
24	·08	·03	·01	·25	—	·01	·26	·01	·01	·01	—	—		24
25	1·93	·20	·11	—	—	—	·24	—	—	—	·45	·01		25
26	·05	—	·40	—	—	—	·35	—	·11	1·31	·38	·02		26
27	·06	·08	·14	·01	—	—	·01	—	·03	1·32	·33	—		27
28	—	·47	·16	—	—	·03	—	—	—	·85	·13	·04		28
29	—	×	·01	·37	—	—	—	—	—	·01	·04	—		29
30	—	×	—	·56	—	·06	·04	—	—	—	·01	—		30
31	—	×	—	×	—	×	·03	·10	×	—	×	—		31
TOTAL	5·85	1·41	2·19	2·31	1·99	1·77	1·99	1·53	3·90	11·68	4·67	1·53	Year's Total 40·82	
* Days with .01 in. or more.	23	13	21	13	9	12	16	11	14	26	25	17	200	
* Days with .04 in. or more.	20	8	14	8	6	6	11	6	10	21	16	9	135	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. H. Parker

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at MARGATE WATERWORKS

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 1 in. 12

,, Ground ,, Sea Level 137·5 ft.

Jan 17-21 est'd for snow. Circ sent 27/3/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
	1	—	—	—	·03	—	—	—	—	—	—	·01	—		1
	2	—	—	—	·08	—	—	—	—	—	·48	·60	·10		2
	3	·01	·17	—	·09	—	—	·03	—	—	·05	1·35	·17		3
	4	—	·06	—	—	—	—	—	—	—	·14	·07	·10		4
	5	—	—	—	—	—	—	—	—	—	—	·68	·20		5
	6	·07	·03	—	—	·01	—	·16	—	—	·60	·03	—		6
	7	·25	·10	—	—	—	—	·17	—	—	—	—	—		7
	8	—	—	—	—	—	—	·10	—	·20	·37	—	·20		8
	9	—	—	—	·02	—	—	—	—	·02	—	·19	·10		9
	10	—	—	—	—	—	—	·05	—	·01	·56	—	·11		10
	11	—	—	—	·09	—	—	·24	—	—	—	1·15	—		11
	12	—	·18	·15	—	—	—	·05	—	·17	·01	—	—		12
	13	—	—	·36	—	—	·16	·04	—	—	—	·82	—		13
	14	—	—	·18	·11	—	—	—	—	—	·01	—	·35		14
	15	SNOW ·10	—	·01	—	·05	·03	·46	—	·01	—	·73	·01		15
·78	16	SNOW ~~·18~~	SNOW ·10	·25	·03	—	·10	·51	—	·10	·52	·59	·05		16
·05	17	—	—	·26	—	—	—	·01	—	—	·01	·20	·01		17
·05	18	—	·40	·20	·38	—	—	·09	—	—	·20	·05	·18		18
	19	~~·50~~ 1·08	·10	·09	—	—	—	·05	—	·89	—	·10	·05		19
	20	—	·01	·05	—	—	·05	—	·01	·01	·02	·23	—		20
	21	—	—	—	—	—	—	·28	—	·02	·01	·40	—		21
·20	22	—	—	·01	—	·08	·02	—	—	·04	·06	—	—		22
	23	—	·15	—	·11	—	—	·02	·02	—	—	—	—		23
	24	—	—	—	·10	—	—	·15	—	—	·06	—	—		24
	25	—	—	·50	—	—	—	·23	—	—	·06	—	—		25
	26	·71	·18	·65	—	·03	—	—	—	—	·35	—	·06		26
	27	—	·12	—	—	—	—	·17	·02	—	·07	—	—		27
	28	—	—	—	—	·19	—	—	—	—	—	—	—		28
	29	—	—	·07	—	—	—	—	—	·08	—	—	·15		29
	30	·21	✕	·08	·09	—	—	—	—	—	·08	—	·05		30
	31	—	✕	—	✕	—	✕	—	—	✕	·50	✕	·07		31
	TOTAL	2·43 ~~1·53~~	1·60	2·86	1·13	·36	·36	2·81	·05	1·55	4·16	7·20	1·96	Year's Total ~~26·02~~	26·47 ~~26·92~~
	* Days with .01 in. or more.	~~7~~ 10	12	14	11	5	5	18	3	11	20	16	17	~~139~~	✓142
	* Days with .04 in. or more.	~~6~~ 9	10	12	8	3	3	15	—	6	15	14	15	~~107~~	✓110

† Spare column, no entries required.

(*Signed*) J. A. Parker. [P.T.O.

* See Instruction 3 (f) on other side.

295|5

CHILHAM LOWER ENSDEN

1931 -1940

Y80106

Section **A** for the entry of Daily

FOR OFFICIAL USE.

295/5

Kent/2

X

FORM 1090. METEOROLOGICA … TION.

CHILHAM (LOWER ENSDEN) **Reg**

Kept at Lower Ensden

in the County of Kent

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

„ Ground „ Sea Leve

… read the instructions … this form.

… fill in section C

… to December as below. … ach. Detach

THE MORNING MEASU … DAY.

An observer who does not conform t … 1st of the following year in the space on the rig…

Records taken i…

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·09								·05	1
2	·14	·20		·12				·04	·40				2
3		·12		·06	1·39		·02	·19	·56		·01	·09	3
4					·02			·03	·20		·04		4
5				·21		·55	·05						5
6		·07		·10		·02		·18	~~·20~~	·20	·03	·10	6
7			·12				·60		~~·04~~	·04	·05		7
8		·09	snow					·24			·04	·04	8
9		·13	·20						·10		·50		9
10		·16						·15			1·66	·12	10
11	·35	·62									·61		11
12	·26							·05	·46				12
13				·02	·12			·04					13
14						·15	·52	·23			·02		14
15		·12		·57			·24	·30				·05 ~~·50~~	15
16	·05	·11		·10	·19		·04	·21					16
17				·20	·01		·19	·08	·04				17
18	·03	·36		·31				·04			·48	·07 ~~·40~~	18
19	·05			1·00		·05	·20	·54	·22		·03		19
20				·05			·27	·31	~~[illegible]~~	·06	·01		20
21					·45			·03			·01		21
22			·08		·02								22
23	·65	·21	·06					~~·03~~	·03				23
24			·02	·23		·05		·10 ~~·22~~	·01	·01		·02	24
25	·04			·70			·30				·12		25
26		·05		·35			·40				·16		26
27							·04		~~·04~~	·04			27
28	·20			·10	·30								28
29	·20	X			·06		·03		~~·04~~	·01			29
30		X							~~·25~~	·25		·88 ~~·80~~	30
31	·18	X		X		X			X		X		31 25.14
TOTAL	2·15	2·24	·48	4·21	2·56	·82	2·90	2·76	2·02	·61	3·76	·62 ~~[illegible]~~	YEAR'S TOTAL ~~[illegible]~~
Days with ·01 in. or more.	11	12	5	16	9	5	13	17	2	7	15	9	128
Days with ·04 in. or more.	10	12	4	15	6	4	11	15	7	5	9	8	106

N

(Signed) F. Ivo Neame

X F. IVO NEAME ESQ. X

Part 38

[P.T.O.

Section **A** for the entry of Daily

FOR OFFICIAL USE.

295/5

X

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

CHILHAM (LOWER ENSDEN)

Register of Rainfall in 1921.

Map Ref 116 .H13

Kent/2

Kept at Lower Ensden, Chilham

in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" Ground " Sea Level 305 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

906 sent 8/4/32 suggesting amendments to December as below. Observer agrees 12/4/32. [illegible]
[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·09								·05	1
2	·14	·20		·12				·04	·40				2
3		·12		·06	1·39		·02	·19	·56		·01	·09	3
4					·02			·03	·20		·04		4
5				·21		·55	·05						5
6		·07		·10		·02		·18	~~·20~~	·20	·03	·10	6
7			·12				·60		~~·04~~	·04	·05		7
8		·09	snow					·24			·04	·04	8
9		·13	·20						·10		·50		9
10		·16						·15			1·66	·12	10
11	·35	·62									·61		11
12	·26							·05	·46				12
13				·02	·12			·04					13
14						·15	·52	·23			·02		14
15		·12		·57			·24	·30				~~·50~~ ·05	15
16	·05	·11		·10	·19		·04	·21					16
17				·20	·01		·19	·08	·04				17
18	·03	·36		·31				·04			·48	~~·70~~ ·07	18
19	·05			1·00		·05	·20	·54	·22		·03		19
20				·05			·27	·31	~~·06~~	·06	·01		20
21					·45			·03			·01		21
22			·08		·02								22
23	·65	·21	·06					~~·03~~	·03				23
24			·02	·23		·05		~~·22~~ ·10	·01	·01		·02	24
25	·04			·70			·30				·12		25
26		·05		·35			·40				·16		26
27							·04		~~·04~~	·04			27
28	·20			·10	·30								28
29	·20	X			·06		·03		~~·01~~	·01			29
30		X							~~·25~~	·25		~~·80~~ ·88	30
31	·18	X		X		X			X		X		31 25·14
TOTAL	2·15	2·24	·48	4·21	2·56	·82	2·90	2·76	2·62	·61	3·76	~~2·42~~ ·62	YEAR'S TOTAL ~~[illegible]~~
Days with ·01 in. or more.	~~11~~	~~12~~	~~5~~	~~16~~	~~9~~	~~5~~	~~13~~	~~17~~	9	7	15	9	128
Days with ·04 in. or more.	~~10~~	~~12~~	~~4~~	~~15~~	~~6~~	~~4~~	11	15	7	5	9	8	106

N

(Signed) F. Ivo Neame

X F. IVO NEAME ESQ. X

Print

[P.T.O.

295/5

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19232.

Kept at Lower Ensden, Chilham
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
„ Ground „ Sea Level 305 ft.

Jan 13th high.

Jan 1st, 15th, 16th referred to obsr. who agrees to amendments
f 66335 0/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·~~70~~07			·06	·49		·72	·04	·01	·10	·07	·03	1
2		·06		·21	·08		·05	·06	·03				2
3	0·03			·13	·30	·02		·01	·40	·02			3
4	0·03					·18							4
5	0·07		·02		·11				·05				5
6	0·51				·02		·15		·05			·10	6
7		·04	·05		·10							·09	7
8		·03	·16	·05	·23				·06	1·49			8
9	0·07			·08	·73					·26			9
10	0·24	·02		·36	·05				·02	·07			10
11	0·57			·07	·02	·08	·07			·26			11
12	0·32							·05	·03	·23			12
13	0·20		·02	·05	·05		·01		·03	·86		·02	13
14	0·04			·24	·09			·01		·12			14
15	0·~~90~~09		·02.	·04	·05					·10			15
16	0·~~60~~06			·20	·05								16
17	0·10			·02			·09			·03			17
18	0·01						·02		·09		·11		18
19				·02						·12	·25		19
20					·10	·01	·11	·04	·03	·95	·32		20
21				·07	·12	·02	·02			·23			21
22		·02	·35		·14		·28	·01	1·39	·20	·42	·02	22
23		·12		·04	·02		·01		·30	·10	·10	·07	23
24							·67		·16	·15	·01		24
25		·05			·04		1·59		·14	·10	·03		25
26				·04			·35	·86			·03	·02	26
27			·35	·10	·11		·15		·11	·53	·06		27
28				·03			·22			·11	·08		28
29			·37	·05			·03	·28	·06	·49	·09		29
30		×	·07	·27	·43		·03	·03	·01	·02	·04	·03	30
31		×	·13	×		×		·01	×		×	·03	27.57 31
TOTAL	2.41 ~~4·39~~.	0·34.	1·54.	2·13.	3·33	0·31	4·57	1·40	2·97	6·54	1·61	·41	YEAR'S TOTAL ~~29·55~~.
Days with ·01 in. or more.	15.	7.	10.	20.	21.	5.	18.	11.	18.	22.	13.	9.	169.
Days with ·04 in. or more.	12.	4.	7.	17.	18.	2.	12.	6.	11.	19.	10.	3.	121.

40-9999

(Signed) F. J. Skane

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Lower Ensden Chatham

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft — in.

„ Ground „ Sea Level 305 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06	·07								·05		1
2	·11	·01	·30		·47						·04		2
3	·03	·29	·27		·02					·18	·04		3
4	·11	·01	·							·06			4
5	·22	·07	·17		·09								5
6			·11		·42					·03			6
7	·40	·02			·12					·25			7
8	·15		·10		·04		·18			·04			8
9	·01				·01					·18			9
10		·07				·03	·11			·18	·10		10
11	·19				·03			·18	·12	·60	·05		11
12				·03		·28	·22				·10		12
13					·10		·31		·56	·06	·14		13
14	·02				·03		·02	·06		·12	·16		14
15			·06					·14			·03		15
16	·30		·66			·30	·38			·02			16
17	·12		·38		·30	·03			·07				17
18				·18			·		·01				18
19			·07	·11		·22			·25				19
20				·25		·06			·08				20
21		·				·04		·14	·99				21
22		·21				·02				·08			22
23				·06	·08				·50				23
24				·15	·02	·13					·20		24
25		·10		·32	·06				·18	·09		·10	25
26		·35		·01	·01	·22			·05		·10	·13	26
27		·06		·04	·03					·16		·10	27
28							·07			·08		·02	28
29		×					·25			·02			29
30	·10	×	·05						·20	·07		·06	30
31	·06	×		×		×		·09	×		×	·02	31
TOTAL	1·82	1·25	2·24	1·15	1·83	1·33	1·54	·61	3·01	1·72	1·01	·43	YEAR'S TOTAL 17·94
*Days with ·01 in. or more.	13	11	11	9	16	10	8	5	11	17	11	6	128
*Days with .04 in. or more.	10	8	11	7	9	7	7	5	10	14	10	4	102

40-9999

*See Instruction 2 (*f*) on other side,

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Lower Ensden' Farm Chilham

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft in.

,, Ground ,, Sea Level 305 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·02		·34	·15	·25		·17	1
2	·07		·20					·03	·50	·75		·26	2
3		·08		·06	·46				·03	·45	·04	·20	3
4		·01	·01		·03					·13	·06	·60	4
5	·20		·05		·15	·03		·01		·27	·09	·26	5
6	·02		·36	·15		·23		·09		·08		·41	6
7								·06				·18	7
8					·22				·04		1·85	·01	8
9	·06		·02		·01						·47	·13	9
10		·01	·25	·22				·06		·04	·23	·02	10
11	·70		·20	·09			·12					·38	11
12	·15		·11				·06	·52			·03	·13	12
13	·46		·25	·04			·02	·17		·12	·01	·09	13
14	·35		·45	·09	·04		·08	·06	·85		·20	·18	14
15	·02		·03								·19	·53	15
16	·16		·26		·08						·21	·02	16
17	·08		·63	·02			·10					·24	17
18	·07		·02	·33								·16	18
19			·22						·08	·05		·12	19
20			·30	·03			·11					·01	20
21			·02	·09		·12	·01			·04		·01	21
22									·24			·04	22
23				·32		·09						·14	23
24		·06					·35	·22	·18		·17	·01	24
25		·03		·16	·03	·12				·10		·34	25
26	·18			·15		·07						·02	26
27	·04			·09								·30	27
28		·05		·07		·20		·42			·03	·11	28
29		×					·38	·11				·01	29
30	·19	×						·15	·22			·32	30
31	·03	×		×		×		·02	×		×	·19	31
TOTAL	2·78	·24	3·38	1·91	1·02	·88	1·23 1·23	2·26	2·29	2·28	3·58	5·59	YEAR'S TOTAL 26·39
*Days with ·01 in. or more.	16	6	17	15	8	8	9	14	9	11	13	31	157
*Days with ·04 in. or more.	13	3	12	13	5	6	7	11	8	11	10	23	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E W Keane

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lower Ensden Farm Chilham

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 5 ft ...... in.

,, Ground ,, Sea Level 305 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·29	·02	·02	–	–	·15	·15	–	·07	·11	–			1
2	·19		·03							·32	·08			2
3	·04	·06	·13	·20	[illegible]	·03			·08	·55	·07			3
4				·47	[illegible]	·12			·19	1·01	·04	·08		4
5		·41	·04	·10	[illegible]	·06			·56	·10	·01	·04		5
6	·04	·04	·02	·26	[illegible]	·21				·02	·08			6
7	·15	·02		·20	[illegible]	·23		·78		[illegible]	·83	·07		7
8				·40	[illegible]					·27	·14	·03		8
9				·10	[illegible]	·64				·75	·21	·08		9
10	·15	·03		·01	[illegible]	·06				·02	·20	·10		10
11	·07	·01		·26	[illegible]	·08				·02	·30			11
12					[illegible]	·15		·64	·01		·15			12
13	·03	·18		·09	·05						·21	·26		13
14	·05			·04	·40	·06						·10		14
15	·01	·16		·40	[illegible]	·03			·54		·48	·08		15
16		·04		·27	·10	·03			·37	·01	·70	·04		16
17	·06		·04	·04	[illegible]	·15	·03	·01			·56	·04		17
18				·20	[illegible]	·04	·40		·44	·03				18
19				·03	·50	·03	·04		·05	·04	·02	·10		19
20	·02	·70		·22	·08	·06	·18			·07	·04			20
21	·03	·40		·05						·14	·06			21
22	·01	·09							·09		·10			22
23								·32			·04			23
24	·07	·72	·03		·45			·36	·71	·26		·46		24
25	·16	·12		·28	·05	·20				·08	·04	·39		25
26	·08							·10	·02	·09	·00	·37		26
27	·12	·60		·01	·59			·60	·09		·11	·14		27
28		·15							·03	·07		·06		28
29		×						·02	·48			·57		29
30	·10	×		·05				1·08	·09	·18	·42	·39		30
31		×		×	·03	×		·05	×	·32	×	·65		31
TOTAL	1·67	3·75	·31	3·68	2·25	2·33	·80	3·96	3·82 3·82	4·46 4·46	4·89	4·05	Year's Total. 35·01	
* Days with .01 in. or more.	19	17	7	21	9	18	5	10	16	21	23	20	186	
* Days with .04 in. or more.	14	13	3	18	8	14	4	8	13	16	21	19	157	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. W. Neame

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Lower Ensden Farm, Chilham

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft. in.

,, Ground ,, Sea Level 305 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	·20	·10	·17		·21	·14	·07			·04	·11		1
2		·10	·04	·62		·15	·04	·10		·04		·28		2
3				·28	·17	·09	·03		·04		·27			3
4			·05			·17			·20		·15	·05		4
5	·18			·04				·08	·07	·07	·03	·03		5
6	·20		·02			·04		·04	·18	·50	·50			6
7	·18		·04		·01	·02	·07	·09		·32	·60			7
8	·35		·02		·02		88				·73	·30		8
9	·48		·02		·03		·55	·12	·04	·01	·22			9
10					·02	·09	·10	·55		24				10
11					·02		23	·09			·93			11
12						·02	·28		·02		·21			12
13					·12	·04	·11			·02		·27		13
14						·07	·96			·04	·15	·44		14
15						·01	·02		·32		·01	·20		15
16				·03					·02		·27	·18		16
17	·60	·70				·08				·06	·40	·23		17
18		·15				·05	·27	·10			·49	·08		18
19	36	·08				·10		·41		·10	·01			19
20	·22	·09		·04	·02	1·00			·50					20
21				·20			·02		·02					21
22	·05	·25	·02		·04		·07					·18		22
23		·02		·10			·38			·03				23
24	·08	·26								37				24
25	·55	·03	·04	·12		·10	·03		·23	·07		·03		25
26		·10	·10	·02	·01	·02			·12	·24				26
27	·08	·03		·01			·22		·30	·07	·05	·03		27
28	·58		·05			·28	·70		·34			·08		28
29	·05	—	·18			·36	·53		·12	·04	·16	·01		29
30	·10	☒			·09	·13	·10		·01	·04				30
31	·22	☒	·16	☒		☒	·06		☒	·50	☒	·10		31
TOTAL	4·56	1·95	·84	1·63	·55	3·03	5·79	1·65	2·53	2·76	5·22	2·60	Year's Total 33·41	✓
* Days with .01 in. or more.	17	12	13	11	11	20	22	10	16	18	18	17	185	✓
* Days with .04 in. or more.	17	9	9	7	4	16	18	10	12	16	15	14	146	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) E. J. Neame [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Lower Ensden

in the County of Kent Chilham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. — in.

,, Ground ,, Sea Level 305 ft.

F. Ivo Neame
Grove House
Selling
Faversham

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·81			·02							·37	·37		1
2	—	·20		·46		—						·78		2
3	—	·07		—		—						·60		3
4	·12	·72		·03		—				·04		·33		4
5	·22	·20	·70	—		—	·21		·03	·16		·10		5
6	—	·00	·31	·03	·22	—	·03		—	·07		—		6
7	·10	·80	·20	·09	·05	—	—		—	·02		·03		7
8	—	·03	·10	—	·02	·09	—		—	·03	·20	·82		8
9	—	·04	·02	·33	·06	—	·15	·04	·25	—	·03	·41		9
10	—	—	·40	·10	·10	·45	·05		—	—		·45		10
11	—	—	·77	·02	·20	—	·05		—	·05		·24		11
12	·35	·26	·70	·02	·63	—	·03	·06	·28			·06		12
13	·30	·01	·40	·02	—	·26	—		—			·75		13
14	·05	—	·06	—	·55	·02	—	·20	·75			·12		14
15	·04	·10	·00	·16	·02	—	·32		·09			—		15
16	·03	·47	·13	·15	—	·05	—	·45	·10			·02		16
17	·40	—	·04	·28	—	120	—		1·05		·30			17
18	—	·10	·05	·02	·38	·15	—		·30		·06			18
19	·50	·07	·02	·20	·06	·18	·12		·08					19
20	·49	—	·68	·35	·84	·03	—							20
21	·41	·05	·20	·03	—	—	·02	·08						21
22	·35	—	—	—	·04	—	—			·98	·04	·17		22
23	·03	·08	—	—		—	·02			·53				23
24	·53	·20	·05	—		—	·03		·16	·12				24
25	·25	·48	·31	—		—			·17	·54				25
26	—	·24	·12	—		—				·61				26
27	—	·13	·03	·20		—				·10				27
28	—	·05	—	—		·03				—		·30		28
29	·07	×	·03	—		—				·11	·07	—		29
30	·37	×	—	—		—				·48	·29	·10		30
31	·27	×	—	×		×			×	·05	×	·12		31
TOTAL	5·69	4·30	5·32	2·51	3·17	1·46	1·03	·83	3·26	3·89	1·36	5·77	Year's Total 38·59	✓
* Days with .01 in. or more.	21	20	21	18	13	10	11	5	11	15	8	18	171	✓
* Days with .04 in. or more.	19	18	17	10	11	7	6	5	11	13	7	16	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No 295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Lower Ensden nr Chilham

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. — in.

,, Ground ,, Sea Level 305 ft.

F. W. Neame
Grove House
Selling
Faversham

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05				·16	·43	·07		·32	·03		·07		1
2	—	—	—	—	·20	—	—	—	—	·32	—	·02		2
3	—	—	—	—	·25	—	·06	—	—	·64	·09	~~·00~~		3
4	—	—	—	—	—	·08	·17	·20	·03	·08	·02	·12		4
5	—	—	—	·07	—	—	·68	~~·00~~	~~·00~~	·32	—	·03		5
6	·10	—	—	—	—	—	·02	·10	·05	~~·00~~	—	~~·00~~		6
7	~~·00~~	—	—	—	—	—	·04	·50	~~·00~~	·34	—	·06		7
8	·22	—	—	—	—	—	·16	·00	·08	·15	—	~~·00~~		8
9	·15	·04	—	—	—	—	·07	·60	—	·04	—	·62		9
10	·11	·13	—	—	—	·07	—	·11	—	~~·00~~	—	·19		10
11	·17	·03	—	—	—	·08	—	—	—	·01	·08	·10		11
12	·24	·04	—	—	—	—	—	—	—	·08	·03	·01		12
13	·46	·18	—	—	—	—	—	—	—	·04	·05	·02		13
14	·30	~~·00~~	—	—	·22	—	—	—	·21	—	·00	·08		14
15	·05	·14	—	—	·03	—	·25	—	—	·15	·03	·03		15
16	·27	~~·00~~	·03	—	~~·00~~	—	·03	·03	—	·12	·04			16
17	·07	~~·00~~	—	—	·65	—	·04	—	·01	·43	·02			17
18	—	·10	—	—	·05	—	·03	—	·07	·05	·46			18
19	—	—	—	·03	·10	—	·27	—	·02	—	·03			19
20	—	—	—	·00	·03	—	·24	—	·48	—	·41	Snow 1.00		20
21	—	—	—	·05	—	—	—	·15	·20	—	—	·35		21
22	·02	—	—	·10	—	·03	—	·03	—	—	·15	·22		22
23	·01	—	—	·04	—	—	—	—	—	—	·02	·08		23
24	~~·00~~	—	·07	~~·00~~	—	—	—	—	·13	—	·46	·14		24
25	·09	—	·44	~~·00~~	·19	—	·10	—	·10	—	·50			25
26	·45	·15	·05	·05	·02	—	·05	—	·51	·34	·00	·30		26
27	·15	·06	—	—	·23	·12	—	—	~~·00~~	·71	·37			27
28	·18	·03	—	—	·25	—	—	·73	·08	~~·00~~	·00			28
29	·23	~~·00~~	—	·10	·26	—	—	—	·04	·02	·03	·25		29
30	·15	✕	—	·30	·06	—	—	—	—	·04	·33			30
31	·25	✕	—	✕	·07	✕	—	—	✕	·11	✕	·26.		31
TOTAL	3·76	·90	·59	·74	2·77	·81	2·28	2·45	2·33	4·02	3·12	395 3·90	Year's Total 27·52	✓
* Days with .01 in. or more.	21	11	4	8	16	6	16	9	15	20	18	20	164	✓
* Days with .04 in. or more.	19	9	3	7	13	5	13	7	12	17	11	15	131	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. W. Neame [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Lower Ensden Farm. Chilham

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. – in.

,, Ground ,, Sea Level 305 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	10		4		51			4	4		03	2		1
2	4			15	2			35		65				2
3	27	2		20				19			11	35		3
4	20		25	5			3			41	06	2		4
5		2	4	27	3		4	77		33	37	24		5
6	33		3	4			2			2	90			6
7	14	5					3	5		3	12	10		7
8		8	15					22		17		64		8
9	3	7	1					4		71	57	27		9
10	10					41		11	3	9	08	2		10
11	5		31			15				93		3		11
12					4	49				5		2		12
13			4						4	178		10		13
14	65		3		26		9		2	21	41	3		14
15	33		2	2	90	2			22	121	08			15
16	24		9	3	24	15	10		4	3	42			16
17	19	10	5	5	2		11		5	70	04			17
18	27		8			5	10		6		50			18
19	35		3			2	36		30	140				19
20	25					6			13					20
21	8		15			3			21	15				21
22	14		4			21	5		3	·				22
23	2	24		8		3	27	11	3	10	47			23
24	23	4	3	12		9	9			3	04			24
25	1·05	23	5				45	1			64	8		25
26	32		30			10	7		1	78	32	5		26
27	15		29	6						1·38	34			27
28	2	47	15			3				42	15	6		28
29		X		55						3	04			29
30		✕		54		5	1			2				30
31		✕		✕		✕	5		✕		✕			31
TOTAL	5·55	1·32	2·13	2·16	2·02	1·89	1·87	1·89	1·21	11·63	5·01 ~~5·04~~	2·03	Year's Total ~~38·20~~	74
* Days with .01 in. or more.	24	10	21	13	8	15	16	10	14	24	20	15	~~175~~	190
* Days with .04 in. or more.	21	8	16	11	5	10	12	9	9	18	19	9	~~138~~	147

† Spare column, no entries required.

(*Signed*) ……………………

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Lower Ensden Farm Chilham
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. – in.
,, Ground ,, Sea Level 305 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2		·27		·5						32	3	3		2
3				7						12	78	8		3
4		10		8						08	1·35	12		4
5										03	18	15		5
6	22	7					23			65	69			6
7	27	9					23				6			7
8				5			02		70	26	2	31		8
9									4	07	20	4		9
10								·02	3	50	18			10
11											96			11
12		12	24	10			49		2		2			12
13			59			68			15		75			13
14		6	30	11					2			32		14
15			3		·05	15	73				40	2		15
16	75	38	14	·01		35	41		13	32	68			16
17			36				02				6			17
18	3	61	23	34			16			23	3	24		18
19		8	10					·03	31		10	12		19
20			3	2		10		·04	·09	15	18			20
21	12				3		10		5		32			21
22	12		3		·22	7			3	05	2			22
23		21	2	10			·02	·03				4		23
24							10			18				24
25			54				20			10	2			25
26	77	20	70		2		03			40				26
27			2	3			19			03				27
28	3	14			22									28
29	9	—	10		2				12			18		29
30	2	✕		25						09				30
31	4	✕		✕		✕			✕	52	✕	5		31
TOTAL	2·46	2·33	3·43	1·21	0·56	1·35	~~2·95~~ 2-93	0·12	2·19	~~4·48~~ 4·10	7·03	1·70	Year's Total 29·81	
* Days with .01 in. or more.	11	12	15	12	6	5	14	4	12	18	21	13	143	
* Days with .04 in. or more.	8	12	10	9	3	5	10	1	8	16	15	12	101	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*)

P.T.O.

Section **A** for the entry of Daily O
AIR MINISTRY.—MET

FORM 1090.

REGISTER

295|6

WINGHAM BOYS SCHOOL

1931 - 1939

780106

295/6

FOR OFFICIAL USE.
ANIZATION.

Kent/2

Kept at Wingham Boys' Sc
in the County of Kent

Diameter of Funnel of Gauge 5 in
Height of top of Gauge above Ground C
,, Ground ,, Sea Level

THE MORNING MEASUREMEN

An observer who does not conform to this rule
year in the space on the right of this paragr

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·08	·06	–	–	·02	–	·05	–	–	–	–	1
2	·13	·09	–	·09	·11	–	–	·25	·36	–	–	–	2
3	·15	–	·01	·02	·79	–	–	·27	·34	–	–	·09	3
4	–	–	–	–	·02	–	–	·06	–	–	·11	–	4
5	–	–	–	·19	–	·27	·11	–	·13	–	–	·06	5
6	–	–	–	·04	–	–	–	·16	–	·21	·17	–	6
7	–	·03	–	–	–	·01	·28	–	·04	–	·03	–	7
8	–	·04	–	–	–	·08	·12	·08	–	–	·04	·11	8
9	·01	·04	·10	–	–	–	–	·09	·03	–	·59	–	9
10	·05	·21	·06	–	·01	·03	–	·08	–	–	1·60	·08	10
11	·12	·55	–	–	–	–	–	–	–	–	·24	–	11
12	·11	–	–	–	–	–	–	–	·34	–	–	–	12
13	·15	·03	–	–	·15	–	–	·04	–	–	–	–	13
14	–	·06	–	–	–	·01	·52	·22	–	–	–	–	14
15	·04	·07	–	·16	–	–	·47	·21	–	–	–	·11	15
16	–	·05	–	–	·23	–	·22	·06	–	–	–	–	16
17	–	·05	–	·27	–	·01	·16	·08	·04	–	–	·04	17
18	–	·42	–	·37	–	·02	·04	·18	–	–	·25	–	18
19	·03	–	–	·47	–	·07	·43	·33	·12	–	·04	–	19
20	·01	–	–	·12	·04	·02	·17	·32	–	·03	–	·02	20
21	·01	·09	–	·04	·52	–	–	·02	·12	–	·03	–	21
22	·09	–	·04	·03	–	–	–	·01	·15	–	–	–	22
23	·85	·14	·01	–	·19	–	–	–	·17	–	·09	–	23
24	–	·01	–	–	·04	·03	–	·29	·02	–	–	–	24
25	·08	–	–	·44	–	–	·31	·02	–	·06	–	–	25
26	–	·05	–	·26	·01	–	·27	–	–	·21	·21	–	26
27	·12	·16	–	–	–	–	·04	–	–	–	·14	–	27
28	·15	·10	–	–	·26	–	–	–	–	·04	·01	·15	28
29	·11	X	–	–	·09	–	·03	–	–	·28	·04	·03	29
30	·07	×	–	–	·06	–	·03	–	–	–	–	–	30
31	·12	×	–	×	–	×	–	–	×	–	×	–	31
TOTAL	2·40	2·27	·28	5 2·~~4~~0	5 2·~~3~~2	·57	3·20	2 ~~3~~·82	1.86 ~~X·XX~~	·83	3·62	·69	YEAR'S TOTAL 56 23·~~40~~
*Days with ·01 in. or more.	19	19	6	13	14	11	15	20	12	6	15	9	154
*Days with ·04 in. or more.	15	16	4	11	11	3	13	14	10	5	12	4	124

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) ~~[illegible]~~ [P.T.O.

THE HEADMASTER

Section **A** for the entry of Daily Observations. OR OFFICIAL USE.

295/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kent/2

Kept at Wingham Boys' School
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 6 in.
,, Ground ,, Sea Level 50' ft.

1930 [illegible] up
Wingham 295 · 24.4

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·08	·06	–	–	·02	–	·05	–	–	–	–	1
2	·13	·09	–	·09	·11	–	–	·25	·36	–	–	–	2
3	·15	–	·01	·02	·79	–	–	·27	·34	–	–	·09	3
4	–	–	–	–	·02	–	–	·06	–	–	·11	–	4
5	–	–	–	·19	–	·27	·11	–	·13	–	–	·06	5
6	–	–	–	·04	–	–	–	·16	–	·21	·17	–	6
7	–	·03	–	–	–	·01	·28	–	·04	–	·03	–	7
8	–	·04	–	–	–	·08	·12	·08	–	–	·04	·11	8
9	·01	·04	·10	–	–	–	–	·09	·03	–	·59	–	9
10	·05	·21	·06	–	·01	·03	–	·08	–	–	1·60	·08	10
11	·12	·55	–	–	–	–	–	–	–	–	·24	–	11
12	·11	–	–	–	–	–	–	–	·34	–	–	–	12
13	·15	·03	–	–	·15	–	–	·04	–	–	–	–	13
14	–	·06	–	–	–	·01	·52	·22	–	–	–	–	14
15	·04	·07	–	·16	–	–	·47	·21	–	–	–	·11	15
16	–	·05	–	–	·23	–	·22	·06	–	–	–	–	16
17	–	·05	–	·27	–	·01	·16	·08	·04	–	–	·04	17
18	–	·42	–	·37	–	·02	·04	·18	–	–	·25	–	18
19	·03	–	–	·47	–	·07	·43	·33	·12	–	·04	–	19
20	·01	–	–	·12	·04	·02	·17	·32	–	·03	–	·02	20
21	·01	·09	–	·04	·52	–	–	·02	·12	–	·03	–	21
22	·09	–	·04	·03	–	–	–	·01	·15	–	–	–	22
23	·85	·14	·01	–	·19	–	–	–	·17	–	·09	–	23
24	–	·01	–	–	·04	·03	–	·29	·02	–	–	–	24
25	·08	–	–	·44	–	–	·31	·02	–	·06	–	–	25
26	–	·05	–	·26	·01	–	·27	–	–	·21	·21	–	26
27	·12	·16	–	–	–	–	·04	–	–	–	·14	–	27
28	·15	·10	–	–	·26	–	–	–	–	·04	·01	·15	28
29	·11	X	–	–	·09	–	·03	–	–	·28	·04	·03	29
30	·07	X	–	–	·06	–	·03	–	–	–	–	–	30
31	·12	X	–	X	–	X	–	–	X	–	X	–	31
TOTAL	2·40	2·27	·28	5 2·~~4~~0	5 2·~~8~~2	·57	3·20	2 ~~3~~·82	1·86 ~~X·XX~~	·83	3·62	·69	YEAR'S TOTAL 23·~~44~~ 56
*Days with ·01 in. or more.	19	19	6	13	14	11	15	20	12	6	15	9	159
*Days with ·04 in. or more.	15	16	4	11	11	3	13	14	10	5	12	4	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) [P.T.O.

THE HEADMASTER

295/6

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 295/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Wingham

in the County of Kent

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·04	-	·05	·63	-	·18	·02	·01	·07	·02	·20	1
2	·01	-	-	·21	·03	-	·03	-	-	·06	·01	-	2
3	-	-	-	·09	·17	·09	-	-	·27	·07	-	-	3
4	-	-	-	-	·02	·15	-	-	-	-	-	-	4
5	·12	-	·03	-	·03	·06	·24	-	-	-	-	-	5
6	·50	-	·02	·15	-	-	-	-	-	-	-	·04	6
7	·03	-	-	·03	·01	-	·38	-	-	-	-	·03	7
8	-	·08	·07	·06	·09	-	-	-	·03	·40	-	-	8
9	·13	·05	·10	·06	·64	-	-	-	-	·74	-	-	9
10	·54	·01	·08	·34	·04	-	-	-	-	·04	·05	~~·05~~	10
11	·33	·05	-	·09	-	·04	·05	-	-	·23	-	-	11
12	·08	·06	-	·04	·04	-	·09	·08	-	·35	-	-	12
13	·09	-	-	·05	·10	-	·01	-	-	·63	-	-	13
14	·17	-	-	·09	·09	-	-	-	-	·30	-	·03	14
15	·02	·04	-	·05	·04	-	-	-	-	·10	-	·02	15
16	·06	-	-	·14	-	-	-	-	-	-	-	~~[illegible]~~	16
17	-	-	-	·03	-	-	·17	-	-	·10	-	~~[illegible]~~	17
18	-	-	-	-	-	-	·04	-	-	-	·19	-	18
19	-	-	-	-	·08	-	-	-	-	-	·10	-	19
20	-	-	-	-	·07	-	·15	-	-	·97	·24	·02	20
21	-	-	-	-	·17	·04	·03	-	-	·20	·28	·05	21
22	-	-	·03	-	·01	-	·09	-	1·11	·31	-	·04	22
23	-	·12	·35	·14	-	-	·02	-	·21	·48	·11	·05	23
24	-	·01	-	-	-	-	·47	-	·07	·04	·02	-	24
25	-	-	-	-	-	-	1·78	-	·14	·19	·02	-	25
26	-	-	-	·05	-	-	·18	·44	·12	·02	·03	-	26
27	-	-	·30	·09	·05	-	·07	-	-	·79	·07	·03	27
28	-	-	·02	·05	-	-	·15	-	·03	·18	-	-	28
29	-	-	·41	·15	-	-	·01	·17	-	·42	-	-	29
30	-	×	·03	·24	-	·40	-	·03	-	·02	-	·04	30
31	-	×	·13	×	-	×	-	·05	×	·03	×	·03	31
TOTAL	2·13	·46	1·57	~~[illegible]~~ ~~[illegible]~~	2·31	·77	4·14	·79	1·99	7·04	1·14	·58	YEAR'S TOTAL 25·11
*Days with ·01 in. or more.	13	9	12	21	18	6	19	6	9	24	12	12	161
*Days with .04 in. or more.	10	7	7	19	13	6	14	4	6	21	7	6	120

40-9999

*See Instruction 2 (*f*) on other side.

2·19

(*Signed*) J Ginniss

P.T.O.

295/6

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No ~~295/6~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at Wingham

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·31	·06	-	-	-	-	-	-	-	·03	-		1
2	·16	-	·24	-	·14	-	-	-	-	·09	·04	-		2
3	-	·10	·17	-	·02	-	-	-	-	·24	·06	-		3
4	-	·02	-	-	-	-	-	-	-	·01	·32	-		4
5	·34	-	·12	-	·05	-	-	-	-	-	·10	-		5
6	-	·04	·08	-	·30	-	-	-	-	-	·10	-		6
7	·37	·02	·04	·03	·06	-	-	-	-	·60	·03	·04		7
8	·14	-	-	-	-	-	·17	-	-	·03	-	-		8
9	-	-	-	-	·07	-	-	-	-	·03	·05	-		9
10	-	·04	-	-	·02	-	·02	-	-	·14	·04	-		10
11	·13	·02	-	-	·03	·13	-	·10	·05	-	·03	-		11
12	-	-	-	·03	-	·51	·17	-	·70	-	·22	-		12
13	-	-	-	-	·22	·33	·17	-	-	-	·15	-		13
14	-	-	-	-	·04	-	-	-	-	·05	·07	-		14
15	·12	·02	-	-	-	-	·10	·15	-	·02	·15	-		15
16	·18	·02	·52	-	-	·20	·06	-	-	·03	-	-		16
17	-	-	·15	-	-	·03	-	·03	·15	-	·02	-		17
18	-	-	·04	-	-	·18	-	-	-	-	·02	-		18
19	·06	·05	·07	·31	-	·48	-	-	·06	-	-	-		19
20	-	·07	-	·18	-	·08	-	-	·12	-	-	-		20
21	-	·14	-	-	-	·01	-	·12	1·91	-	-	-		21
22	-	-	-	-	-	·32	-	·24	·05	·17	-	-		22
23	-	·03	-	·05	·01	-	-	-	·53	-	-	-		23
24	-	·12	-	·09	·02	·06	-	-	·57	-	·22	-		24
25	-	·24	-	·23	·01	-	-	-	·03	·01	·15	·10		25
26	-	-	-	-	-	·37	-	-	·04	-	·09	·27		26
27	-	·03	-	·03	·05	-	-	-	·01	·21	-	·50		27
28	-	-	-	-	-	·02	·04	-	-	·10	-	·03		28
29	-	X	-	-	-	-	·17	-	-	·02	-	-		29
30	·03	X	-	·02	-	-	-	-	-	·05	-	·04		30
31	-	X	-	X	-	X	-	·06	X	-	X	-		31
TOTAL	1·53	1·27	1·49	·97	1·04	2·72	·90	·70	4·22	1·80	1·89	·98	Year's Total 19·51 ✓	
*Days with ·01 in. or more.	9	16	10	9	14	13	8	6	12	16	19	6	138	
*Days with ·04 in. or more.	8	9	10	5	8	10	7	5	10	9	14	5	100	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) J. Finniss

[P.T.O.

295/6

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~295/6~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~5~~4

Kept at Wingham Boys' School
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 55 ft.

[illegible] 4" low.

926/30.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	·01	-	·25	·10	·12	-	·08		1
2	·02	-	·14	-	-	-	-	-	·27	·63	-	·15		2
3	-	·03	-	·03	·21	-	-	-	·02	·42	-	·03		3
4	·12	-	-	-	·30	-	-	-	-	·19	·09	·40		4
5	-	-	-	-	·06	·01	-	-	-	-	·07	·11		5
6	-	-	·29	·31	·10	·28	-	-	-	·15	-	·26		6
7	·03	-	-	·02	-	-	-	·02	-	·04	-	·16		7
8	-	-	-	·33	·27	-	-	-	·01	-	1·07	-		8
9	-	-	·03	-	-	-	-	-	-	-	·33	·10		9
10	-	-	·09	·09	-	-	-	-	-	·03	·10	·02		10
11	·42	-	·30	·14	-	-	-	·04	-	-	-	·22		11
12	·36	-	·16	-	-	-	·05	·32	-	-	-	·08		12
13	·30	-	·04	-	-	-	·02	·11	-	-	-	·03		13
14	·21	-	·39	·06	-	-	-	-	-	·07	·31	·15		14
15	·03	-	·01	-	-	-	-	-	-	-	·17	·18		15
16	·04	-	·15	·04	·07	-	-	-	-	-	-	-		16
17	·04	-	·40	·08	-	-	-	-	·11	·06	·27	·12		17
18	·05	-	·02	·09	-	-	-	-	-	-	·12	·25		18
19	-	-	·23	-	-	-	-	-	·10	-	-	·15		19
20	-	-	·14	-	-	-	-	-	-	-	-	·02		20
21	-	-	-	·09	-	·04	·21	-	-	-	-	-		21
22	-	-	-	·02	-	-	·13	-	·09	·02	-	-		22
23	-	-	-	·29	-	·08	-	-	-	·01	-	·21		23
24	-	-	-	·25	-	-	·36	-	·05	-	-	-		24
25	·03	·01	-	·08	-	·09	-	-	-	·02	-	·17		25
26	·05	-	-	·03	-	·01	-	-	-	-	-	·03		26
27	·03	-	-	·05	-	·16	-	-	-	-	-	·17		27
28	·01	·06	-	-	-	·01	-	·30	-	-	·04	·18		28
29	-	×	-	-	-	-	·37	·18	·15	-	-	-		29
30	·09	×	-	-	-	-	-	·07	-	-	-	·11		30
31	·04	×	-	×	-	×	-	·04	×	·03	×	·30		31
TOTAL	1·87	·10	2·39	2·00	1·01	·69	1·14	1·33	·90	1·79	2·57	3·68	Year's Total. 19·47	
* Days with .01 in. or more.	17	3	14	17	6	9	6	9	9	13	10	25	138	
* Days with .04 in. or more.	11	1	11	13	6	5	5	8	7	8	10	20	104	

[illegible]

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) J. Finniss

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 295/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

1934

9265/30.

Kept at X Wingham Boys' School X

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 55 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·19	·03	–	·04	–	·13	·04	–	·45	·08	·09	–		1
2	·13	–	–	·04	–	–	–	–	–	·35	·02	–		2
3	·03	–	·16	·14	–	·10	–	–	·04	·16	·04	–		3
4	–	·07	·01	·21	–	·06	–	–	·54	·79	·14	–		4
5	–	·24	–	·10	–	·09	·03	–	·68	·17	·04	–		5
6	·21	·03	–	·15	–	·12	–	–	–	·11	·14	–		6
7	·24	·26 snow	·01	·11	–	·21	–	1·01	–	–	·88	–		7
8	–	–	·01 sn.	·29	–	–	–	–	–	·20	·29	·15		8
9	–	–	–	·04	–	·96	–	–	–	·46	·24	·04		9
10	·09	·05	–	·02	–	·13	–	–	–	·06	–	·11		10
11	·04	–	–	·18	–	·09	–	–	–	·05	·30	–		11
12	–	·02	–	–	·03	·07	–	·59	–	–	·35	–		12
13	·02	·10	–	·10	–	–	–	–	–	–	·23	·04		13
14	·01	–	–	·14	·46	–	–	–	–	–	–	·08		14
15	–	·05	–	·30	·07	·05	–	–	·28	–	·20	·05		15
16	–	·02	–	·12	·02	·19	–	–	·37	–	·69	·02		16
17	·04	–	–	·20	·01	·28	–	–	–	–	·31	–		17
18	–	–	–	·09	–	·02	·10	·01	·28	·09	·01	·07		18
19	–	–	–	·03	·38	·07	·04	–	·03	–	·02	–		19
20	·06	·37	–	·01	·01	·05	·18	–	·03	·03	·04	·06		20
21	·02	·20	–	·06	–	–	–	–	–	·10	·08	–		21
22	·01	·05	–	–	–	–	–	–	·14	–	·27	–		22
23	–	–	·03	–	·02	–	–	·06	–	–	·22	·10		23
24	·06	·55	·01	–	·29	–	–	·11	·46	·07	–	·21		24
25	·17	·12	–	·21	·05	·57	–	–	–	·09	·05	·25		25
26	·09 sn.	–	–	–	–	·03	–	·06	–	·13	–	·31		26
27	·12 sn	·32	–	–	·48	–	–	·49	·08	·02	·05	·16		27
28	·21 sn	·14	–	–	·15	–	–	·15	·03	·07	–	·19		28
29	–	X	–	–	–	–	–	·02	·42	–	–	·34		29
30	–	X	–	·02	–	–	–	·85	·15	·08	·38	·28		30
31	·08	X	–	X	–	X	–	·01	X	·17	X	·42		31
TOTAL	1·77	2·62	·23	2·60	1·97	3·19	·39	3·36	3·98	3·28	5·08	2·88	Year's Total. 31·35	✓
* Days with .01 in. or more.	19	17	6	22	12	18	5	11	15	20	24	18	187	✓
* Days with .04 in. or more.	13	13	1	18	7	16	4	8	12	18	21	17	148	✓

9999

Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ~~J. [illegible]~~ The Headmaster

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 295/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Wingham

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 55 ft.

Acé -

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·29	·24	·04	·14	-	·44	·12	·04	-	-	·02	-		1
2	·04	·07	·07	-	-	·08	·03	·06	-	-	-	·32		2
3	-	·04	-	·23	·01	-	·04	-	·09	-	·31	-		3
4	-	-	·04	-	-	·19	-	-	·17	-	-	-		4
5	·12	-	·01	·03	-	-	-	·03	·22	·15	-	·07		5
6	·13	-	-	-	-	·04	-	·01	·16	·79	·41	-		6
7	·12	-	·04	-	-	-	·02	·04	-	·19	·29	-		7
8	·25	-	·02	-	-	-	·03	-	·09	-	·78	·33		8
9	·38	-	·59	-	-	-	·59	·01	-	·02	·50	-		9
10	-	-	-	·01	·04	·04	·23	·70	·12	·13	-	-		10
11	-	-	-	·04	-	-	·38	·20	-	-	·63	-		11
12	-	-	-	·11	-	·02	·13	-	·01	-	·27	·12		12
13	-	-	-	-	·14	·07	·02	-	-	-	-	·24		13
14	-	·01	-	-	-	·05	·97	-	-	·06	·13	·62		14
15	-	·03	-	-	-	-	·01	-	·54	-	-	·34		15
16	·40	·08	-	-	-	-	-	-	·04	-	·43	·22		16
17	·15	·59	-	-	-	·13	·10	-	-	·03	·20	·27		17
18	·06	·10	-	-	-	·26	·24	-	·01	-	·24	·06		18
19	·16	·09	-	-	-	·39	-	·13	-	·07	-	-		19
20	·15	·07	·01	·39	-	-	-	-	1·21	·01	-	-		20
21	·05	·02	-	·22	·01	·36	·02	-	·02	-	-	-		21
22	·10	·31	·02	-	·02	-	·02	-	-	-	-	·19		22
23	·61	·01	-	·09	-	-	·23	-	-	-	-	-		23
24	·09	·20	-	-	-	-	·02	-	-	·20	-	-		24
25	·35	·07	·07	·08	-	·19	·22	-	·54	·06	-	-		25
26	·01	·08	·13	·04	-	-	-	-	·09	·16	-	-		26
27	✓ ·44 }	·10	·02	-	·03	-	·63	-	·42	·03	-	-		27
28		-	·01	-	-	·18	·74	-	·18	-	-	·05		28
29	·02	·03	·08	-	-	·60	·39	-	·02	·04	·12	·01		29
30	·05	✕	-	-	·05	·03	-	-	·01	·04	-	-		30
31	·18	✕	·16	✕	·08	✕	·12	-	✕	·40	✕	·03		31
TOTAL	3·55	2·14	1·31	1·38	·38	3·07	5·30	1·22	3·99	2·38	4·33	2·87	Year's Total 31·92	
* Days with .01 in. or more.	23	18	15	11	8	16	23	9	18	16	13	14	184	✓
* Days with .04 in. or more.	~~14~~ 20	13	9	9	4	14	15	6	13	12	12	12	~~128~~	139 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Finnies [P.T.O.

Gauge not emptied morning of January 28th.
Two days fall ·44 ins taken out on morning of 29th being total fall for 27th & 28th

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 295/6 ~~295/16~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Wingham

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 55 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·74	·08	-	-	-	-	-	-	-	-	·46	·21		1
2	·01	·15	·12	·24	-	-	-	-	-	-	-	·51		2
3	-	·07	-	-	-	-	-	-	-	·02	-	·82		3
4	·12	·78	-	·02	-	-	-	-	-	·10	-	·28		4
5	·15	·14	·39	-	-	-	·01	-	-	·69	-	·20		5
6	·11	-	·72	-	·14	-	·10	-	-	·05	-	-		6
7	-	-	·75	·05	·08	-	-	-	-	-	-	-		7
8	-	-	-	-	-	·13	-	-	-	-	·20	·86		8
9	-	·20	-	·54	·10	-	·06	-	·15	·07	-	·45		9
10	-	-	-	·09	·12	·64	·03	-	-	-	-	·35		10
11	-	-	·34	·01	·08	-	·12	-	-	·03	-	·27		11
12	·10	·09	-	-	·56	-	·01	-	·22	-	-	·02		12
13	·45	-	-	-	·01	·78	-	·28	·44	-	-	·78		13
14	·19	-	-	-	·48	-	-	·29	·06	-	-	·12		14
15	·04	-	-	·14	·10	·06	·38	-	-	-	-	-		15
16	·04	-	-	·16	-	-	·02	·36	·11	-	-	·35		16
17	·33	-	·96	·18	-	·26	-	-	·64	-	-	-		17
18	·32	-	-	·01	·31	·10	-	-	·48	-	·08	-		18
19	·06	·13	-	·16	-	·14	·05	-	·78	-	-	·07		19
20	·56	-	-	·23	·79	·10	-	-	·01	-	-	-		20
21	·32	-	-	·02	·02	-	·02	·08	-	-	-	-		21
22	·34	·07	-	·01	-	-	-	-	-	·62	·04	·05		22
23	·03	-	-	-	-	-	-	-	-	·60	-	-		23
24	·63	·27	-	-	-	-	-	-	·11	·11	·04	-		24
25	-	·26	-	-	-	-	-	-	·13	·38	-	-		25
26	-	·28	-	-	·03	-	-	-	-	·42	-	-		26
27	-	·25	-	·15	-	-	-	-	-	·09	·02	-		27
28	·15	·14	-	·03	-	·04	-	-	-	-	-	·22		28
29	·06	×	-	-	-	·01	-	-	-	·08	·07	·01		29
30	·24		-	-	-	-	-	-	-	·14	·09	·07		30
31	·30		1·12		-		-	-		·03		·06		31
													Year's Total	
TOTAL	5·29	2·91	4·40	2·04	2·82	1·66	·80	1·01	3·13	3·43	1·00	5·70	34·19	✓
* Days with .01 in. or more.	22	14	7	16	13	10	10	4	11	15	8	19	149	✓
* Days with .04 in. or more.	20	14	7	10	10	9	6	4	10	12	7	17	126	✓

† Spare column, no entries required.

(*Signed*) J. Finnis

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 295/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Wingham

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 55 ft.

Dec snow.

notified 21/2/39

corr. for Dec. 19–26 snow W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	·06	–	·20	1·10	–	–	·50	–	–	·07		1
2	–	–	–	·08	·11	–	–	–	–	·39	·05	–		2
3	–	–	–	–	·32	–	·13	–	–	·64	–	–		3
4	·05	–	–	–	–	·02	·09	·88	–	–	–	–		4
5	–	–	–	–	–	–	·90	–	–	·41	–	·07		5
6	·03	–	–	–	–	–	·05	·15	·03	–	–	–		6
7	–	–	–	–	–	·02	·41	1·05	–	·16	–	·07		7
8	·16	–	–	–	–	–	·14	–	·10	·09	–	–		8
9	·12	·05	–	–	–	–	·04	·32	·01	·05	–	·68		9
10	·13	·08	–	–	–	·11	·01	·03	–	–	–	·14		10
11	·17	·03	–	–	–	–	–	–	–	–	·07	·03		11
12	·10	·09	–	–	–	·12	–	–	–	·08	–	–		12
13	·42	·21	–	–	–	–	–	–	–	·05	·04	–		13
14	·12	·05	–	–	·08	–	–	·09	·25	–	–	–		14
15	·01	·34	–	–	–	–	·22	–	–	·05	–	–		15
16	·19	·03	–	–	–	–	·22	–	–	·14	–	·15		16
17	–	–	–	–	·80	–	·03	–	–	–	–	–		17
18	·03	–	–	·02	·05	–	–	–	·02	·06	·51	–		18
19	–	–	–	·11	·04	–	–	–	–	–	·12	– ✓		19
20	–	–	–	–	·12	–	–	–	·38	–	·37	Snow ~~·60~~ ✓		20
21	·03	–	–	·10	–	–	–	·07	·34	–	·12	– ✓		21
22	·19	–	–	–	–	·04	–	–	–	–	·11	(1·00) ✓		22
23	–	–	–	·10	–	–	–	–	–	–	–	–		23
24	–	–	·15	–	·07	–	–	–	·09	–	–	– ✓		24
25	·10	–	·33	·02	·06	–	·23	–	·20	–	·78	Snow ~~·15~~ ✓		25
26	·51	·25	·08	–	·01	–	·07	–	–	·29	–	– ✓		26
27	·03	·07	–	–	·44	·09	·18	–	·91	·76	·30	–		27
28	·13	·02	–	·09	·15	–	–	·67	–	–	–	– ✓		28
29	–	×	–	·10	·18	–	–	–	–	–	–	– ✓		29
30	·02	×	–	·29	·04	–	–	·12	–	·04	·34	·32		30
31	·22	×	–	×	·05	×	–	–	×	·07	×	·17		31
TOTAL	2·77	1·22	·62	·91	2·72	1·50	2·72	3·38	2·83	3·28	2·81	(2·70) ~~2·45~~	Year's Total ~~27·21~~	27·46
* Days with ·01 in. or more.	21	11	4	9	16	7	14	9	11	15	11	17 ~~11~~	~~139~~	145
* Days with ·04 in. or more.	14	8	4	7	15	5	12	8	8	15	11	14 ~~10~~	~~117~~	✓ 121

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Finniss

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 295/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

File No. 9265/30

Kept at Wingham

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 55 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	-	·01	·10	·54	-	-	·02	·01	·15	-	-		1
2	·03	-	-	-	·02	-	-	·29	-	·62	·04	-		2
3	·21	-	-	·27	-	-	-	·19	-	·15	-	·26		3
4	·17	-	·20	·08	-	-	-	·55	-	·12	·09	-		4
5	-	-	·03	·54	-	-	·12	-	-	·08	·40	·15		5
6	·27	-	·03	-	-	-	-	-	-	·13	·22	-		6
7	·14	-	-	-	-	-	-	-	-	-	·14	-		7
8	-	·15	-	-	-	-	-	·03	-	·07	·03	·29		8
9	-	·09	-	-	-	-	-	-	-	·55	·28	·13		9
10	·08	-	-	-	-	·15	-	·17	·02	·09	-	-		10
11	·16	-	·42	-	-	·55	-	-	-	·84	-	·06		11
12	-	-	-	-	·10	-	-	-	-	·13	-	-		12
13	-	-	-	-	-	-	-	-	·03	1·25	-	·13		13
14	·74	-	·06	-	·12	-	·05	-	-	·35	·35	-		14
15	·16	-	-	-	·92	-	-	-	·11	1·01	·07	-		15
16	·21	-	·10	·01	·24	-	·07	-	·10	-	·31	-		16
17	·15	·13	·11	·04	-	-	·02	-	·13	-	-	-		17
18	·24	-	·04	-	-	-	·16	-	·15	·50	·42	-		18
19	·14	-	-	-	-	·07	·25	-	1·05	1·22	-	-		19
20	·20	-	-	-	-	-	-	-	1·05	-	-	·07		20
21	-	-	·17	-	-	·04	-	-	·10	·13	-	-		21
22	·15	·19	·13	·01	-	-	·13	-	-	-	·04	-		22
23	-	-	-	·03	-	·03	·02	·11	·31	·11	·22	-		23
24	-	·06	·06	·22	-	·02	·26	-	-	·01	-	-		24
25	1·77	·21	·07	-	-	-	-	-	-	-	·42	-		25
26	-	-	·39	-	-	-	·10	-	·03	1·09	·16	-		26
27	·15	-	·18	·05	-	-	·65	-	·02	1·99	·41	-		27
28	-	·47	·19	-	-	·02	-	-	-	·80	·13	SNOW ·03		28
29	-	X	-	·43	-	-	-	-	-	·01	·01	-		29
30	-	✕	-	·56	-	·06	·05	-	-	-	·05	-		30
31	-	✕	-	✕	-	✕	·01	·06	✕	-	✕	-		31
TOTAL	5·07	1·30	2·19	2·34	1·94	·94	1·89	1·42	3·11	11·40	3·79	1·12	Year's Total 36·51	✓
* Days with .01 in. or more.	18	7	16	12	6	8	13	8	13	23	19	8	151	✓
* Days with .04 in. or more.	17	7	13	9	5	5	10	6	8	21	17	7	125	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Finniss

[P.T.O.

SANDWICH (STONE CROS

295|6|5

SANDWICH STONE CROSS

1938 - 1940

78010

Section **A** for the entry of D

AIR MINISTRY

tation No. 295/6/5

L ORGANIZATION

FORM 1090

REGIS

Kept at Stone Cross,

in the County of Kent.

Diameter of Funnel of Gauge........

Height of top of Gauge above Grou

,, Ground ,, Sea L

THE MORNING MEASURE

US DAY

An observer who does not conform to

f the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			–		·22	·73	·03		·28		·03	·04		1
2			–	·04	·16					·32				2
3					·16		·40			·51				3
4							·14	·72		·03		·06		4
5						·03	·58			·34		·02		5
6							·09	·12						6
7							·58	1·04	·03	·14		·07		7
8							·09		·07	·09		Trace		8
9							·02	·33	·005	·03		·30		9
10						·03		·02				·15		10
11										·01	·08	·02		11
12												·02		12
13								·08		·10	·02			13
14					·05			·005	·14			·05		14
15							·34		·02	·045		Trace		15
16					·03		·12			·05		·12		16
17					·71		·02			·12	·04			17
18					·02		·02			·06	·46			18
19				·03					Trace		·07	Snow 4		19
20					·03				·41		·45	Snow 4		20
21				·05				·05	·40		·27	Snow 4		21
22				·03							·17	4		22
23						·02			Trace		·05 ~~·165~~	4		23
24			·11		·05				·07		·31	Frozen:		24
25			·26	·05	·06		·12		·20		·41			25
26			·06				·05		·45	·27		4		26
27					·17	·06	·12		·36	·34	·27	·89	✓	27
28				·03	·06			·17		·05				28
29				·19	·17							·34		29
30		✕		·33	·02			·04		·03	·32			30
31		✕		✕	·02	✕			✕	·07	✕	·19		31
TOTAL			·43	·75	1·93	·87	2·72	2·575	2·435	2·605	2·95 ~~2·615~~	2·27	Year's Total wp	wp
* Days with .01 in. or more.			3	8	15	5	15	9	12	18	13	18		wp
* Days with .04 in. or more.			3	5	10	2	11	8	9	14	11	13		GB 14/3/39

snbh
w.f.h.

* See Instruction 3 (f) on other side.

BOROUGH SURVEYOR

N
X.

† Spare column, no entries required.

(Signed) N. Smart. [P.T.O.

Borough Surveyor.

SANDWICH (STONE CROS

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 295/6/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Stone Cross, Sandwich
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 10½ in.
,, Ground ,, Sea Level 15 ft.

7413316/38

wdw
w.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			—		·22	·73	·03		·28		·03	·04		1
2			–	·04	·16					·32				2
3					·16		·40			·51				3
4							·14	·72		·03		·06		4
5						·03	·58			·34		·02		5
6							·09	·12						6
7							·58	1·04	·03	·14		·07		7
8							·09		·07	·09		Trace		8
9							·02	·33	·008	·03		·30		9
10						·03		·02				·15		10
11										·01	·08	·02		11
12												·02		12
13								·08		·10	·02			13
14					·05			·008	·14			·05		14
15							·34		·02	·045		Trace		15
16					·03		·12			·05		·12		16
17					·71		·02			·12	·04			17
18					·02		·02			·06	·46			18
19				·03					Trace		·07	Snow ✓		19
20					·03				·41		·45	Snow ✓		20
21				·05				·05	·40		·27	Snow ✓		21
22				·03							·17	✓		22
23						·02			Trace		~~·165~~ ·05	✓		23
24			·11		·05				·07		·31	Frozen		24
25			·26	·05	·06		·12		·20		·41			25
26			·06				·05		·45	·27		✓		26
27					·17	·06	·12		·36	·34	·27	·89	✓	27
28				·03	·06			·17		·05				28
29				·19	·17							·34		29
30		✕		·33	·02			·04		·03	·32			30
31		✕		✕	·02	✕			✕	·07	✕	·19		31
TOTAL			·43	·75	1·93	·87	2·72	2·545	2·438	2·605	~~2·615~~ 2·95	2·27	Year's Total wp	wp
* Days with .01 in. or more.			3	8	15	5	15	9	12	18	13	18		wp
* Days with .04 in. or more.			3	5	10	2	11	8	9	14	11	13		GB 14/3/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) V. Smart.
Borough Surveyor.

BOROUGH SURVEYOR

N
X. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 295/6/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Stone Cross, Sandwich.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 10½ in.

,, Ground ,, Sea Level 15 ft.

up Aug 1938

f 74 1336/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				.08	.47		.26	.01		.27		.01		1
2	.02				.01			.30		.79				2
3	.27			.27				.11		.005	.22	.23		3
4	.12		.16	.10				.58		.115	.15			4
5			.03	.70			.06			.08	.27	.14		5
6			.04							.14	.25			6
7	.31	.09									.23	.05		7
8		.05	.14							.08	Trace	.16		8
9	.02		.07							.46	.45	.13		9
10	.06					.22		.29	.01	.05	.005	.04		10
11	.29		.25		.03	.17		.03		.46				11
12					.17	.45				.02				12
13			.07			.02			.02	1.58	.30	.09		13
14	.49		.03		.07		.09		.16	.23		.01		14
15	.14				.97				.20	.92	.08			15
16	.14		.10	.01	.32	.07	.22		.09	.09	.28			16
17	.10	.09	.05	.01			.015		.03		.02			17
18	.14		.11			.02	.13		.09	.43	.41			18
19	.12		.02				.36		.08	1.12				19
20	.20						.05	.01	1.10			.01		20
21	.07		.14			.02			.52	.12				21
22	.08	.10	.08			.14	.09		.19		.04			22
23	.01	.02	.04	.03		.02		.07	.09	.13	.26			23
24	.02	.07		.31		.02	.32		.07	.01	.03			24
25	1.19	.18	.14				.09				.38			25
26	.12		.30				.43			.60	.25	.03		26
27	.10	.02	.06						.02	2.02	.40			27
28		.27	.13			.005				1.35	.09			28
29				.32							.02			29
30		✕		.51		.05					.03			30
31		✕		✕		✕	.07	.07	✕	.01	✕			31
TOTAL	4.01	.89	1.96	2.34	2.04	1.205	9 2.185	1.47	2.67	11.08	4.165	.90	Year's Total 34.915	
* Days with .01 in. or more.	21	9	19	10	7	12	13	9	14	23	20	11	167	
* Days with .04 in. or more.	17	7	16	7	5	6	12	6	10	20	16	7	129	

up low.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) V. Smart

Borough Surveyor.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 295/6/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193/40

Kept at Stone Cross, Sandwich.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 10½ in.

,, Ground ,, Sea Level 15 ft.

Day up 1939

741336/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2				.06						.43	.40	.02		2
3		.15		.05			.13				1.31			3
4				.14			Trace			.09	.12	.38		4
5		.02									.04	.20		5
6	.07	.03					.15			.39	.61			6
7	.25	.04					.15				.05			7
8				.01			.04		.24	.20	Trace	.20		8
9		.02		.01					.25	.07	.12	.12		9
10							.10		.04	.47		.03		10
11				.06						.005	.86			11
12		x	.08	.02			.05		.08					12
13		✓	.24			.02			.10		.83			13
14			Snow .34	.07					Trace		Trace			14
15	x	Snow			.04	.02	.07				.39			15
16	Snow		.20	.005	.08		.41		.05	.60	.38			16
17	✓	✓	.30									.35		17
18	✓	✓	.21	.37			.14			.11	.20	.16		18
19		.98	.05					.02	.77		.14	.16		19
20		.03	.03			.03	.12		.03	Trace	.10			20
21						.01	.23	.01	.04		.21			21
22	✓		.02		.05				.03					22
23		.10		.05				.03						23
24				.08			.16		.01					24
25			.42				.32			.12				25
26	✓	.11	.51		.005					.31		.03		26
27		.06			.03		.05	.01		.09				27
28					.15						.10			28
29	x		.05									.14		29
30	✓	✕		.07	.09				.09			.03		30
31	1.67	✕		✕		✕			✕	.40	✕	.05		31
TOTAL	1.99	1.54	2.45	0.995	~~0.345~~ .44	0.08	2.12	.07	1.73	3.285	5.86	1.87	Year's Total 22.33	Print wt.
* Days with .01 in. or more.	(10)	14	12	13	7	4	14	4	12	13	16	13	132	
* Days with .04 in. or more.	(9)	9	10	9	5	-	14	-	9	12	16	9	102	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) V. Smart

THE BOROUGH SURVEYOR

[P.T.O.

295/7

CANTERBURY
OLD DOVER HOUSE

1935 - 1938

780106

Section **A** for the entry of
AIR MINISTRY

Station No. 295/7
ORGANIZATION.

FORM 1090.

REGIST

35.

Kept at (Old Dover Ho
in the County of Kent

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUREM

An observer who does not conform to thi insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21		trace			·15	·06		·27	·04	·07			1
2	·18			·04						·34	·01			2
3	·02	·05	·22			·06			·08	·30	·07			3
4		·04		·28		·07			·29	·90	·17			4
5		·33	·03	·08		·05	·02		·61	·11	·02	·10		5
6	·07		·07	·18		·21					·06	·02		6
7	·15	·17		·15		·23		·89		·09	·88	·04		7
8				·31						·05	·63	·03		8
9				·06		·99				·19	·25	·19		9
10	·11	·04				·09				·54	·03	·11		10
11	·05	·02		·19		·04				·02	·35			11
12	·02				·03			·86			·25			12
13		·15		·11	·56	·06					·21	·15		13
14	·02				·01	·01						·08		14
15		·08		·33		·05			·43		·42	·07		15
16	·08	·03		·15		·06			·59		·73			16
17	·06		·01	·08		·18					·41	·01		17
18				·15		trace			·34	·07		·03		18
19				·02	·46	·04	·16		·02			·17		19
20		·54		·14	·03	·07	·05			·05	·13			20
21		·33					·23			·13	·07			21
22		·08							·06		·20			22
23											·25	·03		23
24	·05	·77			·45			·30	·54	·17		·26		24
25	·21	·08		·24		·18		·18		·05	·02	·35		25
26	·15				·50	·01		·10	·01	·09		·46		26
27	snow ·24				·19			·39	·06		·06	·16		27
28	·07											·12		28
29	·08	X							·50	·07		·43		29
30		X	·01		·01			1·00	·01	·09	·38	·27		30
31		X		X		X			X	·25	X	·53		31 o.k.
TOTAL	1·77	2·71	·34	2·51	2·24	2·55	·52	3·72	3·81	3·55	5·67	3·61	Year's Total. 33·00	
* Days with .01 in. or more.	17	14	5	16	9	18	5	7	14	19	23	21	168	
* Days with .04 in. or more.	14	12	2	15	5	16	4	7	11	18	20	16	140	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) X Legh S. Powell Esq. X

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 295/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at (Old Dover House) Canterbury. (moved

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21		trace			·15	·06		·27	·04	·07			1
2	·18			·04						·34	·01			2
3	·02	·05	·22			·06			·08	·30	·07			3
4		·04		·28		·07			·29	·90	·17			4
5		·33	·03	·08		·05	·02		·61	·11	·02	·10		5
6	·07		·07	·18		·21					·06	·02		6
7	·15	·17		·15		·23		·89		·09	·88	·04		7
8				·31						·05	·63	·03		8
9				·06		·99				·19	·25	·19		9
10	·11	·04				·09				·54	·03	·11		10
11	·05	·02		·19		·04				·02	·35			11
12	·02				·03			·86			·25			12
13		·15		·11	·56	·06					·21	·15		13
14	·02				·01	·01						·08		14
15		·08		·33		·05			·43		·42	·07		15
16	·08	·03		·15		·06			·59		·73			16
17	·06		·01	·08		·18					·41	·01		17
18				·15		trace			·34	·07		·03		18
19				·02	·46	·04	·16		·02			·17		19
20		·54		·14	·03	·07	·05			·05	·13			20
21		·33					·23			·13	·07			21
22		·08							·06		·20			22
23											·25	·03		23
24	·05	·77			·45			·30	·54	·17		·26		24
25	·21	·08		·24		·18		·18		·05	·02	·35		25
26	·15				·50	·01		·10	·01	·09		·46		26
27	snow ·24				·19			·39	·06		·06	·16		27
28	·07											·12		28
29	·08	X							·50	·07		·43		29
30		X	·01		·01			1·00	·01	·09	·38	·27		30
31		X		X		X			X	·25	X	·53		31
TOTAL	1·77	2·71	·34	2·51	2·24	2·55	·52	3·72	3·81	3·55	5·67	3·61	Year's Total. 33·00	
* Days with .01 in. or more.	17	14	5	16	9	18	5	7	14	19	23	21	168	
* Days with .04 in. or more.	14	12	2	15	5	16	4	7	11	18	20	16	140	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) X Legh S. Powell Esq X

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 295/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Old Dover House. Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·37	·16	·04	·13		·17	·05	·08		·01	·03	·12		1
2	·02	·08	·01	trace		·15	·03	·06				·28		2
3		·03		·19			·03		·03		·25			3
4			·05			·16			·15	trace	·05	·05		4
5	·15			·14				·01	·07	·12	·03	·04		5
6	·20		·01			·01			·17	·93	·37			6
7	·16		·02				·03	·02	·02	·18	·64	·05		7
8	·30		trace								·65	·25		8
9	·42		twilight ·03		·02		·49	·13			·26			9
10				trace	·01	·06	·20	·38	·04	·28	·78			10
11				·04			·25				·19			11
12						·05	·16		·01			·09		12
13					·09	·04	·08					·20		13
14		·02				·05	·94			·06	·13	·53		14
15		·03					·05		·63			·23		15
16	·48	·07							·02		·35	·18		16
17	·11	·69				·08				·11	·27	·28		17
18	·05	·12				·26		·01	·03	·03	·30	·05		18
19	·13	·08				·11		·11						19
20	·19	·14	·01	·37					·60					20
21				·19	·02	·84	·01		·01					21
22	·05	·37	·02	·02	·03		·04					·15		22
23				·06			·24			·01				23
24	·09	·08					·06		·01	·21				24
25	·45	·02	·08	·08		·11	·06		·23	·07	·02	·01		25
26		·09	·07	·02					·09	·17		·01		26
27	·09	·07					·25		·22	·03	·01			27
28	·52		·02			·39	·53		·09			·03		28
29	·03	·03	·08			·71	·28		·09	·03	·11	·01		29
30	·05	✕			·05	·12	·02			·06				30
31	·21	✕	·18	✕		✕	·10		✕	·58	✕	·05		31
TOTAL	4·07	2·08	·62	~~1·44~~ 1·24	·22	3·31	3·89	·80	2·51	2·88	4·44	2·61	Year's Total 28·57	
* Days with .01 in. or more.	20	16	12	10	6	16	21	8	18	16	17	19	179	
* Days with .04 in. or more.	18	11	6	8	2	15	15	5	11	11	13	15	130	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Leigh S. Powell [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 295/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Old Dover House Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft. — See previous returns

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·70	·01	·07	·01								·37		1
2		·16	·02	·29							·50	·87		2
3		·07	·05											3
4	·10	·80								·08		·35		4
5	·15	·17	·54	·02			·22			·23		·16		5
6	·07		·64		·15					·07				6
7		·70	·11	·05	·16	·07						·02		7
8		·07	·19					·03	·21	·18		·72		8
9			·13	·41	·10	·34	·11					·22		9
10			·41	·07	·09							·42		10
11			·53	trace	·13							·23		11
12	·15	·24	·53		·68			·21	·31			·94		12
13	·35	·01	·45		·61	·29		·12	·84					13
14	·06	·02	·08		·05			·11	·04			·11		14
15	·03	·04		·13			·44		·08					15
16	·02	·03	·14	·15		·26		·33	·20			·23		16
17	·35	·03	01	·28					·65		·41			17
18	·31	·07			·46				·43		14			18
19	·11	·03	·06	·19	·74	·14	·03		·22					19
20	·43		·40	·27		05			·02					20
21	·32	·51	·15											21
22	·34	·06	·03	·05						·97		·10		22
23	·03									·40				23
24	·55	·24	·03							·12				24
25	·22	·29	·30							·48				25
26		·29	·09						·12	·38				26
27		·16	~~·13~~	·17						·10				27
28	·08		·03									·25		28
29	·12	×	·03							·12				29
30	·23	×								·20		·14		30
31	·31	×		×		×			×		×	·10		31
TOTAL	5·03	4·03	5·02	2·09	3·17	1·15	·80	·80	3·12	3·33	1·05	~~5·16~~ 5·23	Year's Total 33·75	✓
* Days with .01 in. or more.	22	21	24	13	10	6	4	5	11	12	3	16	147	✓
* Days with .04 in. or more.	19	15	18	11	~~11~~9	6	3	4	10	12	3	15	125	✓

40-9999.

* See Instruction 2 (f) on other side.

2.09

† Spare column, no entries required.

(*Signed*) Legh S. Powell [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 295/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Old Dover House. Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft. see last sheet 1937

Totals

✓ W.W.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·12	·80	·13		·41	·01	·03	·04		1
2				·09	·27					·38				2
3					·17		·45			·54	·03			3
4						·05		·22				·08		4
5	[illegible]						·31			·40				5
6	·06							·16	·03					6
7							·19	·65		·21		·06		7.
8	·12	·01				·01	·07			·12				8
9	·16	·07				·06	·06	·46		·02		·66		9
10	·10							·02				·15		10
11	·16	·01									·06	·04		11
12	·21	·11								·04	·02	·01		12
13	·48							·22		·02	·03			13
14	·12	·01			·11				·19	~~·09~~		·08		14
15	·03	·36					·29			·09		·02		15
16	·27	·02					·03			·08	·09	·12		16
17		·09		·11	·62					·33	·02			17
18	·03				·04				·15	·02	·49			18
19					·03				·04		·05			19
20									56		·35			20
21	·03			·03				·02	·26		·08	·44	Snow	21
22											·12	·19	"	22
23				·01										23
24			·21						·12		·32	·19	"	24
25	·08		·29	·03	·04		·12		·18	·02	·45			25
26	·41	·26							·42	·29		·41	"	26
27	·06	·06			·43	·14	·22		·52	·84	·27			27
28	·14	·07		·11	·23			·64	·14			·01		28
29	·17	✕		·30	·19			·11			·02	·31		29
30	·03	✕			·04				·02	·01	·34			30
31	·21	✕		✕	·05	✕			✕	·07	✕	·20		31
TOTAL	~~3·08~~ 2·87	1·07	·50	·68	2·34	1·06	1·87	2·50	3·04	3·49	2·77	3·01	Year's Total 25·21	
* Days with .01 in. or more.	19	11	2	7	13	5	10	9	13	18	17	17	141	
* Days with .04 in. or more.	15	7	2	4	12	4	9	7	11	12	11	14	108	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Legh S. Powell

[P.T.O.

296

Section **A** **for the entry o**
AIR MINISTR

FORM 1090.

REGIS

296

CANTERBURY
MEDICAL SCHOOL

1931 - 1940

780106

FOR OFFICIAL USE.
ALL ORGANIZATION.

31.

MWR/84

Kept at Canterbu
in the County of Kent

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEAS **DAY.**

An observer who does not conform to this rule should insert the *the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·33				2
3					·90								3
4													4
5						·32							5
6													6
7							·85						7
8			·09										8
9													9
10											1.52		10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19				·70				·31					19
20													20
21													21
22													22
23	·56												23
24													24
25													25
26													26
27													27
28												·10	28
29										·24			29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	2·22	2.82	0·21	3·24	2·46	0.50	3.41	2·39	1·45	0.53	3.82	0.47	YEAR'S TOTAL 23·52
*Days with ·01 in. or more.	17	21	5	15	13	8	15	20	13	6	12	9	154
*Days with ·04 in. or more.	14	14	2	13	9	4	12	13	9	4	10	6	110
40-9999	56·4	71·6	5·3	82·3	62·5	127	86·6	60·7	36·8	13·5	97·0	11·9	59/73

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.]

296

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

MWR/84

Kept at Canterbury (MEDICAL SCHOOL)

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 12½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·33				2
3					·90								3
4													4
5						·32							5
6													6
7							·85						7
8			·09										8
9													9
10											1.52		10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19				·70				·31					19
20													20
21													21
22													22
23	·56												23
24													24
25													25
26													26
27													27
28												·10	28
29										·24			29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·22	2.82	0·21	3·24	2·46	0.50	3.41	2·39	1·45	0·53	3.82	0·47	YEAR'S TOTAL 23·52
*Days with ·01 in. or more.	17	21	5	15	13	8	15	20	13	6	12	9	154
*Days with ·04 in. or more.	14	14	2	13	9	4	12	13	9	4	10	6	110
40-9999	56·4	71·6	5·3	82·3	62·5	127	86·6	60·7	36·8	13·5	97·0	11·9	59/73

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

[P.T.O.]

296

Section A for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

184

Kept at Canterbury

in the County of Kent

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 124 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·73								1
2												·11	2
3													3
4													4
5													5
6	·50												6
7													7
8													8
9													9
10													10
11		·25											11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20										·98			20
21													21
22									1·59		0.32		22
23										·98			23
24													24
25							1.60						25
26								1.05					26
27													27
28													28
29			·33										29
30		✕		·90		·65							30
31		✕		✕		✕			✕		✕		31
TOTAL	1·93	0·62	1·31	2·48	2·37	0·83	3·12	1·39	2·71	6·49	1·30	0·35	YEAR'S TOTAL 24·90
*Days with ·01 in. or more.	11	9	11	22	20	5	13	6	15	20	12	8	152 152
*Days with ·04 in. or more.	9	5	7	15	11	3	10	3	7	18	6	2	96 96
40-9999	49·0	15·7	33·3	63·0	60·2	21·1	79·2	35·3	68·8	164·8	33·0	8·9	

(Signed).......................... [P.T.O.

*See Instruction 2 (*f*) on other side

296

Section | **A** | for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept [illegible] Canterbury

in the County of Kent

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground 1 ft. ......in.

,, Ground ,, Sea Level 124 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2					·42								2
3													3
4													4
5													5
6													6
7	·46												7
8													8
9										·27			9
10													10
11													11
12													12
13													13
14													14
15													15
16			·55				·20						16
17													17
18													18
19				0·22									19
20													20
21									1·15				21
22						·54		·20					22
23													23
24											·30		24
25													25
26		0.24										·23	26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	1.61	1.23	1.46	0.85	1.24	2.21	1.00	0.66	3.92	1.35	1.17	0.47	YEAR'S TOTAL 17.17
*Days with ·01 in. or more.	12	14	13	10	12	13	10	8	10	16	13	6	137
*Days with ·04 in. or more.	10	8	7	6	6	7	7	7	8.	10.	9	5	90

40-9999

21·6

25·4

*See Instruction 2 (*f*) on other side.

(*Signed*)..

D

P.T.O.

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

2967

Kept at Canterbury

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. .... in.

,, Ground ,, Sea Level 124 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·30	·62			2
3		·07			·38								3
4													4
5												·87	5
6													6
7													7
8											2·25		8
9													9
10													10
11	·62												11
12								·42					12
13													13
14			·45										14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23				·50									23
24						·35	·40						24
25													25
26													26
27													27
28													28
29		X											29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.10 ✓	0.23	2.69 ✓	2.39	0.87 ✓	1.08 ✓	0.93 ✓	1.61 ✓	1.30 ✓	1.87 ✓	4.18 ✓	4.47	YEAR'S TOTAL 23·72
*Days with ·01 in. or more.	16	5	14	17	7	7	7	14	8	12	16	26	149 ✓
*Days with ·04 in. or more.	9	4	11	12	6	7.	6	7	6	8	10	18	104 ✓

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

1F4

Green file

Kept at Canterbury
in the County of Kent

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground 1 ft. .... in.
,, Ground ,, Sea Level 124 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3			·17											3
4										·93				4
5									·59					5
6														6
7											·80			7
8														8
9						·91								9
10														10
11														11
12														12
13														13
14														14
15				·35										15
16														16
17														17
18							·17							18
19														19
20														20
21														21
22														22
23														23
24		·75												24
25														25
26					·48									26
27	0·25													27
28														28
29														29
30		×						·93						30
31		×		×		×			×		×	·53		31
TOTAL	1·49	3·12	0·24	2·26	2·12	2·20	0·40	3·61	3·49	3·27	5·21	3·17	Year's Total 30·58	
*Days with ·01 in. or more.	16	17	4	22	12	20	4	10	13	18	25	22	183	
*Days with ·04 in. or more.	11	11	1	16	6	13	3	7	10	16	18	15	127	

40-9999

*See Instruction 2(*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

X Kept at Canterbury (~~Medical Hall~~) St. Keyne X ‡

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level X 135 X ft.

Footnote

‡ g. Moved from Medical Hall aug. 1st.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6										·86				6
7														7
8														8
9														9
10								·36						10
11											·74			11
12														12
13					·08									13
14							·92					·48		14
15														15
16														16
17		·63												17
18														18
19														19
20				·35					·67					20
21						·80								21
22														22
23														23
24														24
25														25
26														26
27														27
28	·48													28
29														29
30		✕												30
31		✕	·18	✕		✕			✕		✕			31
TOTAL	3.62	1.99	·52	1.02	·17	2.98	3.72	·70	2.22	2.53	4.28	2.40	Year's Total (26.15)	
* Days with .01 in. or more.	21	14	10	10 ~~8~~	6	16	19	8	15	17	16	16	(168)	
* Days with .04 in. or more.	18	11	6	6	2	13	14	5	10	11	13	14	(123)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

X Moved a few hundred yds to higher ground on Aug 1. X

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1950 — 184

REGISTER OF RAINFALL IN 1937

Kept at Canterbury (St Keyne)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 135 ft.

4.00

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·66										·46			1
2														2
3														3
4		80												4
5			55											5
6														6
7														7
8														8
9				·42										9
10						·36								10
11														11
12					·72									12
13									·78			·90		13
14														14
15							·42							15
16								33						16
17														17
18														18
19														19
20					·72									20
21														21
22										94				22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕	✓	✕ ✓	✓	Year's Total	31
TOTAL	4·70	3·89	4·70	2·03	3·11	1·36	·76	·80	3·27	2·93	1·26	5·19	34·00	✓
* Days with .01 in. or more.	22	23	22	14	11	8	6	5	12	11	9	19	162	✓
* Days with .04 in. or more.	19	17	18	11	9	6	4	4	10	11	5	16	130	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

184

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Canterbury (St. Keyne)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 135 ft.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·80								1
2														2
3														3
4							·46							4
5														5
6														6
7								·59						7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15	·50													15
16		·25												16
17					·56									17
18											·50			18
19														19
20									·56					20
21														21
22														22
23														23
24														24
25			·32											25
26												·36		26
27										·94				27
28														28
29														29
30		✕		·32										30
31		✕		✕		✕			✕		✕			31
TOTAL	2·88	·88	59	·73	2·33	1·08	1·89	2·31	3·01	3·44	2·45	2·65	Year's Total 24·24	✓
* Days with .01 in. or more.	20	11	4	9	15	6	15	9	13	17	15	15	149	✓
* Days with .04 in. or more.	16	7	4	6	13	5	11	8	10	10	11	10	111	✓

* See Instruction 3 (f) on other side.

2·20

† Spare column, no entries required.

(*Signed*) ......

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations   Station No. ~~184~~ 296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Canterbury (St. Leyne)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 135 ft.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4								·62						4
5														5
6														6
7														7
8												·45		8
9														9
10						·35								10
11														11
12														12
13										1·64				13
14														14
15					·94									15
16														16
17														17
18											·45			18
19														19
20														20
21									·46					21
22														22
23							·22							23
24														24
25	1·70										·45			25
26			·30											26
27														27
28		·30												28
29				·60										29
30		×												30
31		×		×		×			×		×			31
TOTAL	5·14	1·04	1·64	2·19	1·86	1·23	1·19	1·62	1·49	10·90	4·04	1·30	Year's Total 33·64	
* Days with .01 in. or more.	21	9	16	11	6	12	12	9	12	23	21	12	164	
* Days with .04 in. or more.	20	8	11	8	5	7	10	6	8	18	14	7	122	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

184

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 296 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

400

Kept at Canterbury (St. Keyne)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 135 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3											1·26			3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13						·70								13
14												·23		14
15							·68							15
16														16
17		·32												17
18				·35								·23		18
19									·37					19
20														20
21														21
22														22
23								·01						23
24														24
25														25
26	61		·72							·54				26
27														27
28					1·22									28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	2·10 ~~4·20~~	1·79	3·07	·96	1·47	1·11	2·71	·01	1·76	3·81	6·41	1·44	Year's Total 26·64	
* Days with .01 in. or more.	11	17	12	11	5	5	16	1	12	18	17	15	140	
* Days with .04 in. or more.	9	12	9	8	5	5	13	0	6	15	15	12	109	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

297

Section **A** **for the entry of Daily Observ**

AIR MINISTRY.—METEORO

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGISTER O 1931.

297 - 302729

CANTERBURY

1931 – 1940

780106

Kept at Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

,, Ground ,, Sea Level 6

THE MORNING MEASUREMENT IS **OUS DAY.**

An observer who does not conform to this rule should *1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read **leaf.**

Date	Jan.	Feb.	March	April	May				t.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.				in.	in.	in.	
1		·05		·08				·25					1
2	·10	·08		·05	·14			·02	·32				2
3	·11	·10		·03	·95			·16	·39			·08	3
4		·05						·04	·02		·05		4
5				·20		·31	·05	·08	·09			·07	5
6				·03				·04		·16	·23		6
7	·03	·04			·04	·01	1·95	·04		·02	·01		7
8	·01	·02	·10		·01	·08	·01	·07			·02	·07	8
9		·05	·06					·04	·03		·57	·05	9
10	·05	·15	·02			·06		·11			1·41	·02	10
11	·16	·64							·05		·78		11
12	·24	·05		·01			·02		·32			·02	12
13	·27	·02			·05			·08					13
14	·02	·08			·01		·60	·36					14
15	·03	·02		·31	·02		·65	·14				·09	15
16		·08		·23	·18		·10	·19					16
17		·30		·17			·19	·09	·06				17
18	·03	·41		·38		·05	·05	·20			·30		18
19	·02			·69			·10	·26	·16		·03		19
20		·05		·02		·01	·27	·41		·03		·03	20
21		·05			·49			·03	·08				21
22	·10								·10				22
23	·49	·18	·02		·04	·04			·04		·08		23
24			·01	·21	·02	·02	·04	·20					24
25	·08			·63			·47						25
26		·04		·37	·02		·24			·03	·23		26
27	·11	·19		·05	·40		·21				·10		27
28	·11	·21		·01	·07					·02		·13	28
29	·17			·02	·02		·04			·25	·07		29
30	·05	×			·11		·02						30
31	·12	×		×		×			×		×		31
TOTAL	2·30	2·86	·21	3·49	2·57	·58	5·01	2·81	1·66	·51	3·88	·56	YEAR'S TOTAL 26·44
*Days with ·01 in. or more.	20	22	5	18	16	8	17	20	12	6	13	9	166
*Days with ·04 in. or more.	14	19	2	12	10	5	14	18	10	2	10	6	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) (Miss) B. Spillett

P.T.O.

297

Section **A** for the entry of Daily Observ

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·08				·25					1
2	·10	·08		·05	·14			·02	·32				2
3	·11	·10		·03	·95			·16	·39			·08	3
4		·05						·04	·02		·05		4
5				·20		·31	·05	·08	·09			·07	5
6				·03				·04		·16	·23		6
7	·03	·04			·04	·01	1·95	·04		·02	·01		7
8	·01	·02	·10		·01	·08	·01	·07			·02	·07	8
9		·05	·06					·04	·03		·57	·05	9
10	·05	·15	·02			·06		·11			1·41	·02	10
11	·16	·64							·05		·78		11
12	·24	·05		·01			·02		·32			·02	12
13	·27	·02			·05			·08					13
14	·02	·08			·01		·60	·36					14
15	·03	·02		·31	·02		·65	·14				·09	15
16		·08		·23	·18		·10	·19					16
17		·30		·17			·19	·09	·06				17
18	·03	·41		·38		·05	·05	·20			·30		18
19	·02			·69			·10	·26	·16		·03		19
20		·05		·02		·01	·27	·41		·03		·03	20
21		·05			·49			·03	·08				21
22	·10								·10				22
23	·49	·18	·02		·04	·04			·04		·08		23
24			·01	·21	·02	·02	·04	·20					24
25	·08			·63			·47						25
26		·04		·37	·02		·24			·03	·23		26
27	·11	·19		·05	·40		·21				·10		27
28	·11	·21		·01	·07					·02		·13	28
29	·17			·02	·02		·04			·25	·07		29
30	·05	×			·11		·02						30
31	·12	×		×		×			×		×		31
TOTAL	2·30	2·86	·21	3·49	2·57	·58	5·01	2·81	1·66	·51	3·88	·56	YEAR'S TOTAL 26·44
*Days with ·01 in. or more.	20	22	5	18	16	8	17	20	12	6	13	9	166
*Days with ·04 in. or more.	14	19	2	12	10	5	14	18	10	2	10	6	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) (Miss) B. Spillett

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 297

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·02		·03	·70		·01			·08	·03		1
2	·01			·18	·05			·03	·05	·03	·01	·12	2
3				·08	·25			·01	·31	·02			3
4				·02	·04	·09							4
5	·09		·02		·06	·05	·08	·01	·02				5
6	·51			·16	·03				·02			·05	6
7	·05		·08	·02			·09					·11	7
8		·11	·12	·08	·27				·07	·59	·01		8
9	·13	·08		·07	·54					·39			9
10	·46	·02		·30	·04				·02	·06	·02		10
11	·35	·20	·02	·11		·03	·06		·02	·32			11
12	·12	·03		·				·05		·20			12
13	·02			·04	·04				·02	·75		·02	13
14	·15			·12	·11					·16			14
15		·04		·03	·06					·10			15
16	·06			·20	·03								16
17				·02			·03			·12			17
18	·01						·03		·05		·11		18
19									·02	·13	·27		19
20		·01			·09		·14		·01	·95	·26		20
21					·06	·02	·03			·20			21
22		·02	·37	·06	·16		·09		1·39	·10	·30	·03	22
23		·10		·14	·01		·03		·23	·88	·22	·04	23
24					·03		·46	·02	·06	·03	·02		24
25		·02					1·41		·17	·21	·03		25
26				·04			·34	1·15			·03		26
27			·33	·06	·10		·21		·43	·62	·07		27
28				·01	·02		·11			·15			28
29			·30	·09				·26	·03	·42			29
30		×	·12	·70		·61			·01	·01	·03	·05	30
31		×	·11	×		×	·03		×	·01	×	·03	31
TOTAL	2·03	·65	1·47	2·56	2·69	·80	3·15	1·53	2·93	6·53	1·41	·45	YEAR'S TOTAL 26·20
*Days with ·01 in. or more.	13	11	9	22	20	5	16	7	18	24	14	8	167
*Days with ·04 in. or more.	10	5	7	16	15	3	10	3	9	19	6	5	108

40-9999

*See Instruction 2 (*f*) on other side.

(miss) (*Signed*) B. Spillett

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 297

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·20	·04							·02	·02		1
2	·10		·25		·44					·11	·04		2
3	·01	·10	·14							·10	·02		3
4											·01		4
5	·28		·11		·07								5
6		·03	·08		·36						·09		6
7	·46	·02	·02	·02	·06					·27	·02	·07	7
8	·16				·04		·13			·01			8
9					·04		·02			·36	·09		9
10		·02				·02	·02			·17	·01		10
11	·18				·03	·07		·11	·16		·03		11
12				·05		·39	·26		·73		·10		12
13					·24	·01	·18	·10	·54	·03	·10		13
14	·01				·02		·03			·09	·12		14
15	·12		·05				·10	·13		·02	·05	·05	15
16	·16		·60		·01	·21	·21			·02			16
17		·04	·33			·03		·05	·13		·02		17
18	·07		·01	·07		·24							18
19		·11	·11	·16		·37			·35				19
20		·03		·08		·08			·01				20
21		·25						·10	1·16	·01			21
22		·03				·16		·25	·01	·07			22
23				·06	·04				·53				23
24		·20		·09	·01	·09			·48		·24		24
25				·23	·03	·03			·02		·20	·06	25
26		·24		·01		·48			·03	·03	·13	·16	26
27		·03			·07					·21		·07	27
28							·18			·07		·01	28
29							·13			·03			29
30	·06	×	·06				·01			·04		·04	30
31	·07	×		×		×		·08	×		×		31
TOTAL	1·68	1·30	1·80	·77	1·46	2·18	1·27	·82	4·15	1·66	1·29	·46	YEAR'S TOTAL 18·84
*Days with ·01 in. or more.	12	13	12	9	14	13	11	7	12	18	17	7	145
*Days with ·04 in. or more.	10	7	10	7	9	9	7	7	8	10	10	6	100

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) B. Spillett

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 297

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·02						·21	·17	·24		·10		1
2	·03		·13	·05					·31	·72		·20		2
3		·08		·04	·47			·01		·54	·09	·04		3
4	·18	·01			·04					·09	·07	·62		4
5			·01			·03					·08	·17		5
6			·31	·15	·19	·27		·04		·19	·02	·35		6
7	·04							·02		·05		·14		7
8				·39	·25			·03	·03		2·10			8
9			·01	·02							·54	·14		9
10			·16	·12				·03		·05	·19			10
11	·65		·27	·23			·03	·07				·28		11
12	·12		·09				·02	·40				·12		12
13	·38		·17	·02				·26						13
14	·37		·45	·08	·01		·07	·02		·07	·29	·20		14
15	·02		·02						·07	·01	·18	·42		15
16	·07		·20	·04	·07									16
17	·06		·55						·17	·06	·26	·15		17
18	·04			·28			·08		·01		·21	·17		18
19			·25			·01			·13			·11		19
20			·19				·09					·01		20
21				·08		·06				·02				21
22								·24	·18	·01				22
23				·50		·18				·02		·16		23
24				·24		·16	·40		·06					24
25	·03	·09		·10	·02					·03		·22		25
26	·09			·11		·08						·02		26
27	·05	·05		·08		·06						·18		27
28		·05		·14		·05		·36			·04	·16		28
29		X					·49	·10	·30			·01		29
30	·15	X						·07				·23		30
31	·05	X		X		X			X	·03	X	·22		31
TOTAL	2·33	·30	2·81	2·67	1·05	·90	1·18	1·86	1·43	2·13	4·07	4·42	Year's Total. 25·15	
* Days with .01 in. or more.	16	6	14	18	7	9	7	14	10	15	12	24	152	
* Days with .04 in. or more.	13	4	11	16	5	8	5	9	8	9	11	21	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. Spillett

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 297

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	†	
1	·21	·11	·01	·03		·15	·07		·17	·08	·06	·01		1
2	·18			·05						·28	·02			2
3	·03	·05	·19	·08		·04			·06	·26	·06			3
4		·02		·26		·10			·15	·88	·08	·07		4
5		·29	·04	·08		·07	·03		·60	·10		·04		5
6	·10			·15		·18				·02	·07	·02		6
7	·15	·11	·02	·13		·21				·04	·80	·04		7
8				·31				·83		·23	·30	·03		8
9				·05		·86				·52	·19	·15		9
10	·06	·04				·08						·10		10
11	·04			·16		·04					·31			11
12		·02			·02	·07		·86			·24			12
13	·02	·14		·10	·09						·14	·17		13
14	·03			·01	·42	·02						·07		14
15		·07		·32	·03	·04			·38		·33	·06		15
16		·03		·14	·02	·03			·26		·71			16
17	·06		·02	·08		·21	·03				·42			17
18				·13			·12		·30	·08		·04		18
19				·01	·41	·05	·05		·02		·01	·19		19
20	·02	·46		·35	·03	·08	·20		·61	·04	·03			20
21	·03	·31								·13	·07			21
22		·09							·04		·19			22
23								·32			·19			23
24	·03	·70			·42			·13	·50	·17		·27		24
25	·19	·11		·25		·16				·10	·03	·28		25
26	·15				·44			·10		·09		·40		26
27	·20	·54			·29			·44	·08		·07	·12		27
28	·08	·08										·09		28
29		×							·42	·06		·41		29
30		×			·02			·95	·02	·10	·39	·26		30
31		×		×		×			×	·19	×	·49		31
TOTAL	1·58	3·17	·28	2·69	2·19	2·39	·50	3·63	3·01	3·37	4·71	3·31	Year's Total. 30·83	
* Days with .01 in. or more.	17	17	5	19	11	17	6	7	14	18	22	21	174	
* Days with .04 in. or more.	11	14	2	16	6	15	4	7	11	17	18	18	139	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) B Spillett

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 297

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 66 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	·18	·05	·11		·13	·07	·04		·03	·03	·13		1
2	·02	·08	·04	·02		·11	·04	·09				·30		2
3		·03		·20			·03		·03		·25			3
4			·05			·16			·15		·04	·04		4
5	·14			·04				·02	·08	·09	·03	·04		5
6	·16					·02		·02	·14	·76	·44			6
7	·14		·02				·04	·11	·03	·10	·53			7
8	·27		·02				·02				·66	·28		8
9	·44		·03		·03		·53	·11			·20	·01		9
10					·02	·08	·08	·39	·03	·33				10
11				·06			·22	·01			·85			11
12				·03		·07	·17		·02		·13	·09		12
13					·14	·03	·11			·01		·16		13
14						·05	·95			·07	·14	·50		14
15		·05					·01		·36			·23		15
16	·54	·07							·02		·38	·18		16
17	·14	·62				·06					·28	·27		17
18	·07	·11				·10	·20	·02			·25	·05		18
19	·10	·07				·06		·12		·08	·02			19
20	·22	·11	·03	·31			·02		·80					20
21				·16		·73	·01							21
22	·05	·35	·02	·04	·05	·01	·04					·18		22
23				·03			·22			·02				23
24	·09	·16								·29				24
25	·45	·02	·08	·09		·10	·11		·40	·19	·02			25
26		·08	·08						·10	·18				26
27	·10	·05					·22		·23	·02	·01			27
28	·47		·02			·35	·73		·06			·04		28
29	·03	·03	·08			·55	·24		·08	·04	·12			29
30	·05	✕				·12	·05			·07				30
31	·23	✕	·17	✕	·01	✕	·14		✕	·42	✕	·06		31
TOTAL	4·01	2·01	·69	1·09	·25	2·73	4·25	·93	2·53	2·70	4·38	2·56	Year's Total 28·13	✓
* Days with .01 in. or more.	20	15	13	11	5	17	23	10	15	16	18	16	179	✓
* Days with .04 in. or more.	18	12	7	8	2	14	18	6	10	12	13	15	135	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) B. Spillett

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 297

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 66 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·71			·05							·56	·38		1
2		·17	·02	·29								·82		2
3		·05	·04									·53		3
4	·11	·69		·02						·05		·32		4
5	·16	·21	·60				·20			·21		·19		5
6	·06		·45		·16					·07				6
7		·74	·12	·04	·13				·02	·01		·03		7
8		·02	·24		·01	·07					·22	·64		8
9		·03	·13	·40	·10		·09	·03	·19			·26		9
10			·32	·08	·09	·31						·44		10
11			·60		·12		·06			·04		·23		11
12	·14	·25	·53		·71			·31	·38					12
13	·34		·47	·01		·22			·61			·89		13
14	·07	·03	·09	·12	·63	·01		·12	·04			·09		14
15	·03	·04			·03	·04	·41		·08					15
16		·03	·14	·18				·34	·20			·05		16
17	·34	·04	·01	·26		·19			·68		·34			17
18	·28	·08			·43	·12			·46		·12			18
19	·09	·03	·05	·15	·02	·16	·05		·29					19
20	·40		·39	·23	·73	·03								20
21	·31	·50	·15	·03			·02	·03						21
22	·33	·05	·04		·02					·96	·02	·06		22
23	·03						·02			·61				23
24	·50	·26	·04						·18	·10	·02			24
25	·20	·29	·32						·10	·60				25
26		·26	·08		·09					·38				26
27		·16	·01	·18						·10	·03			27
28	·07	·07	·10			·03						·25		28
29	·11	X	·03							·15				29
30	·24	×					·01			·51	·08	·14		30
31	·27	×		×		×			×	·01	×	·13		31
TOTAL	4·79	4·00	4·97	2·04	3·27	1·18	·86	·83	3·23	3·80	1·39	5·45	Year's Total 35·81	✓
* Days with .01 in. or more.	21	21	24	14	14	10	8	5	12	14	8	17	168	✓ ✓
* Days with .04 in. or more.	19	16	20	11	10	7	5	3	11	12	5	16	135	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) (Miss) B. Spillett

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 297

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 66 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03		·08		·14	1·04	·20		·36		·04	·05		1
2	·02			·08	·27					·28		·01		2
3					·16		·02			·52	·03			3
4						·05	·41	·23				·05		4
5	·01						·38			·37				5
6	·02						·03	·14	·04					6
7							·08	·62		·19		·05		7
8	·14						·08		·02	·09				8
9	·13	·03					·04	·33	·01	·02		·58		9
10	·11	·07				·09	·02	·03				·15		10
11	·15	·01						·23			·05	·04		11
12	·21	·07								·06	·01			12
13	·48	·16						·12		·02	·03			13
14	·16	·03			·13				·21			·10		14
15	·02	·31					·23			·09		·01		15
16	·20		·01		·08		·03			·07	·09	·11		16
17		·11			·59		·04			·36	·02			17
18	·04			·02	·06				·07	·03	·45			18
19					·03				·08		·05	·04		19
20				·12	·04				·59		·36	·25		20
21	·03			·04				·04	·26		·09	·13		21
22				·07		·05					·11	·17		22
23											·01	·03		23
24			·20						·19		·31	·28		24
25	·09		·35	·04	·11		·10		·18	·02	·42			25
26	·44	·14	·06				·03		·47	·30		·30		26
27	·07	·08			·36	·09	·21		·41	·98	·22			27
28	·12	·02			·15	·05		·48	·12					28
29	·17	×		·09	·14						·02	·32		29
30	·02			·31	·07			·21	·02	·02	·36			30
31	·24				·06					·06		·19		31
TOTAL	2·90	1·03	·70	·77	2·39	1·37	1·90	2·43	3·03	3·48	2·67	2·86	Year's Total 25·53	
* Days with .01 in. or more.	22	11	5	8	15	6	15	10	15	17	18	19	161	
* Days with .04 in. or more.	15	7	4	7	14	6	10	9	12	12	12	16	124	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. Spillett

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 297

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 66 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11		·02	·15	·53			·03	·03	·02				1
2	·06							·40		·45				2
3	·19			·17				·05			·08	·32		3
4	·14		·20	·07				·77		·20		·02		4
5			·03	·34						·27	·33	·24		5
6	·31		·03								·20			6
7	·11	·07						·03		·10	·07	·02		7
8		·05	·14					·05		·21		·43		8
9	·02	·07						·11		·56	·35	·13		9
10	·06					·39			·01	·10	·04			10
11	·09		·26		·06	·08				·81				11
12					·03	·35			·03	·03		·04		12
13		·01	·03			·02			·03	1·67		·10		13
14	·61		·02		·15		·04			·21	·35	·02		14
15	·29				1·00	·08	·02		·05	·94	·08			15
16	·22		·12	·02	·13		·03		·03	·02	·30			16
17	·19	·10	·06	·05			·13		·13		·03			17
18	·20	·01	·04			·02	·10		·12	·73	·40			18
19	·14		·01			·02	·18		·02	1·15				19
20	·14								·37					20
21	·04		·15			·03			·29	·05				21
22	·09	·17	·11			·15	·12		·07		·01			22
23		·03		·11		·02	·13	·08	·09	·12	·30			23
24	·06	·01	·03	·20		·08	·23			·03	·02			24
25	1·41	·29	·08	·04			·24				·42			25
26	·21		·27			·20	·12			·97	·27			26
27	·12	·07	·16	·03					·03	1·47	·39			27
28		·30	·11			·03				·47	·12	·14		28
29		X		·60						·02	·02			29
30		✖		·52		·04	·02				·04			30
31		✖		✖		✖	·03	·02	✖		✖			31
TOTAL	4·81	1·18	1·87	2·30	1·90	1·51	1·39	1·54	1·30	10·60	3·82	1·46	Year's Total 33·68	
* Days with .01 in. or more.	22	12	19	12	6	14	13	9	14	23	20	10	174	
* Days with .04 in. or more.	21	8	12	10	5	8	9	6	7	18	16	7	127	

† Spare column, no entries required

(Signed) B. Spillett

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 297

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 66 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·03		·01										1
2				·02						·32	·62	·03		2
3		·14		·04						·07	1·26	·09		3
4		·09								·15	·09	·08		4
5										·01	·78	·11		5
6	·13	·06					·22			·49	·05			6
7	·27	·05					·25							7
8		·08		·02			·03		·52	·27		·18		8
9										·08	·15	·07		9
10							·03			·46	·20	·03		10
11		·03		·09							·98			11
12		·09	·12				·46		·13					12
13		·05	·43			·60			·08		·76			13
14			·43	·11								·22		14
15					·13	·14	·92	·01		·01	·39			15
16		·31	·20			·25	·40		·07	·40	·49			16
17	·57		·25								·21			17
18	·06	·33	·24	·36			·14			·24	·09	·23		18
19		·13	·04						·86		·10	·10		19
20			·02	·01		·07	·01	·01	·13		·11			20
21	·13				·08		·05				·16			21
22			·02		·03	·09			·05	·13				22
23		·13		·10				·03						23
24				·09			·11			·14				24
25			·54				·23			·06				25
26	·63	·13	·60		·01									26
27	·19	·08					·09			·58				27
28					1·46					·03				28
29	·09	—	·04		·01				·08			·18		29
30	·04	✕		·21					·01			·03		30
31		✕		✕		✕			✕	·40	✕	·06		31
TOTAL	2·11	1·73	2·93	1·06	1·72	1·15	2·94	·05	1·93	3·84	6·44	1·41	Year's Total 27·31 ✓	
* Days with .01 in. or more.	9	15	12	11	6	5	13	3	9	17	16	13	129 ✓	
* Days with .04 in. or more.	9	13	10	7	3	5	10	—	8	14	16	10	105 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) B. Spillett

[P.T.O.

298

Section **A** for the entry of Daily Observa

AIR MINISTRY.—METEOROL

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF … 1931.

298

CANTERBURY S.W | I.W.

1931 – 1940

064500001 | 80106

Kept at Irrigation Works Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft in.

,, Ground ,, Sea Level 15·00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	·08	—	—	—	·31	·02	—	—	—	1
2	·12	·15	—	·06	—	—	—	—	·34	—	—	—	2
3	·12	·13	·01	·03	·14	—	—	·20	·25	—	—	·10	3
4	—	·05	—	—	·88	—	—	·05	·05	—	·08	—	4
5	—	·02	—	·19	·03	·30	·09	·07	·11	—	—	·08	5
6	—	—	—	·04	—	—	—	—	—	·22	·24	—	6
7	·06	·03	—	—	·03	·01	·59	·02	·01	—	·03	—	7
8	·02	·03	·08	—	·02	·08	·01	·11	—	—	·02	·12	8
9	·03	·06	—	—	—	·02	—	·06	·03	—	·57	·08	9
10	·04	·18	·03	—	—	·06	—	·11	·03	—	1·32	·04	10
11	·15	·76	—	—	—	—	—	—	·03	—	·80	—	11
12	·26	·03	—	·02	—	—	—	—	·33	—	·01	·02	12
13	·24	·12	—	—	·07	—	—	·08	—	—	—	—	13
14	·03	·03	—	—	—	·01	·80	·46	—	—	—	—	14
15	·03	·09	—	·25	·03	—	·57	·13	—	—	—	·10	15
16	—	·07	—	·20	·19	—	·08	·35	—	—	—	—	16
17	—	·37	—	·21	·01	—	·19	·10	·05	—	—	—	17
18	·06	·47	—	·33	—	·05	·06	·15	—	·04	·33	—	18
19	·02	—	—	·68	—	—	·16	·30	·15	—	—	—	19
20	·01	·05	—	·05	—	·03	·45	·29	—	·03	—	·03	20
21	—	·07	—	—	·64	—	—	·03	·08	—	—	—	21
22	·12	—	·04	—	·09	—	—	—	·12	—	—	—	22
23	·58	·22	—	—	·04	·04	—	—	·04	·01	·09	—	23
24	—	—	·02	·21	—	·03	·01	·18	—	—	—	—	24
25	·11	—	—	·42	—	—	·41	—	—	—	—	—	25
26	—	·06	—	·41	·03	—	·25	—	—	—	·23	—	26
27	·15	·18	—	·07	·31	—	·16	—	—	—	·13	—	27
28	·12	·20	—	·02	·07	—	—	—	—	·06	—	·13	28
29	·20	×	—	·04	·02	—	·04	—	—	·29	·03	·03	29
30	·06	×	—	—	·10	—	—	—	—	—	—	—	30
31	·11	×	—	×	—	×	—	—	×	—	×	—	31
Total	2·64	3·~~[illegible]~~37	·21	3·31	2·7~~[illegible]~~0	·~~[illegible]~~63	~~[illegible]~~3·87	3·00	1·~~55~~64	·6~~[illegible]~~5	3·8~~[illegible]~~8	·73	Year's Total 26·62 ~~[illegible]~~ in.
*Days with ·01 in. or more.	~~22~~	~~22~~	~~6~~	~~18~~	~~17~~	~~10~~	~~15~~	~~18~~	~~15~~	~~6~~	~~13~~	~~10~~	~~172~~
*Days with ·04 in. or more.	~~16~~	~~17~~	~~2~~	~~15~~	~~10~~	~~4~~	~~13~~	~~16~~	~~10~~	~~4~~	~~9~~	~~7~~	~~123~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Chas Terry
Manager

[P.T.O.

298

Section **A** for the entry of Daily Observa

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Irrigation Works Canterbury
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft 6 in.
,, Ground ,, Sea Level 15·00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	·08	—	—	—	·31	·02	—	—	—	1
2	·12	·15	—	·06	—	—	—	—	·34	—	—	—	2
3	·12	·13	·01	·03	·14	—	—	·20	·25	—	—	·10	3
4	—	·05	—	—	·88	—	—	·05	·05	—	·08	—	4
5	—	·02	—	·19	·03	·30	·09	·07	·11	—	—	·08	5
6	—	—	—	·04	—	—	—	—	—	·22	·24	—	6
7	·06	·03	—	—	·03	·01	·59	·02	·01	—	·03	—	7
8	·02	·03	·08	—	·02	·08	·01	·11	—	—	·02	·12	8
9	·03	·06	—	—	—	·02	—	·06	·03	—	·57	·08	9
10	·04	·18	·03	—	—	·06	—	·11	·03	—	1·32	·04	10
11	·15	·76	—	—	—	—	—	—	·03	—	·80	—	11
12	·26	·03	—	·02	—	—	—	—	·33	—	·01	·02	12
13	·24	·12	—	—	·07	—	—	·08	—	—	—	—	13
14	·03	·03	—	—	—	·01	·80	·46	—	—	—	—	14
15	·03	·09	—	·25	·03	—	·57	·13	—	—	—	·10	15
16	—	·07	—	·20	·19	—	·08	·35	—	—	—	—	16
17	—	·37	—	·21	·01	—	·19	·10	·05	—	—	—	17
18	·06	·47	—	·33	—	·05	·06	·15	—	·04	·33	—	18
19	·02	—	—	·68	—	—	·16	·30	·15	—	—	—	19
20	·01	·05	—	·05	—	·03	·45	·29	—	·03	—	·03	20
21	—	·07	—	—	·64	—	—	·03	·08	—	—	—	21
22	·12	—	·04	—	·09	—	—	—	·12	—	—	—	22
23	·58	·22	—	—	·04	·04	—	—	·04	·01	·09	—	23
24	—	—	·02	·21	—	·03	·01	·18	—	—	—	—	24
25	·11	—	—	·42	—	—	·41	—	—	—	—	—	25
26	—	·06	—	·41	·03	—	·25	—	—	—	·23	—	26
27	·15	·18	—	·07	·31	—	·16	—	—	—	·13	—	27
28	·12	·20	—	·02	·07	—	—	—	—	·06	—	·13	28
29	·20	×	—	·04	·02	—	·04	—	—	·29	·03	·03	29
30	·06	×	—	—	·10	—	—	—	—	—	—	—	30
31	·11	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2·64	3 3·~~1~~7	·21	3·31	0 2·7~~1~~	6 ·~~7~~3	3 ~~4~~·87	3·00	64 1·~~55~~	5 ·6~~1~~	8 3·8~~1~~	·73	YEAR'S TOTAL 26·63 ~~27·83~~ in.
*Days with ·01 in. or more.	~~22~~	~~22~~	~~6~~	~~18~~	~~17~~	~~10~~	~~15~~	~~18~~	~~15~~	~~6~~	~~13~~	~~10~~	~~172~~
*Days with ·04 in. or more.	~~16~~	~~17~~	~~2~~	~~15~~	~~10~~	~~4~~	~~13~~	~~16~~	~~10~~	~~4~~	~~9~~	~~7~~	~~123~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Chas Terry
Manager

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 298

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Irrigation Works - Canterbury
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft 6 in.
,, Ground ,, Sea Level 15·00 ft.

~~dup~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·05		·03	·92					·11	·04	·03	1
2	·02			·19	·05			·03	·03	·04	·02	·11	2
3					·26			·01	·31	·02			3
4		·02		·01	·03	07					·02		4
5	·09	·02			·08	·06	·07		·02				5
6	·60			·17	·04				·02			·09	6
7	·07		·09	·04			·95				·02	·12	7
8		·13	·11	·07	·20				·03	·50			8
9	·13	SNOW ·06	·02	·08	·63					·35			9
10	·41	SNOW ·03		·32	·03				·03	·09	·06		10
11	·34	SNOW ·20	SNOW ·06	·19		·08	·06			·31		·01	11
12	·14	SNOW ·05	SNOW ·02	·02	·03			·06		·23		·02	12
13	·03			·04						·80			13
14	·15			·13	·12					·16		·01	14
15	·01	·06		·04	·10					·10			15
16	·09			·19	·04								16
17				·03			·05			·11			17
18	·01			·12			·05		·07		·11		18
19		·01								·16	·29		19
20					·11		·15		·03	·89			20
21			·02		·11		·03			·20			21
22	·02	·02	·40	·07	·24		·09		1·27	·15	·26	·03	22
23		·12		·15	·02		·03		·46	·83		·02	23
24		·01					·35		·10	·06	·03	·04	24
25		·03					1·44		·18	·25	·03		25
26				·05			·35	·71		·02	·03		26
27			·30	·07	·10		·18		·58	·73	·08	·04	27
28					·02		·09		·02	·16			28
29			·35					·26	·03	·42			29
30		✕	·13	·70		·58		·02	·02	·03	·04	·04	30
31		✕	·11	✕		✕		·02	✕		✕	·03	31
TOTAL	2·17	·81	1·61	2·71	3·13	·79	3·89	1·11	3·20	6·4~~7~~2	1·03	·59	YEAR'S TOTAL 27·77
*Days with ·01 in. or more.	~~15~~	~~14~~	~~11~~	~~21~~	~~19~~	~~4~~	~~14~~	~~7~~	~~16~~	~~25~~	~~13~~	~~13~~	~~172~~
*Days with .04 in. or more.	~~10~~	~~7~~	~~8~~	~~17~~	~~14~~	~~4~~	~~12~~	~~3~~	~~7~~	~~21~~	~~7~~	~~6~~	~~116~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) L. P. Summerside

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 298

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Irrigation Works, Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 15.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·20	·05							·01	·03		1
2	·12		·23		·30					·10	·04		2
3	·02	·13	·14		·03					·12	·02		3
4	·01	·01	·01							·01			4
5	·29		·11		·07								5
6			·07		·37					·03	·12	·01	6
7	·46	·02	·02		·07					·28	·01	·06	7
8	·16	·01	~~·02~~	·05	·05		·19			·02			8
9					·06					·35	·09		9
10		·03				·02	·04			·17			10
11	·19				·04	·10	·33	·13	·12	·01	·03	·01	11
12						·49	·19		·75		·10		12
13				·03	·20	·06	·02		·78	·04	·12		13
14	·03				·06				·01	·07	·11		14
15	·11		·07				·13	·12		·02	·08	·01	15
16	·18		·54			·21	·10		·01	·03	·01		16
17	·01	·03	·29			·09	·01	·05	·11		·02		17
18	·07	·01	·02	·09		·26							18
19		·05	·19	·15		·39			·19		·01		19
20	·01	·17		·09		·05		·03				·01	20
21		·16 } SNOW				·01		·10	1·02				21
22		·05 }				·09		·19		·09			22
23				·07	·03				·55				23
24		SNOW ·13		·10	·03	·05			·37		·28		24
25		·02		·22	~~·02~~	·02			·01		·12	·06	25
26		·23		·02	·02	·71			·01	·04	·12	·23	26
27		·04			·08	·02				·24		·08	27
28						·01	·05			·05		·02	28
29		X				·01	·28			·01			29
30	·07	X	·08				·02		·02	·05		·06	30
31	·08	X		X	1·41	X		·06	X		X		31
TOTAL	1·83	1·29	1·82	·82	1·41	2·59	1·36	·68	3·95	1·74	1·31	·55	YEAR'S TOTAL 19·35
*Days with ·01 in. or more.	16	16	13	9	14	17	11	7	13	20	17	10	163
*Days with .04 in. or more.	10	9	10	7	10	11	8	6	8	12	10	5	106

40-9999

*See Instruction 2 (*f*) on other side. The SURVEYOR (*Signed*) [illegible] P.T.O.

298

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~298~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Irrigation Works, Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 6 in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·01				·23	·18	·24		·08		1
2	·03			·12	·43				·26	·65		·21		2
3	·01	·08	·12		·19					·51	·03	·03		3
4	·19	·01 ~~·005~~	·01 ~~·005~~		·08					·09	·07	·57		4
5			·01								·07	·17		5
6			·29	·25	·11	·29		·02		·16	·01	·32		6
7	·03		·005	·01 ~~·005~~		·01		·01		·06		·13		7
8				·37	·27			·03	·01		2·10			8
9	·01		·01 ~~·005~~	·02							·59	·12		9
10			·16	·10						·04	·17	·01		10
11	·60		·25	·27			·04	·06				·24		11
12	·11	~~·005~~	·11				·06	·32			·01 ~~·005~~	·17		12
13	·36		·16	·01				·21			·01	·01		13
14	·38	·01 ~~·005~~	·47	·07	·01 ~~·005~~		·13			·04	·52	·18		14
15	·01	~~·005~~	·02		·01 ~~·005~~						·18	·35		15
16	·05	·01 ~~·005~~	·20	·05	·06							·01		16
17	·06		·53						·24	·06	·40	·14		17
18	·04		·03	·24			·06		·01		·28	·18		18
19			·30						·10		·01	·11		19
20			·16	·08			·10					·01		20
21						·06				·01		·01 ~~·005~~		21
22		~~·005~~						·19	·16	·01 ~~·005~~				22
23	·01			·39		·18				·03		·13		23
24				·28			·47		·09			·01		24
25	·04	·02		·09		·22				·01		·19		25
26	·07			·09		·07						·02		26
27	·05	·07 Snow		·08	·01 ~~·005~~	·06						·17		27
28		·10 Snow		·01 ~~·005~~		·05	·02	·35			·05	·17		28
29		×					·47	·09	·25					29
30	·14	×					·01	·23				·23		30
31	·02	×		×		×		·02	×		×	·26		31
TOTAL	2·21	·30	2·83	2·54	1·17	·94	1·36	1·76	1·30	1·91	4·50	4·23	Year's total 25·05	
*Days with ·01 in. or more.	19	4	14	17	6	8	9	12	9	12	14	27	151	
*Days with ·04 in. or more.	12	3	11	14	6	7	7	8	7	9	10	20	114	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. Butterworth

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 298

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Irrigation Works Canterbury,

in the County of Kent.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 15.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22	.03		.02		.15	.07		.32	.06	.08	.01		1
2	.16		.02	.01					.01	.27				2
3	.02	.02	.18	.09		.03			.05	.34	.04			3
4		.05		.25		.06			.17	.84	.19	.03		4
5	XXX	.27	.05	.08		.09	.04		.65	.08		.04		5
6	.09	.03	.01	.15		.13				.12	.06	.03		6
7	.17	.02	.01	.13		.27				.05	.83	.04		7
8	.01	.08		.32				.88		.18	.59	.03		8
9	.01			.05		.90				.58	.21	.18		9
10	.06	.05				.09				Tr.	.01	.09		10
11	.10			.15		.04					.35			11
12		.01			.02	.06		.84			.21			12
13	.01	.14		.09	.03						.20	.18		13
14	.02		Tr.	.10	.52	.01						.09 ~~[illegible]~~		14
15		.06		.32	.02	.06			.38		.35	.07		15
16		.02		.11	.02	.02			.32		.67			16
17	.08		.03	.10		.26	.01				.43			17
18				.13	.02		.10		.28	.07		.06		18
19				.01	.37	.09	.05		.01		.01	.19		19
20	.02	.47		.15	.03	.07	.25		.01		.03	.07		20
21	.02	.30		.01					.01	.16	.10			21
22		.09							.04		.16			22
23								.23	.01		.19	.03		23
24	.06	.71			.42			.13	.46	.18		.21		24
25	.25	.10		.27		.17				.11	.06	.27		25
26	.14				.08	Tr.		.11		.19	Tr.	.40		26
27	.18	.56			.91			.38	.09	.01	.06	.14		27
28	.04	.09			.04			.01		.06		.10		28
29		X							.44			.40		29
30	.08	X	.01	.01				.88	.02	.09	.37	.26		30
31		X		X		X			X	.19	X	.50		31
TOTAL	1.74	3.10	0.31	2.55	2.48	2.50	0.52	3.46	3.27	3.58	5.20	3.42	Year's Total. 32.13	
* Days with .01 in. or more.	~~20~~	~~19~~	~~7~~	~~21~~	~~12~~	~~17~~	~~6~~	~~8~~	~~17~~	~~18~~	~~22~~	~~23~~	~~190~~	
* Days with .04 in. or more.	~~13~~	~~13~~	~~2~~	~~16~~	~~6~~	~~14~~	~~4~~	~~7~~	~~11~~	~~17~~	~~20~~	~~21~~	~~144~~	

40-9999

† Spare column, no entries required.

(*Signed*) N.P.Butterworth

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 298

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Irrigation Works Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·37	·19	·07	·13		·18	·07	·05						1
2	·02	·10	·01	·01		·09	·02	·12		·01	·03	·13		2
3	T	·04	T	·17			·05		·02			·33		3
4	·01		·05			·17			·13		·26			4
5	·14		·01	·05				T	·06	·14	·04	T		5
6	·16		·02			·02		·02	·13	·92	·02	·08		6
7	·13		·02		T	·02	·03	·03	T	·15	·34			7
8	·24		·01				·04		·02		·64	·30		8
9	·42		·04		·01		·52				·62			9
10				·01	·01	·05	·19	·55	·05	·23	·25			10
11				·02			·17	·05			·80			11
12	T			·02		·03	·13		·01		·18	·09		12
13				T	·29	·08	·07					·18		13
14		·01				·06	·99			·06	·12	·48		14
15	·03	·03					·01		·45		T	·27		15
16	·55	·08							·04		·45	·22		16
17	·13	·60				·06					·29 ~~·29~~	·22		17
18	·07	·09				·75	·21		T	T	·27	·05		18
19	·12	·09	T			·16		·11	[illegible]	·05				19
20	·17	·12	·01	·31			·01		·85					20
21	T			·16	·01	·65	·01		T					21
22	·06	·37	·01		·02	T	·03				·01	·15		22
23	·01			·08			·21			T				23
24	·09	·16		T					·01	·35				24
25	·42		·09	·10		·13	·07		·49	·15		·03		25
26	T	·09	·12						·11	·15	T			26
27	·09	·07					·28		·18	·05	·02			27
28	·15		·02			·34	·60		·06			·01		28
29	·02	·03	·06			·78	·36		·08	·02	·14			29
30	·04	✕	T		·07	·10				·06				30
31	·24	✕	·18	✕	·01	✕	·15		✕	·42	✕	·05		31
TOTAL	3·98	2·07	·72	1·06	·42	3·66	4·22	·93	2·69	2·76	4·48	2·59	Year's Total 29·58	
* Days with .01 in. or more.	23	15	15	11	7	17	22	7	16	14	17	15	179	
* Days with .04 in. or more.	18	12	7	7	2	14	16	5	12	12	13	13	131	

† Spare column, no entries required.

(*Signed*) Butterworth

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 298

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Sewage Works, Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 15·00 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·69	T		·03	T						·62	·18		1
2	T	·14	·02	·28						T		·88		2
3		·06	·07									·49		3
4	·11	·63								·06	T	·29		4
5	·18	·19	·66	T	·01		·18			·20	T	·17		5
6	·08		·54		·14		·01			·07		T		6
7		·68	·11	·05	·14				·03	·01		·03		7
8	T	·01	Snow ·12		·01	·08				·01	·25	·82		8
9		·02	Snow ·05	·43	·09		·08	·04	·17			·29		9
10			·33	·12	·10	·39						·44		10
11			·57		·20		·11		·01	·03		·23		11
12	·11	·24	·52		·70			·14	·28	T		·02		12
13	·36	T	·46	T	·01	·37		·17	·83			·81		13
14	·07	·01	·14	T	·58			·32	·06			·61		14
15	·03	·03	T	·11	·07	·04	·40	·30	·10					15
16	·02	·02	·11	·17		T	T		·21			·26		16
17	·29	·09	~~[illegible]~~	·29		·33			·59		·38			17
18	·29	·05	·01	·01	·50	·18			·37		·15			18
19	·10	·03	·07	·10	·01	·12	·02		·26			·02		19
20	·40		·52	·22	·80	·11			T			T		20
21	·25	·47	·14	·03	T	T	·02	·06		T	T	·01		21
22	·32	·06	·03		T		T			·84	·02	·05		22
23	·02								T	·38	·02	·01		23
24	·48	·27	·03						·14	·12	·02			24
25	·19	·25	·32						·11	·45				25
26		·26	·07		·02				T	·40				26
27		·15	·01	·13					·01	·09	·03			27
28	Snow ·06	·07	·16			·03						·24		28
29	Snow ·07	X	·03	T						·10	·03			29
30	·20	✕		T						·24	·05	·14		30
31	·26	✕		✕		✕			✕	·02	✕	·11		31
TOTAL	4·58	3·7~~1~~3	5·09	1·97	3·38	1·65	·82	1·03	3·17	3·02	1·57	~~5·60~~ 6·10	Year Total ~~35·59~~ 36·11	
* Days with .01 in. or more.	22	21	24	13	15	9	7	6	14	15	10	21	187	✓ ✓
* Days with .04 in. or more.	19	15	18	10	10	8	4	6	11	11	5	16	133	✓ ✓

6·10

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 298

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Canterbury Corp. Sewage Works

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01		.09		.13	.84	.33		.39	T	.03	.06		1
2	.02			.07	.17	.01				.27		.02		2
3	T				.22		.02			.53	.02			3
4	.03					.04	.22	.30		.01		.07		4
5							.50			.35		T		5
6	T						.09	.10	.02	T	T	T		6
7						.01	.26	1.00		.29		.04		7
8	.16	T	T				.06		.01	.08				8
9	.13	.04		T			.04	.31	.01	.01		.53		9
10	.13	.10	T			.09		.03		T		.11		10
11	.16	.01									.04	.03		11
12	.21	.14					.02			.07	T	T		12
13	.46	.12	T					.05		.02	.03			13
14	.15	.01			.10				.27			.08		14
15	.02	.13					.21			.09	T	.01		15
16	.23		T				.03			.07	.10	.12		16
17		.09			.71		.02			.38	.01			17
18	.04				.05				.08	.03	.50			18
19				.03	.03				.01		.05	.01		19
20				.05	.05				.52		.33	.09		20
21	.02			.06				.01	.27	T	.08	.12		21
22				.06		.02					.12	.15		22
23				.03						T				23
24		.01	.24		.01				.09	T	.31	.14		24
25	.08		.36	.02	.19		.15		.19	.02	.55			25
26	.43	.15	.08		T		.03		.41	.31		.27		26
27	.04	.08			.39	.09	.18		.57	.90	.26			27
28	.20	.01			.13	.04		.85	.10					28
29	.19	X		.12	.13						.03	.38		29
30	.02	✕		.26	.03			.28	.01	.03	.36			30
31	.26	✕		✕	.05	✕			✕	.07	✕	.17		31
TOTAL	2.99	.89	.77	.70	2.39	1.14	2.16	2.93	2.95	3.53	2.82	2.40	Year's Total 25.67 ✓	
* Days with .01 in. or more.	21	12	4	9	15	8	15	9	16	18	16	18	160 ✓	
* Days with .04 in. or more.	15	8	4	6	12	5	10	7	10	12	11	14	114	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) R. P. Butterworth

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 298

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Irrigation Works.

in the County of Canterbury, Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" Ground " Sea Level 15 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11			.10	.55			.04	.02	.01	T			1
2	.03		T					.45		.38				2
3	.22			.19				.11		.04	.09	.30		3
4	.15		.16	.08	T			.94		.13	.03			4
5	T.		.04	.39			.01	T		.23	.33	.21		5
6	.32		.03							.03	.18			6
7	.11	.09					T	.03		.10	.12	.02		7
8		.05	.17					.06		.16	.02	.40		8
9	.03	.08	T							.74	.37	.15		9
10	.07		T			.34		.10	.02	.13	.05			10
11	.11		.32		.09	.09				.54		.02		11
12					.04	.32			.03	.03				12
13		T.	.03						.04	1.67		.11		13
14	.69		.02	T	.16	.02	.04		.04	.29	.38	.01		14
15	.30		.01		.95				.07	.90	.05			15
16	.26		.10	.01	.12	.08	.04		.06	.03	.32			16
17	.18	.11	.05	.06			.11		.15		.03			17
18	.19		.05				.08		.05	.64	.40			18
19	.12	T.	.03			.01	.19		.10	1.35				19
20	.11		T						.45			.09		20
21	.04		.15			.03			.28	.06				21
22	.09	.18	.14			.13	.10		.10	.01	.02			22
23	T.	.04	T	.04		.01	.21	.07	.09	.14	.30			23
24	.07	.03	T	.37		.08	.07		.05	.02	.03			24
25	1.25	.34	.12	.03			.15			T	.45			25
26	.14		.30				.16		.02	1.22	.31	.02		26
27	.15	.06	.11	.03					.02	1.79	.47			27
28		.29	.13			.02				.59	.16	.05		28
29		X		.59						.04	.02			29
30		✕		.57		.05	.02				.05			30
31		✕		✕		✕	.03	.01	✕		✕			31
TOTAL	4.74	1.27	1.96	2.46	1.91	1.18	1.21	1.81	1.59	11.27	4.18	1.38	Year's Total 34.96	
* Days with .01 in. or more.	22	10	18	12	6	12	13	9	17	26	22	11	178	
* Days with .04 in. or more.	20	9	12	9	6	7	10	7	12	18	16	7	133	

† Spare column, no entries required.

(*Signed*) R.T. Butterworth

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 298

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Irrigation (Sewage) Works
in the County of Canterbury, Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
,, Ground ,, Sea Level 15 ft.

Jan 26 est'd for snow.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							T							1
2							T			·32	·58	·02		2
3		·12		·06			T			·07	1·40	·10		3
4		·10		·03						·13	·15	·11		4
5		·03								·01	·73	·14		5
6	·13	·02					·23			·50	·10			6
7	·25	·08					·23							7
8			T						·43	·27		·19		8
9				·05					·22	·06	·14	·07		9
10							·02		·03	·54	·28	·12		10
11		s ·03		·02							·98	T.		11
12		s ·20	·12	·06			·49		·04		T.	T.		12
13			s ·43	T.		·16	·04	T.	·16		·85			13
14			s ·43	·10								·24		14
15					·22	·09	·83				·45	T.		15
16	s ·12		·15			·18	·41		·05	·39	·50	·07		16
17	s ·02	·05	·31				T.				·24	·01		17
18	s ·03		·31	·36			·06			·21	·07	·20		18
19		·32							·91		·02	·10		19
20	s ·04	·13				·08		·01	·19		·25			20
21	s ·07			T.		T.	·09		·03	·07	·12			21
22	s ·10		·02		·08	·07				·07	·02			22
23	s ·06	·12	T	·08				·03			·01	T.		23
24		·02	T.	·11			·11			·15		·02		24
25			·50				·40			·05				25
26	(·68) ~~·18~~	·24	·55							·72		·03		26
27	·32	·07					·04			·02	T	T.		27
28	s ·17	·04			·75					T.		T.		28
29	s ·08		·03	T	·04				·08			·14		29
30		×		·16					T	·05		·03		30
31	T	×		×		×			×	·42	×	·08		31
TOTAL	2·07 ~~1·57~~	1·57	2·85	1·03	1·09	·58	2·95	·04	2·14	4·05	6·89	1·67	Year's Total ~~26·23~~	26·93
* Days with .01 in. or more.	~~13~~	~~15~~	~~10~~	~~10~~	~~4~~	~~5~~	~~12~~	~~2~~	~~10~~	~~18~~	~~18~~	~~17~~	~~134~~	
* Days with .04 in. or more.	~~11~~	~~11~~	~~8~~	~~8~~	~~4~~	~~5~~	~~11~~		~~8~~	~~16~~	~~15~~	~~12~~	~~108~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. P. Butterworth

[P.T.O.

Section **A** for the entry of
AIR MINISTRY

299

CANTERBURY
ROUGH COMMON
1931 - 1940

780106

299

FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090.

REGIST

Kept at "THORNFIELD," Rou
in the County of KENT

Diameter of Funnel of Gauge F
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th … following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0·06		0·20				0·25					1
2	0·12			0·07					0·30				2
3	0·09	0·15		0·05	1·34			0·17	0·46			0·12	3
4		0·06 SNOW			0·03			0·03	0·08		0·05		4
5				0·23		0·35	0·04	0·12	0·10		0·07	0·08	5
6				0·04				0·05		0·14	0·22		6
7		0·04					0·39				0·03		7
8		0·03	0·13 SNOW			0·08		0·12			0·02	0·06	8
9		0·10						0·01	0·17		0·51	0·06	9
10	0·12	0·18				0·06		0·10			1·57		10
11	0·16	0·58							0·05		0·49		11
12	0·23								0·33			0·03	12
13	0·19	0·05 SNOW			0·04						0·02		13
14		0·08 SNOW					0·57	0·46					14
15	0·04	0·03		0·36			0·67	0·17				0·10	15
16	0·02	0·08		0·23	0·25		0·04	0·26					16
17		0·13		0·18			0·18	0·10	0·05				17
18		0·29		0·35			0·05	0·17			0·31		18
19	0·04			0·73			0·18	0·30	0·18		0·05		19
20		0·11		0·03			0·31	0·28					20
21					0·45			0·03	0·10				21
22	0·14								0·11				22
23	0·48	0·20			0·04				0·08		0·10		23
24				0·19		0·10		0·24					24
25	0·08			0·78			0·47						25
26		0·05		0·38			0·27				0·22		26
27	0·10	0·23		0·04	0·38		0·15				0·14		27
28	0·11	0·21 SNOW		0·02	0·10							0·13	28
29	0·16			0·05			0·03			0·31	0·10		29
30	0·04	×			0·11		0·02						30 'd'
31	0·13	×		×		×			×		×		31 4
TOTAL	2·25*	2·66	0·13	3·93	2·74	0·59	3·37	2·86	2·01	0·45	3·84	0·58	YEAR'S TOTAL 25·81
~~*Days with ·01 in. or more.~~	~~17~~	~~19~~	~~1~~	~~17~~	~~9~~	~~4~~	~~14~~	~~17~~	~~12~~	~~2~~	~~15~~	~~7~~	~~134~~
*Days with ·04 in. or more.	16	17	1	15	8	4	12	14	12	2	11	6	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Alec. W. Wood.

[P.T.O.

66180 299

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at "THORNFIELD," ROUGH COMMON, CANTERBURY

in the County of KENT

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground ONE ft 0 in.

,, Ground ,, Sea Level 284 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0·06		0·20				0·25					1
2	0·12	— }		0·07					0·30				2
3	0·09	0·15 }		0·05	1·34			0·17	0·46			0·12 {	3
4		0·06 } SNOW			0·03			0·03	0·08		0·05	{	4
5				0·23		0·35	0·04	0·12	0·10		0·07	0·08	5
6				0·04				0·05		0·14	0·22		6
7		0·04					0·39				0·03		7
8		0·03	0·13 } SNOW			0·08		0·12			0·02	0·06	8
9		0·10						0·01	0·17		0·51	0·06	9
10	0·12	0·18				0·06		0·10			1·57		10
11	0·16	0·58							0·05		0·49		11
12	0·23								0·33			0·03	12
13	0·19	0·05 } SNOW			0·04						0·02		13
14		0·08 } SNOW					0·57	0·46					14
15	0·04	0·03		0·36			0·67	0·17				0·10	15
16	0·02	0·08		0·23	0·25		0·04	0·26					16
17		0·13		0·18			0·18	0·10	0·05				17
18		0·29		0·35			0·05	0·17			0·31		18
19	0·04			0·73			0·18	0·30	0·18		0·05		19
20		0·11		0·03			0·31	0·28					20
21					0·45			0·03	0·10				21
22	0·14								0·11				22
23	0·48	0·20			0·04				0·08		0·10		23
24				0·19		0·10		0·24					24
25	0·08			0·78			0·47						25
26		0·05		0·38			0·27				0·22		26
27	0·10	0·23		0·04	0·38		0·15				0·14		27
28	0·11	0·21 } SNOW		0·02	0·10							0·13	28
29	0·16			0·05			0·03			0·31	0·10		29
30	0·04	×			0·11		0·02						30 'd'
31	0·13	×		×		×			×		×		31 H
TOTAL	2·25	2·66	0·13	3·93	2·74	0·59	3·37	2·86	2·01	0·45	3·84	0·58	YEAR'S TOTAL 25·81
*Days with ·01 in. or more.	17	19	1	17	9	4	14	17	12	2	15	7	134
*Days with ·04 in. or more.	16	17	1	15	8	4	12	14	12	2	11	6	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Alec. W. Wood. [P.T.O.

Nº 299

Section | **A** | for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at Rough Common. Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.05			.63		.03	.02	.05	.14	.04		1
2	.01			.21	.07			.04				.24	2
3				.09	.28				.30	.05			3
4						.10							4
5	.10				.10		.11	.03	.04				5
6	.57		.09	.11					.04			.08	6
7	.09			.04	.05		.09					.07	7
8		.05	.13	.08	.26				.13	1.00			8
9	.17			.19	.57					.11			9
10	.44			.28	.04					.07			10
11	.28			.10	.01	.07	.06			.33			11
12	.15							.04		~~.84~~ .23 (.23)			12
13	.03			.05						~~.24~~ .64			13
14	.14	.34		.10	.15					.31			14
15	.02	.04		.04	.06					.10			15
16	.08			.23	.04							.03	16
17				.03						.07			17
18			.05				.10		.11		.13		18
19										.13	.28		19
20					.10		.12		.05	.96	.29		20
21					.08	.06	.04			.24			21
22			.38		.17		.10	.03	1.04	.13	.30		22
23		.14		.14					.45	.94	.24		23
24					.04		.50		.22	.05			24
25							1.48		.10	.22	.06		25
26							.30	1.02					26
27			.30	.10	.11		.12		.15	.55			27
28							.10			.13			28
29			.30	.11				.31	.05	.42			29
30		×	.08	.52		.56				.02		.11	30
31		×	.07	×		×	.02		×	.03	×	.04	31
TOTAL	2.09	.62	1.40	2.42	2.76	.79	3.17	1.49	2.73	6.87	1.34	.57	YEAR'S TOTAL 26.25
*Days with ·01 in. or more.	~~13~~	~~5~~	~~8~~	~~17~~	~~17~~	~~4~~	~~14~~	~~7~~	~~13~~	~~23~~	~~7~~	~~6~~	~~134~~
*Days with ·04 in. or more.	11	5	8	16	16	4	13	4	13	21	7	5	12.3

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H.O.W

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 299

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hough to Common Canterbury
in the County of Kent
Diameter of Funnel of Gauge 5. in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 285 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.35	.07											1
2	.12		.33		.47					.21				2
3		.10	.19							.08				3
4														4
5	.28				.12									5
6		.04	.21		.32						.28			6
7	.52		.04		.06									7
8	.10						.16			.24				8
9					.08					.18	.11			9
10	.22					.07	.06			.20				10
11						.06		.17	.30		.07			11
12				.07		.47			.37					12
13					.28	.05	.31		.88	.08	.11			13
14	.04							.03		.10	.11			14
15	.10		.09				.12	.15			.06			15
16	.16		.69			.21	.32			.06				16
17			.30			.05		.07	.09		.02			17
18	.08		.15			.26								18
19			.03	.22		.24			.40					19
20		.18		.15		.08			.02					20
21		.25				.07		.13	1.23					21
22						.89		.26						22
23				.05	.04	.12			.53					23
24				.12					.53		.26			24
25		.15		.25		.05			.02		.27	.18		25
26		.26				.46			.05		.11	.17		26
27										.37		.07		27
28														28
29							.28			.04		.05		29
30		×	.10							.06				30
31		×		×		×		.07	×		×			31
TOTAL	1.62	1.33	2.20	.86	1.37	3.08	1.25	.88	4.42	1.62	1.40	.47	Year's Total 20.50	
*Days with ·01 in. or more.	~~9.~~	~~7.~~	~~11~~	~~6~~	~~7~~	~~14~~	~~6~~	~~7~~	~~11~~	~~11~~	~~10~~	~~4~~	~~103~~	
*Days with .04 in. or more.	9	7	10	6	7	14	6	6	9.	11	9	4	98	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 299

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at ROUGH COMMON CANTERBURY

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 285. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								.19	.13	.20				1
2			.16						.35	.89		.39		2
3		.16	~~.0~~		.57			.04		.40	.15	.05		3
4	.25				.05					.12		.64		4
5					.05						.12	.18		5
6			.38	.25	.12	.31		.05		.21		.37		6
7	.05									.08		.26		7
8				.43	.23						1.90			8
9				.03				.05			.62	.12		9
10			.21					.03		.04	.27	.07		10
11	.64		.13	.11			.03							11
12	.14		.16	.20				.37				.26		12
13	.41		.19					.19				.17		13
14	.26		.41	.10			.08	.03		.07	.37	.21		14
15	.02		.04								.20	.42		15
16	.08		.20	.02										16
17	.06		.54						.37	.66	.39	.18		17
18				.29			.08					.15		18
19			.24						.16			.10		19
20			.25				.10				.04			20
21				.09		.08				.04				21
22								.19	.18					22
23				.42		.13						.18		23
24				.37			.45		.08		.03			24
25	.08	.11		.10		.23						.24		25
26				.15		.07								26
27	.12			.12		.04						.18		27
28		.10		.11		.06		.33				.19		28
29		~~.10~~					.55	.12	.36			.02		29
30	.17	×						.05				.18		30
31		×		×		×			×		×	.38		31
TOTAL	2.28	.37	2.91	2.79	.96	.92	1.29	1.64	1.63	2.11	4.09	4.88	Year's Total. 25.87	
* Days with .01 in. or more.	12	3	12	15	5	7	6	12	7	10	10	24 ~~22~~	~~121~~	123
* Days with .04 in. or more.	11	3	12	13	5	7	5	10	7	10	9	22 ~~20~~	~~112~~	114

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. 299

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

allocating ~~days~~

Totals

Kept at Rough Common, Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 285 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.		
1	.26	.03		✓		.11	.04		.08	.11	.08			1
2	.20			×						.29				2
3			.20	× .42					.06	.35	.06			3
4				×		.20			.16	.88	.07	× .10		4
5		.33	.05	.08		.08			.63	.10		✓		5
6	.10	.05		.17		.15					.05	✓		6
7	.17			.14		.25				.03	.79	× .06		7
8				.31				.76		.26	.27	✓		8
9				.07		.72				.77	.19	×		9
10	.08					.06					.06	× .24		10
11	.05	.08		.13		.06					.29			11
12		.04				.09		.80			.28			12
13	.03	.13		.11	.04						.14			13
14				.04	.44							.28		14
15		.08		.34	.03				.40		.41	.07		15
16				.11		.08			.33		.80			16
17	.07			.05		.23					.38			17
18				.19			.15		.39	.07		✓		18
19				.03	.41	.07	.04		.04			×		19
20		.73		.38	.03	.07	.18					–		20
21		.31								.16	.12	–		21
22		.09									.19	–		22
23								.18	.05		.07	–		23
24	.17	.63			.40			.28	.58	.16	~~.47~~	× .47		24
25	.10	.10		.28		.12				.10	.03	.35		25
26	.16							.09	.03			.33		26
27		.50			.79			.43	.09		.10	.13		27
28		.06								.17		.09		28
29									.51			.50		29
30		×		.03	.03			1.00	.04	.19	.40	.33		30
31	.37	×		×		×			×	.29	×	.57		31 "d"
TOTAL	1.76	3.16	.25	2.88	2.17	2.29	.41	3.54	3.39	3.93	4.70	3.52	Year's Total. 31.00	
* Days with .01 in. or more.	12	14	2	~~17~~ (20)	8	14.	4	7	14	15	20	~~13~~ 19	~~140~~	149
* Days with .04 in. or more.	11	13	2	~~16~~ (17)	5	14	4	7	13	14	19	~~13~~ 15	~~131~~	134

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. W. Ward

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 299

Section A **for the entry of Daily Observations**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Anglo Common Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 285 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28	.22	.05	.17		.18	.08	.04			.04	.13		1
2		.05	.06	.02		.22	.03	.11		.03	~~.04~~	~~.13~~		2
3				.23			.05				.26	.32 ~~.34~~		3
4			.06			.19			.19		~~.56~~	.04		4
5	.18			.05				.03	.10	.11	.05	~~.04~~		5
6	.21					.04		.03	.14	.72	.42			6
7	.11		.04					.04		.07	.42			7
8	.33		.04				.08				.87	.31		8
9	.42		.02		.05		.49				.04			9
10						.12	.12	.65	.05	.44				10
11							.19				.82			11
12						.07	.22				.11	.11		12
13					.08		.14					.16		13
14						.11	.97				.11	.48		14
15									.43		.01	.25		15
16	.49								.03		.38	.25		16
17		.71				.08				.03	.30	.32		17
18	.23	.11				.05	.29				.34	.08		18
19	.11	.08				.04		.14		.07				19
20	.19	.08		.36			.03		.93					20
21				.11		.78								21
22	.05	.33	.03		.04	[illegible]	.07					.18		22
23				.06						.03				23
24	.08	.27					.26			.48				24
25	.43		.07	.09		.10	.06		.51	.12				25
26	.17	.08	.06						.10	.11				26
27		.09					.19		}	.04				27
28	.44		.03			.25	.84		.35 }			.07		28
29	.04	.04	.10			.58	.45		.09	.05	.16			29
30	.06	✕				.09				.08		.07		30
31	.31	✕		✕	.12	✕	.22		✕	.40	✕	.08		31
TOTAL	4.03	2.06	0.56	1.09	0.29	2.90	4.78	1.04	2.92	2.78	4.33	2.80	Year's Total 29.58	
* Days with .01 in. or more.	18	[illegible]	11	8.	4	15	19	7.	11	15	15	15	149	
* Days with .04 in. or more.	18.	11	8.	7.	4	15	17.	5	10	12	14	14	135	

„d" rain days? low.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. W. Wood

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 299

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Rough Common Canterbury
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 285 ft.

Ape KJ.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.72			.09							.46	.22		1
2		.24		.25								.71		2
3		.06										.56		3
4	.12	.71	.75							.28		.31		4
5	.15	.20					.22			.13		.39		5
6	.08		.41		.20									6
7		.66	.14	.06	.09				.04			.04		7
8			.11			.06				.02	.22	.66		8
9		.04		.40	11		.08		.22			.28		9
10			.54	.18	.08	.35	.03					.42		10
11			.75		.18		.07					.26		11
12	.18	.24	.64		.60			.17	.30			.02		12
13	.32		.40			.19		.22	.68			.80		13
14	.07		.11		.69			.15	.11			.09		14
15	.04			.15		.07	.44		.04			.02		15
16		.12	.14	.19				.37	.16			.03		16
17	.34	.05		.27		.21			.63		.31			17
18	.34	.10			.50	.16			.46					18
19		.03		.15		.17	.05		.10					19
20	.49		.52											20
21	.34	.51	.08	.26	.81		.04	.10						21
22	.38		.04							.97	.13	.08		22
23	.04						.02			.44	.03			23
24	.48	.29							.18	.12				24
25	.21	.30	.34						17	.64				25
26		.30	.11		.21					.46				26
27		.14		.20						.03	05	.03		27
28		.06	.10									.31		28
29										.13	.04			29
30	.40	×								.47	.06	.09		30
31	.23	×		×		×			×	.03	×	.13	d	31
TOTAL	4.93	4.05	5.18	2.20	3.47	1.21	.95	1.01	3.09	3.72	1.30	5.45	Year's Total 36.56	✓
* Days with .01 in. or more.	~~18~~	~~17~~	~~16~~	~~11~~	~~10~~	~~7~~	~~8~~	~~5~~	~~12~~	~~12~~	~~8~~	~~20~~	~~14[illegible]~~	
* Days with .04 in. or more.	18	16	16	11	10	7	6	5	12	9	7	16.	133	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) F. W. Wood

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 299

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Rough Common Canterbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 285 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03		.08		.13	.84	.36		.34			.06		1
2	.02			.07	.16					.29		.02		2
3					.27		.05			.60	.08			3
4	.04					.06	.31	~~.02~~ .24				.10		4
5							.44			.38				5
6	.03							.14	.06					6
7							.05	.57		.33		.05		7
8	.19								.23					8
9	.19	.04					.13	.29		.14		.55		9
10	.10	.11				.14	.03	.04				.15		10
11	.16	.03						.17				.07		11
12	.25	~~.20~~ .05								.08				12
13	.50	.20 snw						.22			.11			13
14	.15	.04			.14		~~.23~~		.27					14
15	.04	.39 snw					.23			.23				15
16	.29						.04			.03	.09			16
17		.11			.72		.05			.38				17
18	.07				.08				.05		.50			18
19				.03					.04		.03			19
20									.64		~~.03~~ .51			20
21	.03			.07				.07	.23					21
22				.08		.10					.21			22
23				.03										23
24			.23						.23		.35			24
25	.08		.39	.09	.21		.11		.17	.06	.48			25
26	.46	.14	.01				.05		.45	.33		1.14	Snw	26
27	.06	.08			.33	.10	.22		.44	.66	.33			27
28	.16				.12			.69	.08					28
29	~~.04~~ .18			.09	.16						.09	.35		29
30	.04	×		.31				.12		.04	.32			30
31	.28	×		×	.08	×			×	.11	×	.24		31
TOTAL	3.35	1.19	.71	.77	2.40	1.24	2.07	2.55	3.23	3.66	3.10	2.73	Year's Total 27.00	✓
* Days with .01 in. or more.	22	10	4	8	11	5	13	10	13	14	1~~2~~ 5	1~~0~~ 19	~~132~~ 143	✓
* Days with .04 in. or more.	18	9	3	6	11	5	12	10	13	13	1~~X~~ 2	~~9~~ 15	12~~0~~ 7	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. W. Ward

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 299

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1939

Kept at Rough Common
, Canterbury
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 228 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05		.03	.13	.58			.08	.05					1
2	.04							.40		.79				2
3	.17			.22				.13				.36		3
4	.21		.24					.73		.34	.10			4
5				.44						.25		.18		5
6	.30		.04								.47			6
7	.12	.10						.04		.12	.10	.03		7
8		.06	.13				.10	.05		x		.54		8
9	.03									x 1.04 }	.44	.20		9
10	.07					.36		.14	.03	.07	.07			10
11			.28			.09				.65				11
12						.30				.03				12
13						.03			.06	1.50				13
14	.73				.22		.04			.36	.42	.19		14
15	x				1.08				.15	.93	.05			15
16	x .54 }			.02	.23	.09	.03		.07		.34			16
17	.18		.23	.05			.11		.08		.04			17
18	.19					.03	.11			.79	.42			18
19	.16						.26		.30	1.41				19
20									.17			.11		20
21			.22						.35	.07				21
22	.31	.38	.11			.23	.16							22
23				x		.03		.09	.12	.14	.40			23
24	.10			x .36 }		.10	x			.04				24
25		.39		.09			x .24 }				.57			25
26	1.16		.61			.47	.07		.05	.80	.31			26
27	.35	.08	x	.06						1.42	.41			27
28		.36	x .22 }			.02				.61	.14			28
29										.04	.03			29
30		✕		1.15							.06			30
31		✕		✕		✕			✕		✕			31
TOTAL	4.71	1.37	2.11	2.52	2.11	1.75	1.12	1.66	1.43	11.40	4.31	1.61	Year's Total 36.10	✓
* Days with .01 in. or more.	18 ~~17~~	~~6~~	11 ~~10~~	10 ~~9~~	~~4~~	~~11~~	10 ~~9~~	~~8~~	~~11~~	21 ~~20~~	~~17~~	~~7~~	~~129~~	134
* Days with .04 in. or more.	17 ~~16~~	6	10 ~~9~~	9 ~~8~~	4	7	9 ~~8~~	8	10	20 ~~19~~	16	6	~~117~~	122

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) T W. Ward

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 299

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at ROUGH COMMON

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 228 ft.

~~Totals~~ ✓ Copies

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2										·28	·70	✓		2
7 3		4		·06						·12	1·33	·10		3
4		·22		·08						·18	·16	·11		4
5										✓	·76	·17		5
6	·25	·07					·23			·66	·10			6
7	·26	·09					·24							7
8		·04					·02		·45	·26		·20		8
9				✓					·11	·06	·16	·08		9
10							·04		·02	·52	·14	·03		10
11				·08							·76			11
12		✓	·17				·39		·04		·38			12
13		✓	·50			·67	4		·16		·93			13
14			·54 S	·14								·22		14
15		SNOW.				·15	1·11				·41			15
16	4	✓	·19			·29	·48		·09	·35	·54	·09		16
17	4		·26								·22	✓		17
18	4	·70	·25	·40						·21	·05	·20		18
19		·17	·05						·85		·02	·11		19
20	✓		·03			·11			·25		·25			20
21	SNOW.						·13		·04		·34			21
22			✓		·18	·08			·05	·07	·02			22
23		·14		·10										23
24		✓		·13			·11			·12		✓		24
25			·49				·25			·16				25
26	4	4	·71				·02			·45		✓		26
27	4	·28					·06			✓	·01	·05		27
28	✓	·06			1·25									28
29	4		·05		·02				·07			·14		29
30	4	✕		·15						·08		·04		30
31	1·54	✕		✕		✕			✕	·52	✕	·07		31
TOTAL	2·05	1·77	3·24	1·14	1·45	1·30	3·08	=	2·13	4·04	7·28	1·61	Year's Total 29·09	
* Days with .01 in. or more.	(14) ~~34~~	15	12	9 ~~8~~	3	5	13	=	11	17	19	17	~~124~~	135
* Days with .04 in. or more.	(10) ~~3~~	14	10	8	2	5.	11 ~~10~~	=	9	15.	16	13	~~110~~	112

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) M.W. Wood for R.W. Wood. deceased

P.T.O.

PRESTON (THE OLD VICARAG

CO

Section **A** for the entry of Daily O

AIR MINISTRY.—ME

FORM 1090

REGISTER

No. 299/5

ANIZATION

299/5

PRESTON THE OLD VICARAGE

1938 - 1940

480106

Kept at ...The Old Vicarage, Pr

in the County of ....Canterbury, Ke

Diameter of Funnel of Gauge............5...i

Height of top of Gauge above Ground......1

,, Ground ,, Sea Level ...

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						1.08	0.02	—	0.48	trace	0.02	0.03		1
2						—	0.01	—	trace	0.30	—	trace		2
3						—	0.03	—	trace	0.56	trace	trace		3
4						0.01	0.33	0.91	trace	trace	—	0.05		4
5						—	0.26	trace	0.01	0.43	trace	trace		5
6						—	trace	0.18	0.02	—	trace	0.01		6
7						0.01	0.39	0.98	trace	0.15	trace	0.03		7
8						trace	0.06	trace	0.06	0.05	trace	trace		8
9						—	0.02	0.38	trace	0.02	—	0.49		9
10						0.02	0.01	0.02	trace	—	trace	0.13		10
11						trace	trace	trace	—	0.02	0.04	0.02		11
12						0.01	0.01	trace	—	0.09	0.01	trace		12
13						—	—	0.08	—	0.01	0.02	0.01		13
14						—	—	trace	0.18	—	0.01	0.12		14
15						—	0.23	trace	trace	0.04	0.01	trace		15
16						—	0.14	trace	trace	0.09	trace	0.12		16
17						—	0.02	trace	trace	0.26	0.01	trace		17
18						trace	0.01	—	0.01	0.01	0.42	trace		18
19						—	trace	—	0.01	—	0.10	0.01		19
20						—	—	—	0.37	—	0.31	0.29		20
21						—	—	0.01	0.31	—	0.08	0.14		21
22						0.03	—	0.02	trace	—	0.08	0.17		22
23						trace	—	—	—	—	0.01	trace		23
24						trace	—	—	0.07	—	0.27	0.28		24
25						—	0.24	—	0.21	0.01	0.44	trace		25
26						—	0.05	trace	0.39	0.23	—	0.30		26
27						0.07	0.14	trace	0.35	0.77	0.23	—		27
28						0.02	—	0.58	trace	trace	trace	0.01		28
29						—	—	trace	—	—	0.02	0.32		29
30		✕				0.01	—	0.09	trace	0.02	0.31	trace		30
31		✕		✕		✕	—	trace	✕	0.06	✕	0.13		31
TOTAL						1.26	1.97	3.25	2.47	3.12	2.39	2.66	Year's Total ~~17.12~~	
* Days with .01 in. or more.						9	17	10	13	18	18	19	~~104~~	
* Days with .04 in. or more.						2	9	7	9	12	10	12	~~61~~	

90

14/3/39

X J. H. DYSON ESQ. N

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ......J H Dyson.......

[P.T.O.

PRESTON (THE OLD VICARAGE

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 299/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

F782094/38

Kept at The Old Vicarage, Preston,

in the County of Canterbury, Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 34 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						1.08	0.02	—	0.48	trace	0.02	0.03		1
2						—	0.01	—	trace	0.30	—	trace		2
3						—	0.03	—	trace	0.56	trace	trace		3
4						0.01	0.33	0.91	trace	trace	—	0.05		4
5						—	0.26	trace	0.01	0.43	trace	trace		5
6						—	trace	0.18	0.02	—	trace	0.01		6
7						0.01	0.39	0.98	trace	0.15	trace	0.03		7
8						trace	0.06	trace	0.06	0.05	trace	trace		8
9						—	0.02	0.38	trace	0.02	—	0.49		9
10						0.02	0.01	0.02	trace	—	trace	0.13		10
11						trace	trace	trace	—	0.02	0.04	0.02		11
12						0.01	0.01	trace	—	0.09	0.01	trace		12
13						—	—	0.08	—	0.01	0.02	0.01		13
14						—	—	trace	0.18	—	0.01	0.12		14
15						—	0.23	trace	trace	0.04	0.01	trace		15
16						—	0.14	trace	trace	0.09	trace	0.12		16
17						—	0.02	trace	trace	0.26	0.01	trace		17
18						trace	0.01	—	0.01	0.01	0.42	trace		18
19						—	trace	—	0.01	—	0.10	0.01		19
20						—	—	—	0.37	—	0.31	0.29		20
21						—	—	0.01	0.31	—	0.08	0.14		21
22						0.03	—	0.02	trace	—	0.08	0.17		22
23						trace	—	—	—	—	0.01	trace		23
24						trace	—	—	0.07	—	0.27	0.28		24
25						—	0.24	—	0.21	0.01	0.44	trace		25
26						—	0.05	trace	0.39	0.23	—	0.30		26
27						0.07	0.14	trace	0.35	0.77	0.23	—		27
28						0.02	—	0.58	trace	trace	trace	0.01		28
29						—	—	trace	—	—	0.02	0.32		29
30		✕				0.01	—	0.09	trace	0.02	0.31	trace		30
31		✕		✕		✕	—	trace	✕	0.06	✕	0.13		31
TOTAL						1.26	1.97	3.25	2.47	3.12	2.39	2.66	Year's Total ~~17.12~~	wp mp.
* Days with .01 in. or more.						9	17	10	13	18	18	19	~~104~~	93
* Days with .04 in. or more.						2	9	7	9	12	10	12	~~61~~	14/3/38

X J. H. DYSON ESQ.

N

* See Instruction 3 (i) on other side.

† Spare column, no entries required.

(*Signed*) JH Dyson

[P.T.O.

PRESTON (THE OLD VICARAGE)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 299/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Old Vicarage, Preston,
in the County of Canterbury, Kent.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 34 ft.

letter accompanying f 782094/38
[illegible] 1938
782094/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.07	—	trace	0.07	0.48	—	0.15	0.03	0.01	0.21	trace	trace		1
2	0.01	trace	trace	—	0.01	—	0.01	0.40	trace	0.76	0.02	trace		2
3	0.20	trace	—	0.22	trace	—	—	0.06	—	trace	0.13	0.22		3
4	0.09	trace	0.15	0.06	trace	—	trace	0.54	trace	0.13	0.09	trace		4
5	trace	0.01	0.04	0.47	trace	—	0.09	trace	—	0.18	0.33	0.15		5
6	0.26	0.01	0.02	trace	trace	—	0.01	trace	—	0.06	0.20	trace		6
7	0.11	0.07	trace	trace	—	—	trace	0.02	—	0.13	0.09	0.05		7
8	trace	0.03	0.12	—	—	—	trace	trace	—	0.17	0.03	0.22		8
9	0.03	0.07	trace	—	—	—	—	0.01	—	0.39	0.24	0.12		9
10	0.04	trace	trace	—	—	0.38	—	0.17	0.02	0.04	trace	trace		10
11	0.16	trace	0.25	—	0.04	0.24	—	—	trace	0.84	0.03	0.03		11
12	trace	trace	trace	—	0.02	0.45	—	—	trace	0.20	trace	trace		12
13	0.01	0.01	0.03	trace	trace	0.03	—	—	0.03	1.40	trace	0.07		13
14	0.54	—	0.03	trace	0.11	trace	0.03	—	trace	0.18	0.31	0.02		14
15	0.15	0.01	trace	trace	0.84	trace	trace	—	0.10	1.18	0.05	trace		15
16	0.18	trace	0.09	—	0.20	0.07	0.06	—	0.15	0.01	0.31	trace		16
17	0.13	0.09	0.06	0.04	trace	—	0.01	—	0.14	—	0.01	trace		17
18	0.17	trace	0.06	trace	trace	0.01	0.14	—	0.37	0.68	0.40	trace		18
19	0.12	trace	trace	—	—	0.01	0.18	—	0.02	1.04	0.01	trace		19
20	0.20	—	trace	—	—	0.02	trace	trace	0.91	trace	trace	0.05		20
21	0.04	—	0.14	—	—	0.01	—	—	0.29	0.08	—	trace		21
22	0.08	0.14	0.09	trace	—	0.19	0.11	—	0.04	trace	0.04	trace		22
23	0.01	0.01	0.02	0.09	—	0.02	0.05	0.07	0.21	0.13	0.29	—		23
24	0.02	0.03	0.01	0.26	—	0.02	0.16	trace	0.01	trace	0.03	trace		24
25	1.58	0.22	0.07	trace	trace	—	0.15	trace	trace	trace	0.38	trace		25
26	0.04	trace	0.37	trace	—	trace	0.40	—	0.02	1.17	0.27	0.01		26
27	0.07	0.04	0.13	0.03	—	—	trace	—	0.03	1.75	0.53	trace		27
28	trace	0.36	0.13	trace	—	0.01	trace	—	trace	0.75	0.12	0.02		28
29	trace	X	trace	0.42	—	trace	—	—	—	0.01	0.02	trace		29
30	trace	✕	—	0.42	trace	0.05	0.03	—	—	trace	0.03	trace		30
31	—	✕	—	✕	trace	✕	trace	0.05	✕	—	✕	trace		31
													Year's Total	
TOTAL	4.31	1.10	1.81	2.08	1.70	1.51	1.58	1.35	2.35	11.49	3.96	0.96	34.20	
* Days with .01 in. or more.	24	14	18	10	7	14	15	9	15	23	24	11	184	
* Days with .04 in. or more.	19	7	13	9	5	6	10	6	8	21	16	7	127	

J. H. DYSON, Esq.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J H Dyson

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 299/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at The Old Vicarage, Preston,

in the County of Canterbury, Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 39 ft.

Acks.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	trace	0.02	—	0.01	—	—	—	—	—	)	0.01	trace		1
2	trace	trace	—	0.04	—	—	trace	—	—	) ✓	0.48	0.03		2
3	—	0.10	—	0.02	—	—	0.31	—	—	) ✓	1.29	0.14		3
4	trace	0.04	—	0.13	—	—	trace	—	—	) ✓ 1.04	0.05	0.10		4
5	—	0.02	—	trace	—	—	0.01	trace	—	)	0.52	0.11		5
6	0.05	0.02	trace	—	trace	—	0.20	—	—	) ✓	0.08	—		6
7	0.20	0.05	trace	—	~~trace~~	—	0.17	trace	—	)	0.02	trace		7
8	trace	0.02	—	0.01	trace	—	0.05	—	0.36	) ✓	—	0.18		8
9	trace	trace	—	0.01	—	—	trace	trace	0.02	0.10	0.12	0.09		9
10	trace	—	trace	trace	—	—	0.06	trace	0.01	0.37	0.18	0.06		10
11	—	trace	0.01	0.06	—	—	0.02	—	—	—	0.76	trace		11
12	—	0.24	0.06	trace	—	trace	0.06	—	0.08	—	trace	0.01		12
13	trace	0.15	0.34	trace	—	0.13	0.04	—	0.10	—	0.76	—		13
14	—	trace	0.32	0.08	—	trace	trace	—	trace	—	trace	0.30		14
15	trace	trace	trace	trace	0.07	0.02	0.11	—	trace	—	0.53	0.01		15
16	0.80	0.37	0.22	trace	—	0.08	0.34	—	0.04	0.51	0.54	0.04		16
17	0.25	trace	0.28	—	—	—	trace	—	trace	trace	0.11	0.01		17
18	0.04	0.34	0.17	0.27	—	—	0.09	—	trace	0.17	0.03	0.15		18
19	trace	0.11	0.02	—	—	trace	trace	trace	0.82	—	0.06	0.06		19
20	0.03	0.01	0.04	0.01	—	0.04	trace	0.01	0.12	0.01	0.13	—		20
21	0.06	—	trace	—	0.04	—	0.15	trace	0.02	0.02	0.17	—		21
22	0.01	trace	0.01	—	0.01	0.03	—	trace	0.02	0.05	0.01	—		22
23	trace	0.12	—	0.05	trace	—	0.01	0.03	—	trace	0.01	0.02		23
24	trace	—	—	0.08	—	—	0.09	—	trace	0.08	0.01	trace		24
25	trace	trace	0.45	—	trace	—	0.23	—	trace	0.06	trace	trace		25
26	0.75	0.09	0.41	—	0.05	trace	trace	—	—	0.42	trace	0.04		26
27	0.09	0.04	trace	trace	—	—	0.03	0.01	—	0.06	trace	0.01		27
28	trace	trace	—	trace	0.10	—	—	—	trace	trace	—	trace		28
29	0.06	trace	0.03	—	0.02	—	—	—	0.02	—	trace	0.15		29
30	0.04	✕	—	0.10	—	—	—	—	trace	0.02	trace	0.01		30
31	0.06	✕	—	✕	—	✕	—	—	✕	0.34	✕	0.05		31
TOTAL	2.44	~~1.72~~ 1.74	2.36	0.87	0.29	0.30	1.97	0.05	1.61	3.25	5.87	1.57	Year's Total 22.30	
* Days with .01 in. or more.	13	16	13	13	6	5	17	3	11	(18 ~~14~~)	21	20	(~~152~~)	156
* Days with .04 in. or more.	11	11	9	8	4	3	13	—	6	(15 ~~11~~)	15	13	(~~104~~)	108

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. H. Dyson

P.T.O.

300

Section A for the entry of D
AIR MINISTRY.

FORM I

REGIST

300

RAMSGATE

1931-1940

780106

FOR OFFICIAL USE.
L ORGANIZATION.

· 192

Kept at Ramsgate
in the County of Kent

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Leve

THE MORNING MEASURE

An observer who does not conform to thi *following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3					·64								3
4													4
5						·31							5
6													6
7													7
8													8
9													9
10											·83		10
11		·36											11
12									·24				12
13													13
14							·68	·67					14
15													15
16													16
17													17
18													18
19				·57									19
20													20
21													21
22			·10										22
23	·35												23
24													24
25													25
26													26
27													27
28												·17	28
29										·26			29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.01	1.92	0.20	2.52	1.93	0.55	3.41	3.06	1.29	0.74	2.00	0.58	YEAR'S TOTAL 20.21
*Days with ·01 in. or more.	24	21	4	15	15	8	17	19	14	8	13	12	170
*Days with ·04 in. or more.	11	13	2	11	9	2	12	15	9	5	8	6	103
40-9999	51.1	48.7	5.2	63.9	48.9	13.9	86.6	77.8	32.7	18.8	50.9	14.8	513.3

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

300

Section **A** for the entry of

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1931.

192

Kept at Ramsgate

in the County of Kent

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3					·64								3
4													4
5						·31							5
6													6
7													7
8													8
9													9
10											·83		10
11		·36											11
12									·24				12
13													13
14							·68	·67					14
15													15
16													16
17													17
18													18
19				·57									19
20													20
21													21
22			·10										22
23	·35												23
24													24
25													25
26													26
27													27
28												·17	28
29		X								·26			29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.01	1.92	0.20	2.52	1.93	0.55	3.41	3.06	1.29	0.74	2.00	0.58	YEAR'S TOTAL 20.21
*Days with ·01 in. or more.	24	21	4	15	15	8	17	19	14	8	13	12	170
*Days with ·04 in. or more.	11	13	2	11	9	2	12	15	9	5	8	6	103
40-9999	51.1	48.7	5.2	63.9	48.9	13.9	86.6	77.8	32.7	18.8	50.9	14.8	513.3

*See Instruction 2 (*f*) ou other side.

(*Signed*)..........

[P.T.O.

300

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

192

Kept at Ramsgate

in the County of Kent

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6	·41												6
7													7
8													8
9													9
10					·44								10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20											0·20		20
21												·10	21
22			·42						1·20				22
23		·15											23
24													24
25							1·43						25
26								·25					26
27										·80			27
28													28
29				·25									29
30		×				·32							30
31		×		×		×			×		×		31
TOTAL	1·22 ✓	0·51 ✓	1·00 ✓	1·73 ✓	2·26 ✓	0·54 ✓	2·62 ✓	0·89 ✓	2·31 ✓	586 ✓	0·70 ✓	0·41 ✓	YEAR'S TOTAL 20·05
*Days with ·01 in. or more.	12	12	9	23	21	6	14	11	12	23	10	12	165
*Days with ·04 in. or more.	7	4	6	16	15	4	8	5	7	20	5	4	~~101~~
40-9999	31.0	13.0	25.4	43.9	57.5	13.8	66.5	22.7	58.6	148.8	17.9	10.4	

(Signed)..........

*See Instruction 2 (*f*) on other side.

P.T.O.

300

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ramsgate (Wellington Cres)
in the County of Kent
Permanent gauge.

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground 1 ft. .... in.
,, Ground ,, Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4											.47		4
5													5
6					.39								6
7	0.44									.48.			7
8													8
9													9
10													10
11													11
12						.43							12
13													13
14													14
15													15
16			.23				.43						16
17													17
18													18
19													19
20									.09				20
21									1.20				21
22								.22	.16				22
23									.42				23
24									2.04				24
25				0.28									25
26												.22	26
27		.12											27
28													28
29		×											29
30		×											30
31		×		×		×			×		×		31
TOTAL	1.73 ✓	0.70 ✓	0.88 ✓	0.63 ✓	1.08 ✓	1.97 ✓	1.61 ✓	0.54 ✓	5.49 ✓	1.77 ✓	2.46 ✓	0.52 ✓	YEAR'S TOTAL 19.38
*Days with ·01 in. or more.	12	14	13	10	14	13	12	8	10	16	16	9	147
*Days with ·04 in. or more.	8	7	9	5	5	9	7	4	10	10	12	4	90
40-9999	44.0		22.4	16.0		50.1	40.8				62.4		

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

Permanent Gauge.

COPY FOR OFFICIAL USE.

300

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Kept at Wellington Gardens, Ramsgate

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1						-	-	-	-	·3	·9	-	1
2						-	-	-	-	1·0	1·8	-	2
3						-	-	-	-	1·8	10·8	-	3
4						-	-	-	-	-	12·0	-	4
5						-	-	-	-	trace	-	-	5
6						-	-	-	-	·2	2·7	·4	6
7						-	-	-	-	12·2	-	·2	7
8						-	5·6	-	-	·8	-	-	8
9						-	·2	-	-	-	2·8	-	9
10						·6	·2	-	-	2·6	trace	-	10
11						·4	-	1·0	-	-	·6	trace	11
12						11·0	6·6	-	8·5	-	9·4	trace	12
13						-	4·6	·3	15·0	-	7·2	-	13
14						-	trace	-	-	2·9	1·3	1·6	14
15						-	6·1	2·8	-	·4	3·8	1·9	15
16						7·8	11·0	-	-	trace	-	-	16
17						3·6	·3	·2	4·1	-	-	-	17
18						6·8	-	-	-	-	-	-	18
19						3·4	-	trace	10·1	-	·2	trace	19
20						3·8	-	·7	2·2	-	-	trace	20
21						-	-	2·1	30·6	trace	-	trace	21
22						·8	-	5·6	4·0	7·1	-	-	22
23						-	-	-	10·7	trace	·3	-	23
24					1·0	1·0	-	-	51·7	-	3·3	-	24
25					·6	·3	-	-	-	·8	3·8	·8	25
26					-	9·4	-	-	2·6	1·1	1·5	5·7	26
27					·6	-	·7	-	-	5·8	-	·8	27
28					-	1·2	1·8	-	trace	5·8	-	·3	28
29					·8	-	3·5	-	-	·2	-	trace	29
30		×			-	-	·2	-	-	2·0	-	1·6	30
31		×		×	-	×	-	·9	×	-	×	trace	31
TOTAL						50·1	40·8	13·6	139·5	45·0	62·4	13·3	YEAR'S TOTAL
*Days with 0·2 mm. or more.													
*Days with 1·0 mm. or more.													

(144w)

40-9999

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

300

Kept at Ramsgate (Wellington Gdns)
in the County of Kent Permanent gauge

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground 1 ft .... in.
,, Ground ,, Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2										·74				2
3					·65									3
4														4
5														5
6						·24								6
7														7
8				·43							·37			8
9														9
10														10
11	·43													11
12														12
13							·73							13
14														14
15														15
16														16
17			·43											17
18														18
19									·19					19
20														20
21														21
22														22
23														23
24								·46						24
25														25
26														26
27														27
28		·11												28
29		×												29
30		×												30
31		×		×		×			×		×	·27		31
TOTAL	1·62	0·21	2·37	1·50	1·63	0·93	1·92	2·12	0·65	2·12	1·64	3·31	Year's Total 20·02	
*Days with ·01 in. or more.	16	6	13	15	8	10	10	17	9	14	15	24	157	
*Days with ·04 in. or more.	8	2	11	9	5	7	6	9	5	10	12	20	104	

M

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

Permanent Gauge.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Wellington Gardens, Ramsgate.

in the County of Kent.

Diameter of Funnel of Gauge..............in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	trace	·2	trace	-	trace	·2	-	3·9	·2	2·1	-	5·9	1
2	·2	-	4·5	·2	-	-	-	-	3·5	18·7	trace	4·8	2
3	-	·6	-	trace	16·5	trace	-	1·2	·4	7·9	·8	·8	3
4	3·3	-	trace	-	5·0	-	-	-	-	4·9	1·6	6·7	4
5	trace	·2	·2	-	·5	1·8	-	-	-	-	6·1	1·7	5
6	-	-	7·2	4·9	3·6	6·0	-	·8	-	3·6	3·5	4·5	6
7	·3	·2	-	-	-	-	-	-	-	3·7	-	1·8	7
8	trace	-	-	10·9	11·6	-	-	·8	-	-	9·4	-	8
9	trace	-	·2	·2	-	-	-	·2	-	-	1·3	1·1	9
10	-	-	3·3	1·3	-	-	-	·2	-	·5	1·2	trace	10
11	10·8	trace	7·1	1·5	-	-	·2	·8	-	-	3·6	4·1	11
12	7·1	-	2·1	-	-	-	·4	6·6	-	-	·2	5·3	12
13	6·2	trace	2·5	-	-	-	18·5	6·2	-	-	-	·5	13
14	6·2	trace	6·1	1·4	·6	·3	1·9	·4	-	4·9	3·1	4·5	14
15	-	trace	-	-	-	-	-	-	-	·3	3·5	2·3	15
16	1·2	trace	5·0	·8	3·5	-	-	-	-	trace	-	·2	16
17	·2	-	11·0	·8	-	-	-	-	·8	3·3	2·8	3·5	17
18	1·2	-	·1	·8	-	-	-	-	·4	-	2·9	4·1	18
19	-	-	6·9	-	-	·3	-	-	4·3	-	trace	2·5	19
20	-	-	3·9	-	-	-	5·2	-	-	trace	trace	-	20
21	-	trace	-	3·5	-	1·1	-	-	-	trace	-	trace	21
22	trace	trace	-	-	-	-	-	2·6	1·5	·8	trace	-	22
23	trace	trace	trace	2·9	-	3·6	trace	3·5	-	1·0	·3	3·9	23
24	trace	-	-	7·0	-	2·5	12·3	11·7	1·2	-	trace	-	24
25	·2	trace	-	1·8	·2	-	-	·8	-	·2	-	5·4	25
26	·2	-	-	·2	-	2·8	-	-	-	-	-	-	26
27	·2	1·3	-	-	-	4·9	-	-	-	-	-	5·1	27
28	·2	2·8	-	-	-	-	·6	9·1	-	-	1·4	2·9	28
29	-		-	-	-	-	7·4	4·4	4·1	-	trace	·3	29
30	3·4	X	-	trace	-	-	1·4	·6	-	-	-	5·4	30
31	·3	X	-	X	-	X	·8	trace	X	1·9	X	6·8	31
TOTAL	41·2	5·3	60·1	38·2	41·5	23·5	48·7	53·8	16·4	53·8	41·7	84·1	YEAR'S TOTAL 508·3
*Days with 0·2 mm. or more.													
*Days with 1·0 mm. or more.													

(144w)

40-9999

(Signed).. [P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No 300

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ramsgate

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5									·56					5
6														6
7			·06								·77			7
8				·36										8
9						·79				·39				9
10	~~0·92~~													10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18							·22							18
19														19
20														20
21														21
22														22
23														23
24		·44												24
25														25
26					·46									26
27	·56							1·08						27
28														28
29												·26		29
30		×												30
31		×		×		×			×		×			31
TOTAL	2·90 ~~0·92~~	2·04	0·11	2·70	1·78	2·30	0·32	3·33	2·96 ✓	2·22	3·52	1·94 ✓	Year's Total 26·12	
*Days with ·01 in. or more.	17 ~~18~~	17	5	20	9	17	6	11	15	19	25	19	180	
*Days with ·04 in. or more.	12	13	1	15	6	11	2	6	10	15	17	15	123	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 300 ~~192~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ramsgate

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. .... in.

,, Ground ,, Sea Level 80 ft.

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3			·16											3
4														4
5														5
6										·39				6
7														7
8											·60	·39		8
9														9
10								·98						10
11														11
12														12
13														13
14							·83							14
15														15
16	·40													16
17		·57												17
18														18
19														19
20				·31					·79					20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28						·96								28
29														29
30		X												30
31		X		X	·15	X			X		X			31
													Year's Total.	
TOTAL	2·99	2·16	0·88	1·13	0·20	3·25	3·69	1·31	3·50	2·02	3·44	1·73	26·30	
* Days with .01 in. or more.	22	18	15	12	4	16	22	7	19	18	16	15	184	
* Days with .04 in. or more.	18	11	8	8	2	12	14	5	15	13	13	11	130	
40-9999	75·9	54·8	22·4	28·7	5·2	82·6	93·6	33·4	88·9	51·4	87·4	44·0	668·2	

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 300

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

192

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at Ramsgate (East Cliff)
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	·53										·34			1
2														2
3														3
4														4
5			·49											5
6														6
7		·74												7
8														8
9				·56										9
10														10
11														11
12														12
13														13
14					·67			·74						14
15							·59							15
16												·74		16
17														17
18						1·03			1·01					18
19														19
20														20
21														21
22														22
23										·66				23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	✓ 3·89	✓ 3·52	✓ 3·78	✓ 2·01	✓ 3·23	✓ 2·74	✓ 1·07	✓ 1·23	3·13	✓ 2·72	✓ 1·07	✓ 4·14	Year's Total 32·53	✓
* Days with 0.2 mm. or more.	21	22	23	14	12	10	12	6	14	13	6	15	168	✓
* Days with 1.0 mm. or more.	19	13	20	9	11	8	5	4	11	9	4	14	127	✓

(141w) * See Instruction 2 (f) on other side.

40-9999. 98·7 89·5 96·0 51·0 82·0 69·5 † Spare column, no entries required, except year's total. 27·3 31·2

(Signed) 79·6 69·0 27·3 105·2 826·3 [P.T.O.

192

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 300

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1938.

Kept at Ramsgate (East Cliff)
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1						·96								1
2														2
3														3
4														4
5														5
6														6
7							·52	2·06						7
8														8
9														9
10														10
11				·40										11
12														12
13														13
14														14
15		·14												15
16														16
17					·76									17
18														18
19														19
20												·41		20
21														21
22														22
23														23
24														24
25			·32								·40			25
26	·53								·55					26
27										·43				27
28														28
29														29
30		☒												30
31		☒		☒		☒			☒		☒			31
													Year's Total	
TOTAL	76·5	16·6	12·9	23·6	47·3	33·3	56·4	77·6	59·9	65·6	54·0	61·7	585·4	d
* Days with 0.2 mm. or more.	~~16~~	~~10~~	~~3~~	~~7~~	~~14~~	~~5~~	~~12~~	~~8~~	~~12~~	~~16~~	~~11~~	~~13~~	~~129~~	
* Days with 1.0 mm. or more.	15	9 ✓	3 ✓	6	12	3	11	8	11	13	11	13	115	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 3·01 ·65 ·51 ·93 1·86 1·31 2·22 3·06 2·36 2·58 2·13 2·43 23·05

(Signed) .... [P.T.O.

~~192~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 300

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Ramsgate (East Cliff)

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1														1
2														2
3												·30		3
4								·56						4
5				·85										5
6														6
7														7
8														8
9														9
10						·39								10
11			·29											11
12														12
13														13
14														14
15					·93									15
16														16
17														17
18														18
19														19
20									1·15					20
21														21
22														22
23														23
24							·56							24
25	1·19	·27												25
26														26
27										1·99				27
28														28
29														29
30		✗												30
31		✗		✗		✗			✗		✗			31
													Year's Total	
TOTAL	107·7	21·9	49·6 ~~1·95~~	64·5	51·9	26·2	49·1	46·8	54·5	294·4	117·5	26·7	910·8	
* Days with 0.2 mm. or more.	21	9	19	8	5	10	11	9	13	22	20	9	156	
* Days with 1.0 mm. or more.	20	8	17	8	5	7	11	9	11	22	20	9	147	

(141w) * See Instruction 2 (f) on other side.

40-9999. 4·24 ·86 1·95 2·54 2·04 1·03 † Spare column, no entries required, except year's total.

1·93 (Signed) 1·84 2·15 11·59 4·63 105 35·85 [P.T.O.

192

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 300

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 19340

Kept at Ramsgate (East Cliff)
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 80 ft.

Inc.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16						·07								16
17		·37												17
18				·28										18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26			·54											26
27	·65													27
28					·11									28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	56·5	41·3	63·7	27·5	6·9	4·8							Year's Total ..	hp
* Days with 0.2 mm. or more.	12	13	10	12	4	5			CEASED				..	imp
* Days with 1.0 mm. or more.	12	13	10	11	4	2							..	

(114w) * See Instruction 3 (f) on other side.

2·22 1·63 2·51 1·08 ·27 ·19

† Spare column, no entries required, except year's total.

(*Signed*) ....

[P.T.O.

3720 6560 ~~—~~

300^A

RAMSGATE

JACKY BAKERS RECREATION GROUND

1933 - 1936

064047005

480107

300 A

Section **A** for the entry of

AIR MINISTRY L ORGANIZATION.

FORM 1091.

REGIST 3.

Kept at Jacky Baker's Re

in the County of Kent

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUR .

An observer who does not conform to th following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1						-	-	-	-	·3	·9	-	1
2						-	-	-	-	·1	1·1	-	2
3						-	-	-	-	3·4	8·3	-	3
4						-	-	-	-	-	13·6	-	4
5						-	-	-	-	trace	trace	-	5
6						-	-	-	-	trace	2·5	·7	6
7						-	-	-	-	11·0	-	trace	7
8						-	6·1	-	-	·4	-	-	8
9						-	·2	-	-	trace	2·7	-	9
10						·7	-	-	-	2·1	-	-	10
11						·3	-	-	-	-	1·1	·1	11
12						10·0	2·9	-	10·3	-	7·1	-	12
13						trace	3·7	-	9·9	-	6·6	-	13
14						-	trace	-	-	1·1	2·1	·5	14
15						-	7·9	-	-	·3	2·8	1·3	15
16						6·5	11·6	-	-	-	·3	-	16
17						2·6	·3	-	4·1	-	-	-	17
18						5·0	-	-	-	-	-	-	18
19						2·6	-	-	11·7	-	·1	·5	19
20						2·9	-	1·0	3·5	-	-	·1	20
21						-	-	2·2	34·8	trace	-	trace	21
22						·9	-	5·8	·5	6·3	-	-	22
23						-	-	-	5·9	·2	·6	-	23
24					1·0	1·5	-	-	40·7	-	4·8	-	24
25					·2	trace	-	-	-	·9	4·7	·4	25
26					-	11·9	-	-	2·7	1·6	1·2	6·1	26
27					·5	-	·2	-	-	3·1	trace	·8	27
28					-	1·0	2·6	-	-	4·9	-	·3	28
29					·1	-	3·0	-	-	·1	-	·1	29
30		×			-	-	-	-	-	1·3	-	1·0	30
31		×		×	-	×	-	·6	×	-	×	trace	31
TOTAL						45·9	38·5	9·6	124·1	37·1	60·5	11·9	YEAR'S TOTAL
*Days with 0·2 mm. or more.						1·81	1·52	·38	4·89				
*Days with 1·0 mm. or more.													

(144w)

40-9999

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

300 A

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Kept at Jacky Baker's Recreation Gardens
in the County of Kent. (Ramsgate)
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1						-	-	-	-	·3	·9	-	1
2						-	-	-	-	·1	1·1	-	2
3						-	-	-	-	3·4	8·3	-	3
4						-	-	-	-	-	13·6	-	4
5						-	-	-	-	trace	trace	-	5
6						-	-	-	-	trace	2·5	·7	6
7						-	-	-	-	11·0	-	trace	7
8						-	6·1	-	-	·4	-	-	8
9						-	·2	-	-	trace	2·7	-	9
10						·7	-	-	-	2·1	-	-	10
11						·3	-	-	-	-	1·1	·1	11
12						10·0	2·9	-	10·3	-	7·1	-	12
13						trace	3·7	-	9·9	-	6·6	-	13
14						-	trace	-	-	1·1	2·1	·5	14
15						-	7·9	-	-	·3	2·8	1·3	15
16						6·5	11·6	-	-	-	·3	-	16
17						2·6	·3	-	4·1	-	-	-	17
18						5·0	-	-	-	-	-	-	18
19						2·6	-	-	11·7	-	·1	·5	19
20						2·9	-	1·0	3·5	-	-	·1	20
21						-	-	2·2	34·8	trace	-	trace	21
22						·9	-	5·8	·5	6·3	-	-	22
23						-	-	-	5·9	·2	·6	-	23
24					1·0	1·5	-	-	40·7	-	4·8	-	24
25					·2	trace	-	-	-	·9	4·7	·4	25
26					-	11·9	-	-	2·7	1·6	1·2	6·1	26
27					·5	-	·2	-	-	3·1	trace	·8	27
28					-	1·0	2·6	-	-	4·9	-	·3	28
29					·1	-	3·0	-	-	·1	-	·1	29
30		X			-	-	-	-	-	1·3	-	1·0	30
31		X		X	-	X	-	·6	X	-	X	trace	31
TOTAL						45·9	38·5	9·6	124·1	37·1	60·5	11·9	YEAR'S TOTAL
*Days with 0·2 mm. or more.						1·81	1·52	·38	4·89				
*Days with 1·0 mm. or more.													

(144w)
40-9999

(Signed)..........................

[P.T.O.

COPY FOR OFFICIAL USE.

300 A

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Jacky Baker's Rec. Grd. Ramsgate.
in the County of Kent.
Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	trace	-	-	-	-	-	-	3·3	-				1
2	·1	-	3·9	·1	·1	-	-	-	4·5				2
3	trace	1·2	trace	-	14·3	-	-	·2	·5				3
4	2·8	trace	trace	-	3·8	trace	-	-	-				4
5	-	trace	·4	·2	·3	1·3	-	-	-				5
6	·1	trace	6·8	5·6	3·4	4·4	-	·7	-				6
7	·3	-	-	·1	·1	·1	-	-	-				7
8	-	-	·1	10·6	12·4	-	-	·9	trace				8
9	trace	-	trace	·1	·2	-	-	trace	-				9
10	-	-	1·9	1·2	-	-	-	trace	-				10
11	11·7	trace	5·2	·6	-	-	-	·8	-				11
12	1·6	-	2·5	trace	-	-	·4	5·1	-				12
13	5·7	-	3·2	·2	-	-	14·7	5·3	-				13
14	4·4	-	5·5	·7	·5	·2	1·4	·3	-				14
15	trace	-	trace	-	trace	-	-	-	-				15
16	1·3	·2	3·5	·9	1·6	-	-	-	-				16
17	·2	trace	9·3	·5	trace	-	-	-	2·5				17
18	1·2	-	·3	·8	-	-	·2	-	trace				18
19	·1	-	4·5	trace	-	trace	-	-	3·3				19
20	-	-	2·5	·2	-	·1	5·1	-	-				20
21	-	-	·2	3·3	-	1·3	-	-	trace				21
22	-	·1	trace	-	-	-	-	2·5	1·5				22
23	trace	trace	trace	2·5	·1	3·1	-	2·2	-				23
24	-	-	-	5·5	-	2·0	9·1	3·5	1·4				24
25	·2	-	-	1·4	-	-	-	·1	-				25
26	·4	-	-	·3	-	2·6	-	-	-				26
27	·2	1·4	-	trace	-	2·9	-	-	-				27
28	trace	·4	-	-	-	-	·4	8·9	-				28
29	-		-	-	-	-	11·2	3·8	5·7				29
30	3·4	X	-	-	-	-	1·7	2·8	-				30
31	·2	X	-	X	-	X	·4	trace	X		X		31
TOTAL	33·9	3·3	49·8	34·8	36·8	18·0	44·6	40·4	19·4				YEAR'S TOTAL
*Days with 0·2 mm. or more.													
*Days with 1·0 mm. or more.													

(144w)

40-9999

(Signed)..........

[P.T.O.

see Bk 300

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935 .

Kept at JACKY BAKER'S RECREATION GROUND, RAMSGATE.
in the County of KENT

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 145 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7.0	1.1	trace	0.2	-	3.9	0.8	-	0.6	1.3	1.9	-	1
2	2.3	-	-	1.8	-	trace	0.1	-	0.5	8.5	trace	-	2
3	1.1	2.3	0.6	3.4	-	1.8	-	-	0.8	6.6	2.8	-	3
4	trace	0.2	0.2	5.5	-	1.3	-	-	13.2	5.6	1.4	-	4
5	-	3.3	-	2.0	-	trace	trace	-	12.5	4.6	0.1	trace	5
6	6.9	0.8	-	6.4	-	0.7	-	-	-	0.5	3.4	1.2	6
7	9.4	2.2	0.5	4.1	-	3.8	-	-	-	2.2	22.8	1.0	7
8	trace	-	-	10.7	-	trace	-	17.8	-	3.8	2.5	1.9	8
9	trace	trace	-	0.5	-	23.5	-	-	-	9.2	6.6	0.3	9
10	1.3	1.3	-	trace	-	2.9	-	-	-	-	0.9	1.3	10
11	0.4	trace	-	1.5	-	1.1	-	-	-	-	2.4	0.1	11
12	-	0.1	-	0.1	0.7	0.4	-	10.9	-	-	8.9	-	12
13	0.1	3.2	-	5.3	2.7	trace	-	-	trace	-	3.5	0.1	13
14	0.2	trace	-	1.2	9.8	0.2	-	-	-	-	trace	1.8	14
15	trace	2.7	-	7.8	0.1	-	-	-	5.8	0.1	1.5	1.9	15
16	trace	0.2	-	3.7	trace	1.0	-	-	4.9	0.1	17.5	1.3	16
17	1.5	-	-	1.6	0.5	6.8	-	trace	1.5	-	4.9	0.2	17
18	trace	-	-	1.6	-	0.8	1.1	0.8	7.3	2.0	1.7	trace	18
19	trace	-	-	0.4	10.4	2.3	1.3	-	0.2	-	1.0	trace	19
20	0.4	4.9	trace	0.8	0.1	2.1	1.6	-	0.1	-	1.2	0.2	20
21	1.0	3.4	-	1.3	-	0.1	-	-	1.7	2.1	3.3	0.2	21
22	trace	0.6	trace	-	-	-	-	1.2	1.1	trace	7.0	trace	22
23	-	trace	0.2	-	trace	-	-	0.4	-	-	8.1	2.9	23
24	1.2	9.3	-	-	12.0	-	-	3.5	4.8	1.4	0.1	6.1	24
25	12.0	5.2	-	5.1	-	8.6	-	trace	-	1.8	1.2	4.9	25
26	3.3	1.2	-	-	11.7	0.7	-	1.5	0.1	2.3	trace	4.1	26
27	5.2	3.8	-	-	3.8	-	0.2	23.2	1.7	0.4	1.4	4.5	27
28	4.6	5.2	-	-	-	-	-	trace	0.3	3.2	trace	3.4	28
29	trace	X	-	-	0.1	-	-	-	12.2	-	-	6.7	29
30	2.0	X	-	-	-	-	-	22.7	1.5	1.1	6.6	4.4	30
31	trace	X	-	X	-	X	-	1.4	X	2.3	X	4.7	31
													YEAR'S TOTAL
TOTAL	59.9	51.0	1.5	65.0	51.9	62.0	5.1	83.4	70.8	59.1	112.7	53.2	675.6
*Days with 0·2 mm. or more.	17	18	4	20	8	17	5	10	17	18	23	20	177
*Days with 1·0 mm. or more.	14	14	-	16	6	12	3	8	12	16	22	16	139
(144W)	2.36	2.01	·06	2.56	2.04	2.44	·20	3.28	2.79	2.33	4.44	2.09	26.60

Put on back of 300

40-9999

(Signed)

Meteorological Observer.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 300 A

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1936.

Kept at JACKY BAKER'S RECREATION GROUND, RAMSGATE.

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 145 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	6.9	2.0	5.8	1.7	-	12.8	0.9	trace	-	0.1	0.7	3.0		1
2	1.5	1.5	1.5	trace	-	4.2	0.1	2.3	-	-	0.1	3.7		2
3	trace	0.4	9.9	5.3	0.2	-	0.4	0.1	1.6	trace	6.9	trace		3
4	trace	0.1	1.7	-	-	4.2	-	-	2.7	4.4	0.6	0.5		4
5	2.2	trace	trace	0.6	-	-	-	0.2	0.9	3.2	3.2	1.5		5
6	2.3	-	0.4	0.1	-	1.7	-	0.2	2.5	4.7	7.9	-		6
7	1.6	-	0.3	-	-	0.8	0.6	0.4	0.6	2.2	6.7	-		7
8	3.0	-	1.3	-	-	-	1.0	-	1.4	trace	16.5	11.5		8
9	6.7	-	2.6	-	0.5	-	12.9	1.5	trace	-	4.6	-		9
10	trace	-	trace	0.3	trace	1.5	11.3	20.5	1.0	8.7	-	trace		10
11	-	-	trace	2.2	-	-	4.6	2.8	-	0.1	12.2	-		11
12	-	-	-	1.5	-	0.3	2.7	-	trace	0.2	4.8	3.9		12
13	trace	-	-	0.1	-	1.4	1.2	-	0.3	trace	0.1	1.5		13
14	0.4	1.5	-	-	-	1.1	20.6	-	0.1	0.3	1.9	8.1		14
15	11.4	0.7	-	-	-	-	0.1	-	11.2	-	0.5	3.2		15
16	4.4	3.2	-	-	-	-	-	-	1.9	-	10.1	3.0		16
17	1.5	14.8	-	-	-	0.7	-	-	trace	0.1	7.1	1.9		17
18	2.0	1.5	-	-	-	-	4.0	-	0.2	1.1	7.1	0.7		18
19	3.5	0.2	0.2	-	-	17.2	-	2.3	trace	0.4	trace	-		19
20	trace	1.8	trace	8.6	-	-	-	-	17.5	1.9	trace	-		20
21	1.9	0.1	-	2.8	0.1	12.3	-	-	trace	-	-	-		21
22	0.5	10.3	trace	0.8	-	0.2	1.7	-	-	-	-	3.1		22
23	0.2	0.1	-	3.5	-	-	1.5	-	-	0.6	trace	0.3		23
24	3.3	8.0	-	0.1	-	-	0.5	-	0.3	4.1	-	-		24
25	10.7	1.1	0.6	1.7	0.1	4.0	trace	-	8.0	1.7	-	0.3		25
26	trace	0.7	trace	-	-	-	-	-	0.9	3.0	-	0.5		26
27	0.9	6.6	2.8	-	-	-	11.4	-	24.6	0.9	-	-		27
28	7.3	0.6	0.9	-	-	25.0	10.8	-	9.3	-	0.3	trace		28
29	0.2	0.2	1.0	-	-	5.3	trace	-	3.3	2.5	2.6	-		29
30	2.1	✕	-	-	0.1	4.1	0.5	-	-	2.3	trace	0.2		30
31	9.1	✕	3.3	✕	5.3	✕	2.4	-	✕	9.2	✕	0.5		31
TOTAL	3.29 83.6	2.18 55.4	1.27 32.3	1.15 29.3	.25 6.3	3.81 96.8	3.51 89.2	1.19 30.3	3.48 88.3	2.04 51.7	3.70 93.9	1.87 47.4	Year's Total 27.74 704.5	
* Days with 0.2 mm. or more.	23	18	14	11	3	17	20	8	18	18	17	18	185	
* Days with 1.0 mm. or more.	18	11	9	8	1	13	13	5	12	13	13	11	127	

✓

Do not publish [illegible]

(141w) * See Instruction 2 (f) on other side.

40-9999.

† Spare column, no entries required, except year's total

(*Signed*) Observer [P.T.O.

Temporary Gauge.

300B

Section **A** for the entry of I
AIR MINISTRY
L ORGANIZATION.

FORM 1091.

REGIST 3.

300B
RAMSGATE
WELLINGTON GARDENS
1933 -34

780107

Kept at Wellington Garde

in the County of Kent.

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this paragraph.

the following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1						-	-	-	-	·4	·8	-	1
2						-	-	-	-	·9	1·6	-	2
3						-	-	-	-	1·5	10·5	-	3
4						-	-	-	-	-	11·9	-	4
5						-	-	-	-	trace	-	-	5
6						-	-	-	-	·2	2·6	·4	6
7						-	-	-	-	11·7	-	·2	7
8						-	5·2	-	-	·7	-	-	8
9						-	·1	-	-	-	2·7	-	9
10						·6	·1	-	-	2·6	trace	-	10
11						·3	-	·8	-	-	·4	trace	11
12						11·7	6·3	-	8·2	-	9·2	trace	12
13						-	4·2	·2	14·8	-	7·1	-	13
14						-	trace	-	-	2·7	1·0	1·2	14
15						-	5·7	2·5	-	·3	3·6	1·5	15
16						7·8	10·3	-	-	trace	-	-	16
17						3·2	·3	·2	3·9	-	-	-	17
18						6·4	-	-	-	-	-	-	18
19						3·2	-	trace	9·5	-	·2	trace	19
20						3·8	-	·6	2·1	-	-	trace	20
21						-	-	2·0	31·2	trace	-	trace	21
22						·6	-	5·3	3·9	6·4	-	-	22
23						-	-	-	8·4	trace	·2	-	23
24					·7	·8	-	-	41·4	-	2·8	-	24
25					·5	·2	-	-	-	·7	3·6	·5	25
26					-	9·4	-	-	2·4	·9	1·7	5·2	26
27					·3	-	·7	-	-	4·9	-	·7	27
28					-	1·1	1·6	-	trace	5·6	-	·3	28
29					·5	-	3·4	-	-	·2	-	trace	29
30		×			-	-	·2	-	-	1·9	-	1·4	30
31		×		×	-	×		·8	×	-	×	trace	31
TOTAL						49·1	38·1	12·4	125·8	41·6	59·9	11·4	YEAR'S TOTAL
*Days with 0·2 mm. or more.													
*Days with 1·0 mm. or more.													

(144W)

40-9999

(*Signed*)

[P.T.O.

Temporary Gauge.

COPY FOR OFFICIAL USE.

300 B

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Kept at Wellington Gardens, Ramsgate

in the County of Kent.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1						-	-	-	-	·4	·8	-	1
2						-	-	-	-	·9	1·6	-	2
3						-	-	-	-	1·5	10·5	-	3
4						-	-	-	-	-	11·9	-	4
5						-	-	-	-	trace	-	-	5
6						-	-	-	-	·2	2·6	·4	6
7						-	-	-	-	11·7	-	·2	7
8						-	5·2	-	-	·7	-	-	8
9						-	·1	-	-	-	2·7	-	9
10						·6	·1	-	-	2·6	trace	-	10
11						·3	-	·8	-	-	·4	trace	11
12						11·7	6·3	-	8·2	-	9·2	trace	12
13						-	4·2	·2	14·8	-	7·1	-	13
14						-	trace	-	-	2·7	1·0	1·2	14
15						-	5·7	2·5	-	·3	3·6	1·5	15
16						7·8	10·3	-	-	trace	-	-	16
17						3·2	·3	·2	3·9	-	-	-	17
18						6·4	-	-	-	-	-	-	18
19						3·2	-	trace	9·5	-	·2	trace	19
20						3·8	-	·6	2·1	-	-	trace	20
21						-	-	2·0	31·2	trace	-	trace	21
22						·6	-	5·3	3·9	6·4	-	-	22
23						-	-	-	8·4	trace	·2	-	23
24					·7	·8	-	-	41·4	-	2·8	-	24
25					·5	·2	-	-	-	·7	3·6	·5	25
26					-	9·4	-	-	2·4	·9	1·7	5·2	26
27					·3	-	·7	-	-	4·9	-	·7	27
28					-	1·1	1·6	-	trace	5·6	-	·3	28
29					·5	-	3·4	-	-	·2	-	trace	29
30		×			-	-	·2	-	-	1·9	-	1·4	30
31		×		×	-	×		·8	×	-	×	trace	31
TOTAL						49·1	38·1	12·4	125·8	41·6	59·9	11·4	YEAR'S TOTAL
*Days with 0·2 mm. or more.													
*Days with 1·0 mm. or more.													

(144w)

40-9999

(*Signed*) ....

[P.T.O.

Temporary Gauge.

300 B

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Wellington Gardens, Ramsgate

in the County of Kent

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	trace	·2	trace	-	trace	·1							1
2	·1	-	4·3	·2	-	-							2
3	-	·5	-	trace	16·2	trace							3
4	3·2	-	trace	-	5·2	-							4
5	trace	·1	·2	-	·3	1·4							5
6	-	-	7·1	4·6	3·4	5·3							6
7	·4	·2	-	-	-	-							7
8	trace	-	-	10·1	10·9	-							8
9	trace	-	·1	·2	-	-							9
10	-	-	3·0	1·3	-	-							10
11	9·7	trace	6·7	1·2	-	-							11
12	6·9	-	1·8	-	-	-							12
13	5·7	trace	2·2	-	-	-							13
14	5·1	trace	6·1	1·1	·5	·2							14
15	-	trace	-	-	-	-							15
16	1·3	trace	4·3	·7	3·1	-							16
17	·2	-	10·4	·8	-	-							17
18	1·0	-	·1	·6	-	-							18
19	-	-	6·3	-	-	·2							19
20	-	-	3·6	-	-	-							20
21	-	trace	-	3·4	-	1·0							21
22	trace	trace	-	-	-	-							22
23	trace	trace	trace	2·6	-	3·4							23
24	trace	-	-	6·7	-	2·3							24
25	·2	trace	-	1·6	·1	-							25
26	·2	-	-	·1	-	2·7							26
27	·2	1·1	-	-	-	4·7							27
28	·2	2·5	-	-	-	-							28
29	-		-	-	-	-							29
30	3·0	×	-	trace	-	-							30
31	·2	×	-	×	-	×			×		×		31
TOTAL	37·6	4·6	56·2	35·2	39·7	21·3							YEAR'S TOTAL
*Days with 0·2 mm. or more.													
*Days with 1·0 mm. or more.													

(144 W)

40-9999

(Signed)..........

[P.T.O.

300 C

Section **A** for the entry of D
AIR MINISTRY. ORGANIZATION.

Form 1091.

REGIST

300 c

RAMSGATE

ALBION GARDENS

1934 ONLY

780107

Kept at Albion Gardens

in the County of Kent

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1											-	5·6	1
2											trace	4·4	2
3											·7	·7	3
4											1·4	6·7	4
5											5·8	1·8	5
6										3·3	3·4	4·8	6
7										3·7	-	1·5	7
8										-	8·9	-	8
9										-	1·4	1·2	9
10										·4	1·2	trace	10
11										-	3·5	4·0	11
12										-	·2	5·6	12
13										-	-	·5	13
14										5·2	3·0	4·3	14
15										·2	3·3	2·2	15
16										trace	-	·2	16
17										3·5	2·8	3·5	17
18										-	2·8	4·1	18
19										-	trace	2·4	19
20										trace	trace	-	20
21										trace	-	trace	21
22										·8	trace	-	22
23										1·0	·3	3·4	23
24										-	trace	-	24
25										·2	-	5·2	25
26										-	-	-	26
27										-	-	4·8	27
28										-	1·2	2·9	28
29										-	trace	·2	29
30		×								-	-	5·2	30
31		×		×		×			×	1·6	×	6·0	31
TOTAL											39·9	81·2	YEAR'S TOTAL
*Days with 0·2 mm. or more.													
*Days with 1·0 mm. or more.													

(144w)
40-9999

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

300 C

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Albion Gardens Ramsgate.
in the County of Kent.

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1											-	5·6	1
2											trace	4·4	2
3											·7	·7	3
4											1·4	6·7	4
5											5·8	1·8	5
6										3·3	3·4	4·8	6
7										3·7	-	1·5	7
8										-	8·9	-	8
9										-	1·4	1·2	9
10										·4	1·2	trace	10
11										-	3·5	4·0	11
12										-	·2	5·6	12
13										-	-	·5	13
14										5·2	3·0	4·3	14
15										·2	3·3	2·2	15
16										trace	-	·2	16
17										3·5	2·8	3·5	17
18										-	2·8	4·1	18
19										-	trace	2·4	19
20										trace	trace	-	20
21										trace	-	trace	21
22										·8	trace	-	22
23										1·0	·3	3·4	23
24										-	trace	-	24
25										·2	-	5·2	25
26										-	-	-	26
27										-	-	4·8	27
28										-	1·2	2·9	28
29										-	trace	·2	29
30		X								-	-	5·2	30
31		X		X		X			X	1·6	X	6·0	31
TOTAL											39·9	81·2	YEAR'S TOTAL
*Days with 0·2 mm. or more.													
*Days with 1·0 mm. or more.													

(144w)
40-9999

(Signed) ....

[P.T.O.

[circ A] WESTGATE-ON-SEA
(ST. MILDRED'S

Section **A** for the entry of

AIR MINISTR

Station No. 307/5

ALL ORGANIZATION

FORM 1092

REGIS

39

307/5

WESTGATE-ON-SEA

1939

064042001

780107

Kept at Westgate-on-

in the County of Kent

95/39.

Diameter of Funnel of Gauge......

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEASUR **US DAY**

An observer who does not conform *e following year in the space on the right of th*

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	—	—	·05	·59	—	·03	TRACE	·01	·15	TRACE	·01	·88	1
2	·01	—	TRACE	—	TRACE	—	—	·45	TRACE	·36	—	TRACE	·82	2
3	·19	·01	—	·24	TRACE	—	—	·12	—	TRACE	·14	·18	·88	3
4	·10	—	·09	·09	—	—	TRACE	·41	—	·15	·08	·02	·94	4
5	—	TRACE	·04	·40	TRACE	—	·04	TRACE	—	·11	·18	·13	·90	5
6	·26	—	·03	TRACE	—	—	TRACE	—	—	·09	·04	TRACE	·42	6
7	·22	·06	TRACE	—	—	—	TRACE	·02	—	·49	·08	·06	·93	7
8	—	·01	·14	—	—	—	TRACE	·06	—	·14	·01	·26	·62	8
9	·05	·08	—	—	—	—	—	TRACE	—	·52	·30	·15	1·10	9
10	·05	—	—	—	—	·46	TRACE	TRACE	·01	·04	·01	·01	·58	10
11	·18	—	·33	—	·06	·03	—	TRACE	TRACE	·97	·01	·04	1·62	11
12	—	—	—	—	·01	·44	—	—	·03	·04	—	·02	·54	12
13	TRACE	TRACE	·04	—	—	·01	—	—	·01	1·49	—	·08	1·63	13
14	·37	—	·03	TRACE	·10	—	·02	—	·20	·28	·38	·01	1·39	14
15	·09	—	TRACE	—	1·06	TRACE	—	—	·02	1·32	·02	·02	2·53	15
16	·12	—	·12	TRACE	·08	·10	—	—	·11	·16	·46	—	1·15	16
17	·09	·05	·05	·02	—	—	·01	—	·07	—	·02	—	·31	17
18	·15	—	·06	TRACE	—	TRACE	·12	—	·33	·87	·57	—	2·10	18
19	·29	—	·02	—	—	·02	·33	—	·02	1·07	·02	·01	1·78	19
20	·17	—	TRACE	—	—	·03	—	·12	·78	—	—	·06	1·16	20
21	·08	—	·20	—	—	·01	—	—	·40	·10	—	—	·79	21
22	·07	·09	·05	TRACE	—	·09	·10	—	·03	—	·06	TRACE	·49	22
23	TRACE	TRACE	·04	·20	—	·03	·03	·03	·18	·26	·68	·02	1·47	23
24	·05	·03	·04	·39	—	·02	·39	·02	·01	—	·02	·01	·98	24
25	1·74	·54	·06	—	—	TRACE	·09	TRACE	—	TRACE	·40	TRACE	2·83	25
26	·10	TRACE	·21	—	—	—	·31	—	·03	·79	·17	TRACE	1·61	26
27	·08	·03	·06	·02	—	—	—	—	·01	1·47	·30	—	1·97	27
28	TRACE	·34	·08	—	—	·01	—	—	—	·75	·14	·01	1·33	28
29	—	×	—	·38	—	—	—	—	—	·03	·03	—	·44	29
30	—	×	—	·44	TRACE	·07	·04	—	—	TRACE	·04	—	·59	30
31	—	×	—	×	—	×	·07	—	×	—	×	TRACE	·07	31
TOTAL	4·50	1·24	1·69	2·23	1·90	1·32	1·58 ~~1·48~~	1·23	2·25	11·65	4·16	1·10	Year's Total 34·85	
* Days with .01 in. or more.	22	10	19	10	6	13	13	8	17	23	24	18	183	
* Days with .04 in. or more.	21	6	16	8	5	5	9	5	7	22	16	8	128	

Paint

R. L ALEXANDER, Esq.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) R L Alexander

P.T.O.

[circ A] WESTGATE-ON-SE
(ST. MILDRED'S

Section **A** for the entry of Daily Observations

Station No. 307/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1092

REGISTER OF RAINFALL IN 1939

Kept at Westgate-on-Sea

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 20 ~~ft~~ ft.

File No. 895895/39.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	—	—	·05	·59	—	·03	TRACE	·01	·15	TRACE	·01	·88	1
2	·01	—	TRACE	—	TRACE	—	—	·45	TRACE	·36	—	TRACE	·82	2
3	·19	·01	—	·24	TRACE	—	—	·12	—	TRACE	·14	·18	·88	3
4	·10	—	·09	·09	—	—	TRACE	·41	—	·15	·08	·02	·94	4
5	—	TRACE	·04	·40	TRACE	—	·04	TRACE	—	·11	·18	·13	·90	5
6	·26	—	·03	TRACE	—	—	TRACE	—	—	·09	·04	TRACE	·42	6
7	·22	·06	TRACE	—	—	—	TRACE	·02	—	·49	·08	·06	·93	7
8	—	·01	·14	—	—	—	TRACE	·06	—	·14	·01	·26	·62	8
9	·05	·08	—	—	—	—	—	TRACE	—	·52	·30	·15	1·10	9
10	·05	—	—	—	—	·46	TRACE	TRACE	·01	·04	·01	·01	·58	10
11	·18	—	·33	—	·06	·03	—	TRACE	TRACE	·97	·01	·04	1·62	11
12	—	—	—	—	·01	·44	—	—	·03	·04	—	·02	·54	12
13	TRACE	TRACE	·04	—	—	·01	—	—	·01	1·49	—	·08	1·63	13
14	·37	—	·03	TRACE	·10	—	·02	—	·20	·28	·38	·01	1·39	14
15	·09	—	TRACE	—	1·06	TRACE	—	—	·02	1·32	·02	·02	2·53	15
16	·12	—	·12	TRACE	·08	·10	—	—	·11	·16	·46	—	1·15	16
17	·09	·05	·05	·02	—	—	·01	—	·07	—	·02	—	·31	17
18	·15	—	·06	TRACE	—	TRACE	·12	—	·33	·87	·57	—	2·10	18
19	·29	—	·02	—	—	·02	·33	—	·02	1·07	·02	·01	1·78	19
20	·17	—	TRACE	—	—	·03	—	·12	·78	—	—	·06	1·16	20
21	·08	—	·20	—	—	·01	—	—	·40	·10	—	—	·79	21
22	·07	·09	·05	TRACE	—	·09	·10	—	·03	—	·06	TRACE	·49	22
23	TRACE	TRACE	·04	·20	—	·03	·03	·03	·18	·26	·68	·02	1·47	23
24	·05	·03	·04	·39	—	·02	·39	·02	·01	—	·02	·01	·98	24
25	1·74	·54	·06	—	—	TRACE	·09	TRACE	—	TRACE	·40	TRACE	2·83	25
26	·10	TRACE	·21	—	—	—	·31	—	·03	·79	·17	TRACE	1·61	26
27	·08	·03	·06	·02	—	—	—	—	·01	1·47	·30	—	1·97	27
28	TRACE	·34	·08	—	—	·01	—	—	—	·75	·14	·01	1·33	28
29	—	×	—	·38	—	—	—	—	—	·03	·03	—	·44	29
30	—	×	—	·44	TRACE	·07	·04	—	—	TRACE	·04	—	·59	30
31	—	×	—	×	—	×	·07	—	×	—	×	TRACE	·07	31
TOTAL	4·50	1·24	1·69	2·23	1·90	1·32	~~1·48~~ 1·58	1·23	2·25	11·65	4·16	1·10	Year's Total 34·85	
* Days with .01 in. or more.	22	10	19	10	6	13	13	8	17	23	24	18	183	
* Days with .04 in. or more.	21	6	16	8	5	5	9	5	7	22	16	8	128	

Print
Wt

R. L. ALEXANDER Esq.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) R L Alexander

P.T.O.

Section **A** for the entry
AIR MINIS

FORM 1090

COPY FOR OFFICIAL USE. 301
NFALL ORGANIZATION.

REG

93~~2~~ 1

064047002

301

RAMSGATE

ARCHER HOUSE

1931 - 1940

780107

Kept at Archer Hou
in the County of Ken

Diameter of Funnel of Gauge
Height of top of Gauge above Gr
,, Ground ,, Se

THE MORNING MEA DAY.

An observer who does not conform *the following*
year in the space on the right o

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·09	Snow ·02	·05	-	-	-	·55	·	-	-	-	1
2	·09	·07	-	·01	·04	-	-	·16	·17	-	·	-	2
3	·16	Hail & rain ·12	-	-	·62	-	-	·24	·13	-	-	·03	3
4	-	Sleet ·02	-	-	·02	-	-	·05	·11	-	·03	-	4
5	·02	-	-	·14	-	·35	·47	·02	·07	-	-	-	5
6	·02	-	-	·01	·01	-	-	·13	-	·14	·08	-	6
7	-	·01	-	-	-	·01	·02	-	·16	·01	-	-	7
8	Sleet ·01	·04	Snow ·18	-	-	·11	·08	·07	-	·03	·01	·08	8
9	·01	·01	-	-	-	·02	-	·05	-	-	·41	·03	9
10	-	·12	Snow ·01	-	-	·03	-	·07	·02	-	·86	·05	10
11	22	Sleet & rain ·39	-	-	-	-	·	-	·03	-	·18	-	11
12	·06	-	-	-	-	-	·02	-	·25	-	-	·01	12
13	·33	Sleet ·01	-	-	·05	-	-	·06	-	-	·01	-	13
14	Sleet ·02	Snow. ·03	-	-	-	·03	·71	·58	-	-	-	-	14
15	·01	·05	-	·25	·06	-	·35	·18	-	·	-	·08	15
16	·01	Snow ·14	-	·16	·18	-	·08	·01	-	-	-	-	16
17	-	·05	-	Sleet & rain ·22	·05	-	·12	·18	·02	-	-	·09	17
18	·01	·35	-	·36	-	·01	·03	·13	-	-	·24	·01	18
19	·02	-	-	·55	-	·01	·60	·46	·13	-	·01	-	19
20	·01	·04	-	·01	·02	-	·14	·15	-	·01	-	·02	20
21	-	·05	-	-	·55	-	-	·01	·13	-	-	-	21
22	·04	-	·09	-	-	·	-	-	·06	-	-	-	22
23	·43	·08	-	-	·05	·01	·	-	·04	-	·02	-	23
24	-	-	-	·06	-	·01	-	·15	-	-	-	-	24
25	·06	-	-	·21	-	-	·24	-	-	·17	·17	-	25
26	·01	·05	-	·41	-	-	·28	-	-	·11	-	-	26
27	·14	·16	-	·07	·16	-	·24	-	-	-	·05	-	27
28	·18	Snow ·	-	·03	·16	-	·	-	-	·05	·	·16	28
29	·22	X	-	·01	·10	-	·03	-	-	·27	·10	Snow. ·05	29
30	·04	✕	-	-	-	-	-	-	-	-	-	-	30
31	·09	✕	-	✕	-	✕	-	-	✕	-	✕	-	31
TOTAL	2·21	1·88 ~~2·09~~	·30	2·55	2·07	·59	3·41	3·25	1·32	·79	2·17	·61	YEAR'S TOTAL 21·36
*Days with ·01 in. or more.	24	21	4	16	14	10	15	19	13	8	13	11	168
*Days with ·04 in. or more.	13	16	2	11	11	2	11	16	10	5	8	6	111

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. F. Baker

P.T.O.

301

Section **A** for the entry ~~of Daily Observations~~. **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER ~~OF~~ RAINFALL IN 193~~2~~1

Kept at Archer House

in the County of Kent.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. ...... in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·09	Snow ·02	·05	-	-	-	·55	-	-	-	-	1
2	·09	·07	-	·01	·04	-	-	·16	·17	-	-	-	2
3	·16	Hail & rain ·12	-	-	·62	-	-	·24	·13	-	-	·03	3
4	-	Sleet ·02	-	-	·02	-	-	·05	·11	-	·03	-	4
5	·02	-	-	·14	-	·35	·47	·02	·07	-	-	-	5
6	·02	-	-	·01	·01	-	-	·13	-	·14	·08	-	6
7	-	·01	-	-	-	·01	·02	-	·16	·01	-	-	7
8	Sleet ·01	·04	Snow ·18	-	-	·11	·08	·07	-	·03	·01	·08	8
9	·01	·01	-	-	-	·02	-	·05	-	-	·41	·03	9
10	-	·12	Snow ·01	-	-	·03	-	·07	·02	-	·86	·05	10
11	22	Sleet & rain ·39	-	-	-	-	-	-	·03	-	·18	-	11
12	·06	-	-	-	-	-	·02	-	·25	-	-	·01	12
13	·33	Sleet ·01	-	-	·05	-	-	·06	-	-	·01	-	13
14	Sleet ·02	Snow. ·03	-	-	-	·03	·71	·58	-	-	-	-	14
15	·01	·05	-	·25	·06	-	·35	·18	-	-	-	·08	15
16	·01	Snow ·14	-	·16	·18	-	·08	·01	-	-	-	-	16
17	-	·05	-	Sleet & rain ·22	·05	-	·12	·18	·02	-	-	·09	17
18	·01	·35	-	·36	-	·01	·03	·13	-	-	·24	·01	18
19	·02	-	-	·55	-	·01	·60	·46	·13	-	·01	-	19
20	·01	·04	-	·01	·02	-	·14	·15	-	·01	-	·02	20
21	-	·05	-	-	·55	-	-	·01	·13	-	-	-	21
22	·04	-	·09	-	-	-	-	-	·06	-	-	-	22
23	·43	·08	-	-	·05	·01	-	-	·04	-	·02	-	23
24	-	-	-	·06	-	·01	-	·15	-	-	-	-	24
25	·06	-	-	·21	-	-	·24	-	-	·17	·17	-	25
26	·01	·05	-	·41	-	-	·28	-	-	·11	-	-	26
27	·14	·16	-	·07	·16	-	·24	-	-	-	·05	-	27
28	·18	Snow	-	·03	·16	-	-	-	-	·05	-	·16	28
29	·22	X	-	·01	·10	-	·03	-	-	·27	·10	Snow. ·05	29
30	·04	X	-	-	-	-	-	-	-	-	-	-	30
31	·09	X	-	X	-	X	-	-	X	-	X	-	31
TOTAL	2·21	1·88 ~~2·09~~	·30	2·55	2·07	·59	3·41	3·25	1·32	·79	2·17	·61	YEAR'S TOTAL 21·36
*Days with ·01 in. or more.	24	21	4	16	14	10	15	19	13	8	13	11	168
*Days with ·04 in. or more.	13	16	2	11	11	2	11	16	10	5	8	6	111

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. F. Baker

P.T.O.

301

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Arden House

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·03	–	–	·38	–	·01	·04	–	·09	·02	·04	1
2	–	–	–	·24	·08	–	–	·02	–	·02	–	·06	2
3	–	–	–	·10	·14	·07	–	–	·37	·06		–	3
4	–	·02	–	–	–	·01	–	–	–	–	–	–	4
5	·02	–	–	–	·02	–	·28	–	·01	–	–	–	5
6	·40	–	·03	·08	·11	–	–	–	–	–	–	·04	6
7	01	–	·09	·02	·09	–	–	–	–	–	·01	·03	7
8	–	Hail Sleet ·05	·03	·05	–	–	–	–	–	·30	–	–	8
9	·04	Sleet ·08	–	·03	·52	–	–	–	–	·45	–	–	9
10	·20	–	–	·19	·04	–	–	–	–	·07	–	–	10
11	·29	Snow ·14	–	·12	–	·07	·01	–	–	·18	–	–	11
12	·05	Snow ·01	–	·09	–	–	–	·19	–	·14	–	–	12
13	·05	–	–	·05	·04	–	–	–	–	·72	–	–	13
14	·10	–	–	·02	·08	–	–	–	–	·17	–	–	14
15	–	·04	–	·03	·18	–	·01	–	–	·05	–	–	15
16	·02	–	–	·06	·07	–	–	–	–	–	–	–	16
17	–	·01	·01	–	–	–	·06	–	–	·04	–	–	17
18	·01	–	–	–	–	–	–	–	·06	–	·06	–	18
19	–	·01	–	–	–	–	–	–	–	·12	·11	–	19
20	–	–	–	–	·05	–	·06	–	–	·65	·19	–	20
21	[illegible]	·01	–	–	·12	·08	–	·01	–	·10	–	·11	21
22	–	–	·45	·08	·11	–	·19	·08	1·24	·14	·15	·03	22
23	–	·14	–	·11	·14	–	–	–	·18	·61	–	·02	23
24	–	·03	–	–	–	–	·38	·01	·15	·01	·04	–	24
25	–	·02	–	–	–	–	1·45	–	·08	·29	·02	–	25
26	–	–	–	·07	·06	–	·09	·31		–	·01	–	26
27	–	–	·14	·06	–	–	·07	–	·24	·83	·09	·02	27
28	–	–	–	·01	·02	–	·04	–	–	·39	–	–	28
29	–	–	·22	·24	·02	–	–	·20	·01	·34	–	–	29
30	–	×	–	·15	–	·37	–	·02	–	·02	–	·06	30
31	–	×	·04	×	–	×	–	·01	×	–	×	·02	31
TOTAL	1·26	·59	1·04	1·80	2·27	·60	2·65	·89 ~~·88~~	2·34	5·79	·70	·43	YEAR'S TOTAL 20·35
*Days with ·01 in. or more.	12	13	8	20	19	5	12	10	9	23	10	10	151
*Days with ·04 in. or more.	8	5	5	15	16	4	9	5	7	20	6	5	105

40-9999

(Signed) E. F. Baker.

*See Instruction 2 (*f*) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 301

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ramsgate - Archer House -

in the County of Kent

Diameter of Funnel of Gauge 5 in. 5

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·09	·07	-	-	-	-	-	-	-	·04	-		1
2	·08	-	·13	-	·23	-	-	-	-	·05	·06	-		2
3	-	·10	·09	-	-	-	-	-	-	·06	·40	-		3
4	·03	-	-	-	-	-	-	-	-	-	·48	-		4
5	·28	-	·25	-	-	-	-	-	-	-	-	-		5
6	-	·03	·07	-	·41	-	-	-	-	·01	·11	·01		6
7	·38	·01	·02	·02	·02	-	·20	-	-	·48	-	·01		7
8	·15	-	-	-	·02	-	-	-	-	·02	-	-		8
9	-	-	-	-	·02	-	·01	-	-	-	·10	-		9
10	-	-	-	-	-	-	-	-	-	·13	·02	-		10
11	·10	-	-	-	·04	·04	-	·05	-	-	·02	-		11
12	-	-	-	-	-	·48	·22	-	·18	-	·34	-		12
13	-	-	-	-	·16	-	·19	-	·69	-	·29	-		13
14	-	-	-	-	·06	-	-	-	-	·10	·09	·04		14
15	Sleet rain ·09	-	[illegible]	-	-	-	·23	·12	-	·01	·13	Sleet Hail ·04		15
16	Sleet rain ·19	-	28	-	02	·32	·32	-	-	-	-	-		16
17	Snow ·34	-	·10	-	-	·14	·01	-	·16	-	-	-		17
18	Sleet ·01	Snow ·03	-	Snow ·09	-	·25	-	-	-	-	-	-		18
19	-	Snow ·07	·11	Sleet rain ·07	-	·11	-	-	·02	-	·01	-		19
20	-	Snow ·07	·01	·10	-	·16	-	·03	·44	-	-	Fog ·01		20
21	-	Snow ·06	-	·01	-	-	-	·08	1·13	-	-	-		21
22	-	Snow ·05	-	-	-	·01	-	·25	·36	·28	-	-		22
23	-	-	-	·04	-	-	-	-	·45	-	-	-		23
24	-	Snow ·09	-	·11	·03	·05	-	-	1·50	-	·11	·01		24
25	-	-	-	·28	·04	-	-	-	-	·05	·19	-		25
26	-	·05	-	·02	-	·38	-	-	·10	·02	Sleet & rain ·07	·19		26
27	-	·13	-	-	·02	-	·03	-	-	·22	-	·06		27
28	-	-	-	-	-	·04	·02	-	-	·21	-	·01		28
29	-	×	-	-	·01	-	·17	-	-	-	-	-		29
30	·04	×	·05	-	-	-	-	-	-	·09	-	·06		30
31	·03	×	-	×	-	×	-	·03	×	-	×	-		31
TOTAL	1·72	·78	1·18 ·98	·74	1·08	1·98	1·40	·56	5·03	1·73	2·46	·44	Year's Total 18·90	
*Days with ·01 in. or more.	12	12	11	9	13	11	10	6	10	14	16	10	134	
*Days with .04 in. or more.	9	9	9	6	6	10	6	4	9	10	13	5	96	

48
70
118

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) S. F. Baker

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 301

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ramsgate - Archer - House

in the County of Kent -

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 75 ft.

7.7.21 1268/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	Sleet ·02	–	–	–	·01	–	·16	·01	·10	–	·22		1
2	–	–	·17	–	–	–	–	–	·13	·74	–	·20		2
3	–	·05	–	–	·58	–	–	·03	·02	·35	–	·04		3
4	·13	–	–	–	·32	–	–	–	–	·13	·10	·27		4
5	–	–	·02	–	·02	·07	–	–	–	–	·23	·07		5
6	–	–	·28	·20	·13	·25	–	·02	–	·14	·14	·20		6
7	·02	·01	–	–	–	–	–	–	–	·16	–	·07		7
8	–	–	–	·43	·45	–	–	·03	–	–	·47	–		8
9	–	–	–	·01	–	–	–	–	–	–	·05	·04		9
10	–	–	·12	·06	–	–	–	·01	–	·02	·07	·01		10
11	·44	–	·29	·05	–	–	–	–	–	–	·14	·18		11
12	·24	–	·11	–	–	–	·02	·30	–	–	–	·21		12
13	·26	–	·05	–	–	–	·80	·25	–	–	–	·02		13
14	·23	–	·28	·05	·02	·01	·08	·03	–	·20	·11	·19		14
15	–	–	–	–	–	–	–	–	–	·01	·13	·11		15
16	·06	–	·18	·03	·11	–	–	–	–	–	–	·01		16
17	–	–	·44	·04	–	–	–	–	·03	·13	·14	·16		17
18	·06	–	–	·03	–	–	–	–	–	–	·08	·21		18
19	–	–	·28	·13	–	·02	–	–	·14	–	–	·08		19
20	–	–	·15	·13	–	–	·09	–	–	–	–	–		20
21	–	–	–	·26	–	·06	·08	–	–	–	–	–		21
22	–	–	–	·07	–	–	–	·13	·07	·03	–	–		22
23	–	–	–	·01	–	·15	–	·11	–	·05	Fog ·01	·16		23
24	–	–	–	–	–	·10	·50	·36	·05	–	–	–		24
25	–	–	–	–	–	–	–	·18	–	–	–	·21		25
26	·02	–	–	–	–	·07	–	–	–	–	–	·01		26
27	·01	snow ·05	–	–	–	·24	–	–	–	–	–	·21		27
28	·01	snow ·11	–	–	–	–	–	·42	–	–	·05	·10		28
29	–	×	–	–	–	–	·39	·16	·17	–	–	·02		29
30	·14	×	–	–	–	–	·05	·01	–	–	–	·05		30
31	Sleet+Hail ·02	×	–	×	–	×	·04	–	×	·08	×	·41		31
TOTAL	1·64	·24	2·37	1·50	1·63	·98	2·05	2·20	·62	2·14	1·72	3·46	Year's Total 20·55	
*Days with ·01 in. or more.	13	5	12	14	7	10	9	15	8	13	13	26	145	
*Days with ·04 in. or more.	8	3	11	10	5	7	8	9	5	10	12	21	109	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) M. A. G. Saunders A.R.R.C.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 301

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ramsgate. Archer House.
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 75 ft.

Station Number. 301.
File Number. 721268/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·05	–	·01	–	·19	·03	–	·23	·03	·04	–		1
2	·11	–	·02	Hail ·08	–	–	–	–	–	·32	–	–		2
3	·03	·06	·04	Hail & Snow ·12	–	·15	–	–	·01	·20	·04	–		3
4	·01	·04	·01	Rain & Snow ·22	–	·05	–	–	·35	·17	·10	–		4
5	–	·14	–	Rain Hail ·09	–	–	·01	–	·57	·14	·01	·05		5
6	Sleet & Rain ·40	·03	–	·20	–	·04	–	–	–	·21	·08	·04		6
7	Sleet & Rain ·39	snow Hail ·14	Hail & Rain ·06	·22	–	·16	–	–	–	·04	·80	·07		7
8	–	–	snow ·01	·36	–	–	–	·67	–	·08	·05	·02		8
9	–	–	–	·02	–	·79	–	–	–	·39	·26	·05		9
10	·05	·05	–	–	–	·25	–	–	–	–	·02	–		10
11	·02	–	–	·15	–	·03	–	–	–	–	·06	–		11
12	–	·02	–	–	·04	·01	–	·41	–	–	·31	–		12
13	–	·12	–	·17	·03	·01	–	–	–	–	·12	·01		13
14	·01	–	–	·12	·44	–	–	–	–	–	–	·07		14
15	–	·11	–	·30	·04	·01	–	–	·16	–	·04	·04		15
16	–	–	–	·15	–	·06	–	–	·40	–	·46	·06		16
17	·08	–	–	·16	–	·20	·02	–	–	–	·23	–		17
18	–	–	–	·04	–	·03	·07	·17	·31	·04	·05	–		18
19	–	–	–	·02	·37	·13	·04	–	–	–	·02			19
20	–	·23	–	·01	–	·05	·05	–	–	–	·04	·03		20
21	·05	·12	–	·08	–	–	–	–	–	·07	·14	–		21
22	–	·04	–	–	–	–	–	·02	·04	–	Hail & Rain ·21	–		22
23	–	–	·01	–	–	–	–	·01	–	–	Hail & Rain ·28	–		23
24	·05	·46	–	–	·35	–	–	·15	·21	·13	–	·07		24
25	snow ·47	·06	–	·20	–	·17	–	–	–	·06	·03	·28		25
26	·14	–	–	–	·24	·02	–	·04	–	·10	–	·13		26
27	Hail & snow ·56	·19	–	–	·28	–	–	·98	·07	·01	·05	·22		27
28	snow ·15	·25	–	–	–	–	–	·01	–	·12	–	·15		28
29	snow ·03	×	–	–	–	–	–	·01	·44	–	–	·10		29
30	·08	×	–	–	–	–	–	·76	·06	·03	·26	·26		30
31	–	×	–	×	–	×	–	–	×	·08	×	·15 ·21		31
TOTAL	2·88	2·11	·15	2·72	1·79	2·35	·22	3·23	2·85	2·22	3·70	2·01	Year's Total. 26·23	
* Days with .01 in. or more.	18	17	6	20	8	18	6	11	12	18	24	19	177	
* Days with .04 in. or more.	13	15	2	16	7	12	3	7	11	15	20	16	137	

81/120

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Thomas William Scott (Gardener)

P.T.O.

COPY FOR OFFICIAL ~~USE~~.

Section **A** for the entry of Daily Observations. Station No. 301

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ramsgate Archer House

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 75 ft.

Station Number 301

File Number 421268/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·17	Sleet & Rain ·13	·07	–	·52	·04	·01	–	·02	·03	·09		1
2	·06	·05	·08	–	–	·22	·02	·10	–	–	–	·16		2
3	–	Sleet & Rain ·02	Sleet Rain ·19	·23	·01	–	·03	–	·07	–	·27	–		3
4	–	–	·06	–	–	·17	–	–	·05	–	·03	·02		4
5	·09	–	–	·03	–	–	–	·01	Hail Rain ·08	·09	·13	snow ·05		5
6	·04	–	·02	–	–	·06	–	–	·10	·41	·22	–		6
7	·10	–	–	–	–	·04	·03	–	·01	·13	·28	–		7
8	·11	–	·03	–	–	–	·06	–	·09	–	·54	·41		8
9	·31	–	·08	–	–	–	·45	·03	–	–	·32	–		9
10	–	–	–	·02	–	·02	Hail & Rain ·34	·94	–	·27	–	–		10
11	–	–	–	Snow Hail ·09	–	–	·24	·15	–	–	·38	·16		11
12	–	–	–	snow ·05	–	–	·09	–	·02	–	·15	·08		12
13	–	–	–	–	–	·06	·06	–	·03	–	–	·28		13
14	–	·05	–	–	–	·03	·88	–	–	·03	·09	–		14
15	–	·01	–	–	–	–	·01	–	·43	–	–	·11		15
16	·42	·11	–	–	–	–	–	–	·06	–	·40	·17		16
17	Sleet Rain ·17	·62	–	–	–	·04	–	–	–	–	·27	·07		17
18	Sleet ·05	·07	–	–	–	–	·16	–	·11	·02	·30	·03		18
19	·08	–	–	–	–	Hail Rain ·52	–	·10	–	·04	–	–		19
20	·14	·07	–	·33	–	–	–	–	·83	·07	–	–		20
21	–	–	–	·13	–	·07	–	–	–	–	–	–		21
22	·08	·40	–	Sleet Hail ·03	–	–	·04	–	–	–	–	·12		22
23	·01	–	–	·12	–	–	·10	–	–	·01	–	–		23
24	·13	·23	–	–	–	–	·06	–	·01	·06	–	–		24
25	·38	·11	·03	·06	–	·17	·17	–	·42	·24	·01	–		25
26	–	·03	·10	–	–	–	–	–	·08	·15	–	·01		26
27	·04	·27	·05	–	–	–	·45	–	·58	·04	–	–		27
28	·27	·02	–	–	–	·85	·43	–	·41	–	–	–		28
29	·01	–	·05	–	–	·43	·08	–	·16	·07	·10	–		29
30	·07	✕	–	–	·04	·14	–	–	–	·04	–	–		30
31	·37	✕	·12	✕	·16	✕	·10	–	✕	·37	✕	·01		31
TOTAL	3·13	2·23	·94	1·16	·21	3·34	3·84	1·34	3·54	2·06	3·52	1·77	Year's Total. 27·08	✓
* Days with .01 in. or more.	21	15	12	11	3	15	21	7	18	17	16	15	171	✓
* Days with .04 in. or more.	19	11	9	8	2	13	17	4	14	13	13	11	134	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. W. Scott. (Gardener)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 301

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Archer House Ramsgate

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 75 ft.

Station Number 301

File Number 721.268/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·55	·06	—	·07	—	—	—	—		—	·39	·11		1
2	—	·02	Rain Hail ·24	·30	—	—	—	—		·01	—	·51		2
3	—	·04	—	—	—	—	—	—	·03	—	—	·42		3
4	·11	·42	—	—	—	—	—	—	—	·52	—	·30		4
5	·21	·17	·48	—	—	—	·12	—	—	·21	—	·04		5
6	·11	—	Rain Snow ·52	—	·09	—	·04	—	—	·03	—	·40		6
7	—	·83	Sleet Rain ·09	·02	·22	·17	—	—	—	—	—	·21		7
8	—	·01	snow ·42	—	—	—	—	—	—	—	·20	·25		8
9	—	—	snow ·09	·57	·08	·01	·10	·01	·08	—	—	·32		9
10	—	—	Sleet Rain ·31	·10	·23	·67	·04	—	·05	—	—	—		10
11	—	—	·27	—	·17	—	·07	—	—	·05	—	·34		11
12	·16	·24	Hail Rain ·16	—	·82	—	·02	·11	·31	—	—	—		12
13	·49	·02	·34	—	—	·10	—	·04	·44	—	—	·56		13
14	·17	·01	·11	·01	·60	—	—	·75	·03	—	—	·30		14
15	·07	·02	—	·10	·11	·08	·59	—	—	—	—	—		15
16	—	·03	·07	·16	—	—	—	·28	·25	—	—	·72		16
17	·18	·05	—	·37	—	·40	—	—	·50	—	·33	—		17
18	·25	·11	—	·01	·28	·94	—	—	·94	—	·04	—		18
19	·06	·03	—	·02	—	·03	·07	—	·43	—	—	·01		19
20	·28	—	·36	·21	·55	·28	—	—	—	—	—	—		20
21	·14	·38	·09	·03	·02	—	·03	·05	—	—	—	—		21
22	·31	·03	·02	—	—	—	—	—	—	·57	·01	·09		22
23	·03	—	·01	—	—	—	—	—	—	·55	·01	·01		23
24	·37	·23	·05	—	—	—	—	—	·11	·07	·02	—		24
25	·16	·35	Sleet Rain ·30	—	—	—	—	—	·10	·08	—	—		25
26	—	·15	snow ·06	—	·15	—	—	—	—	·44	—	—		26
27	—	·07	Sleet ·03	·09	—	—	—	—	—	·04	·03	—		27
28	snow ·15	snow ·54	Hail Sleet ·08	—	—	·03	—	—	—	—	—	·17		28
29	snow ·07	X	·04	—	—	—	—	—	—	·01	·03	—		29
30	·12	✕	—	—	—	—	—	—	—	—	·14	Sleet Rain ·10		30
31	·25	✕	—	✕	—	✕	·01	—	✕	·14	✕	·04		31
TOTAL	4·24	3·81	4·14	2·06	3·32	2·71	1·09	1·24	3·27	2·72	1·20	4·90	Year's Total 34·70	✓
* Days with .01 in. or more.	21	22	22	14	12	10	10	6	12	13	10	19	171	✓
* Days with .04 in. or more.	20	14	19	9	11	7	7	5	10	10	5	17	134	✓

40-9999.

† Spare column, no entries required.

3

(Signed) T. W. Scott (Gardener) [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 301

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File Number 721,268/26

Kept at Archer House Ramsgate

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 75 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	–	–	–	·13	Hail Rain ·89	·01	–	·31	–	·01	·01		1
2	·01	–	–	·04	·12	–	–	–	–	·22	–	–		2
3	–	–	–	–	·08	–	·14	–	–	·40	–	–		3
4	·04	–	–	–	–	·02	·09	·28	–	–	–	·06		4
5	–	–	–	–	–	–	·38	–	–	·35	–	–		5
6	·01	–	–	–	–	–	·26	·06	·07	–	–	–		6
7	–	–	–	–	·01	–	·53	1·99	–	·12	–	·04		7
8	·18	–	–	–	–	–	·06	–	·09	·05	–	–		8
9	·22	·04	–	–	–	–	·01	·39	–	·01	–	·21		9
10	·26	·05	–	–	–	Hail Rain ·30	–	·08	–	–	–	·13		10
11	·24	·02	–	–	–	–	–	–	–	–	·04	·01		11
12	·06	Hail Sleet ·06	–	–	–	–	–	–	–	·16	–	·04		12
13	·45	Hail Snow 28	–	–	–	–	–	·05	–	·01	–	–		13
14	·06	Snow ·04	–	–	·05	–	–	–	·15	–	–	·03		14
15	–	Snow ·32	–	–	–	–	·40	–	–	·02	·01	–		15
16	·15	–	–	–	–	–	·08	–	–	·10	–	·10		16
17	–	Snow ·08	–	–	·82	–	·03	–	–	·22	·02	–		17
18	·02	–	–	Hail Rain ·04	·02	–	–	–	·04	·01	·35	–		18
19	–	–	–	·02	Hail Rain ·15	–	–	–	–	–	·05	snow ·04		19
20	–	–	–	–	–	–	–	–	·35	–	·22	snow ·33		20
21	·02	–	–	·06	–	–	–	–	·33	–	Hail Rain ·03	snow ·12		21
22	–	–	–	·03	–	·04	–	·02	–	–	·12	snow ·17		22
23	–	–	–	–	–	–	–	–	–	–	–	snow ·01		23
24	–	–	·11	–	·03	–	–	–	·07	–	·27	snow ·17		24
25	·06	–	·33	–	·27	–	·11	–	·13	·01	·34	–		25
26	Rain Snow ·51	·05	·07	–	–	–	·05	–	·55	·28	–	snow ·32		26
27	·03	·09	–	–	·12	·03	·10	–	·33	·44	·20	–		27
28	·19	·01	–	·03	·04	–	–	·11	–	·10	–	·02		28
29	·23	✕	–	·29	·12	–	–	–	–	–	–	·32		29
30	·01	✕	–	·31	·07	–	–	–	–	·02	·27	–		30
31	·16	✕	–	✕	·04	✕	–	–	✕	·10	✕	·14		31
TOTAL	2·98	1·04	·51	·82	2·07	1·28	2·25	2·98	2·42	2·62	1·93	2·27	Year's Total 23·17	
* Days with .01 in. or more.	21	11	3	8	15	5	14	8	11	18	13	19	146	
* Days with .04 in. or more.	15	9	3	5	12	3	11	7	11	12	9	14	111	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) T. W. Scott Gardener

Miss Saunders

Matron

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 301

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Archer House Ramsgate
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 75 ft.

File Number. 721,268/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	–	–	–	·53	–	·25	·03	·01	·15	–	–		1
2	·01	–	–	·04	–	–	–	·31	–	1·18	–	–		2
3	·15	–	–	–	–	–	–	·15	–	–	·16	·27		3
4	·13	–	·13	·27	–	–	–	·53	–	·12	·13	–		4
5	–	–	·06	·06	·01	–	·07	–	–	·09	·34	·08		5
6	Sleet Rain ·20	·09	·04	·80	–	–	–	–	–	·09	·13	·03		6
7	·15	·01	–	–	–	–	–	–	–	·33	·15	·04		7
8	–	–	·11	–	–	–	–	·09	–	·06	–	·23		8
9	·03	·05	–	–	–	–	–	–	–	·42	·26	·14		9
10	·06	–	–	–	–	·15	–	·21	·01	·07	·01	–		10
11	·24	–	·28	–	·05	·33	–	·01	–	·47	–	·03		11
12	–	–	–	–	·26	·49	–	–	·06	·06	–	–		12
13	–	–	·09	–	–	·01	–	–	·02	1·45	–	·08		13
14	·60	–	·02	–	·07	–	·04	–	·14	·25	·31	·01		14
15	·10	–	–	–	·90	–	·05	–	·07	·83	·03	–		15
16	·11	–	·15	–	·19	·07	·13	–	·02	·02	·42	–		16
17	·06	·10	snow hail ·02	hail rain ·07	–	–	–	–	·03	–	·04	–		17
18	·10	–	Sleet Rain ·08	–	–	–	·08	–	·07	·49	·60	–		18
19	·24	–	·14	–	–	–	·12	–	·05	1·13	–	–		19
20	·17	–	·06	–	–	–	–	·35	1·25	–	–	·05		20
21	·09	–	·06	–	–	–	–	–	·29	·17	–	–		21
22	·06	·06	Sleet ·03	–	–	·25	·13	–	·16	–	·06	–		22
23	·02		·09	·02	–	·02	–	·04	·03	·31	·61	–		23
24	·03	·06	·26	·53	–	·04	·61	·01	·09	–	·02	–		24
25	Sleet Rain 1·	·30	·07	–	–	–	·10	–	–	–	·33	Fog ·01		25
26	·16	–	·07	–	–	–	·44	–	·04	Hail Rain ·54	·23	–		26
27	·10	·02	·14	·01	–	–	–	–	·02	Hail Rain 1·92	·48	–		27
28	–	·22	–	·35	–	–	–	–	–	Hail Rain 1·43	·11	–		28
29	–	X	–	·48	–	–	–	–	–	·02	·04	–		29
30	–	✕	–	–	–	·07	·03	–	–	–	·03	–		30
31	–	✕	–	✕	–	✕	–	–	✕	–	✕	Fog ·01		31
TOTAL	3·87	·91	1·90	2·63	2·01	1·43	2·05	1·73	2·36	11·60	4·49	·98	Year's Total 35·96	
* Days with .01 in. or more.	23	9	19	10	7	9	12	10	17	23	21	12	172	
* Days with .04 in. or more.	19	7	16	8	6	7	11	7	10	21	17	7	136	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. W. Scott (Gardener) [P.T.O.
for Miss Saunders. (Matron)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 301

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Archer House Ramsgate

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 75 ft.

File Number 721,268/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	–	–	–	–	–	–	·01	–		1
2	–	snow ·01	–	·05	–	–	–	–	–	·33	·32	·04		2
3	–	·14	–	·05	–	–	·61	–	–	–	1·41	·26		3
4	–	·06	–	·16	–	–	–	–	–	·04	·05	·11		4
5	–	·01	–	–	–	–	–	–	–	–	·50	·05		5
6	·04	·03	–	–	–	–	·17	–	–	·19	·15	–		6
7	·21	·05	–	·01	–	–	·39	–	–	–	–	–		7
8	–	·01	–	–	–	–	–	–	·44	·26	–	·20		8
9	–	–	–	Hail ·02	–	–	–	–	·07	·01	·09	·18		9
10	–	–	–	–	–	–	·14	–	·01	hail rain ·41	·08	·05		10
11	–	snow ·06	–	·08	–	–	·19	–	–	–	·47	–		11
12	–	snow ·15	·05	·03	–	·03	·19	–	·10	–	–	–		12
13	–	snow ·01	·32	–	–	–	–	–	·14	–	·82	–		13
14	–	–	snow ·33	hail rain ·08	–	–	–	–	–	–	–	·26		14
15	–	–	·02	–	·01	·02	·04	–	–	–	·22	·02		15
16	snow ·39	snow ·25	·08	–	–	–	·53	–	·03	·47	·39	·05		16
17	snow ·03	–	·47	–	–	–	–	–	–	–	·09	–		17
18	snow ·11	·36	·15	·31	–	–	·10	–	–	·11	·10	·16		18
19	snow ·09	·08	·03	–	–	–	–	·20	·83	–	–	·02		19
20	snow ·13	·02	·03	–	–	·02	·09	–	·12	–	·13	–		20
21	snow ·28	–	–	–	–	–	·07	–	·02	·01	·09	–		21
22	–	–	·01	–	·02	·01	–	·02	–	·03	–	–		22
23	–	·08	–	~~·03~~	–	–	–	·02	–	–	–	–		23
24	–	–	–	·08	–	–	·14	–	–	·02	–	–		24
25	–	–	·47	–	–	–	·24	–	–	·11	–	–		25
26	hail snow ·77	·10	·50	–	–	–	·01	–	–	·37	–	·02		26
27	snow ·02	·02	–	–	–	–	·20	–	–	·19	–	·01		27
28	–	–	–	–	·09	–	–	·01	·01	–	–	–		28
29	–	–	–	–	–	–	–	–	·15	–	·05	·12		29
30	snow ·02	☒	–	·09	–	–	–	–	–	·01	–	–		30
31	snow ·08	☒	–	☒	–	☒	–	–	☒	·27	☒	·01		31
TOTAL	247	1·44	2·46	·99	·12	·08	3·11	·25	1·92	2·83	4·97	1·56	Year's Total 21·90	
* Days with .01 in. or more.	12	17	12	12	3	4	15	4	11	16	17	16	139	
* Days with .04 in. or more.	9	10	8	8	1	0	14	1	7	11	16	11	96	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) V. W. Scott (Gardener) for Miss Saunders

[P.T.O.

301/5

MANSTON AERODROME

1933 - 1940

064043001

Section **A** for the entry ... Station No. 301/5

AIR MINIST... ALL ORGANIZATION.

FORM 1090. **REGIS**... 33. Kent 12

Kept at Manston (A...

in the County of Kent

Diameter of Funnel of Gauge... ...made out.

Height of top of Gauge above Grou...

,, Ground ,, Sea

THE MORNING MEAS... **AY.**

An observer who does not conform ... *e following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4											·57			4
5														5
6														6
7														7
8														8
9														9
10														10
11												[illegible]		11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL											2.37 ✓	–	Year's Total	
*Days with ·01 in. or more.											16	–	–	
*Days with .04 in. or more.											12	–	–	

40-9999 D N † Spare column, no entries required. 603

*See Instruction 2 (f) on other side. (Signed) Meteorological Officer P.T.O.

COPY FOR OFFICIAL USE.

1911

Section **A** for the entry of Daily Observations. Station No. 301/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kent 72

Kept at X Manston (Aerodrome) X

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. – X in.

,, Ground ,, Sea Level 150 X ft.

No 10 yrs sheet to be made out.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4											·57			4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
													Year's Total	
TOTAL											2.37 ✓	–		
*Days with ·01 in. or more.											16	–	–	
*Days with ·04 in. or more.											12	–	–	

Sept Dec [illegible] (cancelled) — Forwarded

603

40-9999

*See Instruction 2 (*f*) on other side.

D N

† Spare column, no entries required.

(*Signed*) X Meteorological Officer X

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~190~~ 301/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

II/Kent/2

51° 21′ N
1° 22′ E

Site & particulars from M.O.R. Section

Kept at Marston ~~(Aerodrome)~~

in the County of Kent.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 4 ft ..... in.

,, Ground ,, Sea Level ~~150 ft~~ 142 ft. from 13th Aug.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								·36						1
2										·65				2
3														3
4														4
5														5
6														6
7														7
8											·63			8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17									·32					17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X	·44		31
TOTAL							~~2·03~~	2·03	1·00	2·21	1·78	3·46	Year's Total n.p.	
*Days with ·01 in. or more.							~~14~~	14	10	13	13	27	—	
*Days with .04 in. or more.							~~11~~	11	6	11	11	22	—	

40-9999

*See Instruction 2 (*f*) on other side.

N

† Spare column, no entries required.

(Signed) Meteorological Office

P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 301/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at X Manston (aerodrome) X

in the County of Kent

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 142 ft.

C mp 1934.

Duration

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4			·02						·62	·30				4
5														5
6														6
7			·02								·85			7
8				·45										8
9						·85								9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19							·06							19
20														20
21														21
22														22
23														23
24		·37										·25		24
25	0·43													25
26														26
27					·67									27
28														28
29														29
30		X						·87						30
31		X		X		X			X		X			31
TOTAL	2·04	12·03	0·08	2·52	2·12	2·45	0·18	2·93	3·16	2·06	4·34	1·82	Year's Total 25·73	
*Days with ·01 in. or more.	17	16	5	20	8	17	4	11	15	18	24	19	174	
*Days with ·04 in. or more.	11	15	0	16	8	12	4	7	12	15	18	14	132	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) X METEOROLOGICAL OFFICER X [P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 301/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 090.

REGISTER OF RAINFALL IN 1936. D 190/5

Kept at Manston

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 142 ft.

mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3			·15											3
4														4
5														5
6										·59				6
7														7
8												·39		8
9														9
10								·62						10
11														11
12														12
13														13
14							·80							14
15														15
16														16
17		·57												17
18											·45			18
19														19
20				·31					·91					20
21														21
22														22
23														23
24														24
25	·39													25
26														26
27														27
28														28
29						·49								29
30		X											Adopt	30
31		X		X	·11	X			X		X		for BR	31
TOTAL	3·13	2·07	0·90	1·37	0·17	2·43	4·09	1·11	3·35	2·06	3·59	1·70	Year's Total. 25·97	Conversion value ~~(25·98)~~
* Days with .01 in. or more.	22	18	12	12	3	16	20	6	16	15	17	12	169	✓
* Days with .04 in. or more.	20	12	8	8	1	13	14	4	10	10	13	10	123	✓
40-9999	79·5	52·6	22·8	34·7	4·3	61·6	103·9	28·3	85·1	52·4	91·3	43·3	659·8	

† Spare column, no entries required.

(Signed) ....

* See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 301/5

190/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

T.L.

Kept at Manston (Aerodrome)
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 142 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1											·40			1
2														2
3												·93		3
4														4
5										·80				5
6			·44											6
7		·80												7
8														8
9				·46										9
10						·58								10
11														11
12														12
13	·53													13
14								·99						14
15							·43							15
16														16
17									·52					17
18														18
19														19
20					·77									20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✗												30
31		✗		✗		✗			✗		✗			31
TOTAL	3·97	3·52	3·50	2·11	3·29	2·26	·87	1·55	2·65	2·76	1·18	5·26	Year's Total 32·92	
* Days with 0.2 mm. or more.	23	22	21	15	14	10	10	5	10	15	11	21	177	
* Days with 1.0 mm. or more.	20	15	14	8	12	7	6	4	9	7	5	17	124	
	100·9	89·5	88·8	53·5	83·6	57·5	22·2	39·4	67·4	70·1	29·9	133·7	836·5	

(141w) * See Instruction 2 (f) on other side.

† Spare column, no entries required, except year's total.

40-9999.

(Signed) .... [P.T.O.

190/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 301/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]

REGISTER OF RAINFALL IN 1938 .

Kept at Manston (Aerodrome)
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level ~~142~~ 154 ft. (New catchment May '38)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1						·85								1
2														2
3														3
4														4
5														5
6														6
7							·72	1·66						7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15		·15												15
16														16
17					·80									17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25		·30	·35								·52			25
26	·44								·46			·54		26
27										·43				27
28														28
29														29
30		✕		·21										30
31		✕		✕		✕			✕		✕			31
TOTAL	66·3	15·5	13·3	17·2	48·6	32·1	64·1	68·4	62·0	70·2	52·9	64·8	Year's Total 545·4 ✓	
* Days with 0.2 mm. or more.	21	10	3	11	15	7	14	10	12	16	18	18	155 ✓	
* Days with 1.0 mm. or more.	14	7	3	5	13	3	11	7	10	13	10	13	109 ✓	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 2·61 ·61 ·52 ·68 1·91 1·26 2·52 2·69 (Signed) 2·44 2·76 2·08 2·55 22·63 [P.T.O.

~~190/5~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 301/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Manston (Aerodrome)

in the County of Kent.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 154 ft. New catechism May '38.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4								·44						4
5				·49										5
6														6
7														7
8												·24		8
9														9
10														10
11			·30											11
12						·46								12
13										1·38				13
14														14
15					·91									15
16														16
17														17
18											·58			18
19														19
20														20
21									1·50					21
22														22
23											·58			23
24							·37							24
25	1·43	·33												25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	99·9	26·1	44·6	57·4	46·8	35·8	42·9	38·4	65·5	271·9	98·9	23·9	852·1	
* Days with 0.2 mm. or more.	21	10	19	9	8	11	13	10	15	24	25	14	179	
* Days with 1.0 mm. or more.	18	7	17	8	5	6	10	5	7	21	15	6	125	
	3·93	1·03	1·76	2·22	1·84	1·41	1·69	1·51	2·58	10·70	3·90	·94	33·56	

(14Iw) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. (Signed) P.T.O.

190/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 301/5 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Manston (Aerodrome)
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 154 ft.

Ine.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16						·08	·43							16
17			·53											17
18		·26		·52										18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26	·60													26
27														27
28					·08									28
29														29
30		×												30
31		×		×		×			×		×			31
													Year's Total	
TOTAL	60·7	35·9	62·7	28·0	4·0	3·8	56·9						..	h.p
* Days with 0.2 mm. or more.	14	15	14	12	4	4	16		CEASED				..	imp.
* Days with 1.0 mm. or more.	11	11	9	7	2	2	13						..	WH

(141W) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

2·38 | 1·41 | 2·48 | 1·10 | ~~·157~~ ·16 | ·15 | 2·24

(Signed) .... [P.T.O.

Section **A** for the entry of Dai

AIR MINISTRY—

FORM 1090.

REGISTE

302 064733003

BIRCHINGTON

ACOL FARM

1931 - 1940

1937 - 1938 A/B

780107

FOR OFFICIAL USE.

302

ORGANIZATION.

Kept at Acol Farm

in the County of Kent

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM

An observer who does not conform to this … wing year in the space on the right of this pa…

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·05	·02	·07	·	·	·	·38	·	-	-	-	1
2	·07	·1	·	·06	·05	·	·	·07	·23	·	·	·	2
3	·14	·06	·	·	·64	·	·	·27	·17	·	·04	·02	3
4	-	·01	-	-	·02	·	·	·04	·08	·	-	·	4
5	·	-	·	·16	-	·31	·14	·04	-	·	-	·04	5
6	-	·01	·	·01	-	·	·	·27	·	·16	·16	-	6
7	·06	·	·	·	·	·03	·04	·01		·09	-	-	7
8	·	·05	·1	-	·	·08	·02	·05	·	·02	·02	·07	8
9	·01	·01	·	-	·	·03	·	·	·	-	1·57	·01	9
10	·03	·15	·03			·01	·	·08	·	·	·	·06	10
11	·18	·38	·	·	·	·	·	·	·02	-	·64	-	11
12	·13	·01	·	·02	·	·	-	-	·34	·	-	·02	12
13	·15	·01	·	·	·17	·	·02	·05	·	·	-	-	13
14	·01	·06	·	·	-	·01	·68	·53	-	·	·	-	14
15	·02	·04	-	·14	·06	·	·39	·16	-	-	-	·06	15
16	·02	·14	-	·14	·23	·	·12	·11	-	-	-	-	16
17	·	·02	·	·18	·01	-	·13	·15	·	·	·	·07	17
18	·01	·29	·	·3	·	·02	·04	·19	·	·	·27	·01	18
19	·03	-	·	·4	-	·	·32	·38	·14	·	-	-	19
20	·	·04	-	·08	·05	-	·29	·4	·	·01	·02	·01	20
21	·01	·01	·	·	·44	·	·	·02	·19	·	·	·	21
22	·02	·	·03	·	·04	—	-	·	·08	·	-	·	22
23	·35	·1	·01	·	·09	·	·		·14	·	·04	-	23
24	·	·	·	·07	·	·03	·	·18	·03	-	·	·	24
25	·06	-	·	·29	·	-	·31	-	·02	·02	-	-	25
26	·01	·04	·	·42	·04	-	·25	-	-	-	·2	-	26
27	·15	·17	-	·05	·18	·	·13	-	-	-	·03	-	27
28	·14	·19	-	·02	·04	·	·	-	-	-	·01	·14	28
29	·21	-	-	·04	-	-	·04	·02	-	·27	·06	·05	29
30	·1	✕	·	-	·13	-	·02	·01	-	-	-	-	30
31	·05	✕	-	✕	-	✕	-	-	✕	-	✕	-	31
TOTAL	1·95	1·94	·19	2·45	2·19	·52	2·94	3·41	1·44	·57	3·06	·56	YEAR'S TOTAL 21·22
Days with ·01 in. or more.	23	22	5	17	15	8	16	21	11	6	13	12	169
Days with ·04 in. or more.	13	15	1	14	13	2	13	17	8	3	9	7	115

76
110
186
90
96

40-9999

(Signed) C. S. Willett

P.T.O.

302

Section **A** for the entry of Daily … FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH … ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Acol Farm Birchington

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft - in.

,, Ground ,, Sea Level 30 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·05	·02	·07	·	·	·	·38	·	·	-	-	1
2	·07	·1	·	·06	·05	·	·	·07	·23	·	·	-	2
3	·14	·06	·	·	·64	·	·	·27	·17	·	·04	·02	3
4	-	·01	-	-	·02	·	·	·04	·08	·	-	·	4
5	·	-	·	·16	-	·31	·14	·04	-	·	-	·04	5
6	-	·01	·	·01	-	·	·	·27	·	·16	·16	-	6
7	·06	·	·	·	·	·03	·04	·01		·09	-	-	7
8	·	·05	·1	-	·	·08	·02	·05	·	·02	·02	·07	8
9	·01	·01	·	-	·	·03	·	·	·	-	1·57	·01	9
10	·03	·15	·03			·01	·	·08	·	·	·	·06	10
11	·18	·38	·	·	·	·	·	·	·02	-	·64	-	11
12	·13	·01	·	·02	·	·	-	-	·34	·	-	·02	12
13	·15	·01	·	·	·17	·	·02	·05	·	·	-	-	13
14	·01	·06	·	·	-	·01	·68	·53	-	·	·	-	14
15	·02	·04	-	·14	·06	·	·39	·16	-	-	-	·06	15
16	·02	·14	-	·14	·23	·	·12	·11	-	-	-	-	16
17	·	·02	·	·18	·01	-	·13	·15	·	·	·	·07	17
18	·01	·29	·	·3	·	·02	·04	·19	·	·	·27	·01	18
19	·03	-	-	·4	-	·	·32	·38	·14	·	-	-	19
20	·	·04		·08	·05	-	·29	·4	·	·01	·02	·01	20
21	·01	·01	·	·	·44	-	·	·02	·19	·	·	·	21
22	·02	·	·03	·	·04	·	·	·	·08	·	·	·	22
23	·35	·1	·01	·	·09	·	·		·14	·	·04	-	23
24	·	·	·	·07	·	·03	·	·18	·03	·	·	·	24
25	·06	-	·	·29	·	-	·31	-	·02	·02	-	-	25
26	·01	·04	·	·42	·04	-	·25	-	-	-	·2	-	26
27	·15	·17	-	·05	·18	-	·13	-	-	-	·03	-	27
28	·14	·19	-	·02	·04	·	·	-	-	-	·01	·14	28
29	·21	-	-	·04	-	-	·04	·02	-	·27	·06	·05	29
30	·1	×	·	-	·13	-	·02	·01	-	-	-	-	30
31	·05	×	-	×	-	×	-	-	×	-	×	-	31
TOTAL	1·95	1·94	·19	2·45	2·19	·52	2·94	3·41	1·44	·57	3·06	·56	YEAR'S TOTAL 21·22
Days with ·01 in. or more.	23	22	5	17	15	8	16	21	11	6	13	12	169
Days with ·04 in. or more.	13	15	1	14	13	2	13	17	8	3	9	7	115

70
110
186
96

40-9999

(Signed) C. S. Willett

P.T.O.

302.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 302

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Acol Farm. Birchington

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

,, Ground ,, Sea Level 30 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·02	·	-	·39		·2	·06		·06	·03	·02	1
2	·01	·	·	·21	·06			·06		·04	·01		2
3	-	·	·	·11	·18	·04		·01	·35	·01			3
4	-	·	·	·01	·01	-							4
5	·02	-	·01	-	·05	·06	·26		·03				5
6	·36	·	·03	·08	·03							·07	6
7	·04	-	·06	·01	-							·07	7
8	-	·05	·05	·04	·07					·29	·02		8
9	·04	·	·09	·04	·5					·55			9
10	·15	·	·01	·27	·05				·01	·1	·04		10
11	·38	·15	-	·04	·02	·05	·02			·25		·02	11
12	·02	-	·01	·03	-			·04		·24			12
13	·	·	·	·11	·05					·46		·01	13
14	·09	·01	-	·02	·09			·09		·39			14
15	·01	·01	-	·03	·2					·07			15
16	·03	·	-	·08	·02					·01			16
17	-	·02	·01	·02	-		·05			·03			17
18	·01	·	·	·	·01		·16		·05		·07		18
19	-	·	-	-	-					·13	·13		19
20	-	·	·	·	·06		·08	·02	·02	·58	·32		20
21	·	·02	·01	-	·03		·02	·02		·11		·18	21
22	-	-	·45	·09	·12		·07	·05	·36	·12	·18	·02	22
23	·	·13	·	·	·14		·03		·9	·76		·02	23
24	·	·01	-	·	·05		·33		·14	·01	·03		24
25	·	·03	-	-	-		1·37		·14	·24	·03		25
26	·	-	-	·04	·01		·32	·41		·01			26
27	·	·	·14	·05	·07		·06		·14	·88	·06	·03	27
28	·	·	-	-	-		·05		·02	·24			28
29	·	·	·14	·22	·04		·01	·18	·01	·32			29
30	·	×	·07	·18		·33				·01		·04	30
31	·	×	·13	×		×			×		×	·01	31
TOTAL	1·23	·45	1·21	1·68	2·25	·48	3·03	·94	2·17	5·91	·92	·49	YEAR'S TOTAL 20·76
*Days with ·01 in. or more.	13	10	14	20	23	4	15	10	12	25	11	11	168
*Days with .04 in. or more.	7	3	8	14	16	4	11	7	7	19	6	4	106

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 302

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Acol Farm Birchington.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

,, Ground ,, Sea Level 30 ft. ft.

303
305
307
308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.14	.06								.04		1
2	.07		.16	.01	.22					.03	.05		2
3	.01	.08	.11							.47	.12		3
4	.07		.01								.49		4
5	.36		.05										5
6		.03	.06		.39					.02	.13	.01	6
7	.38	.03	.02	.04	.02					.39			7
8	.15	.01					.14						8
9				.01						.06	.1		9
10		.06				.02	.02				.01		10
11	.11	.02			.03	.08					.06		11
12						.4	.03	.13	.26		.34		12
13					.17		.2		.74		.2		13
14					.06					.08	.02	.03	14
15	.06				.02	.31	.15	.14			.13	.08	15
16	.22		.3				.4				.01		16
17			x			.13	.02		.14		.01		17
18	.01	.03	x			.13			.03				18
19		.06	.28	.08		.13			✓				19
20			.01	.17		.07		.04	x				20
21		.1		.01				.17	2.37	.29			21
22								.29	.01				22
23				.05					.28				23
24		.08		.16	.03	.01			.73	.01	.16		24
25				.34					.03	.02	.18	.05	25
26		.08		.01		.42			.11		.11	.26	26
27		.1			.03	.02				x	.01	.06	27
28						.04	.02			.33		.02	28
29							.3			.02		.01	29
30	.04	×	.05						.02	.02		.03	30
31	.01	×		×		×	.02		×	.05	×		31 "d"
TOTAL	1.49	.82	1.11	.88	.97	1.76	1.3	.77	4.72	1.79	2.17	.55	YEAR'S TOTAL 18.33
*Days with ·01 in. or more.	12	13	13	10	9	12	10	5	13	14	18	9	138
*Days with .04 in. or more.	~~8~~	~~8~~	~~89~~	~~6~~	~~4~~	~~9~~	~~5~~	~~5~~	~~8~~	~~8~~	~~13~~	~~4~~	~~78~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. S. Willett Jnr.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 302

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934 .

Kept at Acol Farm,

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 0 in.

,, Ground ,, Sea Level 30 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.01						.38		.13		.12		1
2	.01		.17						.23	.29		.28		2
3		.02			.54				.02	.55		.02		3
4	.15		.01		.38					.12	.08	.37		4
5						.02					.12	.07		5
6			.27	.26	.15	.27		.03		.16		.22		6
7	.02									.1		.11		7
8		.01		.43	.44			.04			.97	.01		8
9	.01			.01				.01			.22	.05		9
10			.08	.06				.01		.02	.15			10
11	.29		.28	.11							.01	.23		11
12	.22		.13				.01	.23				.08		12
13	.3		.11				.37	.27				.06		13
14	.32		.38	.07	.01		.07	.06		.07	.14	.13		14
15	.01		.01						.01		.13	.15		15
16	.06		.13	.04	.06							.02		16
17	.01		.48						.28		.22	.12		17
18	.05		.02	.13			.03				.12	.13		18
19			.24			.01			.16			.06		19
20			.13									.01		20
21				.1		.07				.02		.01		21
22				.12			.15	.19	.08					22
23						.13		.04				.29		23
24				.3			.28	.03		.08				24
25	.02			.07								.2		25
26	.03			.03		.01						.03		26
27	.01			.07		.19						.09		27
28	.02	.01						.45			.09	.17		28
29		---					.13	.21	.21		.02	.03		29
30	.12	×					.07	.06				.03		30
31	.01	×		×		×			×		×	.37		31
TOTAL	1.16	.05	2.44	1.8	1.58	.7	1.11	2.01	.99	1.54	2.27	3.46	Year's Total 19.11	
*Days with ·01 in. or more.	18	4	14	14	6	7	8	14	7	10	12	28	142	
*Days with .04 in. or more.	8	---	11	12	5	4	6	10	5	8	10	20	99	

46
120
166

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) C. S. Willett.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 302

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ACOL FARM, BIRCHINGTON

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 0 in.

,, Ground ,, Sea Level 30 ft.

906 sent re Oct asking for daily or suggesting 2.25 [illegible] be adopted entries

Oct adjusted after correspondence with [illegible] 17/2/36.

f. 2347/30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·26

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23		·01			·1	·05		·6		·03			1
2	·11			·11						·33	·05			2
3	·02	·07	·02	·11		·06			·05	·07	·04			3
4			·04	·13		·08			·33	(·50)	·17			4
5		·13		·06					·56	(·10)	·12			5
6	·18	·07		·23		·08				(·10)	·06			6
7	·2	·33		·15		·16			·01		·63	·05		7
8				·43				·61		(·10)	·16	·1		8
9				·04		·85				(·50)	·21			9
10	·04	·05				·09				·08		·07		10
11	·02					·07					·16			11
12		·01			·03	·06		·53			·31			12
13	·01	·13		·25	·31						·13	·02		13
14	·01			·04	·06	·01					·01	·06		14
15		·12		·21	·02				·22		·22	·06		15
16		·03		·11	·01	·04			·16		·6			16
17	·05			·1		·18			·08		·22			17
18				·06		·02	·08	·12	·31		·05			18
19					·36	·06	·06		·01	·06	·04			19
20	·01	·2			·03		·05				·03			20
21	·02	·16		·08						·10	·08			21
22		·05						·03			·25			22
23		·02						·02				·02		23
24	·06	·45			·42			·15	·26	·10		·3		24
25	·29	·13		·15		·55						·14		25
26	·09							·07		·19	·22			26
27	·18	·17			·61			·32	·06	·02	·04	·09		27
28	·07	·27					·03			·09	·01	·34		28
29	·01								·31			·1		29
30	·03	×						·87			·25	·26		30
31		×		×		×			×	·16	×	·2		31
TOTAL	1·63	2·39	·07	2·26	1·85	2·41	·27	2·72	2·96	(2·50) ~~1·2~~	4·09	1·81	Year's Total. ~~23·66~~	24·96
* Days with .01 in. or more.	19	17	3	16	9	15	5	9	13	~~10~~ 15	25	14	~~155~~	160
* Days with .04 in. or more.	11	14	1	16	5	13	4	7	11	~~9~~ 14	21	12	~~124~~	129

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. S. Willett

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 302

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at ACOL FARM

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

,, Ground ,, Sea Level 30 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	·35	·16	·1		·46	·42	·08			·03	·02		1
2	·07	·05	·02	·05		·06	·05	·11				·23		2
3			·04	·21			·01		·02		·27			3
4		·02	·05		·01		·02		·09		·05			4
5	·07			·04		·05			·12	·17	·07	·07		5
6	·09		·01	·01		·12				·63	·29			6
7	·05							·02	·07	·17	·21			7
8	·12		·01							·01	·36	·38		8
9	·25		·2				·68				·33			9
10	·01					·18	·39	·58		·2	·01			10
11				·15			·11	·16			·54			11
12						·02	·13				·17			12
13					·01		·14				·01	·23		13
14		·03				·11	·81		·1	·04	·08	·33		14
15		·06					·02		·23		·01	·12		15
16	·4	·15							·17		·37	·12		16
17	·15	·4				·04	·14				·18	·07		17
18	·1	·06				·12	·15			·03	·23			18
19	·05	·05	·05			·14		·1	·07	·04	·01			19
20	·1	·05	·02						·9	·03				20
21				·37		·09	·06					·13		21
22	·06	·34		·11	·01									22
23		·01		·13			·13			·02				23
24	·12	·1							·01	·17				24
25	·4		·05	·08		·18	·08		·49	·07		·01		25
26	·01	·07	·04	·01					·1	·17				26
27	·02	·14	·05				·47		·62					27
28	·28	·02	·03			·42	·19		·24			·01		28
29	·03	·02	·03			·47	·02			·13	·11			29
30	·07	✕	·01		·03	·17			·01	·05				30
31		✕	·03	✕	·14	✕	·06		✕	·31	✕	·01		31
													Year's Total	
TOTAL	2·71	1·92	·8	1·26	·2	2·63	4·08	1·05	3·24	2·24	3·33	1·73	25·19	✓
* Days with .01 in. or more.	21	17	16	11	5	15	20	6	15	16	19	13	174	✓
* Days with .04 in. or more.	17	12	8	9	1	14	16	5	12	12	14	9	129	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. S. Willett

[P.T.O.

COPY FOR- OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 302

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ACOL FARM BIRCHINGTON

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

,, Ground ,, Sea Level 30 ft.

Entry on May 1st split up by nearby stn

N.R. 1937 ~~-8~~

2747/30

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03			↑	~~1·37~~ (·67)					·1				1
2	·01		·01	⋮						·39	·02			2
3	·11			·73						·08	·12	·17		3
4	·22		·10	⋮						·14	·07	·01		4
5			·05	↓						·11	·2	·17		5
6	·18		·03							·04	·02			6
7	·10	·06								·26	·1	·03		7
8	·01	·01	·08							·05	·01	·24		8
9	·02	·08								·47	·23	·12		9
10	·05	·01								·02				10
11	·17		·31							·88	·02	·04		11
12	·01									·04				12
13		·01	·05							1·21		·09		13
14	·36		·02							·40	·41	·02		14
15	·03				1·15					1·07	·01			15
16	·21		·09		·12					·03	·38			16
17	·07	·07			–						·02			17
18	·09		·10		–					·45	·57			18
19	·20		·02		–					1·11	·01			19
20	·31				–									20
21	·06		·15	↑	–					·08				21
22	·06		·06	⋮	–						·06			22
23	·01		·07	⋮	–					·29	·47			23
24	·03	·05	·07	⋮	–						·06			24
25	·92	·34	·05	↓ ·56	–						·35			25
26	·08		·25	–	–					·69	·15			26
27	·05		·06	x	–					1·45	·31			27
28	·01	·34	·09	–	–					·73	·12			28
29				x	–					·10	·02			29
30		✕		(·70) x	–						·03			30
31		✕		✕	–	✕			✕		✕			31
TOTAL	3·40	0·97	1·66	(1·99)	(1·94)					10·19	3·76	0·89	Year's Total	
* Days with .01 in. or more.	26	9	19							24	24	9		
* Days with .04 in. or more.	17	6	15							22	15	6		

up imp

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) C. S. Willett

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 302

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Dec cond for arith.
Jan " " snow

Kept at ACOL FARM, BIRCHINGTON

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

" Ground " Sea Level 30 ft.

Observations between AM. of JAN 17 and AM. of Jan 27 were impossible as gauge was under snow drift.

Observer informed 27/3/41

NP 1939 - (2347) 30

Days at begin of April correct [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·02

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·03									·02			1
2				·06						·35	·3			2
3		·06		·05			·44			·07	1·27	·16		3
4		·06		·10						·05	·15	·11		4
5											·27	·05		5
6		·03					·25			·29	·35			6
7	(·20)	·05					·16	·01			·01			7
8									·32	·16		·22		8
9										·02	·08	·16		9
10							·09		·04	·5	·17	·03		10
11		·06		·02			·01				·53			11
12		·15	·04	·04			·11		·11					12
13		·07	·42			·03	·05		·12		·65			13
14		·02	·13	·04					·01			·31		14
15			·02			·02	·07				·38	·01		15
16	↑ ✓	·07	·2		·05	·08	·51		·04	·54	·49			16
17	✓		·44							·01	·13	·05		17
18	✓	·3	·17	·27						·13	·03	·15		18
19	✓	·11					·04	·11	·9		·01	·05		19
20	✓	·02	·06			·02			·05		·1			20
21	~~1·2~~ ✓						·13			·02	·17			21
22	(1·90)		·03					·01	·09	·02				22
23		·07		·02	·02			·02				·03		23
24				·08			·11			·1				24
25			·41				·11			·16				25
26	↓ ✓	·06	·37				·17			·47		·01		26
27	·02	·02			·04		·14	·01		·11		·01		27
28		·01							·01			·		28
29	·02				·18				·06			·14		29
30	·03	✕		·07						·03		·01		30
31	·01	✕		✕		✕			✕	·28	✕			31
TOTAL	2·08 ~~1·18~~	1·19	2·29	·75	·29	·15	2·39	·16	1·75	3·31	5·11	1·50 ~~1·15~~	Year's Total ~~19·72~~	20·97
* Days with .01 in. or more.	? 12	17	11	10	4	4	15	5	11	18	18	16	141	
* Days with .04 in. or more.	? 7	11	9	8	3	1	14	1	9	13	14	10	100	Print WH

* See Instruction 3 (f) on other side.

PRINT

O

† Spare column, no entries required.

(*Signed*) C. D. Willett

[P.T.O.

303

Section **A** for the entry

AIR MINIST

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGI

931 .

303

RECULVER

1931 - 1939

064723001

780107

Kept at Reculver

in the County of Kent

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEA **DAY.**

An observer who does not conform *the following*

year in the space on the right of

Jan. 1, following
·05

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·06				·37					1
2	·13	·11		·05				·03	·18				2
3	·11	·04			·59			·36	·30			·06	3
4					·02			·03	·03				4
5				·15		·33		·03				·05	5
6		·04		·01	·05		·08			·13	·20		6
7	·02	·02						·03			·02		7
8			·03			·10	·05	·04		·04	·02		8
9	·02	·04	·09								·37		9
10	·02	·03				·03		·09			1·00	·09	10
11	·16	·65		·18		·01			·07		·50		11
12	·31	·01				·01			·33				12
13	·07	·02						·10					13
14		·05					·48	·27					14
15	·04	·05		·17	·01			·07					15
16		·08		·11	·16			·08					16
17		·05		·07			·18	·03					17
18	·02	·50		·23			·06	·23			·27		18
19	·02			·47			·22	·23	·18				19
20		·06		·01			·35	·17		·01	·01		20
21		·01						·03	·07	·03	·01	·22	21
22	·08				·48				·08	·25		·03	22
23	·28				·20				·03		·05		23
24		·09	·04	·21	·02			·09	·01				24
25				·13			·32	·02					25
26		·04		·32	·01						·14		26
27	·16	·20		·06	·30		·25			·05			27
28	·12	·09		·02							·01		28
29	·25			·04			·05				·02		29
30	·02	×			·12								30 d'
31	·04	×		×		×			×		×		31
TOTAL	1·87	2·18	·16	2·29	1·96	·48	2·04	2·30	1·28	·51	2·62	·45	YEAR'S TOTAL 18·14
*Days with ·01 in. or more.	18	20	3	17	11	5	10	19	10	6	13	5	137
*Days with ·04 in. or more.	12	15	2	14	7	2	10	12	7	4	7	4	96

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Allington Collard

[P.T.O.

303

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Reculver

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 2 in.

,, Ground ,, Sea Level 27 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·05

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·06				·37					1
2	·13	·11		·05				·03	·18				2
3	·11	·04			·59			·36	·30			·06	3
4					·02			·03	·03				4
5				·15		·33		·03				·05	5
6		·04		·01	·05		·08			·13	·20		6
7	·02	·02						·03			·02		7
8			·03			·10	·05	·04		·04	·02		8
9	·02	·04	·09								·37		9
10	·02	·03				·03		·09			1·00	·09	10
11	·16	·65		·18		·01			·07		·50		11
12	·31	·01				·01			·33				12
13	·07	·02						·10					13
14		·05					·48	·27					14
15	·04	·05		·17	·01			·07					15
16		·08		·11	·16			·08					16
17		·05		·07			·18	·03					17
18	·02	·50		·23			·06	·23			·27		18
19	·02			·47			·22	·23	·18				19
20		·06		·01			·35	·17		·01	·01		20
21		·01						·03	·07	·03	·01	·22	21
22	·08				·48				·08	·25		·03	22
23	·28				·20				·03		·05		23
24		·09	·04	·21	·02			·09	·01				24
25				·13			·32	·02					25
26		·04		·32	·01						·14		26
27	·16	·20		·06	·30		·25			·05			27
28	·12	·09		·02							·01		28
29	·25			·04			·05				·02		29
30	·02	×			·12								30 d'
31	·04	×		×		×			×		×		31
TOTAL	1·87	2·18	·16	2·29	1·96	·48	2·04	2·30	1·28	·51	2·62	·45	YEAR'S TOTAL 18·14
*Days with ·01 in. or more.	18	20	3	17	11	5	10	19	10	6	13	5	137
*Days with ·04 in. or more.	12	15	2	14	7	2	10	12	7	4	7	4	96

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Allington Collard

P.T.O.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** Station No. 303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Reculver

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft 3 in.

,, Ground ,, Sea Level 27 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·01

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·02			·87		·34			·06	·04		1
2	·01			·16	·04		·03	·06	·02	·07		·09	2
3				·17	·17			·06	·34				3
4					·01	·01	·01						4
5	·03				·04	·03			·04			·09	5
6	·29			·09	·03				·01				6
7	·12		·12									·03	7
8		·09		·04	·12					·49	·05		8
9	·08		·03	·10						·26			9
10	·15			·25						·10		·01	10
11	·30	·04		·06						·16	·02		11
12	·06	·04		·03		·02				·19			12
13		·04		·04						·66	·30		13
14	·07	·03		·05						·10			14
15	·01	·06		·04						·17	·04	·01	15
16	·01			·09	·70								16
17		·01			·07		·04			·03			17
18	·01				·03		·05				·09		18
19					·16					·12	·23		19
20					·10		·12			·60			20
21			·02	·02	·05					·11		·03	21
22			·44		·05		·08			·08			22
23		·09		·09	·03				·23	·68	·01		23
24					·07		·27		·18	·02	·03		24
25					·02		1·10		·08	·29	·02		25
26		·01		·04	·02		·45	·40	·06	·83			26
27			·17	·07	·03		·03				·05		27
28					·02		·04			·12			28
29			·19	·04				·22		·30			29
30	·01	✕	·02	·16		·43		·03		·02		·05	30
31		✕		✕		✕		·02	✕	·02	✕	·01	31
TOTAL	1·20	·43	·99	1·54	2·63	·49	2·56	·79	·96	5·48	·88	·32	YEAR'S TOTAL 18·27
*Days with ·01 in. or more.	~~14~~	~~10~~	~~7~~	~~18~~	~~20~~	~~4~~	~~12~~	~~6~~	~~8~~	~~23~~	~~11~~	~~8~~	~~141~~
*Days with .04 in. or more.	8	6	3	16	12	1	9	3	6	19	7	3	93

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ellington Collard

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Arith. checked

April ? low

B/A

Kept at Reculver

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft 2 in.

,, Ground ,, Sea Level 27 ft.

906 sent 30/5/34 notifying of mistake in arithmetic in August & suggesting amendment to April. No reply by 2/7/34. April adjusted by surrounding stations.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·11												1
2	·06		·20		·42					·12	·03			2
3	·01	·08	·10		·01					·05	·04			3
4	·01				·06						·04			4
5	·22		·06							·01				5
6	·41		·04		·39					·02	·01		·01	6
7		·02	·01	·01	·02					·28			·06	7
8	·04						·10							8
9	·01				·03					·11				9
10		·02					·02			·11	·07			10
11	·06				·04	·20		·12	·05		·05			11
12						·32			·58		·06			12
13					·22	·03	·18		·67	·04	·20			13
14	·03				·03		·01			·06	·06			14
15	·05		·04				·16	·18			·09			15
16	·22		·38		·02	·23	·15			·03				16
17			·25			·08	·02	·01	·25			·30		17
18			·02			·10								18
19	·04		·11	·13		·26			·36					19
20		·17	·03	·05		·19			·26					20
21		·05				·04		·25	·94					21
22								·24		·23				22
23				·05					·43					23
24		·12		·15	·06	·02			·43		·22	·30		24
25				(·30)					·03		·21		·07	25
26		·13				·36			·13	·06	·09		·40	26
27		·04								·20			·04	27
28		·06				·08	·01		·02	·14			·02	28
29							·39							29
30	·04	×	·06				·01		·01	·04				30
31	·03	×		×		×		·05	×	·04	×			31
TOTAL	1·24	·80	1·30	(·69) ~~·39~~	1·30	1·91	1·05	0·85 ~~1·85~~	4·16	1·54	1·17	·60	Year's Total ~~16·31~~	16·61
*Days with ·01 in. or more.	15	10	12	6 ~~5~~	11	12	10	6	13	16	13	6	~~129~~	130
*Days with ·04 in. or more.	9	8	9	5 ~~4~~	6	10	5	5	10	13	11	4	~~94~~	95

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Allington Collard

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~303~~ 303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Reculver

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft 2 in.

" Ground " Sea Level 27 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									·26	·14		·16		1
2			·11	·04				·19		·19		·20		2
3	·02	·06			·71				·03	·85	·07			3
4	·14	·04	·01		·22			·40		·04	·10	·36		4
5			·01		·04						·05	·07		5
6			·28	·12	·11	·21		·03		·16	1·40	·21		6
7					·39					·07		·07		7
8				·42				·04						8
9				·02	·01					·02	·38	·05		9
10			·18	·07							·05			10
11	·45		·25	·04			04					·23		11
12	·13		·12				·03	·31				·12		12
13	·40		·14				·20	·39			·01	·05		13
14	·14		·34	·05	·01			·06		·08	·44	·13		14
15											·12	·22		15
16	·06		·10	·10	·06					·01				16
17	·01		·50						·39		·41	·11		17
18	·08		·01	·14			·07		·02	·05	·05	·05		18
19			·23						·12			·05		19
20			·10						·03					20
21				·06		·11	·37							21
22								·16	·07					22
23				·15		·09		·10				·30		23
24				·03			·36	·33				·20		24
25				·06		·08						·01		25
26	·06			·07		·09								26
27	·02	·04		·05		·05					·05	·11		27
28						·02	·02	·28				·11		28
29								·06				·01		29
30	·13	×						·11				·28		30
31	·02	×		×		×		·02	×		×	·06	Year's Total	31
TOTAL	1·66	·14	2·38	1·42	1·55	·65	1·09	2·48	·92	1·61	3·13	3·16	20·19	✓
*Days with ·01 in. or more.	13	3	14	15	8	7	7	14	7	10	12	23	133	✓
*Days with .04 in. or more.	9	3	11	13	6	6	5	12	4	8	11	21	~~108~~	109

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Alrington Collard

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Reculver

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft 2 in.

,, Ground ,, Sea Level 27 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·29

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24			·04			·03		·35		·08	·02		1
2	·10			·09		·26					·01			2
3	·04		·09	·11		·08			·03	·42	·12			3
4			·02			·06			·35	·72	·02			4
5			·01	·05					·54	·10				5
6	·16			·22						·03	·19	·03		6
7	·04		·01	·14		·75					·94	·06		7
8				·43				·67		·20	·25	·06		8
9		·04		·05		·10					·13	·11		9
10	·05	·10		·01						·08		·06		10
11	·06									·01	·20			11
12						·05		·69		·41	·16			12
13		·12		·10	·11					·04	·10	·06		13
14	·02			·06	·28					·14		·07		14
15		·14		·24	·03				·32	·16	·33	·08		15
16		·09		·10		·12			·14	·51	·71	·02		16
17	·08			·06		·21			·03		·27	·03		17
18				·12	·01		·09	·04			·06	·08		18
19				·02	·30	·03	·04		·02		·07			19
20		·32		·11		·05	·07		·02		·03			20
21	·01	·18		·04						·12				21
22		·05							·04		·17			22
23			·04					·02			·17	·03		23
24	·07	·52			·27			·17		·28	·19	·40		24
25	·44	·12		·21		·14				·25	·17	·24		25
26	·15							·10		·10		·22		26
27	·18	·30			·40		·02	·26		·10	·06	·13		27
28	·04	·14						·09		·10		·10		28
29												·24		29
30		×	·01					·95		·09	·24	·16		30
31		×		×	·09	×			×	·17	×	·26		31
TOTAL	1·68 ✓	2·12 ✓	·18 ✓	2·20 ✓	1·49 ✓	1·85 ✓	·25 ✓	2·99 ✓	1·84 ✓	4·03 ✓	4·67 ✓	2·46 ✓	Year's Total. 25·76	✓
* Days with .01 in. or more.	15	12	6	19	8	11	5	9	10	20	23	21	159	✓
* Days with .04 in. or more.	13	12	2	17	6	10	3	8	6	19	20	16	132	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Allington Collard

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Reculver

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 2 in.

,, Ground ,, Sea Level 27 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·50

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·29	·18		·06		·27	·08	·02	·04		·02	·12	~~·50~~	1
2	·04	·03	·03			·10		·19						2
3		·02		·43							·26			3
4			·05			·11					·03	·20		4
5	·09			·03					·14	·21	·03	·10		5
6	·11					·05		·01	·06	·57	·10			6
7			·03					·05	·03	·26	·63			7
8	·04		·02				·07	~~·02~~	·02		·40	·32		8
9	·34		·32				·14		·02	·22	·18			9
10			·03			·03	·83	·45	·06		·11			10
11							·24	·38						11
12				·11		·03	·10		·03		·10	·11		12
13						·05	·02			·01	·01	·06		13
14		·06				·05	·78			·04	·04	·24		14
15							·01		·22			·17		15
16	·50	·17				·06			·07		·42	·15		16
17	·18	·37				·30						·17		17
18	·04	·28					·14			·02	·15	·04		18
19	·11	·05	·02			·49				·04				19
20		·14		·30				·10	·61					20
21				·15		·19	·76		·01					21
22		·38		·03			·06					·11		22
23		·02		·12	·03		·14							23
24	·13	·32							·26	·16				24
25	·40			·17		·20	·05			·10	·07			25
26		·03	·11						·10	·19		·02		26
27	·12	·07					·44		·21	·06				27
28	·40					·49	·41		·05			·01		28
29	·01	·04	·06			·47	·22		·06	·03	·09			29
30	·10	✕	·14		·09	·11				·07				30
31		✕		✕	·06	✕	·14		✕	·24	✕			31
TOTAL	2·90	2·16	·81	1·34	·18	3·00	4·63	1·20	1·99	2·22	2·64	1·82	Year's Total 24·89	✓
* Days with .01 in. or more.	16	15	10	9	3	16	18	7	17	15	16	14	156	✓
* Days with .04 in. or more.	15	11	5	7	2	14	16	5	12	12	12	12	123	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Allington Collard

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Reculver

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 2 in.

" Ground " Sea Level 27 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·01							·53	·20	·01	1
2		·04	·04	·28								·56		2
3		·03	·09									·35		3
4	·08	·36				·04				·04		·35		4
5	·20	·20	·30				·15			·18		·05		5
6	·09		·45		·14		·02							6
7		·88	·11	·02	·06									7
8		·01	·22								·13	·92		8
9		·01	·07	·50	·18		·04		·14			·23		9
10			·28	·10	·09	·85	·05	·07	·04			·32		10
11			·50	·04	·21		·07		·01			·15		11
12	·21	·23	·44		·40		·01	·28	·24			·20		12
13	·35	·03	·19		·01			·17	·91			·20		13
14	·04				·30	·24		1·45	·05			·30		14
15		·01			·30		·42							15
16			·08	·08	·01	·07			·45			·29		16
17	·27	·03		·20					·52		·48			17
18	·14				·34	·23			·36		·10			18
19	·07	·04	·06	·05			·02		·20					19
20	·32		·42		·84	·03								20
21	·16	·40	·04	·02			·04	·05						21
22	·29					·05				·68	·02	·07		22
23	·04	·03	·01				·01			·25	·02	·02		23
24	·35	·30							·10	·08				24
25	·22	·22	·30						·16	·49		·02		25
26			·06											26
27		·21	·15	·16										27
28		·14				·03						·17		28
29			·01							·13				29
30	·16	✕									·13	·05		30
31	·22	✕		✕		✕			✕	·20	✕	·06		31
TOTAL	3·21	3·17	3·82	1·46	2·88	1·54	·83	2·02	3·18	2·05	1·41	4·51	Year's Total 30·08	✓ ✓
* Days with .01 in. or more.	17	18	20	11	12	8	10	5	12	8	7	19	147	✓ ✓
* Days with .04 in. or more.	17	11	18	8	10	6	6	5	11	8	5	17	122	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Allingham Collard

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Reculver

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 2 in.

,, Ground ,, Sea Level 27 ft.

Dec ~~now~~ see note at back

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·09	·93	·13		·33	·02		·01		1
2				·06	·21					·15		·01		2
3							·05			·38				3
4	·01					·03		·76		·30		·07		4
5							·30							5
6							·10							6
7							·11	·86		·19		·04		7
8	·15						·05	·56		·03				8
9	·14						·02		·04	·04		·35		9
10						·60	·02	·05				·12		10
11	·24										·04			11
12	·08	·22								·20		·05		12
13	·40	·08						·03				·01		13
14	·08	·03			·06				·08					14
15	·02	·40					·20			·14		·09		15
16	·10	·09					·20			·03				16
17		·06			·81		·03			·36				17
18	·03			·04	·05		02 ~~·20~~		·06		·38			18
19				·03	·02				·04		·03	·14		19
20				·04	·05				·43		·27	·18		20
21				·07				·01	·25			·05		21
22				·05		·03					·09			22
23								·02				·17		23
24			·17		·03				·08		·33	·10		24
25			·33	·02	·12		·20		·18		·30	·14		25
26	·49	·08					·03		·38	·38	·17	·25		26
27	·08				·20	·05			·33	·78				27
28	·15				·19			·53	·12					28
29	·18			·06	·10						·04	·26		29
30	·02	✕		·15	·05	·07		·05			·17			30
31	·17	✕		✕	·02	✕			✕		✕	·14		31
TOTAL	2·34	·96	·50	·52	2·00	1·70	1·66	2·87	2·32	3·00	1·82	2·18	Year's Total 21·87	✓
* Days with .01 in. or more.	16	7	2	9	14	6	14	9	12	13	10	18	130	✓
* Days with .04 in. or more.	12	6	2	7	11	4	9	6	12	10	9	15	103	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Allingham Collard

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Reculver

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ~~6~~ ft. ~~3~~ in.

,, Ground ,, Sea Level ~~40~~ ft. see overleaf

Station No 303

File 8145 18/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·19	·05	·59		·01		·03					1
2					·01			·39		·32				2
3				·19				·14			·11	·22		3
4	·30		·13	·07				·78		·17	·02			4
5			·03							·21	·27	·16		5
6	·35		·03	·37						·33	·03			6
7	·08	·09						·02		·17	·98	29 ·~~22~~		7
8	·04	·06	·10							·06	·05	·12		8
9		·06						·04		·87	·44			9
10	·06					·34		·08	·02	·02				10
11			·27		·05	·09				·71				11
12					·03	·65				·16				12
13			·02			·14			·02	1·49				13
14	·47		·03		·09		·04			·29	·41			14
15	·20				·91				·12	·53	·09			15
16	·16		·05		·18		·02		·06		·34	·15		16
17	·09	·07							·13		·02	·03		17
18	·11		·08				·08		·02	·59	·53	·06		18
19	·23		·02			·10	·26		·21	1·05		·03		19
20								·15	·32			·08		20
21	·15		·17						·49					21
22	·06	·12	·10			·13	·13		·05	·08				22
23	·06		·07	·09		·05		·05	·11	·22	·53			23
24		·03		·47		·05	·40	·08	·02	·01				24
25	1·20	·56					·05				·36			25
26	·21	·01	·29				·14			1·08	·17			26
27			·06							1·34				27
28		·02	·10			·01					·04			28
29				·42			·02			·03	·03			29
30		✕		·52		·06					·02			30
31		✕		✕		✕	·08		✕		✕			31
TOTAL	3·77	1·02	1·74	2·18	1·86	1·62	1·23	1·73	1·60	9·73	4·44	1·05	Year's Total 31·97	✓
* Days with .01 in. or more.	16	9	17	8	7	10	11	9	13	21	18	9	148	✓
* Days with .04 in. or more.	16	6	12	8	5	9	8	8	8	18	13	7	118	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Allington Collard

P.T.O.

304

064047004

304
BROADSTAIRS
DOMUS
1931 - 1939

480107

Section **A** for the entry
AIR MINIS

COPY FOR OFFICIAL USE.
NFALL ORGANIZATION.

FORM 1090.

REG 93 1.

Kept at DOMUS, BR

in the County of KEN

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA **DAY.**

An observer who does not conform *the following year in the space on the right o*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0·02					0·60					1
2	0·11	0·15		0·05	0·03			0·25	0·23				2
3	0·16	0·13			0·62			0·29	0·13				3
4					0·02			0·05					4
5				0·16		0·41	0·48	0·02	0·21				5
6					0·03			0·11		0·16	0·12		6
7	0·06	0·04				0·02	0·02		0·14	0·07			7
8		0·05				0·10	0·13	0·07				0·12	8
9		0·02				0·02		0·04			0·42		9
10		0·13	0·14			0·06		0·06			1·02	0·08	10
11	0·26	0·35									0·20	0·01	11
12	0·07			0·02					0·27				12
13	0·34	0·02						0·06			0·03		13
14		0·05				0·02	0·71	0·63					14
15		0·04		0·27	0·11		0·48	0·13				0·09	15
16	0·04	0·17		0·18	0·20		0·07	0·02					16
17		0·02		0·27			0·11	0·13				0·08	17
18		0·34		0·36			0·11	0·15			0·27		18
19	0·04			0·55			0·41	0·47	0·12		0·03		19
20		0·08					0·14	0·22				0·03	20
21					0·65				0·02				21
22	0·06		0·11	0·02				0·05	0·18				22
23	0·34	0·08			0·07	0·03			0·06		0·04		23
24				0·07				0·13					24
25	0·07			0·23			0·30			0·20			25
26		0·04		0·38	0·02		0·33			0·15	0·20		26
27	0·16	0·17		0·06	0·12		0·27				0·06		27
28	0·25	0·20		0·03	0·15					0·05	0·02	0·15	28
29	0·23						0·03			0·29	0·04	0·06	29
30	0·04	×			0·13		0·01						30
31	0·10	×		×		×			×		×		31
TOTAL	2·33	2·08	0·27	2·65	2·15	0·66	3·60	3·48	1·36	0·92	2·45	0·62	YEAR'S TOTAL
GRAND TOTAL	2·33	4·41	4·68	7·33	9·48	10·14	13·74	17·22	18·58	19·50	21·95	22·57	22·57
*Days with ·01 in. or more.	16	18	3	14	12	7	15	19	9	6	12	8	139
*Days with ·04 in. or more.	16	15	2	11	8	3	12	17	8	6	9	6	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Walter B. Nasling

P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at DOMUS, BROADSTAIRS.

in the County of KENT.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level about 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0·02					0·60					1
2	0·11	0·15		0·05	0·03			0·25	0·23				2
3	0·16	0·13			0·62			0·29	0·13				3
4					0·02			0·05					4
5				0·16		0·41	0·48	0·02	0·21				5
6					0·03			0·11		0·16	0·12		6
7	0·06	0·04				0·02	0·02		0·14	0·07			7
8		0·05				0·10	0·13	0·07				0·12	8
9		0·02				0·02		0·04			0·42		9
10		0·13	0·14			0·06		0·06			1·02	0·08	10
11	0·26	0·35									0·20	0·01	11
12	0·07			0·02					0·27				12
13	0·34	0·02						0·06			0·03		13
14		0·05				0·02	0·71	0·63					14
15		0·04		0·27	0·11		0·48	0·13				0·09	15
16	0·04	0·17		0·18	0·20		0·07	0·02					16
17		0·02		0·27			0·11	0·13				0·08	17
18		0·34		0·36			0·11	0·15			0·27		18
19	0·04			0·55			0·41	0·47	0·12		0·03		19
20		0·08					0·14	0·22				0·03	20
21					0·65				0·02				21
22	0·06		0·11	0·02				0·05	0·18				22
23	0·34	0·08			0·07	0·03			0·06		0·04		23
24				0·07				0·13					24
25	0·07			0·23			0·30			0·20			25
26		0·04		0·38	0·02		0·33			0·15	0·20		26
27	0·16	0·17		0·06	0·12		0·27				0·06		27
28	0·25	0·20		0·03	0·15					0·05	0·02	0·15	28
29	0·23						0·03			0·29	0·04	0·06	29
30	0·04	×			0·13		0·01						30
31	0·10	×		×		×			×		×		31
TOTAL	2·33	2·08	0·27	2·65	2·15	0·66	3·60	3·48	1·36	0·92	2·45	0·62	YEAR'S TOTAL
GRAND TOTAL	2·33	4·41	4·68	7·33	9·48	10·14	13·74	17·22	18·58	19·50	21·95	22·57	22·57
*Days with ·01 in. or more.	16	18	3	14	12	7	15	19	9	6	12	8	139
*Days with ·04 in. or more.	16	15	2	11	8	3	12	17	8	6	9	6	113

40-9999

(Signed) Walter B. Nasling.

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 304

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at DOMUS. BROADSTAIRS

in the County of KENT.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level about 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.09				0·49					0·10		0·08	1
2				0.28	0·14			0·05		0·02			2
3				0·13	0·16	0·02			0·34	0·04			3
4													4
5	0.03	0.07			0·03		0·40						5
6	0.32		0.09		0·04								6
7			0·12	0·14									7
8		0·06		0·03	0·12					0·29			8
9	0·07			0·04	0·44					0·49			9
10	0.20			0·25	0·05					0·10			10
11	0.30			0·17		0·07				0·20			11
12	0.05	0.09		0·07				0·15		0·15			12
13				0·06	0·04					0·71			13
14	0.15			0·03	0·10					0·18			14
15	0.01	0.12		0·05	0·28		0·02			0·06			15
16	0.03			0·07	0·06								16
17			0·02				0·09			0·05			17
18	0·02								0.05				18
19										0·14			19
20					0·05		0·06			0·64	0·43		20
21					0·14	0·14				0·11		0·30	21
22			0·46	0·16	0·17		0·18	0·09	0·63	0·16	0·17	0·04	22
23		0·16		0·16	0·13				0·64	0·62			23
24							0·46		0·25				24
25							1·48			0·22	0·08		25
26				0·07			0·15	0·23	0·12				26
27			0·15	0·06	0·05		0·06			0·80	0·08	0·02	27
28				0·02	0·02		0·04		0·21	0·42			28
29			0·20	0·22				0·18	0·04	0·32			29
30		×	0·04	0·06		0·34				0·04			30
31		×	0·09	×		×		0·04	×		×		31
TOTAL	1·27	00.50	1·17	2·07	2·51	0·57	2·94	0·74	2·28	5·86	0·76	0·44	YEAR'S TOTAL
GRAND TOTAL	1·27	1·77	2·94	5·01	7·52	8·09	11·03	11·77	14·05	19·91	20·67	21·11	21·11
*Days with ·01 in. or more.	~~11~~	~~5~~	~~8~~	~~19~~	~~18~~	~~4~~	~~10~~	~~6~~	~~8~~	~~22~~	~~4~~	~~4~~	~~119~~
*Days with .04 in. or more.	7	5	7	16	16	3	9	5	8	21	4	3	104

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Wallis B Marling

P.T.O.

304

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~3017~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at DOMUS BROADSTAIRS

in the County of KENT

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft · in.

,, Ground ,, Sea Level about 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											0.05			1
2			0.25		0.24						0.07			2
3	0.14	0.21	0.07							0.13	0.43			3
4	0.02		0.02								0.52			4
5	0.31		0.05											5
6		0.03	0.08		0.39					0.02	0.11	0.02		6
7	0.45	0.02	0.02	0.05	0.04					0.44				7
8	0.10				0.02		0.23							8
9					0.13						0.10			9
10					0.01					0.12	0.03			10
11	0.12	0.04				0.03		0.04			0.03			11
12						0.49	0.23		0.09		0.41			12
13					0.19		0.22		0.83		0.28			13
14					0.06					0.10	0.10	0.04		14
15	0.13						0.22	0.14		0.02	0.13			15
16	0.24		0.28		0.02	0.35	0.18				0.02			16
17	0.29		0.14			0.10	0.02		0.17					17
18			0.03	0.10		0.22					0.02			18
19			0.15	0.06		0.10			0.46		0.02			19
20		0.16				0.16		0.05	1.01					20
21		0.03						0.08	0.51					21
22		0.05				0.04		0.27	0.03	0.31				22
23				0.07					0.43					23
24		0.08		0.21	0.03	0.09			1.19		0.10			24
25		0.05		0.30	0.08						0.21			25
26				0.03		0.36			0.19	0.02	0.07	0.39		26
27		0.15					0.03			0.28		0.06		27
28							0.04			0.26				28
29							0.20			0.02				29
30		X	0.05							0.09		0.07		30
31	0.08	X		X		X		0.05	X		X	0.01		31
TOTAL	1.88	0.82	1.14	0.82	1.21	1.94	1.37	0.63	4.91	1.81	2.70	0.59	Year's Total	
GRAND TOTAL		2.70	3.84	4.66	5.87	7.81	9.18	9.81	14.72	16.53	19.23	19.82	19.82	
*Days with ·01 in. or more.	10	10	11	7	11	10	9	6	10	12	18	6	120	
*Days with .04 in. or more.	9	7	8	6	7	9	7	6	9	8	13	4	93	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Walter B. Marling

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 304

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at DOMUS BROADSTAIRS

in the County of KENT

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level about 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								0.18	0·04	0·11		0·24		1
2			0.19						0·15	0.75		0·22		2
3		0.06		0.03	0.64				0·04	0.33		0·03		3
4	0.15		0.02		0.36	0.11				0.18	0·13	0·25		4
5					0.03	0·25					0·24	0·09		5
6			0.32	0.18	0.14			0.03		0·15		0·21		6
7					0.56					0.17		0·07		7
8				0.41				0.02			0·60			8
9											0·07			9
10			0.15	0.07						0.03	0.04			10
11	0.47		0.28	0·07				0.03			0·16	0·27		11
12	0.20		0.12					0.22				0·20		12
13	0.26		0.09				0.68	0.14				0·03		13
14	0.24		0.30	0·07			0.06			0·09		0·20		14
15										0·03	0·22	0·11		15
16	0.08		0·19		0.12							0·03		16
17			0.44						0.03	0·10	0.12	0·16		17
18	0.07			0·10							0.08	0·21		18
19			0.28						0.17			0·08		19
20			0.11											20
21				0·14			0.15							21
22								0·14	0·08	0·03				22
23				0·11		0·18		0·07		0·05		0·16		23
24				0·26		0·11	0·41	0·28		0·02				24
25				0·08				0·14				0·24		25
26	0.03					0·02						0·02		26
27						0·29						0·20		27
28		0.22						0·44			0·07	0·09		28
29							0.55	0·18	0·21			0·02		29
30	0.16	✕					0.06	0·03				0·05		30
31		✕		✕		✕	0·05		✕	0·06	✕	0·38		31
TOTAL	1·66	0·28	2·49	1·52	1·85	0·96	1·96	1·90	0·72	2.10	1·73	3·56	Year's Total	
GRAND TOTAL		1·94	4·43	5·95	7·86	8·96	10·72	12·62	13·34	15·44	17·17	20·73	2073	
*Days with ·01 in. or more.	9	2	12	11	6	6	7	13	7	14	10	24	121	
*Days with ·04 in. or more.	8	2	11	10	5	5	7	9	6	10	10	19	102	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Walter B Marling

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 304

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Domus, Broadstairs

in the County of Kent.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level about 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·24	0·05	–	–	–	0·20	0·04	–	0·27	0·04	0·05	–		1
2	0·11	–	–	–	–	–	–	–	–	0·42	–	–		2
3	0·05	0·08	0·04	–	–	0·16	–	–	0·02	0·19	0·07	–		3
4	0·01	0·03	0·03	–	–	0·06	–	–	0·40	0·15	0·08	–		4
5	–	0·13	–	0·50	–	–	–	–	0·51	0·22	–	–		5
6	0·38	–	–	0·25	–	0·04	–	–	–	–	0·09	0·06		6
7	0·49	0·14	0·02	0·20	–	0·17	–	–	–	0·20	0·94	0·04		7
8	–	–	–	0·40	–	–	–	0·55	–	–	0·06	0·09		8
9	0·05	–	–	0·03	–	0·82	–	–	–	0·43	0·27	0·02		9
10	–	0·05	–	–	–	0·19	–	–	–	–	0·02	0·04		10
11	0·02	–	–	–	–	0·05	–	–	–	–	0·06	–		11
12	–	–	–	–	0·06	0·02	–	0·36	–	–	0·30	–		12
13	–	0·14	–	0·24	–	0·04	–	–	–	–	0·14	–		13
14	–	–	–	0·15	0·44	–	–	–	–	–	–	0·10		14
15	–	0·10	–	0·14	0·03	–	–	–	0·17	–	0·08	–		15
16	–	–	–	0·45	–	0·07	–	–	0·25	0·02	0·43	0·13		16
17	0·09	–	–	0·16	–	0·21	–	0·13	–	–	0·19	–		17
18	–	–	–	0·05	–	0·03	0·06	–	0·32	0·08	0·07	–		18
19	–	–	–	0·02	0·44	0·12	0·04	–	–	–	0·03	–		19
20	–	0·21	–	–	0·02	0·05	0·09	–	0·02	–	0·05	–		20
21	–	0·12	–	0·07	–	–	–	–	0·02	–	0·15	–		21
22	–	0·05	–	–	–	–	–	0·02	–	–	0·18	–		22
23	–	–	–	–	–	–	–	0·02	–	–	0·23	–		23
24	0·09	0·43	–	–	0·40	–	–	0·15	0·22	0·18	–	0·38		24
25	0·55	0·09	–	0·22	–	0·15	–	–	–	0·08	0·04	0·18		25
26	0·16	–	–	–	0·15	0·02	–	0·05	–	0·09	–	0·21		26
27	0·38	0·19	–	–	0·27	–	–	1·07	0·06	0·02	0·05	0·15		27
28	0·42	0·24	–	–	–	–	–	–	0·49	0·13	–	0·12		28
29	0·06	–	–	–	–	–	–	0·02	–	–	–	0·27		29
30	0·09	×	–	–	–	–	–	0·86	0·10	0·02	0·25	0·16		30
31	–	×	–	×	–	×	–	–	×	0·10	×	0·23		31
TOTAL	3·19	2·05 5·24	0·09 5·33	2·88 8·21	1·81 10·02	2·40 12·42	0·22 12·64	3·23 15·87	2·85 18·72	2·37 21·09	3·83 24·92	2·18 27·10	Year's Total. 27·10	
* Days with .01 in. or more.	16	15	3	14	8	17	4	10	13	16	23	15	154	
* Days with .04 in. or more.	14	14	1	12	6	14	4	7	10	13	21	14	130	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Walls B Marling

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 304

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Domus Broadstairs.

in the County of Kent.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level about 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·21	0·20	0·23	0·08	–	0·47	0·04	0·01	–	–	0·03	0·08		1
2	0·07	0·04	–	–	–	0·26	0·03	–	–	–	–	0·17		2
3	–	–	0·32	0·25	–	–	–	–	0·05	–	0·28	–		3
4	0·02	–	0·07	–	–	0·18	–	–	0·07	0·17	0·03	–		4
5	0·09	–	–	0·03	–	–	–	0·10	–	0·30	0·13	0·10		5
6	0·06	–	–	–	–	0·09	–	–	0·14	0·20	0·22	–		6
7	0·10	–	0·03	–	–	–	0·05	–	–	–	0·27	–		7
8	0·13	–	0·04	–	–	–	0·06	–	0·15	–	0·43	0·48		8
9	0·31	–	0·09	–	–	–	0·48	–	–	–	0·36	–		9
10	–	–	–	–	–	0·04	0·35	1·02	–	0·34	–	–		10
11	–	–	–	0·10	–	–	0·21	–	–	–	0·41	–		11
12	–	–	–	0·05	–	–	0·11	–	–	–	0·14	0·17		12
13	–	–	–	–	–	0·06	0·06	–	–	–	0·03	0·08		13
14	–	–	–	–	–	0·03	0·86	–	–	–	0·09	0·25		14
15	0·03	0·08	–	–	–	–	0·02	–	0·33	–	–	0·13		15
16	0·39	0·12	–	–	–	–	–	–	–	–	0·40	0·14		16
17	0·17	0·60	–	–	0·03	0·05	–	–	–	–	0·30	0·08		17
18	0·06	0·06	–	–	–	–	0·15	–	–	–	0·32	0·02		18
19	0·09	–	–	–	–	0·84	–	0·09	–	0·11	–	–		19
20	0·14	0·08	–	0·34	–	–	–	–	0·95	0·08	–	–		20
21	0·08	–	–	0·14	–	0·18	–	–	–	–	–	–		21
22	0·02	0·41	–	0·03	–	–	–	–	–	–	–	0·14		22
23	0·13	–	–	0·13	–	–	0·12	–	–	–	–	–		23
24	0·39	0·27	–	–	–	–	0·05	–	–	0·08	–	–		24
25	0·02	–	0·04	0·07	–	0·13	–	–	0·21	0·13	–	–		25
26	–	0·13	0·09	–	–	–	–	–	0·05	0·20	–	–		26
27	0·04	0·31	0·07	–	–	–	0·58	–	0·53	–	–	–		27
28	0·29	–	0·03	–	–	0·83	0·28	–	0·47	–	–	–		28
29	0·02	–	0·03	–	–	0·45	0·11	–	0·18	0·14	0·13	–		29
30	0·09	✕	–	–	0·05	0·16	–	–	–	0·05	–	–		30
31	0·33	✕	0·11	✕	0·12	✕	0·12	–	✕	0·39	✕	0·02		31
TOTAL	3·28	2·30	1·15	1·22	0·20	3·77	3·68	1·22	3·13	2·19	3·57	1·86	Year's Total	
		5·58	6·73	7·95	8·15	11·92	15·60	16·82	19·95	22·14	25·71	27·57	27·57	✓
* Days with .01 in. or more.	24	11	12	10	3	14	18	4	11	12	16	13	148	✓
* Days with .04 in. or more.	19	11	9	8	2	13	16	3	11	12	13	11	128	✓

118
210
328

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Walter B. [illegible] [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 304

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Domus Broadstairs

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level ~~about~~ 60 ft.

Total

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·51	0·05		0·08							0·46	0·14		1
2		0·03	0·23	0·24								0·59		2
3		0·05										0·42		3
4	0·14	0·43			0·04					0·58		0·32		4
5	0·23	0·20	0·49				0·09			0·13		0·04		5
6	0·12		0·59		0·09		0·07							6
7		0·93	0·09	0·04	0·26									7
8		0·02	0·04			0·17			0·08		0·15	0·37		8
9		0·02	0·37	0·63	0·11		0·07					0·15		9
10			0·31	0·09	0·18	0·55	0·04					0·21		10
11			0·29		0·16				0·33	0·08		0·36		11
12	0·20	0·25	0·16		0·77		0·06	0·10	0·41					12
13	0·49	0·03	0·37			0·10		0·04	0·03			0·60		13
14	0·12	0·01	0·12		0·67			0·61				0·38		14
15	0·16	0·02		0·13	0·09		0·56		0·24			0·08		15
16		0·03	0·08	0·15				0·28	0·35			0·65		16
17	0·20	0·09		0·34		0·37					0·32			17
18	0·25	0·13		0·02	0·29	0·42			0·75		0·04			18
19		0·15	0·03	0·05		0·10	0·05		0·25					19
20	0·33		0·40	0·22	0·46	0·23								20
21	0·15	0·38	0·07				0·03	0·03						21
22	0·35	0·04		0·05						0·55	0·03	0·10		22
23	0·03								0·10	0·67	0·03			23
24	0·38	0·24	0·09						0·10	0·07				24
25	0·16	0·33	0·30							0·06				25
26		0·14	0·06		0·20					0·47				26
27		0·06	0·03	0·09						0·05	0·09			27
28		0·59	0·06							0·03		0·20		28
29	0·07		0·03											29
30	0·13	✕									0·17	0·12		30
31	0·28	✕		✕		✕	0·02		✕	0·16	✕			31
TOTAL	4·30	4·22 ~~8·52~~	4·21 ~~12·73~~	2·13 ~~14·86~~	3·32 ~~18·18~~	1·94 ~~20·12~~	0·99 ~~21·11~~	1·06 ~~22·17~~	2·64 ~~24·81~~	2·85 ~~27·66~~	1·29 ~~28·95~~	4·73 ~~33·68~~	Year's Total 33·68	✓ ✓
* Days with .01 in. or more.	19	23	21	13	12	7	9	5	10	11	8	16	154	✓ ✓
* Days with .04 in. or more.	18	16	18	12	12	7	7	4	9	10	6	16	135	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 304

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Domus Broadstairs

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level about 60 ft.

Dec Snow.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·14	-	-	-	0·08	0·80	0·06	-	0·33	-	0·02	-		1
2	-	-	-	0·06	0·11	-	-	-	-	0·27	-	0·03		2
3	-	-	-	-	0·07	-	0·15	-	-	0·38	-	-		3
4	0·05	-	-	-	-	0·02	-	0·37	-	-	-	0·08		4
5	-	-	-	-	-	-	0·45	-	-	0·33	-	-		5
6	0·02	-	-	-	-	-	0·42	0·08	0·03	-	-	-		6
7	-	-	-	-	-	-	0·38	1·82	-	0·21	-	0·04		7
8	0·20	-	-	-	-	-	0·07	-	0·14	0·06	-	-		8
9	0·25	0·05	-	-	-	-	-	0·39	-	-	-	0·23		9
10	0·16	0·04	-	-	-	0·37	-	0·10	-	-	-	0·11		10
11	0·27	0·03	-	-	-	-	-	-	-	-	0·05	-		11
12	0·07	0·08	-	-	-	-	-	-	-	0·19	-	0·07		12
13	0·45	0·10	-	-	-	-	-	0·03	-	0·02	-	0·01		13
14	0·06	0·11	-	-	0·07	-	-	-	0·11	-	-	0·04		14
15	-	0·29	-	-	-	-	0·40	-	-	0·03	-	-		15
16	0·15	0·05	-	-	-	-	0·14	-	-	0·12	-	-		16
17	-	0·03	-	-	0·86	-	0·03	-	-	0·34	0·03	-		17
18	-	-	-	-	0·03	-	-	-	0·06	-	0·34	-		18
19	0·03	-	-	-	0·17	-	-	-	-	-	0·05	-		19
20	-	-	-	0·07	0·02	-	-	-	0·36	-	0·23	- 4		20
21	-	-	-	0·07	-	-	-	-	0·36	-	0·04	- 4		21
22	-	-	-	0·04	-	0·03	-	-	-	-	0·12	- 4		22
23	-	-	-	-	-	-	-	-	-	-	-	- 4		23
24	-	-	0·15	-	0·03	-	-	-	0·08	-	0·30	- 4		24
25	-	-	0·35	-	0·26	-	0·11	-	0·15	-	0·30	-		25
26	0·09	0·05	0·08	0·03	-	-	0·05	-	0·55	0·31	0·18	4 0·85		26
27	0·58	0·08	-	-	0·17	-	0·11	-	0·35	0·49	-	-		27
28	0·04	-	-	-	0·03	-	-	0·12	-	0·11	-	-		28
29	0·16	-	-	0·32	0·11	-	-	-	-	-	-	0·34		29
30	0·28	✕	-	0·32	0·08	-	-	-	-	0·03	0·27	-	4	30
31	0·20	✕	-	✕	0·05	✕	-	-	✕	0·11	✕	-	d	31
TOTAL	3·20	0·91 4·11	0·58 4·69	0·91 5·60	2·14 7·74	1·22 8·96	2·37 11·33	2·91 14·24	2·52 16·76	3·00 19·76	1·93 21·69	1·80 23·49	Year's Total 23·49	
* Days with .01 in. or more.	~~18~~	~~11~~	~~3~~	~~7~~	~~15~~	~~4~~	~~12~~	~~7~~	~~11~~	~~15~~	~~12~~	~~10~~	~~125~~	
* Days with .04 in. or more.	16	9	3	6	11	2	11	6	10	12	10	13 ~~8~~	109 ~~104~~	

WSR

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) G. Alex. R. Macleod

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 304

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Domus Broadstairs

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level about 60 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	0·09	0·54	–	0·22	0·31	0·04	0·16	–	–		1
2	0·22	–	–	–	–	–	–	0·20	–	1·23	–	–		2
3	0·17	–	–	0·28	–	–	–	–	–	0·13	0·17	–		3
4	0·13	–	0·13	0·06	–	–	–	0·45	–	0·10	–	0·31		4
5	–	–	0·06	0·74	–	–	0·07	–	–	–	0·13	–		5
6	0·26	–	0·05	–	–	–	–	–	–	0·17	0·45	0·06		6
7	0·17	0·09	–	–	–	–	–	–	–	0·61	0·13	0·06		7
8	–	0·02	0·12	–	–	–	–	–	–	0·04	0·10	0·03		8
9	0·04	–	–	–	–	–	–	–	–	0·56	0·20	0·26		9
10	–	–	–	–	–	0·31	–	0·21	–	0·06	0·02	0·15		10
11	0·29	–	0·27	–	–	0·26	–	0·02	–	0·44	–	–		11
12	–	–	–	–	0·24	0·44	–	–	0·09	0·03	0·01	–		12
13	–	–	0·09	–	–	0·02	–	–	–	1·35	–	–		13
14	0·58	–	0·02	–	0·09	–	0·02	–	0·14	0·31	0·35	0·10		14
15	–	–	0·07	–	0·90	–	0·07	–	0·07	1·35	–	–		15
16	–	–	–	–	0·17	0·07	0·12	–	–	0·04	0·46	–		16
17	0·26	0·15	0·16	0·05	–	–	–	–	–	–	–	–		17
18	0·11	–	0·11	–	–	–	0·07	–	0·10	0·48	0·69	–		18
19	0·26	–	0·12	–	–	–	0·11	–	0·05	1·19	–	0·04		19
20	0·22	–	–	–	–	–	–	0·19	1·31	–	–	–		20
21	0·06	–	0·14	–	–	–	–	–	0·25	0·17	–	–		21
22	0·06	0·06	0·08	–	–	0·30	0·16	–	0·16	–	–	–		22
23	–	–	0·09	–	–	0·03	–	0·03	0·05	0·27	–	–		23
24	–	0·05	0·02	0·51	–	0·04	0·47	–	0·05	–	0·65	–		24
25	1·29	0·32	0·07	–	–	–	0·05	–	–	–	0·04	–		25
26	0·15	–	0·26	–	–	–	0·25	–	0·03	0·49	0·34	–		26
27	0·09	–	0·08	–	–	–	–	–	–	1·90	0·20	–		27
28	–	0·25	0·08	–	–	–	–	–	–	1·40	0·42	–		28
29	–	–	–	0·39	–	–	–	–	–	0·03	0·13	–		29
30	–	✕	–	0·49	–	–	–	–	–	–	0·04	–		30
31	–	✕	–	✕	–	✕	–	–	✕	–	✕	–		31
TOTAL	4·36	0·94	2·02	2·61	1·94	1·47	1·61	1·41	2·34	12·51	4·53	1·01	Year's Total	
	–	5·30	7·32	9·93	11·87	13·34	14·95	16·36	18·70	31·21	35·74	36·75	36·75	
* Days with .01 in. or more.	17	7	19	8	5	8	11	7	12	23	18	8	143	
* Days with .04 in. or more.	17	6	17	8	5	6	10	5	11	21	16	7	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

305

305

0640460006

Villa Cap Martin

Broadstairs.

1931 — 1937

Section **A** for the ent
AIR MIN

FOR OFFICIAL USE.
GANIZATION.

Form 1090. REC

Kept at *Villa Ca*

in the County of *K*

Diameter of Funnel of Gauge

Height of top of Gauge above

,, Ground ,,

THE MORNING M

An observer who does not conf
year in the space on the right

Jan. 1, following

Date	Jan.	Feb.	Ma								v.	Dec.	Date
	in.	in.										in.	
1		.10	.0	[illegible]				[illegible]					1
2	.10	.08		.01	.10			.29	.17				2
3	.16	.10			.57			.37	.14			.04	3
4		.02s			.03		.45	.05	.09		.03		4
5				.15		.30		.02	.04		.01		5
6	.03	.01s		.02	.01			.17		.17	.11	.01	6
7	.04	.03				.01	.01	.01	.03	.06	.01		7
8	.02s	.06	.13s			.08	.13	.06		.03	.01	.06	8
9	.02s	.02	.08s					.02			.35	.01	9
10	.01	.18	.02s			.02		.06			1.14	.08	10
11	.23	.36				.01			.03		.30		11
12	.09			.01			.02		.25			.02	12
13	.30				.07			.06			.01		13
14	.03	.04					.83	.62			.01		14
15	.02	.06		.24	.08	.02	.29	.11				.07	15
16	.02	.17		.18	.20		.06						16
17		.03		.24	.03		.11	.06					17
18	.02	.26		.29		.01	.05	.19	.12		.25	.04	18
19	.03	.05		.43			.52	.58			.03		19
20	.02			.09	.02		.12	.32				.03	20
21					.60			.01	.14				21
22	.03	.07	.07	.02	.07			.06	.06				22
23	.43	.11	.02		.08			.05	.05		.05		23
24		.01	.01	.07		.03		.12	.01			.01	24
25	.07			.22			.31			.09	.01		25
26	.01	.05		.43	.01		.32			.16	.17		26
27	.18	.12		.05	.12		.34				.08		27
28	.15	.18s		.03	.15					.05		.11	28
29	.12			03			.02			.27	.08	.04	29
30	.05	×			.13		.01						30
31	.09	×		×		×			×		×		31
Total	2.27	2.11	.35	2.55	2.27	.48	3.59	3.73	1.13	.83	2.65	.52	Year's Total 22.48
*Days with ·01 in. or more.	25	22	7	18	16	8	16	21	12	7	17	12	181
*Days with ·04 in. or more.	13	16	3	12	11	2	12	17	9	6	9	7	117

40-9999

*See Instruction 2 (*f*) on other side. S. (snow)

(*Signed*) ....

P.T.O.

Section **A** for the ent

305

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Villa Cap Martin Broadstairs

in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
„ Ground „ Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.10	.02s	.04				.50					1
2	.10	.08		.01	.10			.29	.17				2
3	.16	.10			.57			.37	.14			.04	3
4		.02s			.03		.45	.05	.09		.03		4
5				.15		.30		.02	.04		.01		5
6	.03	.01s		.02	.01			.17		.17	.11	.01	6
7	.04	.03				.01	.01	.01	.03	.06	.01		7
8	.02s	.06	.13s			.08	.13	.06		.08	.01	.06	8
9	.02s	.02	.08s					.02			.35	.01	9
10	.01	.18	.02s			.02		.06			1.14	.08	10
11	.23	.36				.01			.03		.30		11
12	.09			.01			.02		.25			.02	12
13	.30				.07			.06			.01		13
14	.03	.04					.83	.62			.01		14
15	.02	.06		.24	.08	.02	.29	.11				.07	15
16	.02	.17		.18	.20		.06						16
17		.03		.24	.03		.11	.06					17
18	.02	.26		.29		.01	.05	.19	.12		.25	.04	18
19	.03	.05		.43			.52	.58			.03		19
20	.02			.09	.02		.12	.32				.03	20
21					.60			.01	.14				21
22	.03	.07	.07	.02	.07			.06	.06				22
23	.43	.11	.02		.08			.05	.05		.05		23
24		.01	.01	.07		.03		.12	.01			.01	24
25	.07			.22			.31			.09	.01		25
26	.01	.05		.43	.01		.32			.16	.17		26
27	.18	.12		.05	.12		.34				.08		27
28	.15	.18s		.03	.15					.05		.16	28
29	.12			03			.02			.27	.08	.04	29
30	.05	×			.13		.01						30
31	.09	×		×		×			×		×		31
TOTAL	2.27	2.11	.35	2.55	2.27	.48	3.59	3.73	1.13	.83	2.65	.52	YEAR'S TOTAL 22.48
*Days with ·01 in. or more.	25	22	7	18	16	8	16	21	12	7	17	12	181
*Days with ·04 in. or more.	13	16	3	12	11	2	12	17	9	6	9	7	117

40-9999

*See Instruction 2 (*f*) on other side. S. (snow)

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 305

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Villa Cap Martin Broadstairs

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.02		.02	.49		.02	.07	.02	.08	.03	.02	1
2	.02			.23	.15			.06		.02	.02	.08	2
3				.11	.14	.08			.26				3
4	.01				.02	.01							4
5	.03	.02	.02	.01	.03	.02	.36		.03				5
6	.27		.05	.06	.12							.02	6
7			.07	.03							.01	.05	7
8		.07	.05	.04	.06					.28			8
9	.04	.02 S	.01 S	.05	.47					.32			9
10	.21	.02 S		.25	.07					.13			10
11	.19	.12 S		.16	.03	.03	.02			.16			11
12	.04	.01 S		.03				.05		.68			12
13	.02			.07	.05				.01			.01	13
14	.07			.04	.07					.20			14
15	.01	.02		.03	.25					.06			15
16	.02	.03		.11	.06		.04			.08			16
17			.03	.01			.09						17
18	.02								.06		.06		18
19		.01							.03	.15	.14		19
20		.01					.05			.70	.27		20
21		.01		.02	.16	.13	.01	.01		.12	.01	.10	21
22			.48	.16	.14		.09		.78	.10	.23	.05	22
23		.11	.01	.11	.13				.48	.77	.01	.02	23
24		.02			.01		.49		.25	.01	.06		24
25		.01					1.46		.10	.27	.03	.01	25
26				.05			.29	.22		.01	.01		26
27			.12	.06	.06		.06		.24	.80	.06	.01	27
28				.02			.08			.36			28
29			.14	.21	.01			.17	.03	.38			29
30		×	.05	.06		.39		.02		.03	.01	.06	30
31		×	.19	×		×		.02	×	.01	×	.02	31
TOTAL	1.03	.50	1.22	1.94	2.52	.66	3.06	.62	2.29	5.72	.95	.45	YEAR'S TOTAL 20.96
*Days with ·01 in. or more.	14	15	12	24	20	6	13	8	12	23	14	12	173
*Days with .04 in. or more.	7	3	8	16	15	3	10	5	7	18	6	5	103

40-9999

*See Instruction 2 (*f*) on other side. S = snow

(*Signed*) A. Watkins

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 305

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Circ. D2. sent

Kept at Villa Cap Martin Broadstairs

Dec corrected by observer's letter 27/2/34 J.O.P. 20.2:34.

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 120 ft.

B.A.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.14	.10							.01	.06		1
2	.09		.15		.30					.04	.07		2
3	.01	.12	.11							.09	.37		3
4	.04										.51		4
5	.35		.06										5
6		.03	.09		.41					.01	.12	.02	6
7	.42	.03	.09	.06	.03					.65	.01		7
8	.15	.01					.20			.03			8
9				.02	.10						.10		9
10		.03			.01		.03			.14	02		10
11	.15	.01			.06	.04		.06			.03		11
12						.46	.03		.25		.35		12
13					.16		.25		.74		.31	.02	13
14					.05					.07	.07	.04	14
15	.12 S						.16	.14		02	.14	.05 S	15
16	.24 S		.34		.03	.40	.14				.02		16
17	.25 S		.16			.06	.02	.02	.16		.01		17
18	01	.04 S	.01	.14 S		.24							18
19		.16 S	.23			.21			.03		.01	.01	19
20		.07		.14		.17		.06	.70			.02	20
21		.04 S		.02		.01		.09	1.79	.05			21
22		.04 S						.31	21	.26			22
23		.01 S		.05					39		.01		23
24		.10 S		.15	.08	.10			1.14		.14		24
25				.31	.03					.05	.23	.01	25
26		.06		.02		.39			.14	.04	.08	.19	26
27		.17		.01	.02		.08		.01	.26		.06	27
28							.02		.01	.27		.01	28
29						.06	.36			.02			29
30	.06	×	.05				.01			.09		0·10	30
31	.03	×		×		×		.04	×	.01	×	1·53	31 21·60
TOTAL	1·92 ~~1.29~~	1.06	1.39	.92	1.28	2.14 ~~2.16~~	1.30	.72	5.57	2.11	2.66	~~113~~ .58	YEAR'S TOTAL ~~21.62~~
*Days with ·01 in. or more.	13	16	11	10	12	11	11	7	12	18	20	11	152
*Days with .04 in. or more.	10	10	10	6	7	10	6	6	9	12	13	5	104

40-9999

*See Instruction 2 (*f*) on other side.

S. Snow

(*Signed*) A. Watkins

P.T.O.

Section **A**

COPY FOR OFFICIAL USE.

for the entry of Daily Observations.

Station No. 305

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Villa cap Martin

Kept at Broadstairs

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 120 ft.

BA aly

Found correct

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.01 S				.01		.21		.08		.30		1
2	.01		.15	.03					.21	.73		.25		2
3		.05		.01	.71				.05	.54	.01	.03		3
4	15	01	.01		.35					.14	.12	.32		4
5			.02	.01	.02	.07					.26	.11		5
6	.01		.32	.20	.14	.23		.02		.15	.08	.22		6
7	.02	.01		.01		.01				.15		.06		7
8				.44	.49			.03			.68			8
9	.01		.01	.01	.01						.08	.06		9
10			.13	.06				.01		.02	.18	.01		10
11	.42		.31	.07							.16	.20		11
12	.19		.13				.02	.25			.01	.16		12
13	.24		.16	.01			1.18	.05			.01	.09		13
14	.24		.29	.07	.05		.08	.04		.04	.09	.19		14
15	.01		.01			.01				.02	.11	.20		15
16	.07		.14	.04	.10						.01	.02		16
17	.02		.44	.02					.06	.09	.08	.15		17
18	.07		.01	.08					.01		.09	.20		18
19			.23						.22		.01	.10		19
20			.11						.07	.01		.01		20
21				.14		.10	.17		.10					21
22								.15				.01		22
23				.16		.14	.42	.05		.05	.02	.16		23
24				.14		.09		.24	.07					24
25	.01	.02		.09				.11		.01		.28		25
26	.03			.01		.06						.02		26
27		.06 S		.01		.20						.12		27
28	.02	.07 S					.03	.55			.10	.15		28
29							.20	.30	.24		.02	.03		29
30	.13	×					.13	.06				.08		30
31	.02 S	×		×		×	.05		×	.04	×	.48	Year's Total	31
TOTAL	1.67	.23	2.47	1.61	1.87	.92	2.28	2.07	1.03	2.07	2.12	4.01	22.35	
*Days with ·01 in. or more.	18	7	16	20	8	10	9	14	9	14	19	28	172	
*Days with .04 in. or more.	8	3	11	11	6	7	7	11	8	10	12	20	114	

40-9999

*See Instruction 2 (*f*) on other side.

S. Snow

† Spare column, no entries required.

(*Signed*) A. Watkins

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 305

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Villa Cap Martin Broadstairs

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.23	.04		.01		.18	03		.22	.04	.08	.01		1
2	.11	.01		.05					.01	.45				2
3	.04	.08	.05	.14s		.14			.02	.22	.05			3
4		.03	.02	.21s		.07			.58	.14				4
5		.14		.08		.01	.03		.47	.12				5
6	.29			.26		05				.15	.11	.05		6
7	.37	.12s	.03	.19		.17				.02	.97	.06		7
8			.01s	.56				.51		.24	.08	.08		8
9				.04		.81				.47	.27	.03		9
10	.05	.05		.01		.19				.01	.03	.06		10
11	.02			.07		.03					.10			11
12	.01	.01			.02	03		.40			.37			12
13		.17		.16		.01					.16			13
14				.02	.06						.01	.10		14
15		.14		.27	.38	.02			.23		.08	.10		15
16		.04		.13		.11			.37	.01	.53	.05		16
17	.07			.09		.25			.14		.22			17
18				.10		.03	.04	.02	.36	.08	.06			18
19				.02	.46	.10	.07		.01	[illegible]	.04	.01		19
20	.01	.29		.02	.02	.06	05		.01		.05			20
21	.04	.15		.06					.08	.14	.13			21
22								.01	.05		.22			22
23								.02			.27	.08		23
24	.05	.55	.03					.13	.21	.06		.33		24
25	.33	.14		.20		.18					.04	.16		25
26	.16s				.22	.02		.07	.01	.10		.13		26
27	.43s	.22			.28			.46	.05	.01	.07	.15		27
28	.13s	.23					.01	.01	.01	.13	.01	.12		28
29	.01s				.01				.52			.30		29
30	.10	×	.01					.91	.08	.06	.28	.16		30
31		×		×		×			×	.12	×	.22		31
TOTAL	2.45	2.41	.15	2.69	1.45	2.46	.23	2.54	3.43	2.57	4.23	2.26	Year's Total. 26.81 ✓	
* Days with .01 in. or more.	18	17	6	21	8	19	6	10	19	19	24	19	186 ✓	
* Days with .04 in. or more.	14	14	1	16	5	12	3	6	13	15	21	16	136	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) a Watkins

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 305

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Villa Cap Martin Broadstairs

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.26	.26	.15	.10		.54		.02			.02	.12		1
2	.05	.04	.09	.01		.24	.01	.14				.18		2
3		.02	.89	.25	.02		.03		.07		.22			3
4	.01		.06			.17		.01	.15		.03			4
5	.09			.03				.02	.05	.11	.20	.09		5
6	.05		.03			.08		.01	.11	.31	.29			6
7	.12		.01		.01	.04	.03	.01	.02	.22	.28			7
8	.13		.03				.04		.13	.01	.49	.44		8
9	.31		.08		.02		.72	03			.29			9
10			.01	.02	.01	.03	.23	.74		.39				10
11				S&R .09		.01	.19	.23		.02	.53			11
12				S&R .07			.16				.18	.14		12
13				.01		.05	.11		.02		.02			13
14		.06					.86		.16		.08	.29		14
15		.04							.66		.01	.09		15
16	.39	.12							.07		.42	.20		16
17	.15	.56			.24		.18			.02	.28	.09		17
18	.06	.06					01	.11	.01	03	.38	.02		18
19	.11	.01	.02			.92				.07	.01			19
20	.13	.07		.39					.49	.08				20
21		.01		.10			.02							21
22	.12	.42				.23	.07					.10		22
23	.01	.01		.16		.02	.10			.02				23
24	.14	.25					.01		.01	.10				24
25	.40	.09					.02		.17	.09		.02		25
26	.01	.05	.09						.04	.22		.02		26
27	.04	.28	.07				.50		.81	.04				27
28	.31	.07	.01			.73	.35		.51					28
29	.01	.02	.07			.49	.08		15	.09	.12	.01		29
30	.09	✕			.04	.17				.06	.01	.01		30
31	.22	✕	.12	✕	.11	✕	.16		✕	.40	✕	.02		31
TOTAL	3.21	2.44	1.73	1.23	.45	3.71	3.88	1.32	4 3.53	2.28	3.86	1.84	Year's Total 29.48 ✓	
* Days with .01 in. or more.	23	19	15	11	7	14	21	10	18	18	19	16	191 ✓	
* Days with .04 in. or more.	19	14	9	7	3	11	14	4	14	13	13	10	131 ✓	

[illegible] 290 [illegible]

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Watkins [P.T.O.

S&R. Snow & Rain

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 305.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

aec

Kept at "Villa Cap Martin" Callis Court Rd Broadstairs

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.40	.01	.01	.02							.44	.14		1
2	.01	.03	.22	.32								.70		2
3		.06							.02	.03		.76		3
4	.10	.43			.03							.38		4
5	.25	.27	.43				.11					03		5
6	.17		.43		.08		.07			.51				6
7		1.00	11	.04	.23					29				7
8		.03			.17	.18			.01	.04	.12	.38		8
9		.04	.08	.56	.18	.02	.13			.01		✓		9
10		.14	.26	.14	.16	.62					.01	✗ .43		10
11			.32		.17		.07	.01		.04		.36		11
12	.20		.24		.59		.02	.07	.36					12
13	.52	.04	.31	.02	.01	.08		.08	.37			.58		13
14	.22	.01	.16	.02	.58			.57	.04			.38		14
15	.08			.13	18		.53	.30				.53		15
16	.02	.04	.06											16
17	.17	.07		.27		.27			.21		44			17
18	.27	.14		.02	.28	.57			.69					18
19		.06		.06	.01	.13	.21		.28			.04		19
20	.27		.50	.24	.44	.11			.01					20
21		.36	.06	.03	.03			.10	.01					21
22	.32	.07	.02				.01			.63		.13		22
23	.05		.05							.70				23
24		.24	.16						.14	.07				24
25	.35	.35							.18	13				25
26	.17	.13	.27		.10				.01	.41				26
27	.01	.12	.06	04						04	.14			27
28		.49	.03									.18		28
29	.10		.02											29
30	.08	✕	.02							12	.12			30
31	.44	✕		✕		✕			✕	.06	✕	.16		31
TOTAL	4.20	4.1~~2~~3	3.82	1.91	3.24	1.98	1.15	1.13	2.~~2~~33	3.08	1.27	5.18	Year's Total 33.4[illegible]	~~3~~ stet
* Days with .01 in. or more.	21	22	22	14	16	8	8	6	13	14	6	~~[illegible]~~ 16	~~162~~	166
* Days with .04 in. or more.	18	18	17	9	12	7	6	5	8	12	5	~~14~~ 15	~~131~~	132

† Spare column, no entries required.

(*Signed*) F. J. Holder

* See Instruction 3 (f) on other side.

[P.T.O.

306

Section **A** for the
AIR M

Y FOR OFFICIAL USE,
RGANIZATION.

FORM 1090. **RE**

Kept at Broad
in the County of

Diameter of Funnel of Ga
Height of top of Gauge abo
,, Ground ,,

THE MORNING

An observer who does not c
year in the space on the r

wing

Jan. 1, following

306

BROADSTAIRS.

1931- 1940

064046004

064046004

Date	Jan.	Feb.									Nov.	Dec.	Date
	in.	in.									in.	in.	
1	—	·09	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	—	—	—	—	1
2	·10	·08	—	·04	·22	—	—	·10	·35	—	—	—	2
3	·17	·11	—	—	·56	—	—	·45	—	—	—	·05	3
4	—	—	—	—	—	—	—	·08	·10	—	—	—	4
5	—	—	—	·15	—	·45	·55	·03	·05	—	—	·04	5
6	·04	·01	—	—	·02	—	—	·19	—	·26	·19	—	6
7	—	—	—	—	—	·03	—	·03	·06	·09	—	—	7
8	·01	·10	·05	—	—	·10	·21	—	—	—	·04	·08	8
9	·02	·03	·20	—	—	·03	—	·02	—	—	·42	·07	9
10	·04	·18	—	—	—	—	—	·14	—	—	1·34	—	10
11	·25	·36	—	—	—	—	—	—	·06	—	·32	—	11
12	·10	—	—	·02	—	—	·05	·01	·24	—	—	·04	12
13	·30	—	—	—	·09	—	—	—	—	—	—	—	13
14	·03	·06	—	—	—	·02	·90	·70	—	—	—	—	14
15	—	·08	—	·23	·08	—	·55	·14	—	—	—	·10	15
16	·04	·19	—	·17	·21	—	·05	·03	—	—	—	—	16
17	—	·04	—	·24	·03	—	·13	·11	·03	—	—	·07	17
18	·03	·30	—	·33	—	·03	·07	·25	—	—	·25	—	18
19	·03	—	—	·49	—	—	·57	·67	·15	—	·02	—	19
20	—	·04	—	—	·04	—	·17	·29	—	—	—	—	20
21	—	·06	—	—	·63	—	—	·02	·16	—	—	—	21
22	·04	—	·06	·03	—	—	—	·07	·06	—	—	—	22
23	·35	·12	—	—	·09	—	—	—	—	—	·05	—	23
24	—	—	—	·08	·02	—	—	·14	—	—	—	—	24
25	·06	—	—	·23	—	—	·36	·03	—	·10	—	—	25
26	—	·06	—	·41	·04	—	·33	—	—	·17	·20	—	26
27	·19	·23	—	·07	·23	—	·51	—	—	—	·07	—	27
28	·16	·19	—	·05	·06	—	—	—	—	·05	—	·18	28
29	·14	—	—	—	—	—	—	—	—	·30	·10	—	29
30	—	×	—	—	·14	—	·03	—	—	—	—	—	30
31	·13	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2·26	2·33	0·36	2·57	2·46	·80	4·48	4·35	1·29	·97	3·09	·63	YEAR'S TOTAL 25·50
*Days with ·01 in. or more.	20	19	4	15	15	7	14	21	10	6	11	8	~~160~~ 150
*Days with ·04 in. or more.	15	17	4	12	12	3	13	14	9	6	10	8	123

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) ....

P.T.O.

306

Section **A** for the … Y FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Broadstairs

in the County of Kent

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground — ft. 9 ins

,, Ground ,, Sea Level 145 ft.

150

400

July / Augt

afternoon

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·09	·05	·03	—	·14	—	·85	—	—	—	—	1
2	·10	·08	—	·04	·22	—	—	·10	·35	—	—	—	2
3	·17	·11	—	—	·56	—	—	·45	—	—	—	·05	3
4	—	—	—	—	—	—	—	·08	·10	—	—	—	4
5	—	—	—	·15	—	·45	·55	·03	·05	—	—	·04	5
6	·04	·01	—	—	·02	—	—	·19	—	·26	·19	—	6
7	—	—	—	—	—	·03	—	·03	·06	·09	—	—	7
8	·01	·10	·05	—	—	·10	·21	—	—	—	·04	·08	8
9	·02	·03	·20	—	—	·03	—	·02	—	—	·42	·07	9
10	·04	·18	—	—	—	—	—	·14	—	—	1·34	—	10
11	·25	·36	—	—	—	—	—	—	·06	—	·32	—	11
12	·10	—	—	·02	—	—	·05	·01	·24	—	—	·04	12
13	·30	—	—	—	·09	—	—	—	—	—	—	—	13
14	·03	·06	—	—	—	·02	·90	·70	—	—	—	—	14
15	—	·08	—	·23	·08	—	·55	·14	—	—	—	·10	15
16	·04	·19	—	·17	·21	—	·05	·03	—	—	—	—	16
17	—	·04	—	·24	·03	—	·13	·11	·03	—	—	·07	17
18	·03	·30	—	·33	—	·03	·07	·25	—	—	·25	—	18
19	·03	—	—	·49	—	—	·57	·67	·15	—	·02	—	19
20	—	·04	—	—	·04	—	·17	·29	—	—	—	—	20
21	—	·06	—	—	·63	—	—	·02	·16	—	—	—	21
22	·04	—	·06	·03	—	—	—	·07	·06	—	—	—	22
23	·35	·12	—	—	·09	—	—	—	—	—	·05	—	23
24	—	—	—	·08	·02	—	—	·14	—	—	—	—	24
25	·06	—	—	·23	—	—	·36	·03	—	·10	—	—	25
26	—	·06	—	·41	·04	—	·33	—	—	·17	·20	—	26
27	·19	·23	—	·07	·23	—	·51	—	—	—	·07	—	27
28	·16	·19	—	·05	·06	—	—	—	—	·05	—	·18	28
29	·17	—	—	—	—	—	—	—	—	·30	·10	—	29
30	—	×	—	—	·14	—	·03	—	—	—	—	—	30
31	·13	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2·26	2·33	0·36	2·57	2·46	·80	4·48	4·35	1·29	·97	3·09	·63	YEAR'S TOTAL 25·50
*Days with ·01 in. or more.	20	19	4	15	15	7	14	21	10	6	11	8	~~160~~ 150
*Days with ·04 in. or more.	15	17	4	12	12	3	13	14	9	6	10	8	123

40-9999

M

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

679598.

W W 159 ✓ ✓ CR

april corrd. by cards & mean Stas.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 306

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Broadstairs

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 9 in.

,, Ground ,, Sea Level 145 ft.

150 / 400 year 4" high.

Letter sent re large total 19/5/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·03		·01	·51		·07	·09		·12	·05	·01	1
2				·26	·15			·07	·06		·03	·11	2
3	·02			·11	·13	·15			·37	·03			3
4						·02							4
5	·06		·02	·03	·04	·03	·41		·05				5
6	·39		·05	·10	·07								6
7	·09		·11	·05							·03	·05	7
8		·12	·05	·02	·14					·37			8
9	·06	·01	·01	·09	·55					·41			9
10	·28	·03		·28	·10					·20			10
11	·24	·06		·16	·03	·07				·22		·02	11
12	·06			·07				·07		·17			12
13	·04	·02		·07	·07					·76		·01	13
14	·10			·02	·10					·23			14
15		·15		·07	·27		·06			·08			15
16	·03			·09	·06								16
17		·05	·04	–			·11			·09		·01	17
18	·03			·05			·04		·09		·07		18
19				·13					·04	·17	·16		19
20		·02		·12	·08		·11	·04	·02	·72	·30		20
21				·05	·16	·11		·03		·14		·14	21
22			·49	·18	·19		·27	·05	1·20	·17	·26	·05	22
23		·13		·12	·15				·23	·72		·03	23
24							·60		·25	·02	·08		24
25		·02		·08			1·56		·12	·23			25
26				·07	·01		·30	·34			·02		26
27			·16	·25	·07		·07		·27	·80	·12		27
28			·01	–			·07			·36		·01	28
29			·23	·71	·04			·18	·05	·41			29
30		×	·04	~~·57~~		·43				·05	·02	·09	30
31		×	·20	×		×			×		×	·03	31 25·07
TOTAL	1·54	·64	1·41	2·29 ~~2·80~~	2·92	·81	3·67	·87	2·75	6·47	1·14	·56	YEAR'S TOTAL 25·07 ~~25·58~~
*Days with ·01 in. or more.	13	11	12	~~22~~ 23	20	6	12	8	12	22	11	12	161 ~~16~~
*Days with ·04 in. or more.	10	5	~~10~~ 9	~~19~~ 18	18	4	12	7	11	20	4	5	~~128~~ 126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

√ 19

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 306

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Broadstairs

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level 145 ft.

X ~~150~~ ~~400~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·17	·12		·26					·04	·06			1
2	·10	·	1·18	·03						·02	·07			2
3	·01	·15	0·14							·09	·43			3
4		·03	44							'	·51			4
5	·40	·	·04							'	·01			5
6		·08	·09		·44					·03	·14	·03		6
7	·46		·04	·05	·01					·64				7
8	·17	·03			·05		·24			·04				8
9	·				·11		·03			·02	·11			9
10	·	·64			·02	·05	·02			·15				10
11	·15	··			·04	·03		·05			·04			11
12						·54	·06		·35		·42			12
13					·25		·28		·58		·31			13
14	·01				·03					·08	·08	·04		14
15	·14						·18	·14		·03	·17	·08		15
16	·29		·38			·37	·20				·04			16
17	·21		·19			·07	·03	·01	·17		·01			17
18	·02	·04	·02	·15		·23								18
19		·17	·31	·13		·19			·78		·01			19
20		·12		·13		·17		·04	·26			·03		20
21		·09						·11	1·81					21
22		·06				·15		·31	·11	·33				22
23				·08					·39		·03			23
24		·14		·17	·18	·11			1·28		·18	·		24
25				·34	·04						·22	·04		25
26		·04		·02		·42			·11	·09	·08	·22		26
27		·19		·03	·02		·04			·25		·06		27
28						·06	·06			·31				28
29	·04	·12					·31			·04				29
30	·09	×	·06						·01	·08		·11		30
31	·04	×		×		×		·05	×	-	×			31
TOTAL	2·14	1·35	1·63	1·13	1·48	2·39	1·45	·74	5·79	2·24	2·92	·61	Year's Total 23·90	
*Days with ·01 in. or more.	15 √	14 √	11 √	10 √	12 √	12 √	11 √	7 √	11 √	16 √	19 √	8 √	146 √	
*Days with .04 in. or more.	11 √	12 √	10 √	7 √	8 √	11 √	8 √	6 √	10 √	12 √	15 √	6 √	116 √	

√ Pencil with year

40-9999

*See Instruction 2 (*f*) on other side.

M D

† Spare column, no entries required.

(*Signed*) Richardson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 306 ~~306.~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~5~~.4

Kept at BROADSTAIRS.

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft 9 in.

,, Ground ,, Sea Level 145. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	-	-	.02	-	.24	.02	.10	-	.31		1
2	-	-	.16	.03	-	-	-	-	.23	.77	-	.22		2
3	-	.06	-	-	.78	-	-	.03	.03	.59	-	.03		3
4	.17	-	.01	-	.27	-	-	-	-	.15	.16	.33		4
5	-	-	.03	.02	.05	.07	-	-	-	-	.25	.19		5
6	-	-	.31	.21	.12	.23	-	.04	-	.17	.07	.23		6
7	-	.01	-	-	-	-	-	-	-	.15	-	.07		7
8	-	-	-	.45	.49	-	-	.03	-	-	.68	-		8
9	.03	-	-	.02	-	-	-	-	-	-	.09	.07		9
10	-	-	.14	.07	-	-	-	-	-	.03	.07	.01		10
11	.47	-	.29	.07	-	-	-	.05	-	-	.13	.21		11
12	.21	-	.15	-	-	-	.03	.22	-	-	-	.18		12
13	.33	-	.18	-	-	-	1.09	.10	-	-	-	.07		13
14	.26	-	.33	.06	.05	.01	.11	.02	-	.06	.11	.17		14
15	.02	.03	-	-	-	-	-	-	-	.02	.12	.18		15
16	.07	-	.18	.05	.11	-	-	-	-	-	-	.02		16
17	.03	-	.46	-	.01	-	-	-	.06	.12	.08	.15		17
18	.07	-	-	.07	-	-	-	-	.03	-	.10	.20		18
19	-	-	.26	-	-	-	-	-	.23	-	-	.11		19
20	-	-	.11	-	-	.10	.17	-	.06	-	-	-		20
21	-	-	-	.20	-	-	.02	-	-	.02	-	-		21
22	-	-	-	-	-	-	-	.14	.10	-	-	-		22
23	-	-	-	.17	-	.16	-	.06	-	.07	-	.16		23
24	-	-	-	.13	-	.08	.47	.19	.07	-	-	-		24
25	-	.01	-	.06	-	-	-	.02	-	.02	-	.26		25
26	.06	-	-	.04	-	.11	-	-	-	-	-	.02		26
27	.02	.05	-	-	-	.15	-	-	-	-	-	.13		27
28	.05	.07	-	-	-	-	.05	.51	-	-	.13	.16		28
29	-	-	-	-	-	-	.30	.14	.26	-	-	.03		29
30	.13	X	-	-	-	-	.16	.09	-	-	-	.07		30
31	.03	X	-	X	-	X	-	-	X	.06	X	.48		31
TOTAL	1.95	0.24	2.61	1.65	1.88	0.93	2.4	1.88	1.09	2.33	1.99	4.06	Year's Total. 23.01	
* Days with .01 in. or more.	15	7	13	15	8	9	9	15	10	14	12	26	153	
* Days with .04 in. or more.	10	3	11	12	7	7	7	11	7	10	12	21	118	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) J W Richardson.
Engineer & Surveyor

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 306

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Broadstairs

in the County of KENT

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level..................ft.

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.04	.02	-	-	.19	.04	-	.20	.04	.06	-		1
2	.17	-	-	.08	-	-	-	-	-	.40	-	-		2
3	.05	.09	.04	.13	-	.15	-	-	.04	.24	.05	-		3
4	.02	.02	.02	.19	-	.07	-	-	.64	.12	.11	-		4
5	-	.13	-	.10	-	-	.02	-	.48	.19	.01	-		5
6	.28	-	-	.25	-	.04	-	-	-	.05	.09	.04		6
7	.42	.09	.03	.20	-	.16	-	-	-	.07	.91	.05		7
8	-	-	-	.60	-	-	-	.63	-	.15	.07	.08		8
9	-	-	-	-	-	.85	-	-	-	.45	.24	.02		9
10	.05	.08	-	.06	-	.19	-	-	-	.01	.03	.03		10
11	.03	-	-	.04	-	.02	-	-	-	-	.11	-		11
12	-	.02	-	-	.03	.04	-	.42	-	-	.36	-		12
13	.02	.17	-	.17	.13	.01	-	-	-	-	.15	-		13
14	-	-	-	.02	.38	.02	-	-	-	-	.01	.11		14
15	-	.12	-	.27	.03	.01	-	-	.23	-	.06	.08		15
16	-	.04	-	.17	-	.12	-	-	.19	-	.55	-		16
17	.08	-	-	.09	-	.25	-	-	.21	-	.20	-		17
18	-	-	-	.08	-	.03	.04	.03	.33	.10	.05	-		18
19	-	-	-	.03	.47	.12	.05	-	.01	-	.03	-		19
20	.02	.28	-	-	.03	.06	.06	-	.01	-	.04	-		20
21	.03	.15	-	-	-	-	-	-	-	.08	.13	-		21
22	-	.04	-	-	-	-	-	.02	.05	-	.26	-		22
23	-	-	.02	-	-	-	-	.03	-	-	.28	.15		23
24	.05	.56	-	-	.46	-	-	.12	.20	-	-	.29		24
25	.44	.15	-	.26	-	.18	-	-	-	.09	.03	.19		25
26	.14	-	-	-	.44	.02	-	.07	.01	.10	-	.17		26
27	.16	.21	-	-	.12	-	.01	.59	.06	.02	.05	.12		27
28	.45	.27	-	-	-	-	-	-	-	.13	-	.19		28
29	-	X	-	-	-	-	-	-	.55	-	-	.25		29
30	.09	X	-	-	-	-	-	.89	.04	.04	.26	.17		30
31	-	X	-	X	-	X	-	-	X	.09	X	.20		31
Total	2.75	2.46	0.13	2.74	2.09	2.53	0.22	2.80	3.25	2.37	4.14	2.14	Year's Total 27.62	
* Days with .01 in. or more.	18	17	5	17	9	19	6	9	16	18	25	16	175	
* Days with .04 in. or more.	13	15	1	15	6	13	4	6	13	16	20	14	136	

40-9999.

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) C. W. Richardson. [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 306.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Broadstairs.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 145 ft.

TC

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.18	.14	.07	-	.55	.04	.01	-	-	-	.08		1
2	.05	.03	.07	-	-	.23	-	.1	-	-	.25	.15		2
3	-	.01	.64	.19	.01	-	.02	-	.06	-	.02	-		3
4	.24	-	.05	-	-	.17	-	-	.12	-	.18	-		4
5	.09	-	-	.03	-	-	-	-	.04	.14	.28	.03		5
6	.05	-	.02	-	-	.07	-	.01	.09	.29	.27	-		6
7	.1	-	.01	-	-	.03	.03	-	.02	.14	.57	-		7
8	.14	-	.02	-	-	-	.04	-	-	-	-	.59		8
9	.33	-	.05	-	-	-	.67	-	.04	-	.22	-		9
10	-	-	.01	-	-	.03	.24	-	-	.36	-	-		10
11	-	-	-	.11	-	-	.16	.86	-	-	.50	-		11
12	-	-	-	.03	-	.01	.13	-	-	.01	.18	.14		12
13	-	-	-	-	-	.05	.09	-	-	-	-	.08		13
14	-	.05	-	-	-	.04	.83	-	.07	.01	-	.33		14
15	.4	.03	-	-	-	c-	-	-	.56	-	.07	.09		15
16	.4	.11	-	-	-	-	-	-	.07	-	.4	.16		16
17	.14	.59	-	-	.09	.03	-	-	-	-	.25	.08		17
18	.05	.05	-	-	-	-	.15	-	-	.07	.3	-		18
19	.1	-	.02	-	-	.95	-	.08	-	.02	-	.01		19
20	.15	.05	-	.39	-	.18	-	-	.55	.08	-	-		20
21	-	-	-	.09	-	.18	-	-	-	-	-	-		21
22	.09	.43	-	-	-	.02	.07	-	-	-	-	.09		22
23	-	-	-	.17	-	-	.06	-	-	.01	-	-		23
24	.13	.27	-	-	-	-	-	-	.01	.14	-	.02		24
25	.4	.05	.03	.06	-	.12	-	-	.19	.05	-	-		25
26	-	.03	.08	-	-	-	-	-	.05	.15	-	-		26
27	.03	.25	.04	-	-	-	.48	-	.88	.04	-	-		27
28	.32	.02	-	-	-	.98	.25	-	.48	-	-	-		28
29	-	.01	.03	-	-	.26	.06	-	.13	.08	.11	-		29
30	.08	X	-	-	.04	.17	-	-	-	.05	-	-		30
31	.3	X	.17	X	.13	X	.13	-	X	.35	X	-		31
													Year's Total	
TOTAL	3.20	2.16	1.38	1.14	0.27	3.89	3.45	1.06	3.36	1.99	3.60	1.85	27.35	
* Days with .01 in. or more.	19	16	15	9	4 ~~5~~	17	17	5	16	17	14	13	16~~8~~2	
* Days with .04 in. or more.	18	10	8	7	3	12	15	3	14	12	12	10	124	

† Spare column, no entries required.

(Signed) Richardson

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 306

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at St Peter's Hildersham Ho

in the County of Kent

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

see obs's copy.

Copy by B.R.O.

TL

circ 9.3 sent 9.2.37

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·18	·14	·07		·55	·04	·01		–	–			1
2	·05	·03	·07			·23		·10		–	–			2
3		·01	·64	·19	·01	–	·02		·06	–	·25			3
4			·05			·17			·12	–	·02			4
5	·09			·03					·04	·14	·18			5
6	·05		·02			·07		·01	·09	·29	·28	·04		6
7	·10		·01			·03	·03		·02	·14	·27	·05		7
8	·14		·02				·04			–	·57	·08		8
9	·33		·05				·67		·04	–	·22	·02		9
10			·01			·03	·24			·36	–	·03		10
11				·11			·16	·86		–	·50			11
12				·03		·01	·13			·01	·18			12
13						·05	·09			–	–			13
14		·05				·04	·83		·07	·01	–	·11		14
15		·03							·56	–	·07	·08		15
16	·40	·11							·07	–	·40			16
17	·14	·59			·09	·03				–	·25			17
18	·05	·05					·15			·07	·30			18
19	·10		·02			·95		·08		·02	–			19
20	·15	·05		·39					·55	·08	–			20
21				·09		·18				–	–			21
22	·09	·43				·02	·07			–	–			22
23				·17			·06			·01	–	·15		23
24	·13	·27							·01	·14	–	·29		24
25	·40	·05	·03	·06		·12			·19	·05	–	·19		25
26		·03	·08						·05	·15	–	·17		26
27	·03	·25	·04				·48		·88	·04	–	·12		27
28	·32	·02				·98	·25		·48	–	–	·19		28
29		·01	·03			·26	·06		·13	·08	·11	·25		29
30	·08	✕			·04	·17				·05	–	·17		30
31	·30	✕	·17	✕	·13	✕	13		✕	·35	✕	·20		31
TOTAL	3·20	2·16	1·38	1·14	·27	3·89	3·45	1·06	3·36	1·99	3·60 ~~3·70~~	2·14	Year's Total 27·74	
* Days with .01 in. or more.	19	16	15	9	4	17	17	5	16	17	14	16	165	
* Days with .04 in. or more.	18	10	8	7	3	12	15	3	14	13	13	14	130	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 306

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at St. Peter's, Hildersham House

in the County of Kent

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

T. L. Deccon for auth.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·42		–	·08	–	–	–	–	–	–	·40	·14		1
2		·02	·20	·26	–	–	–	–	–	·01		·61		2
3		·05	–	–	–	–	–	–	·02	–		·87		3
4	·10	·48	–	–	·04	–	–	–	–	·51		·36		4
5	·24	·23	·45	–	–	–	16	–	–	·25		·03		5
6			·38	–	·09	–	–	–	–	·05				6
7		·92	·08	–	·23	–	–	–	–	–				7
8		·02	·28	–	–	17	~~12~~	–	–	–	·13	·35		8
9		·02	·14	·61	·12	–	12	–	·08	–		·18		9
10			·26	·08	24	·63	–	–	–	–		·20		10
11			·30	–	·09	–	·08	–	–	–		·35		11
12	·38	·28	·22	–	57	–	·01	·13	·34	·02				12
13	49		·29	–	–	–	–	–	·35	–		·62		13
14	·19		·11	·01	·65	·07	–	·34	·03	–		30		14
15	·07	·02	–	·09	–	–	·54	·30	–	–		·01		15
16		·03	·05	·15	–	–	–	·30	·19	–		·48		16
17	·17	·06	–	·30	–	–	–	–	·44	–	·34			17
18	·25	·13	–	–	35	·29	–	–	·68	–	·03			18
19			–	·05	–	·63	·17	–	·27	–		·03		19
20	·30		·56	·21	·51	·09	–	–	–	–				20
21	·14	·38	·05	–	–	·27	·01	–	–	–				21
22	·32	·02	–	–	–	–	–	–	–	·57		·14		22
23	·02		·02	–	–	–	–	–	–	·60	·01			23
24	·36	·22	–	–	–	–	–	–	·14	·06	·03			24
25	·15	·36	·32	–	–	–	–	–	·17	·08				25
26		·13	·04		·09	–	–	–	–	·43				26
27		·10	·02	·09	–	–	–	–	–	·04	·05			27
28	·04	·48	–	–	–	·02	–	–	–	–		·16		28
29	·09		·01	–	–	–	–	–	–	–				29
30	·15	✕	–	–	–	–	–	–	–	–	·15	·14		30
31	·26	✕	–	✕	–	✕	–	–	✕	·16	✕	·04		31
TOTAL	4·14	3·~~7~~95	3·78	1·93	2·98	2·17	1·09	1·07	2·71	2·78	1·14	5·01 ~~4·98~~	Year's Total 32·75	
* Days with .01 in. or more.	19	19	19	11	11	8	7	4	11	12	8	18	147	
* Days with .04 in. or more.	18	13	16	10	11	7	5	4	9	10	5	15	123	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Jan. circ. sent to Obs.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 306

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM

REGISTER OF RAINFALL IN 1938

Kept at St. Peter's, Hildersham House

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 145 ft.

T. L

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—		·06	05	·83	·09	—	·35	—	—	—		1
2	·02	—			11		—	—	—	34	—	·02		2
3	—	—			·06		·08	—	—	40	—	—		3
4	—	—					·28	·33	—	—	—	·08		4
5	·03	—					18	—	—	35	—	—		5
6	·05	—					·44	·15	·10	—	—	—		6
7	·05	—				·01	·60	·14	—	27	—	·03		7
8	·19	—					·03	1·81	·11	05	—	—		8
9	·25	·02					·01		—	01	—	·24		9
10	·15	·03				·44	—	·33	—	—	—	—		10
11	·27	·01					—	·11	—	—	·05	·02		11
12	·06	—					—	—	—	18	—	·03		12
13	·43	·12					—		—	01	·01	—		13
14	·05	·02			·05		—	·14	·13	—	—	—		14
15	—	·30					·39	—	—	02	—	—		15
16	·16	—			·05		·20	—	—	12	—	·26		16
17	—	·08			88		·05	—	—	23	·03	—		17
18	—	—		·04	02		—	—	·06	02	·31	—		18
19	—	—			·19		—	—	—	—	·05	—		19
20	—	—					—	—	·35	—	·29	·06		20
21	—	—		·07			—	—	·36	—	·08	·04		21
22	—	—		·02		·03	—	—	—	—	·11	·08		22
23	—	—					—	—	—	—	—	·30		23
24	—	—	·13				—	—	·08	—	·27	·35		24
25	·05	—	·34		·16		·12	—	13	—	·30	—		25
26	·52	·03	·07	·03	·01		·04	—	·58	28	—	·28		26
27	·04	·09			24	·04	·12	—	·35	40	·15	—		27
28	·14	—		·02	·05	·01	—	·13	—	·10	—	—		28
29	·28	✕		·26	·10		—	—	—	—	—	·36		29
30	·02	✕		·25	·09	·01	—	—	—	03	·25	—		30
31	·18	✕		✕	·10	✕	—	—	✕	·11	✕	·16		31
TOTAL	2 3·96	·70	·54	·75	2·16	1·37	2·63	3·14	2·60	2·92	1·90	2·31	Year's Total 23·98	✓
* Days with .01 in. or more.	20	9	3	8	15	7	14	8	11	17	12	15	139	✓
* Days with .04 in. or more.	16	4	3	5	3	3	12	8	11	12	10	11	108	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. W. Richardson [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 306

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

064046004.

Kept at St. Peter's, Hildersham House

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 145 ft.

Query sent 13/10/39.

Copy by B.R.O.

T.L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·06	·52	–	·18	–	–	–	–	·02		1
2	–	–	–	–	–	–	–	·41	–	·23	·15	–		2
3	·22	–	–	·26	–	–	–	·07	–	1·10	–	–		3
4	·05	–	·11	05	–	–	–	·47	–	–	·18	·28		4
5	–	–	·05	·62	–	–	·13	–	–	·12	·09	–		5
6	·30	–	·04	–	–	–	–	–	–	·13	·27	·05		6
7	·28	·06	–	–	–	–	–	·01	–	·04	·11	·05		7
8	–	·01	·10	–	–	–	–	–	–	·56	·10	·04		8
9	·03	·06	–	–	–	–	–	·02	–	·11	–	·26		9
10	·05	–	–	–	–	·45	–	·17	–	·60	·34	·17		10
11	–	–	·27	–	·16	·10	–	–	–	·35	–	–		11
12	·21	–	–	–	·01	·47	–	–	–	·54	–	–		12
13	–	–	·07	–	–	–	–	–	–	·01	–	–		13
14	·55	–	·02	–	·09	–	·07	–	·17	1·64	–	–		14
15	·11	–	–	–	·98	–	·02	–	·03	·33	·35	·13		15
16	·10	–	·15	–	·19	·08	·07	–	–	1·15	·01	·01		16
17	·07	·02	·06	·06	–	–	–	–	–	·22	·45	–		17
18	·11	–	·09	–	–	·01	·07	–	·08	–	·25	–		18
19	·28	–	·12	–	–	·02	·09	–	–	·81	·62	–		19
20	·15	–	–	–	–	–	–	·13	1·26	·99	·05	·01		20
21	·10	–	·15	–	–	–	–	·98	·44	–	–	·04		21
22	·06	·12	·05	–	–	·21	·20	–	·13	·07	–	–		22
23	–	–	–	·14	–	·03	–	–	·07	–	·05	–		23
24	·02	·04	·01	·34	–	–	·70	·11 ~~1·40~~	·03	·22	·73	–		24
25	1·17	·35	·15	–	–	–	·14	–	–	–	·01	–		25
26	·14	–	·30	–	–	–	·19	–	–	–	·39	–		26
27	·07	·02	·07	–	–	–	–	–	–	·47	·23	–		27
28	–	·26	·09	–	–	–	–	–	–	1·52	·30	–		28
29	–	~~–~~	–	·37	–	–	–	–	–	1·14	·13	–		29
30	–	✕	–	·45	–	·13	·03	·40	–	·05	·04	–		30
31	–	✕	–	✕	–	✕		~~1·00~~	✕	–	✕	–		31
TOTAL	4·07	·94	1·90	2·35	1·95	1·50	1·89	2·47 ~~4·36~~	2·21	12·40	4·85	1·06	Year's Total 37·59	✓
* Days with .01 in. or more.	20	9	18	9	6	9	12	10	8	23	21	11	156	✓
* Days with .04 in. or more.	18	6	16	9	5	6	10	8	6	22	19	8	133	✓

86

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 306.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM

REGISTER OF RAINFALL IN 19~~3~~40

Kept at St Peters (Hildersham House)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 9 in.

,, Ground ,, Sea Level 145 ft.

Jan & Feb. corr. for omissions during snow periods
Oct. & Dec. [illegible]

BRITISH RAINFALL ORGANIZATION.

f. 6795 98/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	·04	–	–	–	–		·31			1
2	–	–	–	–	–	–	–	–	–		·03			2
3	–	–	–	·09	–	–	–	–	–		·41			3
4	–	·15	–	·03	–	–	·38	–	–		1·37			4
5	–	–	–	·17	–	–	–	–	–		·05			5
6	–	·04	–	–	–	–	–	–	–		·49			6
7	·04	·06	–	–	–	–	·18	–	–		·18			7
8	·16	–	–	–	–	–	·48	–	–		–			8
9	–	–	–	–	–	–	·01	–	·63		–			9
10	–	–	–	·01	–	–	–	–	·03		·10			10
11	–	x –	–	–	–	–	·11	–	–		·07			11
12	–	x –	·01	·08	–	–	·09	·05	–		·51			12
13	–	✓ –	·04	·01	–	–	·06	–	·12		–			13
14	–	(·85)	·44	–	–	·05	·04	–	·13		·79			14
15	–	–	·27	·07	–	·01	–	–	·02		–			15
16	x –	x	·02	–	·02	–	·06	–	–		·37			16
17	✓ –	–	·17	–	–	·05	–	–	–		·34			17
18	x –	x ~~·06~~	·41	–	–	–	–	–	–		·06			18
19	x –	·08	·23	·30	–	–	·08	–	–		·09			19
20	x –	·05	·02	–	–	–	·05	·28	·89		·03			20
21	x –	–	–	–	–	·02	·01	–	·03		·08			21
22	–	–	·04	–	–	–	–	–	–		·25			22
23	(1·90)	·08	·02	–	·03	–	–	·01	–		–			23
24	–	–	–	·03	–	–	·10	·02	–		–			24
25	–	–	–	·08	–	–	·14	–	–		–			25
26	x	·11	·47	–	–	–	·19	–	–		–			26
27	✓ –	·02	·46	–	–	–	–	–	–		–			27
28	–	–	·10	–	·11	–	·02	–	–		–			28
29	–	–	–	–	–	–	–	–	–		–			29
30	✓ –	X	·10	–	–	–	–	–	·11		–			30
31	x	X	–	X	–	X	–	–	X		X			31
TOTAL	(2·10) ~~·20~~	(1·44) ~~·63~~	2·80	·87	·20	·13	2·00	·36	1·96	(2·85)	5·53	(1·55)	Year's Total (21·79)	~~too heavy estimation~~
* Days with .01 in. or more.	(12) ~~2~~	(~~9~~ 13)	15	10	4	4	16	4	8	(15)	18	(15)	(134)	
* Days with .04 in. or more.	(9) ~~2~~ ✓	~~8~~ (11)	11 ✓	6 ✓	2 ✓	2 ✓	13 ~~14~~ ✓	2 ✓	5 ✓	(12)	16	(10)	(99)	

print WH

† Spare column, no entries required.

(Signed) ~~L. W. Richardson~~
The Surveyor.

* See Instruction 3 (f) on other side.

P.T.O.

307

Section A for the entry of D
AIR MINISTRY.—

FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090.

REGIST

Kept at "Hollydene" Bir
in the County of K

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Leve

THE MORNING MEASURE

An observer who does not conform to thi ... *llowing year in the space on the right of this p*

307

BIRCHINGTON
HOLLYDENE

1931 - 1940

064041001 780107

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		06		05		10		40					1
2	10	08		05	11			14	24			07	2
3	14	07		01	42			40	16				3
4				14				03	04		04		4
5						42	14	03				02	5
6				01				ten 10.		16	17		6
7		02		02			02						7
8		02			08		04			05	02		8
9	06	02	12				03				38		9
10	02	15						10			97	06	10
11	19	44				01			04		47		11
12	25											02	12
13	14	02			14			07	32				13
14	02	03					70	50					14
15		04		16			21	10				06	15
16	02	17		14	24		05	8					16
17		05		20			14	03					17
18				31		02		20			32		18
19	03			50	03		46	38	12				19
20		02		05			40	31					20
21	02	22			49				11				21
22	05			05					13		02		22
23		13		02					12		05		23
24	30			25	02			10					24
25	05			x 31			30		0	·04			25
26		04		26			25			·03	18		26
27	14	20		05	20		07				05		27
28	15	10		02	02					03		16	28
29	22			02						25	05	06	29
30	04	×			12								30
31	03	×		×		×			×		×	06	31
TOTAL	1·97	1·66	·12	2·42	2·17	·55	2·81	2·97	1·28	·56	2·72	·51	YEAR'S TOTAL 19·74
*Days with ·01 in. or more.	19	19	1	20	11	4	13	16	9	6	12	8	138
*Days with ·04 in. or more.	13	12	1	14	8	2	11	14	9	4	10	6	104

d

40-9999

*See Instruction 2 (*f*) on other side.

x 62
24

(*Signed*)

[P.T.O.

307

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at "Hollydene" Birchington

in the County of Kent

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 6 ft in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		06		05		10		40					1
2	10	08		05	11			14	24			07	2
3	14	07		01	42			40	16				3
4				14				03	04		04		4
5						42	14	03				02	5
6				01				ten 10.		16	17		6
7		02		02			02						7
8		02			08		04			05	02		8
9	06	02	12				03				38		9
10	02	15						10			97	06	10
11	19	44				01			04		47		11
12	25											02	12
13	14	02			14			07	32				13
14	02	03					70	50					14
15		04		16			21	10				06	15
16	02	17		14	24		05	8					16
17		05		20			14	03					17
18				31		02		20			32		18
19	03			50	03		46	38	12				19
20		02		05			40	31					20
21	02	02			49				11				21
22	05			05					13		02		22
23		13		02					12		05		23
24	30			05	02			10					24
25	05			31			30		0	·04			25
26		04		26			25			·03	18		26
27	14	20		05	20		07				05		27
28	15	10		02	02					03		16	28
29	22			02						25	05	06	29
30	04	×			12								30
31	03	×		×		×			×		×	06	31
TOTAL	1·97	1·66	·12	2·42	2·17	·55	2·81	2·97	1·28	·56	2·72	·51	YEAR'S TOTAL 19·74
*Days with ·01 in. or more.	~~19~~	~~19~~	~~1~~	~~20~~	~~11~~	~~4~~	~~13~~	~~16~~	~~9~~	~~6~~	~~12~~	~~8~~	~~138~~
*Days with ·04 in. or more.	13	12	1	14	8	2	11	14	9	4	10	6	104

40-9999

X.
24

*See Instruction 2 (*f*) on other side.

(*Signed*) W. Fowler

P.T.O.

307

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Birchington

in the County of Kent

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 6 ft. in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		35		~~18~~	55				02	06	03		1
2				18	10			07		06	01		2
3				12	18				32			04	3
4		03				03							4
5	·03				08		17		02				5
6	34		04	06								04	6
7	09		07										7
8		06	05	04	10					34		04	8
9				04	60					31			9
10	14			29	0—					11	05		10
11	38				03	03				15			11
12		23		03	05		01.			18			12
13	05			04	05			·05		60			13
14				02	09			·10		18			14
15					22					07			15
16	05	03		13	03							03	16
17							03			05			17
18							07				07		18
19										12	17		19
20							05			55	28		20
21					08					10		10	21
22			46		03		07		95	16	18		22
23		14		05	17				30	46.		03	23
24					04		39		06	17	04		24
25							1·38		15		05		25
26				24			34	37		02			26
27			10		04		03			92	07	04	27
28			05							30	04		28
29			21	21	02								29
30		×		22		38		17		32		05	30
31		×	12	×		×			×	02	×	02	31
TOTAL	1·08	·54	1·10	1·47	2.46	·44	2·54	·76	1·82	5·35	·99	·39	YEAR'S TOTAL 18·94
*Days with ·01 in. or more.	~~7~~	~~6~~	~~8~~	~~14~~	~~18~~	~~3~~	~~10~~	~~5~~	~~7~~	~~22~~	~~11~~	~~9~~	~~120~~
*Days with ·04 in. or more.	6	4	8	12	14	1	7	5	5	20	9	6	97

850
460
44
88

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) [illegible] [P.T.O.

307

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 307

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Birchington.

in the County of Kent

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 6 ft in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		12	07								04		1
2	04		18		20					15	05		2
3		10								35	06		3
4	03										39		4
5	33				02								5
6		03	05		40				02		13		6
7	48	03	06	03	07							03	7
8							18			40			8
9					03					09	09		9
10		07								09			10
11	13					08		·12			05		11
12						37			22		22		12
13					22	02	20		70		20		13
14		02								07	06		14
15	08						12	10					15
16	23		30			12	57						16
17			14			09	02		15				17
18	02					14							18
19		03	08	10		10			11				19
20		05		15		07			15				20
21								15	1·90				21
22		12								28			22
23				06				26	·30				23
24		14		14	04	·02			80		20		24
25		07		36						05	15		25
26		14				36			17		07	42	26
27										10		07	27
28						03				11		02	28
29							44			02			29
30	04	×	06							05		05	30
31	03	×		×		×		03	×		×		31
TOTAL	1·41	·92	·97	·87	·98	1·40	1·53	·66	4·52	1·76	1·71	·59	YEAR'S TOTAL 17·32✓
*Days with ·01 in. or more.	~~11~~	~~12~~	~~8~~	~~6~~	~~7~~	~~11~~	~~6~~	~~5~~	~~10~~	~~12~~	~~13~~	~~5~~	~~106~~
*Days with .04 in. or more.	8	8	8	5	5	8	5	4	9	11	13	3	87

40-9999

*See Instruction 2 (*f*) on other side.

16·83

(*Signed*) J. Goulin

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 307

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Birchington

in the County of Kent

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ft in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		03						30		14		28		1
2			11						18	3·24		15		2
3	02	04			52					35	02	02		3
4	15				46						02	36		4
5					02					10	16	07		5
6			30	20	12	18		02		15		29		6
7										10		06		7
8				43	48			04			90			8
9											22	05		9
10			10	06							15	02		10
11	40		31	10				02				25		11
12	06		15				01	20				07		12
13	30		10				18	44				08		13
14	20		42	06			07	05		11	09	14		14
15	05										11	15		15
16		02	03		05				09			03		16
17			54							08	27	13		17
18			03	21			05				14	10		18
19			25						15			05		19
20			11											20
21				10		04	13							21
22								12	07					22
23				14		12		11				27		23
24				05			30	04	04		02			24
25												21		25
26						05						02		26
27		05		06		08						18		27
28	10	02		12				42			06	11		28
29							03	04	18			03		29
30	14	×						12		02		[illegible]		30
31		×		×		×			×		×	28		31
TOTAL	1·42	·16	2·45	1·53	1·65	·49	·77	1·92	·71	1·37	2·14	3·49	Year's Total 18·05	
*Days with ·01 in. or more.	9	5	12	11	6	5	7	13	6	9	11	26	120	
*Days with .04 in. or more.	8	2	10	11	5	5	5	11	6	8	9	22	102	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 307

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Birchington

in the County of Kent

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	22	06					.02		56	14	.06			1
2	11			.10		.10				21				2
3	02	06	.03	.10					.03	.0[illegible]	.04			3
4		03		.17		.07			28	54	15			4
5		18		.05		.07			50	.05	10			5
6				.27		.01				.07		.04	~~.04~~	6
7	31	08		.13		.05					88	.06		7
8				.47		.14		70		12	21	.08		8
9	01									24	17			9
10				.04		.67				.01		06		10
11	10	04		.04		.17					16			11
12					02			52			35			12
13		13		.15	05						14	.07		13
14				.05	42							.06		14
15		15		.20					35		20	.08		15
16	08	08		.08		.27			10		73	.05		16
17									34		28			17
18				.08			.08			.05	.03			18
19					35	.05	.09				.07			19
20		21		.04	02	.05	.03				.04			20
21		14		.02						.08	.06			21
22		05							.06		.11			22
23			·01								·40			23
24	09	47			35			15	18	.15		·37		24
25	43	13		.19	~~3~~	.52				.05	.04	·20		25
26	22				16			06		.08		.19		26
27	20	32			23			17	.06	10	.06	.18		27
28	09	16						.02				·10		28
29								.02	42	10		.17		29
30	08	×						90			25	.18		30
31		×		×	.05	×			×	12	×	.22		31
TOTAL	1·96	2·29	·04	2·18	1·65	2·17	·22	2·54	2·88	2·47	4·53	2·11	Year's Total. 25·04	"d"
* Days with .01 in. or more.	14	16	2	17	9	12	4	8	11	17	22	16	~~148~~	
* Days with .04 in. or more.	12	15	—	16	7	11	2	6	10	16	21	16	132	

48
90
138
217
79

418

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

22 .58

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 307.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090. Hollydene

REGISTER OF RAINFALL IN 1936.

Kept at Birchington

in the County of Kent

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 6 ft. in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	16		.07		72	1.05	.01			.02			1
2	.09		.02			.04		.15			.30	.14		2
3			.03					.01	.02					3
4			.04	.22					.12		.03			4
5	.08								.16	.17		.10		5
6	.04					.14		.02	.05	.65	.27			6
7	.08					.04			.03	.12	.31			7
8	.11		.04				.05				45	.35		8
9	.27		.13				.88	~~.75~~			.21			9
10						04	.40	.70	.04	.20				10
11				.14			.25	.10			.53			11
12				.07			.10				.17			12
13						.07	.03	.02				22		13
14							.95		.28	.01	.08	30		14
15									.04					15
16	.52	.19							.07		.37	.10		16
17	.14	.54				.05	.10				.22	.08		17
18	.05	.05				.10	.12			.03	28			18
19	.16	.04				.26		.08		.03		.03		19
20		.07	.05	.33		.10			.82	.02				20
21	.08			.12			.14							21
22	.05	.40					.04					.12		22
23				.14			.09							23
24	.16	.40		.05						.25				24
25	.41		.03			.14	.09		.22			.03		25
26		.04	.04						.06	.18	.01			26
27	.05	.12	.04				.47		.60	.05				27
28	.34	.04				.55	.27		.04					28
29		.03				.28				.09	.10			29
30	.08	✕			03	.18	.02			.06				30
31	.30	✕	.04	✕	.12	✕	.12		✕	.28	✕	.03		31
TOTAL	3·26	2·05	·46	1·14	·15	2·57	5·17	1·09	2·55	2·14	3·37	1·50	Year Total 25·45	✓
* Days with .01 in. or more.	19	12	10	8	2	14	18	8	14	14	15	11	146	✓
* Days with .04 in. or more.	19	10	7	8	1	14	16	4	12	10	12	8	121	✓

Print days

40-9999.

* See Instruction 2 (f) on other side.

† Spare column; no entries required.

(*Signed*) J. W. Towle

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 307

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Hollydene

in the County of Birchington Kent

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 6 ft. in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.50	.02		.05							.48	.15		1
2		.03	.09	.26						.02		.70		2
3														3
4		.33			.09					.20		.33		4
5	.29	.25	.60				.15			.09		.04		5
6					.10									6
7		.92	.40	.02	.31									7
8								0			.13	.75		8
9			.25	.68	.11		.10		.08			.41		9
10			.33	.12	.22	.59		.02				.18		10
11			.43		.04		.10					.26		11
12	}	.27	.26		.51			.10	.32	.02				12
13	.72 }	.05	.41					.08	.74			.55		13
14	.07		.07		.48	.07		1.64				.26		14
15				.09	.04	.10	.37		.05			.35		15
16		.02		.15				.29	.04					16
17	.19	.02		.30		.34			.55		.42			17
18	.20	.02		.01	.31	.70			.40		.05			18
19	.39		.05	.05		.20	.03		.18			.03		19
20			.40	.21	.75	.31								20
21	.14	.46	.04		.02		.02	.10						21
22										.65				22
23	.20									.34	.05			23
24	.30	.27								.06				24
25	.19	.24	.32						.18	.20		·02		25
26		.10			.03					.33				26
27		.15		.16						.06				27
28		.23		.02							.08	.16		28
29										.02	.10	.07		29
30	.30	×								.02		.05		30
31	.33	×		×		×			×	.11	×			31
TOTAL	3·82	3·38	3·65	2·12	3·01	2·31	·77	2·23	2·54	2·12	1·31	4·31	Year's Total 31·57	✓
* Days with .01 in. or more.	14	20	13	13	13	7	6	6	9	13	7	16	137	✓
* Days with .04 in. or more.	14	11	13	10	11	7	4	5	9	9	7	14	114	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*)

[P.T.O.

12·96

COPY FOR OFFI

Section **A** for the entry of Daily Observations

Station No. 307

AIR MINISTRY.—METEOROLOGICAL OI   H RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAIN IN 193~~8~~

Kept at Hollydene
in the County of Birchington Kent
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 6 ft. in.
„ Ground „ Sea Level 75 ft.

THE MORNING MEASUREMENT SHOULD BE ENTE   HE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in. 8	in.	in.	in.	in.	in.	in.	†	
1						.98	.10		.24					1
2				.07	.14					.20	~~.08~~	.02		2
3										.25				3
4					.06		.05	.24				.08		4
5							.44		.05	.31				5
6							.24	.14						6
7							.19	1.50		.22		.02		7
8	.21						.04		~~.02~~	.05				8
9	.14							.32		.01		.25		9
10	.21	.05				.46		.07	.10			.12		10
11	.24	.02									.05			11
12	.08	.07								.16				12
13	.40							.15		.01				13
14	.04	.02			.05			.02			.09			14
15		.28					.29			.06	—			15
16	.14						.12			.04		.12		16
17							.03			.25	.02			17
18				.03	.32						.28			18
19	.04	.08			.06	.06					.04			19
20				.04	.02	.02		.37			.26		+	20
21	.03							~~.25~~	.25				+	21
22						.03					.08		+	22
23													+	23
24			.10		.03						.28		+	24
25			.42	.02			.17		.23		.25			25
26	.47	.07	.07		.09				.24	.34			+	26
27	.06	.06			.09		.03		.35	.95	.14			27
28	.14			.04	.15	.04	.13	.27				SNOW		28
29	.22			.14	.09			.02				.86	+	29
30	.02	✕		.16	.14	.12					.25			30
31	.18	✕		✕	.05	✕			✕	.12	✕	.14		31
TOTAL	2.62	.65	.59	.50	1.29	1.71	1.83	3.10	1.88	2.97	1.74	1.61	Year's Total 20.49	✓
* Days with .01 in. or more.	16	8	3	7	13	7	12	10	8	14	11	14 8	123 ~~117~~	✓
* Days with .04 in. or more.	14	6	3	5	11	5	10	8	7	12	10	12 6	103 ~~97~~	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Toulin

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 307

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hollydene Birchington

in the County of Kent

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 6 ft. in.

,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.62		.03		.08					1
2	.03							.30						2
3	.19			.28				.27	.08	.08	.12			3
4	.08		.10	.20				.52	.16	.16	.05			4
5			.05	.27			.03		.20	.20	.19	.17		5
6			.52											6
7	.41	.10							.36	.36	.02	.07		7
8		.02	.12					.05			.01	.25		8
9	.03	.10								.63	.33	.12		9
10	.05					.40		.10		.06				10
11	.07		.30			.10				.98				11
12			.03		.08	.50				.04				12
13										1.25		.13		13
14	.35				.10				.23	.26	.42			14
15	.10				.20				.02	1.33		.02		15
16	.12		.12		1.00	.12			.02	.05	.43			16
17	.10	.05	.04	.05		.03								17
18	.13		.06				.10			.68	.56			18
19	.25						.25		.33	1.04				19
20	.21							.05	.47		~~.06~~	.06		20
21	.06		.19						.50	.10	.10			21
22	.07	.09	.07				.07		.04					22
23			.04	.17		.12			.18	.29	.57			23
24	1.65		.02	.44			.48	.01						24
25		.50	.07				.06		.02		.18			25
26	.08		.31				.32			.90	.38	.04		26
27	.09		.05	.04						1.38	.32			27
28		.35								.86	.12			28
29			.10	.41							.04			29
30		✕		.48		.08	.03			.02	.02			30
31		✕	.02	✕		✕	.07	.03	✕		✕			31
TOTAL	4.17	1.21	1.71	2.34	2.00	1.35	1.44	1.33	2.69	10.67	3.86	.86	Year's Total 33.63	
* Days with .01 in. or more.	19	7	18	9	5	7	10	8	14	20	17	8	142	
* Days with .04 in. or more.	17	6	13	9	5	6	7	6	11	19	14	7	120	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Towler

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 307

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Hollydene Birchington
in the County of Kent
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 6 ft. in.
,, Ground ,, Sea Level 75 ft.

Jan & Feb corrected for snow.
Snow circ sent 27/3/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.02			1
2				.05						.34	.36			2
3				.05			.15			.02	1.33	.14		3
4				.15						.03	.07	.11		4
5	3						.25				.54	.03		5
6		.23								.30				6
7		.10					.18	0.01		.79	.07			7
8	~~18~~							0.08	.30	.02		.27		8
9											.06			9
10							.05		.02	.43	.21			10
11											.50			11
12		(·20)	.03				.26		.05			.09		12
13			.52				.02		.15		.75			13
14			.30			.02						.34		14
15				.10	.02	.01	.11				.41	.02		15
16			.22			.07			.03	.60	.60			16
17		Snow Water	.46								.12			17
18			.23	.33						.15	.05	.23		18
19				.		.01	.25	.07	.84			.05		19
20			.03								.12			20
21							.20		~~.04~~	.04	12			21
22	Snow Water				.02				~~.05~~	.05				22
23		75					0,11							23
24				.10						.16				24
25			.48				.25			.05				25
26		05	.48		.04		.02		.02	.46				26
27							.08							27
28		.02			.07		.			.05				28
29			.02						.04			.17		29
30		×		.08						.07		.02		30
31	~~84~~	×		×		×			×	.27	×			31
TOTAL	~~4·02~~ (2·02)	~~1·15~~ 1·35	2.79	·86	·15	·11	1·93	·16	1·45	3·23	5·33	1·47	Year's Total 19·95	~~19·65~~ 20·85
* Days with .01 in. or more.	2	5	10	7	4	4	13	3	8	17	16	11	100	
* Days with .04 in. or more.	2	4	7	7	2	1	11	2	5	14	15	9	79	"d"

73
310
303

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

Box 06 rec'd 26/2/76.

300	Ramsgate	1931-1940
299/5	Preston the Old Vicarage	1938-1940
299	Canterbury Rough Common	1931-1940
298	Canterbury S.W/I.W.	1931-1940
297	Canterbury	1931-1940
296	Canterbury Medical School	1931-1940
295/7	Canterbury Old Dover House	1935-1938
295/6/5	Sandwich Stone Cross	1938-1940
295/6	Wingham Boys School	1931-1939
295/5	Chilham Lower Ensden	1931-1940
295	Wingham Margate W.W.	1931-1940
294	Felder Lodge	1931-1940
293	Upton House Word	1931-1940
292/5	Lydden Valley	1937-1940
292	Deal	1931-1940
291/1	Nonington (Red Tiles)	1940 only
291	Nonington	1931 only
290	Barham P.S.	1931-1940
289/7	Barham House	1935-1940
+ 289/5	Barham Old House	1932-1940
288	Charing-Pett Place	1931-1939
287	Charing P.S.	1931-1940
286	Boughton Aluph Glebe House	1931-1940
285	Shepherdswell Upton Lodge	1931-1940
284	Waldershare Park Gardens	1931-1940
283	Waldershare Rectory	1931-1940
282	Wye	1931-1940
281	Elham Domel	1931-1940
280	Martin Mill P.S.	1931-1940
279	Elham Bladbean Stud Farm	1931-1940
278/5	Ashford Belmore	1937-1940
278	Ashford	1931-1940
277	Ashford	1931-1940
276	Swingfield St. Johns'	1931-1939
275/5	Ashford (Gasworks)	1933-1940
275/3	Elham Ottinge	1938-1940
275	Lyminge	1931-1940
274	Smeeth School	1931-1937
273	Sellindge Council School	1931-1939
272/1	Lympne Aerodrome	1931-1940
272	Lympne Old Site	1931 only
271	Alkham nr. Dover Chilton Farm	1931-1940
270	Dover River	1931-1940
269	Buchland Dover	1931-1940
268	Dover W.W	1931-1940
267	Dover	1931-1940
266	Folkestone Lower Standen	1932-1940
265	Cherry Gardens Folkestone	1931-1940
264/7	Folkestone Cheriton	1937-1939
264/5	Newington (The Grange)	1932-1933
264	Folkestone	1931-1940
263/5	Folkestone Audley Road	1937-1939
263	Folkestone Radnor Park	1931-1934
262/9	Corporation Office Folkestone	1937-1939
262/8	Folkestone Sandgate	1937-1939

262/7	Tenterden St. Michaels	1936-1937
262/5	Saltwood Cylinder	1932-1940
262	Sandgate	1931-1934
261	Sandling Park	1931-1940
260	Hythe 16 Douglas Avenue	1931-1939
259	Hythe	1931-1940
258	Benenden National Sanatorium	1931-1940
257	Tenterden Ashenden	1931-1940
256	Kenardington	1931-1940
255	Hensill Hawkhurst	1931-1940
254	Hawkhurst	1931-1940
253	Appledore	1931-1940
252	Dymchurch	1931-1940
251	Dymchurch Grove House	1931-1934
250/2	Wittersham Mount Pleasant	1939-1940
250/1	Brookland (Poplar)	1935-1940

308

Section **A** for the entry of D

AIR MINISTRY.

FORM 109

FOR OFFICIAL USE.

—BRITISH RAINFALL ORGANIZATION.

REGIST LL IN 1931 .

308

MARGATE

1931-40

064045001 | 780107

Kept at Margate

in the County of Kent

Diameter of Funnel of Gauge

Height of top of Gauge above Ground ...... ft. ...... in.

,, Ground ,, Sea Level 51 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	-	1·8	-	1·1	-	1·3	-	12·5	-	-	-	-	1
2	2·6	1·8	-	0·7	3·4	-	-	4·9	3·6	-	-	-	2
3	3·7	1·9	-	-	10·0	-	-	11·2	5·3	-	-	0·8	3
4	-	-	-	-	-	-	-	0·8	0·3	-	0·3	-	4
5	-	-	-	3·3	-	8·6	9·1	0·9	-	-	-	0·3	5
6	-	-	-	-	-	-	-	5·9	-	3·9	2·1	-	6
7	0·4	0·2	-	-	-	-	0·5	1·2	0·8	-	-	-	7
8	-	1·1	1·4	-	-	1·8	1·6	0·7	-	0·2	0·5	0·7	8
9	-	0·2	2·1	-	-	-	-	-	-	-	8·8	1·3	9
10	-	4·7	-	-	-	-	-	1·1	-	-	27·7	0·3	10
11	5·0	7·7	-	-	-	-	-	-	1·1	-	14·2	-	11
12	3·5	-	-	-	-	-	0·3	-	5·6	-	-	-	12
13	3·8	-	-	-	2·2	-	-	2·6	-	-	0·2	-	13
14	0·3	0·8	-	-	-	-	26·4	13·3	-	-	-	-	14
15	0·5	1·3	-	5·9	1·2	-	4·0	2·9	-	-	-	1·0	15
16	-	4·3	-	3·5	3·6	-	0·8	1·6	-	-	-	-	16
17	-	0·7	-	4·3	0·4	-	1·9	0·2	-	-	-	1·1	17
18	0·5	9·3	-	8·6	-	0·2	0·8	4·9	-	-	7·6	-	18
19	0·6	-	-	11·8	-	-	30·4	10·8	0·6	-	0·2	-	19
20	0·3	0·7	-	-	0·2	-	3·5	3·9	-	-	-	-	20
21	-	0·4	-	-	14·2	-	-	-	5·9	-	-	-	21
22	1·6	-	0·3	1·2	0·3	-	-	1·7	5·7	-	-	-	22
23	5·9	1·9	-	-	4·4	0·4	-	-	0·6	-	1·3	-	23
24	-	-	-	1·5	0·7	-	-	2·2	-	-	-	-	24
25	-	-	-	7·0	-	-	7·7	-	-	1·5	0·2	-	25
26	-	-	-	8·4	0·7	-	5·7	-	-	1·1	3·9	-	26
27	3·8	5·9	-	1·1	5·3	-	6·5	-	-	-	1·1	-	27
28	2·8	3·0	-	-	1·2	-	-	-	-	0·9	-	4·1	28
29	2·6	X	-	-	-	-	0·4	-	-	5·8	1·1	0·7	29
30	0·9	×	-	-	2·4	-	-	-	-	-	-	-	30
31	1·5	×	-	×	-	×	-	-	×	-	×	-	31
TOTAL	1·59	1·88	0·15	2·30	1·98	0·48	3·92	3·28	1·16	0·53	2·72	0·41	YEAR'S TOTAL 20·40
*Days with ·01 in. or more.	18	18	3	13	15	5	15	19	10	6	14	9	145
*Days with ·04 in. or more.	11	12	2	12	10	3	10	15	6	4	9	4	9
40-9999	40·3	47·7	3·8	58·4	50·2	12·3	99·6	83·3	29·5	13·4	69·2	10·3	518·0

(Signed) ....

P.T.O.

*See Instruction 2 (*f*) on other side.

308

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

191

Kept at Margate

in the County of Kent

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 51 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	1.0	0.2	–	–	12.0	0.2	–	1.5	–	0.7	0.7	–	1
2	0.4	–	–	4.1	3.8	–	–	3.9	0.5	0.3	0.3	0.6	2
3	–	–	–	2.5	2.9	–	–	–	6.3	–	–	–	3
4	–	–	–	–	–	–	–	–	–	–	–	–	4
5	0.4	–	–	–	0.5	–	8.6	–	0.2	–	–	–	5
6	7.1	–	0.8	1.2	2.1	–	–	–	–	–	–	0.9	6
7	1.1	–	2.1	–	–	–	–	–	–	–	–	2.2	7
8	–	1.0	0.4	0.8	3.7	–	–	–	–	11.0	–	–	8
9	0.3	1.0	0.2	0.4	12.7	–	–	–	–	8.5	–	–	9
10	2.9	0.2	–	6.8	1.9	–	–	–	0.1	2.3	–	–	10
11	6.2	1.8	–	2.3	0.5	2.3	0.1	–	–	2.6	–	0.5	11
12	0.8	–	–	0.4	–	–	–	0.9	–	6.1	–	–	12
13	–	–	–	3.2	1.5	–	–	–	–	17.4	–	–	13
14	1.5	–	–	1.0	2.5	–	–	–	–	1.9	–	–	14
15	–	–	–	0.3	5.4		–	–	–	0.9	–	–	15
16	–	–	–	1.6	1.1	–	–	–	–	–	–	–	16
17	–	0.5	0.2	0.1	0.3	–	1.0	–	–	0.2	–	–	17
18	–	–	–	–	–	–	–	–	0.2	–	1.7	–	18
19	–	–	–	–	–	–	–	–	0.3	3.0	2.9	–	19
20	–	0.3	–	–	1.1	–	0.9	–	–	14.2	7.5	–	20
21	–	–	–	0.1	0.5	1.8	–	0.1	T	2.1	–	2.9	21
22	–	–	11.1	–	2.4	–	2.6	–	26.0	2.4	5.2	–	22
23	–	2.6	–	3.4	6.2	–	–	–	5.6	17.4	–	0.3	23
24	–	–	–	–	–	–	10.5	–	2.9	–	1.4	–	24
25	–	–	–	–	–	–	30.2	–	2.4	2.5	0.3	–	25
26	–	–	–	1.2	–	–	8.0	7.2	–	–	–	–	26
27	–	–	2.9	1.1	0.9	–	0.7	–	4.2	21.6	0.9	0.5	27
28	–	–	–	0.1	0.2	–	0.8	–	–	7.2	–	–	28
29	–	–	4.4	5.9	0.2	–	–	3.4	0.4	7.2	–	–	29
30	–	×	0.3	1.5	–	9.1	–	0.2	–	0.1	–	1.0	30
31	–	×	1.9	×	–	×	–	–	×	–	×	–	31
TOTAL	0.85	0.30	0.96	1.50	2.46	0.53	2.50	0.68	1.93	5.10	0.82	0.35	YEAR'S TOTAL 17.98
*Days with ·01 in. or more.	10	8	10	17	21	4	9	6	11	20	9	8	33
*Days with ·04 in. or more.	6	4	3	13	14	3	6	4	6	16	5	3	83
40-9999	21.7	7.6	24.3	38.0	62.4	13.4	63.4	17.2	49.1	129.6	20.9	8.9	456.5

*See Instruction 2 (*f*) on other side.

(*Signed*)..........

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

308

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1933.

19

Kept at Margate

in the County of Kent

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground 1 ft.........in.

" Ground " Sea Level 51 ft.

150

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1; following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	–	2·5	1·9	–	–	–	–	–	–	–	1·0	–	1
2	1·6	–	4·7	–	9·9	–	–	–	–	0·5	1·1	–	2
3	0·2	3·8	2·0	–	–	–	–	–	–	6·9	5·3	–	3
4	0·5	0·2	–	–	–	–	–	–	–	–	11·4	–	4
5	7·2	–	0·9	–	0·1	–	–	–	–	–	–	–	5
6	–	0·7	1·8	–	10·4	–	–	–	–	0·3	2·7	0·3	6
7	9·4	–	0·6	1·3	0·7	–	–	–	–	12·3	–	0·1	7
8	2·8	–	–	–	0·4	–	6·1	–	–	–	–	–	8
9	–	–	–	0·2	1·4	–	–	–	–	0·3	2·3	–	9
10	–	1·3	–	–	–	0·7	0·5	–	–	2·5	–	–	10
11	2·3	0·3	–	–	1·5	0·3	–	1·9	–	–	0·6	0·3	11
12	–	–	–	–	–	9·0	–	–	8·5	–	7·5	–	12
13	–	–	–	–	4·2	–	5·5	–	10·9	–	5·4	–	13
14	–	–	–	–	–	–	–	–	–	1·2	2·5	–	14
15	2·4	–	–	–	–	–	3·5	3·3	–	–	0·9	0·8	15
16	5·0	–	5·8	–	0·5	6·9	3·7	–	–	–	–	–	16
17	1·3	–	4·2	–	–	0·6	–	–	5·7	–	–	–	17
18	–	0·6	0·3	0·7	–	4·2	–	–	–	–	–	–	18
19	–	2·4	2·1	1·1	–	2·7	–	–	8·3	–	–	–	19
20	–	1·4	0·4	4·2	–	2·1	–	–	16·5	–	–	0·2	20
21	–	1·5	–	0·8	–	–	–	4·8	38·7	–	–	–	21
22	–	–	–	–	–	–	–	6·3	0·2	6·7	–	–	22
23	–	–	–	0·9	–	–	–	–	8·9	–	–	–	23
24	–	1·4	–	3·0	1·1	0·6	–	–	27·5	–	5·3	–	24
25	–	–	–	7·0	–	–	–	–	–	0·8	4·1	0·1	25
26	–	1·1	–	0·3	–	7·4	–	–	4·6	1·1	3·2	6·0	26
27	–	3·7	–	–	–	–	0·2	–	–	5·1	–	1·0	27
28	–		–	–	–	1·2	·14	–	–	4·7	–	–	28
29	–	X	–	–	–	–	8·5	–	–	–	–	–	29
30	0·7	X	1·1	–	–	–	–	–	–	1·3	–	1·7	30
31	·03	X	–	X	–	X	–	0·7	X	–	X	–	31
TOTAL	1·33	0·78	1·02	0·77	1·19	1·41	1·16	0·67	5·11	1·72	2·10	0·41	YEAR'S TOTAL 17·67
*Days with ·01 in. or more.	2	13	12	10	9	11	8	5	10	13	14	7	124
*Days with ·04 in. or more.	8	9	8	5	6	7	6	4	9	9	12	3	86
40-9999	33·7	19·9	25·8	19·5	30·2	35·7	29·4	17·0	129·8	43·7	53·3	10·5	448·5

(Signed)..

P.T.O.

*See Instruction 2 (*f*) on other side.

9 4 0

627
13 44
1971

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 308

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Margate

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 51 ft.

150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~		
1	–	–	–	–	–	–	–	7.8	–	2.4	–	7.5		1
2	–	–	2.2	0.5	–	–	–	–	5.4	13.5	–	4.3		2
3	–	0.4	–	0.9	15.8	–	–	–	0.3	16.2	–	0.5		3
4	3.1	–	–	–	5.5	–	–	–	–	2.2	2.8	9.4		4
5	–	–	0.2	–	–	1.8	–	–	–	–	3.1	1.6		5
6	–	–	7.3	5.6	3.4	4.4	–	0.2	–	3.6	0.2	5.7		6
7	0.1	–	–	0.1	–	–	–	–	–	2.7	–	1.7		7
8	–	–	–	9.4	10.5	–	–	0.8	–	–	19.5	–		8
9	–	–	–	–	–	–	–	–	–	–	2.4	1.4		9
10	–	–	3.4	1.1	–	–	–	–	–	0.4	2.9	–		10
11	8.5	–	9.4	1.0	–	–	~~0.4~~	0.3	–	–	3.3	5.4		11
12	3.8	–	3.1	–	–	–	0.4	4.3	–	–	–	3.3		12
13	6.3	–	5.2	–	–	–	4.6	1.3	–	–	–	2.7		13
14	6.7	–	8.1	1.1	0.7	–	1.7	0.6	–	0.3	2.4	3.2		14
15	0.2	–	–	–	–	–	–	–	–	–	2.2	2.0		15
16	2.6	–	2.7	1.2	2.2	–	–	–	–	–	–	–		16
17	–	–	9.9	–	–	–	–	–	5.5	1.5	2.5	3.3		17
18	0.8	–	–	1.7	–	0.1	0.3	–	–	–	1.5	3.5		18
19	–	–	6.1	–	–	0.9	–	–	4.9	–	–	2.0		19
20	–	–	2.2	–	–	–	4.1	–	–	–	–	–		20
21	–	–	–	2.2	–	1.6	–	–	–	–	–	–		21
22	–	–	–	–	–	–	–	2.5	1.9	–	–	–		22
23	–	–	–	4.2	–	3.3	0.3	3.2	–	0.1	0.3	3.0		23
24	–	–	–	1.2	–	1.5	6.5	12.4	0.9	–	–	–		24
25	0.2	–	–	1.7	–	–	–	0.1	–	–	–	6.6		25
26	0.6	–	–	0.7	–	1.8	–	–	–	–	–	0.3		26
27	0.3	0.9	–	0.2	–	2.3	–	–	–	–	–	3.9		27
28	0.1	1.2	–	–	–	–	0.3	10.1	–	–	0.8	2.0		28
29	–	X	–	–	–	–	0.2	4.2	6.2	–	–	0.2		29
30	3.1	X	–	–	–	–	0.4	0.8	–	–	–	2.1		30
31	0.2	X	–	X	–	X	0.7	–	X	0.2	X	7.0		31
TOTAL	36.6	2.5	59.8	32.8	38.1	17.7	19.5	48.6	25.1	43.1	43.9	82.6	Year's Total 450.3	
*Days with ·01 in. or more.	13	3	12	15	6	8	11	13	7	10	13	24	135	
*Days with ·04 in. or more.	7	1	11	11	5	7	4	8	5	7	10	21	97	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 308

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

1711

Kept at Margate

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. .... in.

" Ground " Sea Level 51 ft.

150

400

J. L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
MMS	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	5.8	07	–	0.2	–	27	–	–	6.4	1.1	1.4	–		1
2	2.1	–	–	1.6	–	–	–	–	–	5.8	–	–		2
3	0.5	1.7	0.5	3.0	–	0.6	–	–	0.8	5.0	1.4	–		3
4	–	0.2	0.2	4.4	–	1.6	–	–	8.3	6.2	2.6	–		4
5	–	3.6	–	1.4	–	0.3	0.2	–	12.6	4.0	–	–		5
6	4.9	1.2	–	6.4	–	0.7	–	–	–	0.9	4.3	0.5		6
7	5.9	2.9	–	2.6	–	3.4	–	–	–	1.3	21.4	0.9		7
8	–	–	–	12.0	–	–	–	14.7	–	1.7	2.2	1.5		8
9	–	–	–	1.1	–	19.8	–	–	–	8.6	4.8	0.9		9
10	0.6	1.1	–	–	–	4.1	–	–	–	–	0.7	1.1		10
11	0.5	–	–	0.9	–	0.5	–	–	–	–	2.4	–		11
12	–	–	–	–	0.6	0.1	–	8.4	–	–	8.4	–		12
13	–	3.9	–	6.3	1.5	–	–	–	–	–	3.9	0.3		13
14	–	–	–	–	5.7	–	–	–	–	–	–	2.1		14
15	–	2.8	–	6.4	0.7	–	–	–	66	–	3.3	1.7		15
16	–	2.1	–	1.6	–	1.1	–	–	2.5	–	14.6	0.4		16
17	1.5	–	–	4.4	–	5.6	–	–	0.9	–	7.8	–		17
18	–	–	–	1.1	10.2	0.2	2.4	–	7.9	1.4	0.3	–		18
19	–	–	–	0.7	0.3	1.9	2.5	–	0.1	–	1.4	0.4		19
20	0.1	3.3	– /	0.5	–	1.0	1.3	–	0.2	–	0.9	–		20
21	0.3	2.4	–	1.3	–	–	–	–	0.1	2.5	2.9	–		21
22	–	0.6	–	–	–	–	–	0.3	1.1	–	9.2	–		22
23	–	–	0.3	–	4.6	–	–	0.3	–	–	9.5	2.4		23
24	1.3	10.2	–	–	–	–	–	4.1	4.7	1.3	–	.63		24
25	6.4	3.9	–	3.8	4.7	9.7	–	–	–	1.5	0.6	3.5		25
26	3.1	–	–	–	2.2	0.3	–	2.1	–	2.1	T	4.0		26
27	4.2	6.1	–	–	–	–	0.2	5.3	1.5	–	1.3	3.6		27
28	3.4	4.2	–	–	–	–	–	0.2	0.2	2.5	–	3.4		28
29	–	X	–	–	–	–	–	–	9.5	–	–	4.1		29
30	1.7	X	–	–	–	–	–	21.8	2.0	0.5	5.7	4.0		30
31	–	X	–	X	–	X	–	–	X	3.1	X	4.3		31
TOTAL	42.3	50.9	1.0	59.7	30.5	53.6	6.6	57.2	65.4	49.5	111.0	45.4	Year's Total 573.1	
*Days with ·01 in. or more.	15	17	3	19	9	16	5	9	15	17	23	19	167	
*Days with .04 in. or more.	11	14	0	15	6	10	3	6	11	5	19	13	123	

40-9999

e Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ....

P.T.O.

308

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

191

Kept at Margate

in the County of Kent

Diameter of Funnel of Gauge ✓ in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 51 ft.

mm.

150 TL

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~		
1	9.3	3.4	3.1	1.9	–	11.8	0.8	0.2	1.1	–	0.3	2.3		1
2	2.0	0.3	1.3	–	–	3.5	–	5.0	–	–	–	3.0		2
3	–	0.2	8.1	3.7	0.3	–	–	–	0.4	–	6.1	–		3
4	–	–	1.1	–	–	3.5	–	–	2.2	–	0.4	0.2		4
5	2.4	–	–	0.4	–	–	–	–	3.6	2.9	2.6	1.4		5
6	1.3	–	0.4	–	–	1.3	–	–	0.6	10.2	5.2	–		6
7	2.4	–	–	–	–	0.4	–	0.2	0.6	2.9	7.6	–		7
8	3.2	–	1.1	–	–	–	–	–	1.0	–	6.5	8.7		8
9	6.4	–	2.4	–	–	–	18.5	1.1	–	–	7.6	–		9
10	–	–	–	0.2	–	0.7	5.2	21.5	1.1	8.4	–	–		10
11	–	–	–	1.9	–	–	5.3	2.2	–	–	14.8	–		11
12	–	–	–	1.1	–	0.2	2.4	–	–	0.2	4.1	2.9		12
13	–	–	–	–	–	1.0	1.1	–	–	–	0.2	1.3		13
14	–	1.3	–	–	–	1.2	23.2	–	1.8	0.5	2.2	5.5		14
15	–	0.3	–	–	–	–	–	–	0.4	–	–	1.7		15
16	10.8	2.9	–	–	–	–	–	–	1.5	–	8.6	2.8		16
17	2.9	11.7	–	–	2.5	1.3	–	–	–	–	5.7	1.1		17
18	0.5	1.3	–	–	–	–	2.8	–	–	1.1	9.0	–		18
19	2.5	0.3	0.2	–	–	25.5	–	1.9	–	1.2	–	–		19
20	2.5	1.1	–	8.2	–	–	–	–	8.3	1.7	–	–		20
21	–	0.2	–	1.4	–	5.7	1.9	–	–	–	–	–		21
22	0.3	10.6	–	0.8	–	–	1.7	–	–	–	–	1.8		22
23	–	–	–	3.5	–	–	1.2	–	–	0.2	–	–		23
24	3.5	3.5	–	–	–	–	–	–	–	2.8	–	–		24
25	9.9	2.5	0.6	1.7	–	1.8	0.5	–	1.4	5.0	–	0.1		25
26	0.3	0.7	1.9	–	–	–	–	–	0.4	2.9	–	0.1		26
27	0.7	5.3	0.4	–	–	–	11.4	–	24.2	0.4	–	–		27
28	8.2	0.7	0.8	–	–	19.8	12.2	–	3.9	–	–	–		28
29	–	0.3	0.6	–	–	8.2	–	–	2.4	1.3	2.0	–		29
30	1.9	×	–	–	0.4	4.0	–	–	–	1.4	–	–		30
31	7.8	×	2.2	×	3.7	×	2.5	–	×	6.3	×	–		31
TOTAL	3.10	1.83	0.95	0.98	0.23	3.54	3.5[illegible]	1.26	2.16	1.94	3.26	1.30	Year's Total. 24.12	
* Days with .01 in. or more.	20	18	14	11	4	16	15	7	17	17	16	12	167	
* Days with .04 in. or more.	16	10	8	8	2	13	13	5	12	13	13	11	124	
40-9999	78.8	46.6	24.2	24.8	5.9	89.9	90.7	32.1	54.[illegible]	49.4	82.9	32.9	613.1	

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.

308 191

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1095.

REGISTER OF RAINFALL IN 1937.

Kept at Margate (Cliftonville)
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 51 ft.

T.L. 150 400

Change of unit to inches from 1st August. 37.

White

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mms	mms	mms	mms	mms	mms	
1	8.2	–	–	2.3	–	–	–	–	–	–	10.4	3.0	1
2	–	–	1.9	7.4	–	–	–	–	–	0.5	–	18.0	2
3	–	1.0	–	–	–	–	–	–	–	–	–	14.7	3
4	2.8	9.4	–	–	0.2	–	–	–	–	12.4	–	8.1	4
5	4.9	4.4	9.1	–	–	–	3.9	–	–	7.9	–	1.0	5
6	1.7	–	11.1	–	2.0	–	–	–	–	0.8	–	–	6
7	–	25.0	3.3	0.5	3.7	–	–	–	–	–	–	0.3	7
8	–	0.4	5.6	–	–	3.7	–	–	–	0.5	1.8	11.9	8
9	–	0.5	3.9	12.4	3.0	–	2.9	–	2.5	1.0	–	6.1	9
10	–	–	8.3	2.3	4.5	15.1	0.1	0.5	–	–	–	5.1	10
11	–	–	8.4	–	1.8	–	0.7	–	–	0.5	–	7.4	11
12	5.8	6.4	4.7	–	13.4	–	–	2.5	6.9	–	–	–	12
13	11.8	0.2	7.9	0.3	[illegible]	1.8	–	0.5	7.9	–	–	13.7	13
14	3.7	–	3.3	–	13.4	–	–	22.4	0.3	–	–	8.4	14
15	1.2	0.3	–	2.4	0.8	0.5	10.8	–	2.0	–	–	–	15
16	0.6	0.4	1.3	5.5	[illegible]	–	–	6.4	2.0	–	–	9.9	16
17	3.5	0.3	–	4.7	–	3.1	–	–	13.7	–	9.9	–	17
18	6.4	3.9	0.2	0.1	5.7	13.5	–	–	18.0	–	1.3	–	18
19	1.3	0.7	0.4	1.9	–	6.7	0.7	–	3.8	–	–	1.5	19
20	6.2	–	4.5	5.6	12.6	1.3	–	–	–	–	–	–	20
21	2.9	8.7	0.7	0.5	0.1	–	0.2	3.8	–	–	–	–	21
22	8.6	1.3	–	–	–	–	·02	–	–	14.7	0.5	2.8	22
23	0.4	–	–	–	–	–	–	–	–	13.5	·02	–	23
24	9.4	6.5	–	–	–	–	–	–	3.6	1.5	·02	–	24
25	3.4	9.1	6.3	–	–	–	–	–	2.8	2.5	–	–	25
26	–	2.0	0.6	–	0.5	–	–	–	–	9.7	–	–	26
27	–	4.7	0.2	28	–	–	–	–	–	0.8	–	–	27
28	0.6	8.3	–	0.2	–	0.7	–	–	–	–	–	3.8	28
29	0.7	X	–	–	–	–	–	–	–	–	0.8	–	29
30	7.2	X	–	–	–	–	–	–	–	–	2.8	0.8	30
31	6.9	X	–	X	–	X	–	–	X	4.3	X	1.0	31
TOTAL	3.87	3.68	3.22	1.93	2.43	1.83	.77	1.42	2.50	2.78	1.10	4.64	YEAR'S TOTAL 30.17
Days with 0·2 mm. or more.	22	20	19	14	12	9	7	6	11	14	9	18	161
Days with 1·0 mm. or more.	18	13	14	10	9	7	3	4	10	9	5	16	118
	98.2	93.5	81.7	48.9	61.7	46.4	19.5	36.1	63.5	70.6	27.9	~~117.9~~ 117.5	765.95

(144W) 40-9999

(Signed)

[P.T.O.

191

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 308

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Margate Cliftonville

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 51 ft.

T.L 150 400

Change of unit to inches from 1st August, 1937

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	× in.	in.	in.	in.	†	
1	05	–	–	–	05	·82	08	–	34	–	–	–		1
2	·02	–	–	05	11	–	–	–	–	26	–	03		2
3	–	–	–	–	03	–	–	–	–	23	–	–		3
4	01	–	–	–	–	01	22	38	–	–	–	07		4
5	–	–	–	–	–	–	18	–	01	32	–	–		5
6	–	–	–	–	–	–	21	21	09	–	–	–		6
7	–	–	–	–	–	–	71	1·10	03	21	–	02		7
8	18	–	–	–	–	–	02	–	09	04	–	–		8
9	21	02	–	–	–	–	01	29	–	–	–	22		9
10	15	01	–	–	–	33	–	06	–	–	–	16		10
11	27	01	–	–	–	–	–	–	–	–	05	–		11
12	05	06	–	–	–	–	–	–	–	18	–	03		12
13	38	14	–	–	–	–	–	05	–	–	01	–		13
14	05	01	–	–	06	–	–	–	20	–	–	04		14
15	–	18	–	–	–	–	32	–	–	04	–	–		15
16	12	04	–	–	04	–	13	–	–	04	–	15		16
17	–	08	–	–	78	–	04	–	–	22	01	–		17
18	01	–	–	03	02	–	–	–	01	02	23	–		18
19	–	–	–	01	11	–	–	–	–	–	07	04		19
20	–	–	–	–	–	–	–	–	27	–	·33	23		20
21	01	–	–	03	–	–	–	–	30	–	17	13		21
22	–	–	–	01	–	02	–	08	–	–	11	14		22
23	–	–	–	–	–	–	–	–	–	–	–	02		23
24	–	–	11	–	05	–	–	–	04	–	29	11		24
25	05	–	·28	05	04	–	09	–	14	–	25	–		25
26	·46	03	06	–	–	–	03	–	·47	22	–	·33		26
27	085	06	–	–	22	04	12	–	39	·44	13	–		27
28	08	–	–	–	03	–	–	11	–	06	–	02		28
29	32	X	–	·30	10	–	–	–	–	–	–	30		29
30	02		–	19	12	04	–	–	–	02	24	–		30
31	17		–		05		–	–		26		15		31
TOTAL	2·66	·64	·45	·67	1·81	1·26	2·16	2·28	2·38	2·56	1·89	2·19	Year's Total 20·95	
* Days with .01 in. or more.	20	11	3	8	15	6	13	8	13	15	12	18	142	
* Days with .04 in. or more.	15	6	3	4	12	4	10	8	10	13	10	13	108	

* See Instruction 3 (f) on other side.

1176

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~19~~ 308

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Margate (Cliftonville)
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 51 ft.

150

T.L.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	–	–	05	59	–	17	–	–	29	05	–		1
2	–	–	–	–	–	–	–	·41	–	46	–	–		2
3	21	01	–	27	–	–	–	16	–	–	14	18		3
4	09	–	10	07	–	–	–	37	–	15	15	–		4
5	–	–	05	45	–	–	08	–	–	06	16	14		5
6	27	–	03	–	–	–	–	–	–	06	04	–		6
7	19	05	–	–	–	–	–	–	–	47	04	04		7
8	–	–	07	–	–	–	–	07	–	10	–	·22		8
9	04	09	–	–	–	–	–	–	–	44	24	14		9
10	05	–	–	–	–	·51	–	10	–	02	–	–		10
11	18	–	28	–	13	02	–	–	–	96	–	02		11
12	–	–	–	–	–	43	–	–	03	09	–	–		12
13	01	–	04	–	–	–	–	–	01	1·61	–	05		13
14	36	–	–	–	11	–	06	–	07	22	37	01		14
15	08	–	–	–	1·02	–	01	–	01	115	–	–		15
16	11	–	12	–	16	09	02	–	–	10	41	–		16
17	08	06	06	03	–	–	–	–	03	–	02	–		17
18	12	–	06	–	–	–	06	–	15	70	53	–		18
19	32	–	05	–	–	–	20	–	07	88	–	–		19
20	19	–	–	–	–	02	–	01	40	–	–	03		20
21	09	–	19	–	–	–	–	–	·54	06	–	–		21
22	06	07	03	–	–	15	10	–	04	–	06	–		22
23	–	–	06	16	–	02	01	01	04	18	63	–		23
24	02	03	02	40	–	02	·36	03	02	–	–	–		24
25	1·63	·53	07	–	–	–	08	–	–	–	34	–		25
26	15	–	·38	–	–	–	24	–	–	54	14	–		26
27	09	04	03	–	–	–	–	–	–	117	30	–		27
28	–	30	08	–	–	–	–	–	–	55	14	–		28
29	–	X	–	·48	–	–	–	–	–	02	04	–		29
30	–	✕	–	40	–	06	03	–	–	–	03	–		30
31	–	✕	–	✕	–	✕	04	–	✕	–	✕	–		31
TOTAL	4·37	1·18	1·72	2·31	2·01	1·32	1·46	1·16	1·41	10·28	3·83	·83	Year's Total 31·88	
* Days with .01 in. or more.	22	9	18	9	5	9	11	8	12	23	19	9	157	
* Days with .04 in. or more.	19	7	14	8	5	5	10	5	7	21	17	6	124	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

191

Section **A** for the entry of Daily Observations

Station No. 308 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Margate (Cliftonville).

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 51 ft.

T.L.

4/60

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	—							1
2	—	—	—	07	—	—	—							2
3	—	10	—	05	—	—	27							3
4	—	11	—	14	—	—	—							4
5	—	—	—	—	—	—	—							5
6	02	02	—	—	—	—	23							6
7	15	04	—	—	—	—	17							7
8	—	—	—	—	—	—	01							8
9	—	—	—	01	—	—	—							9
10	—	—	—	—	—	—	08							10
11	—	24	—	06	—	—	—							11
12	—	08	03	—	—	—	10							12
13	—	02	·49	—	—	·03	03							13
14	—	—	24	09	—	—	—							14
15	—	—	—	—	02	—	10							15
16	·72	·52	14	—	—	·03	·37							16
17	05	—	42	—	—	—	—							17
18	·06	11	28	·30	—	—	05							18
19	—	09	02	—	—	—	—							19
20	04	—	04	—	—	—	—							20
21	10	—	—	—	—	—	15							21
22	—	—	01	—	02	—	—							22
23	—	08	—	02	—	—	—							23
24	—	—	—	07	—	—	11							24
25	—	—	44	—	—	—	16							25
26	33	10	41	—	01	—	01							26
27	24	01	—	—	—	—	15							27
28	—	—	—	—	·05	—	—							28
29	04	—	02	—	—	—	—							29
30	02		—	02	—	—	—							30
31	05		—		—		—							31
TOTAL	1·82	1·52	2·54	·83	·10	·06	1·99						Year's Total 8·86	
* Days with .01 in. or more.	12	13	12	10	4	3	15	(4)	(9) ~~[illegible]~~	(16)	(17)	(15)	(129)	
* Days with .04 in. or more.	10	10	8	7	1	0	12							

No Data

inp

imp

WA

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) ....

(not for publication)

[P.T.O.

309

Section **A** for the entry
AIR MINIST

FORM 1090.
REGI

309
SELLING
GROVE HOUSE
1931 - 1940

062421004 780107

FOR OFFICIAL USE.
FALL ORGANIZATION.
3/ .

Kept at Grove Hou
in the County of

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEAS **AY.**

An observer who does not conform *he following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.08		.08				.19					1
2	.15	.10		.12	.11				.41				2
3	.07	.20		.05	1.15			.20	.55			.10	3
4		.07						.02	.21		.03		4
5				.24		.41	.03	.21					5
6		.04		.05				.02		.12	.29		6
7		.04			.03	.02	.06	.06		.02	.06		7
8		.05	.01		.02	.06	.04	.20			.05	.04	8
9		.09	.21						.09		.56	.10	9
10	.08	.19				.07		.11			1.89		10
11	.12	.57									.80		11
12	.27							.07	.44				12
13		.01			.09		.03	.06			.01		13
14	.10	.04					.37	.31					14
15	.02	.02		.46	.03		.10	.72					15
16	.01	.08		.12	.16		.01	.04					16
17		.06		.16			.16	.03	.03				17
18	.01	.22		.30		.03	.05	.15			.60		18
19	.02			.82		.02	.08	.37	.25	.01	.04		19
20		.04		.03	.02		.28	.30					20
21		.09			.43					.04			21
22	.15		.03						.09				22
23	.44	.09	.02		.02				.02		.13		23
24			.02	.43		.05	.02	.22	.01				24
25	.05	.02		.45			.43						25
26		.04		.38			.23			.07	.28		26
27	.10	.31		.02	.22		.05				.03		27
28		.20		.01	.05							.24	28
29	.21			.02	.10		.03			.23	.01		29
30	.08	✕					.02						30
31	.30	✕		✕		✕			✕		✕		31
TOTAL	2.18	2.65	.29	3.74	2.43	.66	1.99	3.28	2.10	.49	4.78	.48	YEAR'S TOTAL 25.07
*Days with ·01 in. or more.	17	23	5	17	13	7	17	18	10	6	14	4	151
*Days with ·04 in. or more.	13	20	1	13	8	4	11	15	7	4	10	4	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F H Neame

[P.T.O.

663350/36.

309

Section A for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Grove House, Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.08		.08				.19					1
2	.15	.10		.12	.11				.41				2
3	.07	.20		.05	1.15			.20	.55			.10	3
4		.07						.02	.21		.03		4
5				.24		.41	.03	.21					5
6		.04		.05				.02		.12	.29		6
7		.04			.03	.02	.06	.06		.02	.06		7
8		.05	snow .01		.02	.06	.04	.20			.05	.04	8
9		.09	.21						.09		.56	.10	9
10	.08	.19				.07		.11			1.89		10
11	.12	.57									.80		11
12	.27							.07	.44				12
13		.01			.09		.03	.06			.01		13
14	.10	.04					.37	.31					14
15	.02	.02		.46	.03		.10	.72					15
16	.01	.08		.12	.16		.01	.04					16
17		.06		.16			.16	.03	.03				17
18	.01	.22		.30		.03	.05	.15			.60		18
19	.02			.82		.02	.08	.37	.25	.01	.04		19
20		.04		.03	.02		.28	.30					20
21		.09			.43					.04			21
22	.15		.03						.09				22
23	.44	.09	.02		.02				.02		.13		23
24			.02	.43		.05	.02	.22	.01				24
25	.05	.02		.45			.43						25
26		.04		.38			.23			.07	.28		26
27	.10	.31		.02	.22		.05				.03		27
28		.20		.01	.05							.24	28
29	.21			.02	.10		.03			.23	.01		29
30	.08	×					.02						30
31	.30	×		×		×			×		×		31
TOTAL	2.18	2.65	.29	3.74	2.43	.66	1.99	3.28	2.10	.49	4.78	.48	YEAR'S TOTAL 25.07
*Days with ·01 in. or more.	17	23	5	17	13	7	17	18	10	6	14	4	151
*Days with ·04 in. or more.	13	20	1	13	8	4	11	15	7	4	10	4	110

40-9999

(Signed) E. H. Neame

[P.T.O.

*See Instruction 2 (*f*) on other side.

309

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Grove House, Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

„ Ground „ Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·05	·44		·06			·08	·04		1
2	·08			·24	·06			·10	·06			·12	2
3				·16	·33	·03			·32	·02			3
4				·01		·19							4
5	·10				·09		·12	·05	·03				5
6	·54			·17									6
7	·06		·08				·04						7
8	·01	·05	·10	·02	·25				·12	1·68			8
9	·25		·01	·15	·74					·29			9
10	·66	·05		·23	·04					·06			10
11	·49	·20	·01	·12	·01	·25	·06		·06	·17			11
12	·18	·02		·02			·01			·23			12
13	·02			·05	·04				·01	·65			13
14	·16	·03		·24	·10					·28			14
15	·01			·09	·08					·10			15
16	·12			·21	·03		·03		·01				16
17				·01									17
18							·02		·04		·12		18
19										·13	·20		19
20				·02	·13		·19		·01	1·10	·34		20
21	·01				·15					·26			21
22			·21		·13		·33		·46	·22	·49		22
23		·18		·12	·02				·65	1·12	·10		23
24					·01		·63		·20	·06			24
25		·02			·09		1·41		·13	·22			25
26				·03				·28					26
27			·35	·13	·11		·61		·05	·51	·10		27
28			·01	·03	·02		·24			·05		·07	28
29			·36	·04				·23	·07	·48			29
30		X	·11	·26	·22	·67			·02	·04	·09	·04	30
31		X	·05	X		X	·03		X	X	X		31
TOTAL	2·69	·58	1·39	2·40	3·09	1·14	3·78	·66	2·24	7·75	1·48	·23	YEAR'S TOTAL 27·43
*Days with ·01 in. or more.	14	8	10	22	21	4	14	4	16	21	8	3	145 ~~155~~
*Days with ·04 in. or more.	10	4	6	14	16	3	10	4	11	20	8	3	109

40-9999

(Signed) F V D Neame

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Grove House, Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 330 ft.

Days adjusted by [illegible], Selling. The ~~[illegible]~~ entries with an asterisk are accumulations. April–May, June adjusted for accumulation

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04		.18							.03	.06		1
2	.13		.32		(.78) ~~.83~~					.21	.03		2
3	.03	.08	.25		.10					.13	~~[illegible]~~		3
4	.02	.01	✓										4
5	.28		x .25*		.10					.01	✓		5
6		.08	.07		.14					.02	* .10 x		6
7	.43	.02	.08		.07					.18	✓	x	7
8	.15					~~.44~~	.10			✓			8
9					x					* .07 x	* .09 x		9
10		.12				✓ ~~.09~~	.08			.20	✓		10
11	.17				✓	✓ ~~.07~~		.12	.15	x	* .07 x		11
12				✓		x (.11)	.11		.50		.05		12
13					* .19 x	✓ ~~.45~~	.25		.50	* .13 x	.17		13
14	.02				✓	~~.07~~		✓		.18	.20		14
15	.23		.09				.09	* .21 x		.02	.05	✓	15
16	.12		.78			* .30 x	x			✓			16
17			.44			✓ ~~.07~~		.09	.05		.03		17
18	.15		.02	✓		* .23 x							18
19		.03	.13	* .27 x		.38			.07				19
20				.19		.03		✓	.07				20
21		.47			(.10)	.02		* .12 x	.91				21
22		✓						.21		* .07 x	✓		22
23				.05	✓				.83				23
24		x		.10		.13			.49		* .13 *		24
25		* .14 ✓		.31	✓				.04		.39	x	25
26		.50		✓					.02	.12	.86	* .15 x	26
27		.02		✓	✓							.08	27
28				(.05)						.18		.05	28
29							* .23 x ✓			.07			29
30	.07	×	.07	✓					.11	.05		.03	30
31	.06	×		×		×			×		×		31
TOTAL	1.90	1.47	2.68	(.97) ~~.72~~	(1.48) ~~1.43~~	(1.20) ~~1.30~~	.88	.75	3.74	1.69	1.43	.31	YEAR'S TOTAL 18.50 ✓
*Days with ·01 in. or more.	14	12 ~~10~~	13 ~~12~~	10 ~~5~~	12 ~~8~~	11 ~~7~~	8 ~~6~~	7 ~~5~~	12	19 ~~16~~	~~13~~ 17	7 ~~4~~	~~140~~ (142)
*Days with .04 in. or more.	11	6	11	5	7 ~~8~~	5	7 ~~6~~	5	11	13 ~~12~~	11	5 ~~3~~	~~92~~ (97)

40-9999

*See Instruction 2 (*f*) on other side.

* accumulation.

(*Signed*) F V Keane

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Grove House. Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06									·19		·19	1
2				·09					·57	·74		·26	2
3	·03	·11	·16		·20					·49		·02	3
4	·21				·11						·06	·75	4
5					·18	·07					·06	·20	5
6			·38	·12	·11	·24				·20	·02	·47	6
7				·01						·08		·18	7
8				~~·39~~ 41	·25						1·69		8
9	·05			·02							·66	·16	9
10	·02		·22	·24						·05	·20		10
11	·75		·42	·10								·50	11
12	·15		·07				·13	·38				~~·2~~	12
13	·53		·21	·03				·43			·02	·10	13
14	1·28		·55	·09						·04	·18	·31	14
15				·01	·03						·16	·74	15
16	·15		·36	~~·04~~	·07					·03			16
17	·08		·35	~~·02~~					·45		·15	·23	17
18	·14		·05	·33							·10	·20	18
19			·31						·15				19
20			·26									·10	20
21				~~·06~~		·10							21
22				·48			·14		·22	·03			22
23				~~·45~~ 16		·27						·21	23
24		·03		·18			·28		·13				24
25	·05			·08								·35	25
26	·14			~~·10~~		·23						·01	26
27	·03	·06		·08							·03	·27	27
28		·08		·20		·19		·43		·03		·15	28
29							·35		·21				29
30	·18	✕						·36				·32	30
31		✕		✕		✕			✕	·03	✕	·23	31
TOTAL	2·87	·28	3·34	2·63	·95	1·10	·90	1·60	1·73	1·88	3·33	5·95	YEAR'S TOTAL 26·56
*Days with ·01 in. or more.	16	4	12	17	7	6	4	4	6	11	12	22	121
*Days with ·04 in. or more.	13	3	12	13	6	6	4	4	6	7	9	20	103

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Grove House Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·22			·03		·13	·13		·33	·10	·08			1
2	·21		·05							·42	·02			2
3	·02	·08	·14	·09		·01			·06	·31	·08			3
4				·26		·08			·22	·90	·02	·12		4
5		·50	·02	·11		·04	·04		·60	·10				5
6		·05	·01	·26		·19				·03	·08	~~·02~~		6
7	·24	·97		·19		·18					·79	·06		7
8				·40				·66		·23	·14	~~·04~~		8
9				·06		·43				·76	·24	·06		9
10	·06					·06					·12	·14		10
11	·07			·25		·04					·31			11
12						·02		·75			·32			12
13	·03	·20		·07							·17	·30		13
14				·01	·53	·05						·10		14
15		·20		·55	·05				·45		·41	·06		15
16		·05		·25		·05			·59		·71	~~·04~~		16
17	·09	·0	·03	·10	·02	·13		·01	·01		·58			17
18				·21	·55	·05	·35		·40	·04		·07		18
19				·02	·03	·02	·06		·02		·04	snow ·18		19
20		·60		·19		·03	·19		·02	~~·05~~				20
21	·03	·52		·04						·09	·06			21
22		·21							·04		·06			22
23								·32				·03		23
24	·05	·96			·32			·33	·61	·23		·49		24
25	~~·07~~	·07			·18	·22				·20	·03	·41		25
26	·06	·06		·26				·09	·01	·08		·37		26
27	·20	·49			·33			·61	·06		·05	·13		27
28		·12			·14				·01	·05		·15		28
29	~~·02~~								·47			·57		29
30	·07	×		·09	·05			1·00	·04	·12	·47	·34		30
31		×		×		×			×	·33	×	·68		31
Total	1·35	4·18	·25	3·44	2·20	1·91	·77	3·77	3·94	4·04	4·78	4·20	Year's Total. 34·63	"d"
* Days with .01 in. or more.	13	15	5	20	10	17	5	8	17	17	21	18	166	
* Days with .04 in. or more.	10	15	2	17	8	14	5	7	12	16	18	17	141	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E W D Neame

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 309

AIR MINISTRY.—METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at grovehouse. Detling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·17	·02	·14		·17	·08	·05			·03			1
2	·05	·09	·02	·01		·16	·13	·09				·17		2
3		·01	~~·04~~	·35	·14	·06	·01		·02					3
4			·01			·15			·16	·02	·27	·04		4
5	·23			·03				·04	·15	·13	·02	·04		5
6	·25		~~·04~~			·03		·03	·18	·60	·65			6
7	·27		·05			·02	·04			·17	·37			7
8	·33		·01				·08					·26		8
9	·49		·02		·02		·40				·73			9
10			·01			·03	·05	·88	·03	·30	·25			10
11				·07	·02		·22	·01			·99			11
12						·01	·21				·24	·04		12
13				·01		·04						·18		13
14		·03				·06	·88			·06	·13	·41		14
15		·05					·01		·86			·20		15
16	·39										·14	·19		16
17	·13	·74				·13					·36	·28		17
18	·08	·12				·01	·24			·04	·35	·07		18
19	·19	·09				·10		·08		·08	·01			19
20	·27	·12							·70					20
21				·42		·79	·01		·02					21
22	·05	·33	·01	·20	·03		·05				·01	·15		22
23				·05			·31			·02				23
24	·05	·16		·08						·33				24
25	·61		·06			·13	·06		·33	·02		·02		25
26		·08	·05	·11					·08	·22		·03		26
27	·16	·04		·07			·25		·20	·02	·04			27
28	·70		·04	·01		·18	·59		·29					28
29	·04	snow ·03	·14			·39	1·05		·10	·02	·08			29
30	·08	×			·06	·13				·08				30
31	·21	×	·13	×		×	·11		×	·51	×	·08		31
TOTAL	4·90	2·06	·57	1·55	·27	3·09	4·78	1·18	3·12	2·62	4·67	2·16	Year's Total. 30·97	✓
* Days with .01 in. or more.	20	14	13	13	5	18	20	7	13	16	17	15	171	✓
* Days with .04 in. or more.	20	11	6	9	2	13	17	5	10	11	13	13	130	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Grove House, Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·06							·32	·48		1
2	·68	·18		·52							·01	·84		2
3										·01		·55		3
4	·11	·71										·38		4
5	·22	·12	snow ·50				·06			·10		·04		5
6	·09		" ·31		·14		·05			·06				6
7		·66	" ·32	·07	·01					·01		·15		7
8		·03	" ·21			·04			·01	·05	·21	1·20		8
9		·03	" ·02	·35	·08	·04	·06	·04				·35		9
10			·41	·07	·18	·74	·16		·23			·50		10
11			·68		·16		·03			·01		~~·70~~ ·17		11
12	·32	·28	·64		·55		·02	·04	·30			·02		12
13	·32		·44		·02	·26		·22	·50			·96		13
14	·06	·02	·07		·45	·01		·31	·05			·10		14
15	·05	·03		·14	·03	·02	·35		·07					15
16			·16	·13		·09		·40				·01		16
17	·49		·01	·25					1·57		·37			17
18	·42	·06			·38				·25		·03			18
19	·09	·05	·09	·23	·03	·14	·11							19
20	·50		·66	·30	·92	·20								20
21	·37	·50	·19	·01		·02			·01					21
22	·34	·02			·03					·94	·02	·01		22
23	·02	·02								·33		·14		23
24	·48	·19							·14	·12		·01		24
25	·22	·35	·34						·17	·52		·01		25
26		·32	·12							·51				26
27		·19		·29						·08	·02			27
28		·03		·01		·01						·23		28
29	·12									·16	·01			29
30	·38	✕								·39	·04	·06		30
31	·22	✕		✕		✕	·02		✕	·01	✕	·08		31
TOTAL	5·50	3·79	5·17	2·43	2·98	1·57	·91	1·01	3·30	3·30	1·03	6·29	Year's Total 37·28	✓
* Days with .01 in. or more.	20	19	17	13	13	11	9	5	11	15	9	21	163	✓
* Days with .04 in. or more.	19	12	15	11	9	7	6	5	9	11	4	15	123	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Grove House, Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01				·15	·40	·08		·31		·04	·08		1
2					·16					·33		·02		2
3					·25		·02			·57	·03			3
4	·03						·17	·20		·02		·08		4
5				·07			·53			·40		·01		5
6	·04							·08	·01					6
7	~~·47~~							·44		·20		·07		7
8	·27						·10		·10	·11				8
9	·19						·04	·56		·03		·60		9
10	·10	·10				·09		·14				·23		10
11	·15							1·53				·10		11
12	·23									·06	·06			12
13	·43									·03	·03			13
14	·15	Snow ·20	—		·26			·01	·17		·03	·04		14
15	·03	″ ·12					·24			·13	·01	·05		15
16	·23	″ ·23								·10		·18		16
17		″ ·03			·59		·05			·52	·01			17
18		·05		·01	·04		·03			·03	·43			18
19	·05				·03				·02		·02			19
20		·01			·03				·45		·43	Snow 1·00		20
21								·15	·15		·15	″ ·37		21
22	·02			·02		·02	~~·02~~				·12	″ ·25		22
23				·01								″ ·09		23
24			·04		·02				·10		·32	″ ·12		24
25	·08		·34	·14			·08		·04	·02	·60			25
26	·45	·12	~~·04~~		·03		·03		·56	·25		·37		26
27	·18	·05			·30	·11	·27		·25	·55	·33			27
28	·19	·02			·18	·05		·71	·06					28
29	·36			·09	·26				·01	~~·04~~	·02	·27		29
30	·05	✕		·33	·04				·04	·04	·27			30
31	·23	✕		✕	·05	✕			✕	·11	✕	·25		31
TOTAL	3·47	·93	·38	·67	2·39	·67	1·64	3·82	2·27	3·44	2·90	4·18	Year's Total 26·76	✓
* Days with .01 in. or more.	21	10	2	7	15	5	12	9	14	18	17	19	149	✓
* Days with .04 in. or more.	17	7	2	4	11	4	9	8	11	13	10	17	113	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. I. K. Neame

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~8~~9

Kept at ~~Grove House Selling~~ Sheldwich
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05		.02	.11	.62			.02	.02	.02	.04			1
2	.02				.01		.03	.31		.46				2
3	.29			.21				.39		.02	.11	.30		3
4	.22		.28	.06				.58		.51	.04	.01		4
5		.02		.25			.09			.34	.34	.40		5
6	.27		.03	.01						.07	.15			6
7	.27	.03					.02	.01		.07	.15	.05		7
8		.04	.17					.05		.16		.57		8
9	.02	.06								1.00	.44	.34		9
10	.10					.40		.08	.02	.07	.01			10
11	.02		.37		.02	.15				1.42		.02		11
12					.03	.40			~~.44~~					12
13			.02			.03			.03	2.12	.01	.14		13
14	.57		.02	.01	.12		.06			.28	.42	.01		14
15	.39				1.01		.06		.44	1.08	.06			15
16	.24		.05		.40	.13	.06				.40			16
17	.16	.10	Snow .05	.04	.05		.14		.03	~~.42~~	.02			17
18	.20		.05		.01	.02	.06		.03	x .51	.46			18
19	.35						.36		.28	1.13				19
20	.23						.08		.21			.06		20
21	.12		.15			.05			.19	.07				21
22	.12	.26	.03			.18	.05		.01					22
23	S. Rain .02	.02		.01			.14	.13		.07	.51			23
24	Snow 19 x ~~.27~~		.01	.17		.11	.15			.04	.02			24
25	Snow 1.22	.30	.09				.84				.65			25
26	.50		.15			.13	.09			.39	.27	.04		26
27	.23	.08	.22							.91	.31			27
28		.39	.11							.43	.15	Snow .10		28
29				.60						.03	.01			29
30		✕		.55							.06			30
31		✕		✕		✕	.04		✕		✕			31
TOTAL	5.80	1.28	1.82	2.02	2.27	1.60	2.27	1.57	1.26	11.20	4.63	2.04	Year's Total 37.76	
* Days with .01 in. or more.	23	10	17	11	9	10	16	8	10	23	22	12	171	
* Days with .04 in. or more.	19	7	11	8	5	8	14	6	4	20	17	9	128	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E W Neame [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Grove House, Sheldwich

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		snow .03												1
2			~~.02~~	.02						.30	.68			2
3		.15								.16	1.36	.05		3
4		.10								.18	.19			4
5	.01	.01									.63	.09		5
6	.15	.05					.20			.43	.02			6
7	.27	.09		.11			.20							7
8		.02					.01		.53	.32		.25		8
9									.01	.06		.06		9
10							.06			.70	.13			10
11				.04					.02		.06			11
12			.17	.02			.35				.90			12
13		snow .12	.67			.54	.05		?		.91			13
14		snow .06	snow .37	.11								.29		14
15			.02		.03	.19	.99				.30			15
16	snow .68	snow .38	.14			.47	.34		.07	.45	.62	.05		16
17			.19			.18			.01		.05			17
18	snow .03	.32	.36	.34			.10			.19	.05	.16		18
19		.15	.06						.83		.01	.20		19
20		.01	.03			.06			.09	.05	.20			20
21	snow .12				.03		.11		.04	.05	.19			21
22	snow .12		.01		.24	.04			.03	.09	.02			22
23		.21		.08						.02		.02		23
24				.15			.07			.15				24
25			.66				.16			.27				25
26	.85	.15	.64				.05			.33				26
27	snow .12	.12					.09							27
28	snow .03	.03			.12					.01				28
29	snow .09	.01	.07		.01				.09			.20		29
30	snow .02	✕		.23					.02	.06		.02		30
31	.04	✕		✕		✕			✕	.50	✕	.08		31
TOTAL	2.53	2.01	3.39	1.10	.43	1.48	2.78	—	1.76	4.32	6.32	1.47	Year's Total 27.59	
* Days with .01 in. or more.	13	18	13	9	5	6	14	—	11	19	17	12	137	
* Days with .04 in. or more.	8	12	10	7	2	6	13	—	6	17	14	10	105	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

310

Section **A** for the entry of Daily Observ
AIR MINISTRY.—METEORO
FORM 1090.

REGISTER OF

310

LUTON - SELLING

1931 - 1940

062421003 TB0107

AINFALL ORGANIZATION.

FOR OFFICIAL USE.

193/ .

Kept at Luton Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 9 in.
,, Ground ,, Sea Level 263 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·11		·07				·15					1
2	·12	~~·09~~ 11		·11				·05	·40				2
3	·05	·19	·03	·06	1·25			·18	·58			·11	3
4		~~·07~~ 10			·03			·03	·21		·04	·08	4
5				·25		·45	·03	·17					5
6		~~·04~~		·05				·08	~~·14~~	·14	·29		6
7	·04	·05			·02	·03	·01			·04	·04		7
8		·04	snow ·15			·05	·03	·27			·05	·03	8
9		·06			·01				·11		·52		9
10	·07	·29				·07		·12			2·06	·03	10
11	·13	~~·07~~ ·61									·64		11
12	·20						~~·02~~	·05	·48			·02	12
13	·17	·02			·10		·02	·11			·01		13
14		·05					·32	·29					14
15	·05	·02		·52	·03		~~·04~~ ·10	·64				·11	15
16		·09		·13	·16		·04	·01					16
17		·03		·17	·01		·18	·06	·04				17
18	·04	·23		·32		·04	·05	·14			·48		18
19	·02			·71		·01	·17	·40	·21	·01	·09		19
20		·04		·07			·33	·33					20
21		·08			·45			·03		·04			21
22	·03		·02					·05					22
23	·59	~~·09~~ ·10	·02		·02			~~·15~~			·13		23
24			·02	·28	·01	·04		·15	·03			·02	24
25	·06	~~·02~~		·56			·48						25
26		·06		·32			·22						26
27	·09	·28		·04	·22		·09				·28		27
28	·12	snow ·25		·02	·05					·06	·03	·10	28
29	·07			·02	·08		·03			·24	·01		29
30	·05	×					·02						30
31	·34	×		×		×			×		×		31
TOTAL	2·24	2·70	·24	3·70	2·44	·39	2·12	3·31	2·06	·53	4·67	·50	YEAR'S TOTAL 25·20
*Days with ·01 in. or more.	18	~~22~~ 21	5	17	14	7	16	20	8	6	14	8	154
*Days with ·04 in. or more.	16	~~20~~ 17	1	15	7	5	10	17	7	5	11	4	115

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F W Neame

P.T.O.

310

Section **A** **for the entry of Daily Observ**

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITIS AINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Luton Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 9 in.

,, Ground ,, Sea Level 263 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·11		·07				·15					1
2	·12	11 ~~·09~~		·11				·05	·40				2
3	·05	·19	·03	·06	1·25			·18	·58			·11	3
4		10 ~~·09~~			·03			·03	·21		·04	·08	4
5				·25		·45	·03	·17					5
6		~~·04~~		·05				·08	~~·14~~	·14	·29		6
7	·04	·05			·02	·03	·01			·04	·04		7
8		·04	snow ·15			·05	·03	·27			·05	·03	8
9		·06			·01				·11		·52		9
10	·07	·29				·07		·12			2·06	·03	10
11	·13	·61 ~~·07~~									·64		11
12	·20						~~·02~~	·05	·48			·02	12
13	·17	·02			·10		·02	·11			·01		13
14		·05					·32	·29					14
15	·05	·02		·52	·03		·10 ~~·04~~	·64				·11	15
16		·09		·13	·16		·04	·01					16
17		·03		·17	·01		·18	·06	·04				17
18	·04	·23		·32		·04	·05	·14			·48		18
19	·02			·71		·01	·17	·40	·21	·01	·09		19
20		·02		·07			·33	·33					20
21		·08			·45			·03		·04			21
22	·03		·02					·05					22
23	·59	·10 ~~·09~~	·02		·02			~~·15~~			·13		23
24			·02	·28	·01	·04		·15	·03			·02	24
25	·06	~~·02~~		·56			·48						25
26		·06		·32			·22						26
27	·09	·28		·04	·22		·09				·28		27
28	·12	snow ·25		·02	·05					·06	·03	·10	28
29	·07			·02	·08		·03			·24	·01		29
30	·05	×					·02						30
31	·34	×		×		×			×		×		31
TOTAL	2·24	2·70	·24	3·70	2·44	·89	2·12	3·31	2·06	·53	4·67	·50	YEAR'S TOTAL 25·20
*Days with ·01 in. or more.	18	~~23~~ 21	5	17	14	7	16	20	8	6	14	8	154
*Days with ·04 in. or more.	16	~~20~~ 17	1	15	7	5	10	17	7	5	11	4	115

40-9999

(*Signed*) F W Neame [P.T.O.

*See Instruction 2 (*f*) on other side.

310

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Luton Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 9 in.

" Ground " Sea Level ~~[illegible]~~ ft.

300' (see back of return).

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·05	·50		·25		·01	·09	·04	·07	1
2				·22	·07			·09	·03			·12	2
3				·14	·33	·03		·01	·36	·03			3
4				·02		·15			~~·24~~				4
5	·12	·02			·10	·05	·12		·04				5
6	·54			·17				·05	·07			·07	6
7	·09		·05	·03			·04		·09			·08	7
8		·04	·15	·03	·22				·09	1·58			8
9	·36		·02	·09	·87				·02	·51			9
10	·65	·03		·37	·05				·02	·97			10
11	·52	·17	·01	·10	·02	·21	·07		·05	·20		·02	11
12	·09	·01		·03			·01	·01		·26	·01		12
13	·12			·06	·05		·02		·03	·56			13
14	·15	·05		·25	·10			·03		·44			14
15	·01	·03		·09	·09				·01	·11			15
16	·10			·22	·04				·02	·07			16
17				·02			·04						17
18							·03		·05		·10		18
19		·01							·01	·11	·25		19
20		·01		·04	·15		·19		·03	1·10	·33		20
21				·02	·17		·02			·26			21
22			·32	·04	·14		·22		·34	·23	·40	·03	22
23		·13		·09	·02		·01		·74	1·15	·09	·05	23
24		·05			·01		·64		·19	·09	·02		24
25		·01			·11		1·46		·16	·21	·01	·02	25
26				·03			·42	·28	·01	·01	·05	·01	26
27			·38	·13	·13		·16	·01	·04	·55	·06	·02	27
28			·02	·06	·03		·21		·03	·07			28
29			·33	·04	·01			·25	·07	·51		·02	29
30		×	·12	·29	·28	·52		·02	·03	·05	·04	·03	30
31		×	·15	×		×	·04		×	·01	×	·03	31
TOTAL	2·75	·59	1·55	2·63	3·49	·96	3·95	·75	2·~~09~~45	8·27	1·40	·57	YEAR'S TOTAL 29·36
*Days with ·01 in. or more.	11	13	10	25	22	5	19	9	23	24	12	13	186
*Days with ·04 in. or more.	10	5	7	18	17	4	13	4	11	21	9	5	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F W Keane

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at [illegible] Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 9 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.09						.01	.02	.06		1
2	.12		.43		.74					.17	.03		2
3	.03	.09	.28		.24					.13			3
4	.01	.02	.02										4
5	.28		.14		.11					.01	.02		5
6		.07	.19		.10					.02	.08		6
7	.35	.04	.04		.14					.19	.01	.08	7
8	.22						.14			.02			8
9					.12					.10	.07		9
10		.10				.03	.09			.16	.04		10
11	12				.02	.03	.01	.12	.15	.04	.05		11
12				.03		.17			.33		.06		12
13	.02				.12	.03	.45		.70	.07	.17		13
14					.09		.01	.03		.23	.05		14
15	.26		.04				.10	.21		.02	.19	.03	15
16	.10	.02	.86			.33	.30			.02	.01		16
17	.04		.44			.02		.12	.06		.03		17
18	.14		.02	.04		.20							18
19	.01	.03	.14	.28		.32			.08			.01	19
20		.01		.12		.10		.02	.11			.01	20
21		Snow .47		.01		.03		.17	.84				21
22		.02						.22		.06	.01		22
23				.04	.07				.84				23
24		.09		.15	.02	.13			.48		.08		24
25		.01		.31	.06				.05	.11	.41	.05	25
26		.41		.01		.14			.04		.07	.10	26
27		.11		.02	.03					.19	.01	.07	27
28							.02		.01	.08		.07	28
29	.01				.02		.26			.02			29
30	.08	✕	.09	.02			.02		.14	.04		.02	30
31	.01	✕		✕		✕		.06	✕	.01	✕	.04	31
TOTAL	1.81	1.49	2.78	1.03	1.88	1.53	1.40	.95	3.84	1.71	1.45	.48	YEAR'S TOTAL 20.35 ✓
*Days with .01 in. or more.	17	14	13	11	14	12	10	8	14	21	19	10	163
*Days with .04 in. or more.	10	8	11	6	10	7	6	6	12	13	12	6	107

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F. W. Neame

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Luton Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 9 in.

" Ground " Sea Level ~~3~~300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·01		·39	·10	·20		·14	1
2	·08		·07						·53	·85		·32	2
3	·01	·11		·09	·10			·04	·06	·51		·03	3
4	·21	·02		·01	·22					·06	·09	·79	4
5			·05		·15	·04					·06	·20	5
6			·35	·12	·12	·24		·05		·23	·03	·49	6
7	·05			·02				·07		·09		·20	7
8		·01		·39	·24			·03	·02		1·74	·01	8
9	·01		·02	·03	·01			·02			·72	·16	9
10			·19	·20			·08	·04		·04	·19	·01	10
11	·75		·31	·14			·08	·03	·01		·01	·48	11
12	·25	·01	·25					·49			·03	·14	12
13	·66		·16					·32			·01	·02	13
14	·27		·63	·11	·03		·05	·03		·10	·20	·36	14
15	·04										·17	·76	15
16	·13	·01	·29	·01	·09							·04	16
17	·10		·44	·02	·01				·47	·05	·16	·27	17
18	·05		·03	·33			·12		·01		·11	·20	18
19			·35						·16		·01	·12	19
20			·30									·02	20
21			·01	·06		·12	·09						21
22		·01					·05	·24	·25	·05		·01	22
23				·45		·28	·01			·01		·19	23
24		·01		·13			·31		·15		·02		24
25	·05	·03		·18	·04	·23				·05		·35	25
26	·12			·10		·02			·01			·01	26
27	·03	·03		·12		·09						·15	27
28	·02	·09		·14		·08		·42			·02	·26	28
29							·46	·06	·23			·01	29
30	·17	×						·21				·24	30
31	·01	×		×		×		·01	×	·02	×	·33	31
TOTAL	3·01	·33	3·45	2·65	1·01	1·11	1·25	2·45	2·00	2·26	3·57	6·31	YEAR'S TOTAL 29·40
*Days with ·01 in. or more.	19	10	15	19	10	9	9	16	12	13	16	29	177
*Days with .04 in. or more.	14	2	12	14	7	7	8	11	8	11	9	21	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F J D Neame

P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Luton, Sellinge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 9 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	·03	·01	·03		·15	·17		·36	·10	·08			1
2	·23		·03			~~·13~~				·45	·03			2
3	·03		·13	·10		·02			·06	·31	·05			3
4		·07		·29		·08			·24	1·15	·05	·13		4
5		·54	·01	·10		·07	·04		·62	·09	·01			5
6		·04	·04	·27		·24				·06	·08	·02		6
7	·26	·02		·21		·22				·01	·91	·05		7
8				·45		·02		·72		·24	·19	·01		8
9				·07		·45		·01		·74	·27	·05		9
10	·05	·03		·01		·02				·14	·11	·17		10
11	·08			·25		·09					·36			11
12	·01	·02				·25		·75			·25			12
13	·03	·20		·08	·48	·01					·23	·30		13
14	·03			·02		·06						·10		14
15		·17		·58		·02			·49		·41			15
16		·04		·22	·11	·08			·49		·72	·01		16
17	·07		·04	·16	·01	·15	·03	·02	·11		·63			17
18				·22		·05	·39		·44	·05		·05		18
19				·04	·54	·03	·07				·03	Snow ·20		19
20		·68		·20	·05	·05	·20		·08	·06	·04			20
21	·03	·45		·05		·01				·09	·07			21
22		·27							·05		·07			22
23		·01	·01					·30			·02			23
24	·05	·87	·01		·14			·33	·62	·12		·54		24
25	·09	·20		·29	·45	·24				·34		·36		25
26	·05							·11	·02	·08	·03	·51		26
27	·19	·38			·34			·36	·08		·12	·15		27
28		·13			·18			·21	·03	·06	·02	·16		28
29	·02								·46			·61		29
30	·08	×		·10	·05			1·07	·11	·14	·49	·40		30
31		×		×	·02	×		·05	×	·36	×	·79		31
TOTAL	1·56	4·35	·28	3·74	2·37	2·28	·90	3·93	4·26	4·59	5·27	4·61	Year's Total. 38·14	
* Days with .01 in. or more.	17	18	8	21	11	21	6	11	16	19	25	19	192	
* Days with .04 in. or more.	11	13	3	18	9	14	5	8	14	18	19	16	148	

40-9999

† Spare column, no entries required

(*Signed*) L V D Neame

P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Luton Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 9 in.

,, Ground ,, Sea Level ~~263~~ 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.34	.29	.03	.16		.19	.09	.05			.04	.05		1
2	.05	.12	.03	.01		.05	.15	.10				.27		2
3		.01	.01	.36	.16	.19	.01		.02	.02				3
4			.02			.16			.13		.28			4
5	.24			.03				.03	.39	.13	.03	.08		5
6	.25		.01			.03		.04	.21	.56	.56			6
7	.32		.06			.02	.04			.15	.48			7
8	.36		.02				.09			.04		.28		8
9	.57		.03		.01		.42	.01	.01		.68			9
10			.01		.02	.03	.06	.98	.03	.31	.38			10
11				.07	.02		.21	.01			.95			11
12				.01		.01	.24				.28			12
13						.05						.26		13
14		.03				.06	.92			.07	.14	.45		14
15		.05					.03		.86		.27	.16		15
16	.39	.09			.01				.01		.35	.26		16
17	.09	.75				.13				.03	.41	.36		17
18	.05	.12					.25	.01				.08		18
19	.28	.13				.12		.09		.11				19
20	.27	.13		.41					.80					20
21				.21		.89	.01		.01					21
22	.05	.35	.01	.07	.02	.01	.01					.18		22
23				.07			.44							23
24	.05	.16							.01	.13				24
25	.63	.03	.04	.11		.13	.03		.30	.29				25
26	.01	.09	.09	.03					.08	.27	.08	.04		26
27	.12	.06		.02			.26		.20	.03				27
28	.78	.01				.09	.69		.30		.04	.05		28
29	.08	snow .04	.19			1.20	.91		.11	.03	.09			29
30	.10	✕			.05	.13				.07				30
31	.10	✕	.10	✕		✕	.15		✕	.52	✕			31
TOTAL	5.13	2.46	.65	1.56	.29	3.49	5.01	1.32	3.47	2.76	5.06	2.47	Year's Total 33.67	✓
* Days with .01 in. or more.	21	17	14	13	7	18	20	9	16	16	16	13	180	✓
* Days with .04 in. or more.	20	13	5	8	2	11	15	5	10	12	15	13	129	✓

40-9999.

† Spare column, no entries required.

(*Signed*) F. G. Neame [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Linton, Valley

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 9 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			·01	·02							·34	·49		1
2	·85		·05	·53						·02		·76		2
3		·23										·61		3
4	·12	·11										·29		4
5	·17	·73	snow ·55				·11			·11		·24		5
6	·11	·23	" ·46		·15		·12			·04				6
7			" ·12	·08	·11	·08				·03		·07		7
8		·64	" ·24			·02			·02	·04	·22	x·75		8
9		·11	m ·02	·26	·09		·06	·04	·25		·02	·34		9
10			·32	·20	·15	·65	·11					·49		10
11			·75		·17		·04		·03	·02		·24		11
12	·30	·21	·65		·58		·02		·20			1·05		12
13	·31		·41		·03	·27		·02	·60			·11 ~~·96~~		13
14	·06	·03	·12		·44	·04		·26	·05			~~·10~~		14
15	·01	·06		·17	·08		·33	·29	·08					15
16	·08	·06	·16	·13		·09		·42				~~·01~~		16
17	·50	·01	·02	·38		·27			1·30		·33			17
18	·43	·06	·07	·21	·41	·16			·24		·04			18
19	·10	·06	·53		·04	·17	·14		·08					19
20	·55		·20	·31	·91	·05								20
21	·39	·33	·04	·02			·02	·09	·02			·02		21
22	·35	·21			·04	·01				·95	·02	·09		22
23							·03			·40		·02		23
24	·56	·20							·13	·14		~~·21~~		24
25	·21	·38	·29						·18	·48		·07		25
26		·29	snow ·13							·61				26
27		·30		·28						·09				27
28	snow			·02								·21		28
29	·11									·14		·03		29
30	·34	✕								·41	·04	·05		30
31	·26	✕		✕		✕	·01		✕		✕	·07		31
TOTAL	5·81	4·25	5·07	2·63	3·20	1·81	·99	1·12	3·18	3·48	1·01	5·28	Year's Total 38·43	✓
* Days with .01 in. or more.	20	19	18	13	13	11	11	6	13	14	7	19	164	✓
* Days with .04 in. or more.	19	17	17	10	12	9	7	5	10	11	5	15	137	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Luton, Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 9 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02				·19	·41	·08		·32		·06	·18		1
2				·07	·05					·33		·02		2
3					·37		·03			·56	·05			3
4	·03					·05	·10	·21		·02		·10		4
5				·02			·55			·40		·02		5
6	·03						·02	·06	·03			·04		6
7								·52		·20				7
8	·38						·10		·10	·12				8
9	·20	·03						·69		·03		·65		9
10	·10	·10				·11		·14				·23		10
11	·16	·01				·01		·94		·03	·07	·05		11
12	·24	·03									·05			12
13	·46	snow ·17								·07	·04	·05		13
14	·16	" ·03			·28			·02	·17					14
15	·02	" ·35					·24			·17		·04		15
16	·27						·09	·01		·08		·20		16
17		" ·09			·62		·07			·50	·04			17
18	·06			·01	·09		·03		·06	·03	·50			18
19					·05				·02		·03	·04		19
20		·01							·45		·47	snow 1·00		20
21								·07	·15		·13	·37		21
22				·02		·02		·02			·14	·25		22
23												·05		23
24	·02		·04		·03				·10		·19	·16		24
25	·08		~~·34~~ 42	·15	·04		·09		·09	·03	·69			25
26	·46	·14	·04				·04		·57	·25		·35		26
27	·07	·05			·29	·10	·30		·26	·50	·38			27
28	·23				·19	·05		·72	·08			·02		28
29	·32			·10	·24			·04	·02		·01	·26		29
30	·05	✕		·28	·04	·03			·04	·05	·21			30
31	·23	✕		✕	·08	✕			✕	·11	✕	·26		31
TOTAL	3·59	1·01	·50	·65	2·56	·78	1·74	3·44	2·48	3·48	3·06	4·34	Year's Total 27·63	
* Days with .01 in. or more.	21	11	3	7	14	8	13	12	15	18	16	21	159	
* Days with .04 in. or more.	16	6	3	4	13	5	10	9	11	13	14	18	122	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Linton Salling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 9 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05		.03	.13	.60			.02	.03		.04			1
2					.02			.26		.50	.02			2
3	.22			.21				.48			.09	.32		3
4	.34		.31	.08				.63		.55	.04	.02		4
5			.02	.25	.01		.15			.35	.38	.47		5
6	.29		.02							.11	.14	.07		6
7	.33	.04					.03	.03		.08	.18			7
8		.04	.15					.08		.10		.68		8
9	.02	.05								1.19	.51	.28		9
10	.11					.40		.09	.03	.08		.03		10
11			.34			.26				1.13				11
12				.01	.85	.44								12
13			.01			.04			.02	1.87		.16		13
14	.65				.09		.08			.55	.47			14
15	.41		.04		1.01		.06		.38	1.00	.08			15
16	.24		.06	.02	.44	.16	.06		.02		.42			16
17	.16	.11	snow .05	.04	.07		.14			~~.52~~	.02			17
18	.22		.05		~~[illegible]~~	.04	.05		.05	x .52	.49			18
19	.33						.33		.29	1.15		.03		19
20	.23					.03	.10		.23	.07		.07		20
21	.12		.16						.18	.07				21
22	.14	.29	.03			.24	.08			~~[illegible]~~				22
23	.03	.02		.02		.02		.11		.08	.50			23
24	snow .13		.13	.17		.11	.31			.04	.87			24
25	snow 1.04	.34	.21				1.04				.67			25
26	.32		.21			.20	.16			.34	.26	.04		26
27	.28		.07							.84	.42			27
28	.02	.49								.48	.16	snow .11		28
29		~~.49~~		.58						.04	.02			29
30		✕		.56		.05					.06			30
31		✕		✕		✕	.03		✕		✕			31
TOTAL	5.68	1.38	1.89	2.07	2.29	1.99	2.62	1.70	1.23	11.07	5.04	2.28	Year's Total 39.24	
* Days with .01 in. or more.	22	8	17	11	8	12	14	8	9	21	21	12	163	
* Days with .04 in. or more.	19	7	12	8	6	10	12	6	5	21	18	9	133	

† Spare column, no entries required.

(*Signed*) F. W. Keane

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Luton Selling

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 9 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.02			1
2										.25	.53			2
3		.19		.07						.22	1.32	.09		3
4		.10		.11						.23	.23	.06		4
5											.64	.08		5
6	.17	.06					.29			.35	.05			6
7	.28	.11					.23					.28		7
8				.03			.04		.55	.38				8
9										.04	.18			9
10							.10			.62	.06			10
11				.06							.54			11
12		snow .06	.21				.334							12
13		snow .10	.69				.09		.26		.73			13
14			snow .35		.03	.46						.37		14
15			.01	.10			.94				.25	.06		15
16	snow .65	snow .30	.12			.20	.36		.10	.45	.65			16
17			.24			.43					.06			17
18	snow .06	.27	.33	.37			.09			.20	.05	.16		18
19		.15	.05						.87			.19		19
20		.22				.07	.09		.10	.06	.19			20
21	snow .05				.03				.05	.11	.11			21
22					.28					.03				22
23		.13		.03						.16				23
24				.18						.26				24
25			.63				.11			.36				25
26	.78	.19	.71				.11							26
27		.15					.07							27
28	snow .12	.04			.11									28
29	snow .05		.10	·R.					.06			.15		29
30	snow .07	✕		.26						.09		.02		30
31	.03	✕		✕		✕			✕	.49	✕	.09		31
TOTAL	2.26	2.07	3.44	1.21	.45	1.16	2.71	0.0	1.99	4.30	5.61	1.55	Year's Total 26.75	
* Days with .01 in. or more.	11 ~~12~~	14	12	10	6	4	14 ~~12~~	—	11	17	16	18	~~115~~	133
* Days with .04 in. or more.	10 ~~9~~	14	10	7	2	4	13 ~~12~~	—	7	16	15	12 ~~10~~	~~106~~	110

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

Section **A** for the entry
AIR MINIST
FORM 1090.
REGI

311

SITTINGBOURNE
TORRYHILL
1931 - 1940

062323001 780107

311
FOR OFFICIAL USE.
FALL ORGANIZATION.
31 .

Kept at Sittingbourne
in the County of Ke
Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEA **DAY.**

An observer who does not conform *the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr.	·10	·12	·12	Tr.	·12	—	·20	Tr	—	—	Tr	1
2	·15	·10	Tr	·12	·04	—	Tr	·01	·57	—	Tr.	—	2
3	·13	·05	·03	·07	1·21	—	—	·22	·91	Tr	Tr	·13	3
4	Tr	SNOW ·02	Tr.	Tr.	Tr	—	Tr.	·01	·05	Tr	·02	Tr	4
5	—	Tr.	—	·18	·03	·54	·02	·23	Tr	Tr	Tr	·19	5
6	—	·04	—	·02	—	Tr	—	·01	Tr	·24	·27	—	6
7	·11	·02	—	—	·02	·07	—	·17	Tr.	·01	·14	Tr.	7
8	·02	·07	·04	Tr	·03	·15	·02	·15	Tr.	Tr	·12	·03	8
9	—	·12	Tr	·02	Tr	Tr	Tr	—	·19	—	·66	·01	9
10	·02	·18	·02	—	—	·05	·02	·12	Tr.	—	1·57	·03	10
11	·16	·66	·02	Tr	—	—	Tr.	Tr.	Tr.	—	·55	·01	11
12	·19	·01	Tr	Tr	—	—	Tr.	·07	·45	Tr	Tr	Tr	12
13	·15	·01	Tr.	Tr	·16	—	·09	·08	Tr	—	Tr	·01	13
14	·02	·10	Tr.	—	—	·04	·37	·29	Tr.	—	Tr.	Tr.	14
15	·01	·03	—	·38	·04	—	·26	·19	Tr.	—	·01	·08	15
16	·02	·11	—	·25	·25	Tr	·18	·04	Tr.	—	—	—	16
17	Tr	·03	—	·24	Tr.	·01	·26	·11	·07	Tr	—	—	17
18	·03	·19	Tr	·39	—	·04	·05	·29	Tr.	·02	·60	·01	18
19	·05	Tr	—	1·07	—	·03	·08	·29	·27	—	·01	—	19
20	Tr	·06	Tr	·22	—	—	·16	·31	Tr.	·03	—	—	20
21	Tr.	·04	—	Tr	·44	—	Tr	·01	·03	—	Tr	—	21
22	·10	Tr.	·08	Tr.	—	—	—	Tr.	·01	—	·02	—	22
23	·56	·05	·01	—	·08	·05	—	Tr.	·02	Tr	·16	Tr	23
24	Tr	Tr	·04	·37	·01	·05	·03	·18	·02	—	Tr.	Tr	24
25	·08	Tr.	Tr	·50	—	—	·83	Tr.	Tr	—	·01	Tr	25
26	—	·06	—	·21	Tr.	—	·41	Tr.	Tr	·05	·24	—	26
27	·15	·40	—	·08	·26	—	·01	—	—	—	·02	—	27
28	·08	·10	—	·02	·02	—	—	—	Tr	·01	Tr	·18	28
29	·12	×	—	·02	·10	—	·07	—	—	·03	Tr	·02	29
30	·14	×	—	Tr.	—	—	·03	Tr	—	Tr	—	—	30
31	·31	×	—	×	Tr.	×	Tr	—	×	Tr	×	—	27·58 31
TOTAL	2·60	2·55	·36	4·28	2·69	1·15	2·89	2·98	·59 2·~~08~~	·39 ~~·67~~	4·40	·70 ~~·67~~	YEAR'S TOTAL ~~25·95~~
*Days with ·01 in. or more.	21	23	8	18	14	11	17	20	11	7	15	11	176
*Days with ·04 in. or more.	15	17	4	14	9	9	11	16	8	3	9	4	119

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) D. Leigh Pemberton

P.T.O.

311

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Sittingbourne (Torry Hill

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

" Ground " Sea Level 497 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr.	·10	·12	·12	Tr.	·12	—	·20	Tr	—	—	Tr	1
2	·15	·10	Tr	·12	·04	—	Tr	·01	·57	—	Tr.	—	2
3	·13	·05	·03	·07	1·21	—	—	·22	·91	Tr	Tr	·13	3
4	Tr	SNOW ·02	Tr.	Tr.	Tr.	—	Tr.	·01	·05	Tr	·02	Tr	4
5	—	Tr.	—	·18	·03	·54	·02	·23	Tr	Tr	Tr	·19	5
6	—	·04	—	·02	—	Tr	—	·01	Tr	·24	·27	—	6
7	·11	·02	—	—	·02	·07	—	·17	Tr.	·01	·14	Tr.	7
8	·02	·07	·04	Tr	·03	·15	·02	·15	Tr.	Tr	·12	·03	8
9	—	·12	Tr	·02	Tr	Tr	Tr	—	·19	—	·66	·01	9
10	·02	·18	·02	—	—	·05	·02	·12	Tr.	—	1·57	·03	10
11	·16	·66	·02	Tr	—	—	Tr.	Tr.	Tr.	—	·55	·01	11
12	·19	·01	Tr	Tr	—	—	Tr.	·07	·45	Tr	Tr	Tr	12
13	·15	·01	Tr.	Tr	·16	—	·09	·08	Tr	—	Tr	·01	13
14	·02	·10	Tr.	—	—	·04	·37	·29	Tr.	—	Tr.	Tr.	14
15	·01	·03	—	·38	·04	—	·26	·19	Tr.	—	·01	·08	15
16	·02	·11	—	·25	·25	Tr	·18	·04	Tr.	—	—	—	16
17	Tr	·03	—	·24	Tr.	·01	·26	·11	·07	Tr	—	—	17
18	·03	·19	Tr	·39	—	·04	·05	·29	Tr.	·02	·60	·01	18
19	·05	Tr	—	1·07	—	·03	·08	·29	·27	—	·01	—	19
20	Tr	·06	Tr	·22	—	—	·16	·31	Tr.	·03	—	—	20
21	Tr	·04	—	Tr	·44	—	Tr	·01	·03	—	Tr	—	21
22	·10	Tr.	·08	Tr.	—	—	—	Tr	·01	—	·02	—	22
23	·56	·05	·01	—	·08	·05	—	Tr.	·02	Tr	·16	Tr	23
24	Tr	Tr	·04	·37	·01	·05	·03	·18	·02	—	Tr.	Tr	24
25	·08	Tr.	Tr	·50	—	—	·83	Tr.	Tr	—	·01	Tr	25
26	—	·06	—	·21	Tr.	—	·41	Tr.	Tr	·05	·24	—	26
27	·15	·40	—	·08	·26	—	·01	—	—	—	·02	—	27
28	·08	·10	—	·02	·02	—	—	—	Tr	·01	Tr	·18	28
29	·12	×	—	·02	·10	—	·07	—	—	·03	Tr	·02	29
30	·14	×	—	Tr.	—	—	·03	Tr	—	Tr	—	—	30
31	·31	×	—	×	Tr.	×	Tr	—	×	Tr	×	—	31
TOTAL	2·60	2·55	·36	4·28	2·69	1·15	2·89	2·98	2·~~68~~ ·59	~~·67~~ ·39	4·40	~~·67~~ ·70	YEAR'S TOTAL ~~25·95~~ 27·58
*Days with ·01 in. or more.	21	23	8	18	14	11	17	20	11	7	15	11	176
*Days with ·04 in. or more.	15	17	4	14	9	9	11	16	8	3	9	4	119

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) D. Leigh Pemberton.

P.T.O.

311

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at TORRY HILL, SITTINGBOURNE

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 497 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·03	–	·05	·27	–	·03	·04	Tr.	·11	·07	·04	1
2	Tr.	Tr.	–	·22	·13	–	Tr.	·05	·07	Tr.	·01	·14	2
3	Tr.	–	–	·13	·38	–	–	–	·50	Tr.	Tr.	Tr.	3
4	Tr.	Tr.	Tr.	Tr.	Tr.	·17	–	–	–	Tr.	Tr.	Tr.	4
5	·16	–	–	Tr.	·07	·03	·07	01	·05	Tr.	–	–	5
6	·61	–	·02	·19	Tr.	–	–	Tr.	·04	Tr.	–	–	6
7	·16	–	·09	·03	Tr.	–	–	–	Tr.	Tr.	Tr.	·06	7
8	Tr.	·03	·11	·02	·17	–	–	–	·09	1·50	·01	–	8
9	·26	·05	Tr.	·08	·83	–	Tr.	–	Tr.	·28	–	–	9
10	·59	·01	Tr.	·32	·05	Tr.	–	–	Tr.	·05	Tr.	Tr.	10
11	·34	·23	·06	·10	·02	·02	·01	–	·04	·29	Tr.	·01	11
12	·14	·02	Tr.	Tr.	Tr.	–	·62	Tr.	Tr.	·29	Tr.	Tr.	12
13	·04	–	–	·09	·05	–	Tr.	Tr.	·02	·64	Tr.	Tr.	13
14	·11	–	–	·23	·07	–	·06	Tr.	–	·22	–	Tr.	14
15	·01	Tr.	–	·10	·21	–	–	·01	–	·14	–	Tr.	15
16	·05	–	–	·31	·02	–	–	–	Tr.	Tr.	–	Tr.	16
17	Tr.	–	–	·02	–	–	·01	–	Tr.	·10	Tr.	Tr.	17
18	Tr.	–	–	Tr.	–	–	·01	–	·11	–	·11	Tr.	18
19	·04	·02	–	Tr.	–	Tr.	–	–	·01	·17	·12	Tr.	19
20	Tr.	–	–	·05	·10	–	·12	·03	·07	·90	·31	Tr.	20
21	Tr.	–	–	·03	·13	–	Tr.	·05	–	·26	–	·02	21
22	Tr.	·03	·39	Tr.	·25	·05	·10	Tr.	·59	·16	·34	Tr.	22
23	Tr.	·10	Tr.	·12	·03	–	Tr.	–	·38	1·01	·11	·11	23
24	Tr.	·04	–	–	Tr.	Tr.	·59	Tr.	·28	·07	·02	Tr.	24
25	Tr.	Tr.	–	–	Tr.	Tr.	1·16	–	·13	·26	·01	·01	25
26	–	–	–	·06	Tr.	–	·60	·10	Tr.	Tr.	·01	Tr.	26
27	–	Tr.	·22	·16	·11	Tr.	·13	Tr.	Tr.	·32	·06	·01	27
28	–	Tr.	Tr.	·05	·03	–	·20	–	·05	·15	Tr.	·01	28
29	–	–	·32	·07	·02	–	Tr.	·19	·05	·38	Tr.	·03	29
30	Tr.	×	·07	·19	·24	·65	–	·01	·08	·07	·06	·07	30
31	–	×	·12	×	Tr.	×	·05	–	×	·03	×	·01	31
TOTAL	2·63	·56	1·40	2·60	3·18	·92	3·76	·49	2·56	7·40	1·24	·55	YEAR'S TOTAL 27·29
*Days with ·01 in. or more.	13	10	9	22	20	5	15	9	17	22	13	12	167
*Days with ·04 in. or more.	12	4	8	14	15	3	11	5	15	21	8	5	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) D. Leigh Pemberton [P.T.O.

311

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~311~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at TORRY HILL, SITTINGBOURNE.

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 497 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: Tr.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr.	·26	·09	Tr.	—	—	Tr.	—	Tr.	·03	·04	Tr.	1
2	·11	Tr	·49	—	·24	—	—	Tr.	—	·16	·01	Tr.	2
3	·03	·13	·24	—	·05	—	—	—	Tr.	·10	Tr.	Tr.	3
4	·08	Tr	·01	—	Tr.	—	—	—	Tr.	Tr.	Tr.	—	4
5	·34	·01	·11	—	·12	—	—	Tr.	Tr.	—	Tr.	Tr.	5
6	Tr	·11	·14	—	·50	—	—	—	Tr.	·03	·08	·02	6
7	·38	·04	·02	—	·20	—	—	—	—	·20	·02	·06	7
8	·14	Tr	Tr	Tr	·04	—	·29	—	—	·04	Tr.	—	8
9	—	—	—	Tr	·06	Tr.	·02	Tr.	Tr	·02	·11	—	9
10	—	·29	—	—	Tr.	·03	·14	Tr.	Tr	·17	·02	—	10
11	·14	Tr	Tr	—	Tr.	·08	·01	·04	·10	Tr.	·08	—	11
12	Tr	—	—	·04	—	·42	·11	Tr.	·58	—	·04	—	12
13	·02	—	—	—	·09	Tr.	·23	·06	·64	·10	·21	—	13
14	Tr	—	—	—	·10	—	·01	·01	Tr	·26	·19	—	14
15	·14	—	·07	—	—	—	·14	·15	—	·02	·08	snow ·04	15
16	·19	—	·70	—	—	·24	·01	Tr.	Tr.	·01	Tr.	—	16
17	Tr	Tr	·42	—	—	·05	·01	·14	·12	—	·05	—	17
18	·07	Tr	·01	Tr	—	·21	—	—	—	—	Tr.	—	18
19	Tr	snow ·03	·25	·06	—	·30	—	Tr	·68	—	Tr.	Tr.	19
20		snow ·02	·01	·06	—	·08	—	·01	·02	—	·02	Tr.	20
21	—	snow ·19	—	·11	—	·07	·10	·25	·55	—	Tr.	Tr.	21
22	—	Tr	—	Tr.	—	·14	Tr.	·24	·09	·06	·02	—	22
23	Tr	snow ·02	—	·08	·05	·04	Tr.	Tr.	·46	Tr.	Tr.	—	23
24	—	snow ·21	—	·12	Tr	·22	—	—	·24	Tr.	Tr.	—	24
25	—	Tr	—	·38	·04	·03	—	—	·11	·01	·35	·03	25
26	—	·42	—	·02	—	·23	—	Tr.	·03	·02	·19	·15	26
27	—	·03	—	Tr	·04	—	Tr.	—	Tr.	·05	Tr.	·11.	27
28	—	Tr	—	—	·02	·07	·04	—	—	·22	Tr.	·07	28
29	Tr	X	Tr	—	Tr.	—	·52	—	—	·02	Tr.	Tr.	29
30	·12	X	·12	—	·09	—	·02	—	·02	·05	Tr.	·09	30
31	·04	X	Tr	X	—	X	Tr.	·09	X	Tr.	X	Tr.	31
TOTAL	1·86	1·46	2·41	·84	1·64	2·24	1·65	·99	3·97	1·57	1·51	·57	YEAR'S TOTAL 21·37
*Days with ·01 in. or more.	13	13	14	8	14	15	14	9	13	19	16	8	156
*Days with ·04 in. or more.	11	8	10	7	13	13	8	7	10	10	11	6	114

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. Leigh Pemberton.

P.T.O.

311

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 311

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at TORRY HILL, SITTINGBOURNE
in the County of KENT.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
,, Ground ,, Sea Level 497 ft.

MO7
2-JAN1935

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr.	·01	–	Tr.	Tr.	Tr.	–	·22	·06	·17	Tr.	·21		1
2	·02	Tr.	·10	Tr.	Tr.	–	–	–	·61	·60	Tr.	·26		2
3	·02	·08	Tr.	·03	·05	Tr.	–	–	Tr.	·50	1·02	·06		3
4	·20	·02	·04	Tr.	1·02	–	–	–	Tr.	·16	·08	·91		4
5	Tr.	Tr.	·01	–	·16	·03	–	·01	–	Tr.	·02	·24		5
6	·04	–	·38	·10	·20	·32	–	·10	–	·15	·07	·36		6
7	Tr.	Tr.	Tr.	Tr.	Tr.	Tr.	–	·05	–	·16	Tr.	·13		7
8	–	·01	–	·34	·19	–	–	·03	–	Tr.	1·52	Tr.		8
9	Tr.	Tr.	·02	·02	Tr.	Tr.	–	–	·01	–	·59	·15		9
10	Tr.	Tr.	·24	·20	–	–	–	·03	–	·06	·20	·01		10
11	·82	·01	·47	·08	–	–	·06	·07	–	–	Tr.	·35		11
12	·15	Tr.	·20	Tr.	–	–	·06	·54	–	–	·07	·24		12
13	·52	–	·06	·03	–	–	·04	·03	–	Tr.	Tr.	·05		13
14	·27	–	·52	·08	·02	Tr.	Tr.	Tr.	–	·02	·22	·33		14
15	·04	Tr.	Tr.	–	Tr.	–	Tr.	–	–	Tr.	·16	·48		15
16	·15	Tr.	·23	·01	·24	Tr.	–	–	–	·03	Tr.	·05		16
17	·10	–	·50	·02	·06	–	–	–	·04	·08	·05	·41		17
18	·28	–	Tr.	·27	–	–	·21	–	–	Tr.	·04	·29		18
19	–	–	·34	Tr.	Tr.	Tr.	Tr.	–	·29	Tr.	Tr.	·17		19
20	–	–	·08	–	–	·05	·12	–	Tr.	·01	Tr.	Tr.		20
21	–	–	Tr.	·13	–	·11	Tr.	Tr.	–	Tr.	Tr.	Tr.		21
22	–	Tr.	–	Tr.	–	–	·20	·13	·22	·02	Tr.	Tr.		22
23	–	Tr.	–	·44	Tr.	·33	Tr.	Tr.	Tr.	·02	Tr.	·23		23
24	–	·01	Tr.	·08	–	·09	·39	·02	·09	Tr.	Tr.	Tr.		24
25	·04	·02	–	·14	·03	·01	Tr.	–	Tr.	·03	Tr.	·36		25
26	·14	–	–	·04	Tr.	·07	–	–	Tr.	Tr.	–	·05		26
27	·01	·03	–	·57	–	Tr.	–	–	Tr.	Tr.	Tr.	·21		27
28	Tr.	·02	–	·10	–	·07	·03	·46	Tr.	Tr.	Tr.	·17		28
29	–	X	–	Tr.	–	Tr.	·10	·02	·31	–	·01	·02		29
30	·19	X	–	Tr.	–	Tr.	Tr.	·08	Tr.	Tr.	–	·32		30
31	·02	X	–	X	Tr.	X	–	·02	X	·07	X	·15		31
TOTAL	3·01	·21	3·49	2·62	·97	1·08	1·21	1·81	1·63	2·08	3·05	6·11	Year's Total 26·97	
*Days with ·01 in. or more.	14	9	14	18	9	9	9	15	8	15	13	26	162	
*Days with .04 in. or more.	13	1	12	12	6	7	8	8	7	9	10.	25	118	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) D. Leigh Pemberton.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 311.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at TORRY HILL SITTINGBOURNE

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 497 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·02	TR.	·01	—	·14	·11	—	·08	·23	·22	Tr.		1
2	·28	Tr.	·03	·02	—	—	Tr.	—	·06	·39	·01	—		2
3	·02	·03	·12	·04	—	·03	—	—	·09	·42	·12	—		3
4	Tr.	·02	Tr.	snow ·26	—	·14	—	—	·38	·36	·01	·09		4
5	Tr.	·57	·02	·12	—	·14	·02	—	·56	·21	—	·01		5
6	·10	Tr.	·01	·36	—	·22	—	—	—	·08	·14	·01		6
7	·05	·08	Tr.	·23	—	·16	—	—	—	—	1·06	·13		7
8	·01	Tr.	·01	·40	Tr.	Tr.	—	·57	—	·28	·42	·03		8
9	·01	—	—	·08	—	·16	—	Tr.	—	·90	·24	Tr.		9
10	·04	·02	—	Tr.	—	·06	—	—	—	·02	·22	·22		10
11	·16	Tr.	—	·09	—	·05	Tr.	—	—	·05	·24	—		11
12	Tr.	·02	—	Tr.	—	·24	—	·40	Tr.	—	·66	—		12
13	·01	·17	—	·10	·01	Tr.	—	Tr.	Tr.	Tr.	·11	·16		13
14	·02	Tr.	—	·02	·37	·07	—	—	—	Tr.	Tr.	·12		14
15	Tr.	·12	—	·55	·05	·01	—	—	·35	—	·21	·06		15
16	Tr.	·03	—	·17	·01	·17	—	—	·33	—	1·03	Tr.		16
17	·06	Tr.	·05	·08	Tr.	·18	·02	Tr.	·02	Tr.	·59	Tr.		17
18	Tr.	—	—	·21	·01	·08	·28	—	·46	·10	·01	Tr.		18
19	Tr.	—	—	·05	·58	·05	·03	—	·04	Tr.	·05	Tr.		19
20	Tr.	·55	—	·04	·04	·06	·42	—	·04	·03	·04	—		20
21	·02	·41	—	·04	—	—	—	—	Tr.	·14	·03	—		21
22	Tr.	·06	Tr.	—	—	—	—	·18	·02	—	Tr.	—		22
23	Tr.	—	·01	—	—	—	—	·22	·01	—	—	·02		23
24	·05	1·10	Tr.	—	·39	—	—	·35	·51	·15	—	·40		24
25	·12	·23	—	·25	·33	·06	—	—	Tr.	Tr.	·01	·42		25
26	Tr.	Tr.	—	Tr.	Tr.	—	—	·12	·03	·10	Tr.	·48		26
27	snow ·22	·59	—	—	·18	—	·01	·02	·07	Tr.	·15	·19		27
28	—	·23	—	—	·18	—	—	·12	·02	·03	·01	·26		28
29	—	×	—	—	Tr.	—	—	·07	·40	—	Tr.	·35		29
30	·10	×	—	·01	·10	—	—	1·29	·06	·08	·37	·31		30
31	—	×	—	×	·02	×	—	·04	×	·21	×	·63		31
TOTAL	1·59	4·25	·25	3·13	2·27	2·05	·89	3·38	3·53	3·78	5·98	3·89	Year's Total 34·99	
*Days with ·01 in. or more.	17	17	7	21	13	18	7	11	19	18	23	18	189	
*Days with .04 in. or more.	11	11	2	14	19	16	3	10	14	15	17	13	148	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) D. Leigh Pemberton.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 311

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at TORRY HILL, SITTINGBOURNE.

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 497 ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·85

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·35	·21	·06	·20	TR.	·24	·16	·06	–	–	·05	·12		1
2	·01	·06	·01	·03	–	·08	·07	·10	–	–	TR.	·06		2
3	–	·01	TR.	·49	·07	·12	·02	–	TR.	–	·28.	TR.		3
4	TR.	–	·07.	TR.	TR.	·16	–	–	·30	–	·01	·02.		4
5	·29.	–	·01	·02.	–	–	–	·03.	·10	·37	·07	·09.		5
6	·28	–	TR.	TR.	–	·08	–	·06.	·16.	·26	·64	TR.		6
7	·46.	–	·05	–	–	·06	TR.	TR.	·01	·12	·49	TR.		7
8	·25	–	·10	TR.	TR.	–	·03	–	TR.	·05	·58	·28		8
9	·44	–	·01	–	·01	–	·37	·02.	·02	·01	·20	TR.		9
10	·01	–	TR.	–	·01	·05	·05	·69.	·07	·17	TR.	–		10
11	–	–	TR.	·10	TR.	TR.	·13	TR.	–	TR.	·81	TR.		11
12	–	–	–	·01	TR.	·15	·22	–	·02	TR.	·18	·08		12
13	–	–	–	TR.	·02.	·09.	·08	–	–	–	·03	·21		13
14	–	·05	–	–	–	·08	·70	–	–	·04	·11	·41		14
15	–	·09	–	·01	–	·03	TR.	–	·02.	TR.	TR.	·12.		15
16	·36	·08	–	TR.	TR.	–	–	–	TR.	–	·34	·23.		16
17	·20	·63	–	–	–	·07	–	TR.	TR.	–	·33.	·31.		17
18	·14.	·16.	–	–	–	TR.	·10	TR.	TR.	·04	·55.	·09		18
19	·19.	·10	–	TR.	–	·36.	TR.	·10.	–	·06.	·02	–		19
20	·25·	·12	–	·51.	–	–	TR.	–	·71.	TR.	–	TR.		20
21	–	TR.	–	·26	TR.	·80.	·08	–	·02.	–	–	TR.		21
22	·02.	·33	·02	·05	·03	·01.	·10	–	TR.	–	·01	·15.		22
23	·06.	·02.	–	·09	–	–	·30	–	–	·03	TR.	TR.		23
24	·08.	·09.	TR.	TR.	–	TR.	TR.	–	TR.	·30.	–	TR.		24
25	·34.	·01	·12	·16	–	·27	·18	–	·52.	·07.	·06	·01		25
26	TR.	·11.	·15.	·03.	TR.	·01.	TR.	–	·06.	·11.	TR.	·01.		26
27	·22.	·03.	TR.	·02.	–	–	·32.	–	·20.	·06	·01	–		27
28	·80	TR.	·04	–	–	·16	·45.	–	·24.	–	–	·05		28
29	·09.	·03.	·22	–	–	·64	·22	–	–	·04	·09	·01		29
30	·07	X	TR.	TR.	·28.	·20.	TR.	–	–	·07	–	TR.		30
31	·34	X	·16.	X	TR.	X	·15.	·15	X	·83.	X	·11		31
													Year's Total.	
TOTAL	5·25	2·13	1·02	1·98	·42	3·66	3·43	1·21	2·45	2·63	4·86	2·36	31·70	
* Days with .01 in. or more.	22	17	13	14	6	20	19	8	14	17	20	18	188	
* Days with .04 in. or more.	19	12	9	8	2	17	17	6	9	15	15	14	143	

40-9999

† Spare column, no entries required.

(*Signed*) D. Leigh Pemberton.

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 311

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1934

Kept at TORRY HILL: SITTINGBOURNE

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 497 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·85	·01	TR.	·06	-	-	-	TR.	-	-	·54	·22		1
2	TR.	·25	·09	·33	-	-	-	-	-	TR	·01	1·09		2
3	TR.	·10	·11	-	-	-	-	-	-	·01	-	·50		3
4	·12	·41	TR	TR	-	-	-	-	-	TR.	-	·34		4
5	·23	·24	Snow ·51	-	-	-	·11	TR	-	·85	TR.	·15		5
6	·15	-	Snow ·53	TR	·09	-	·01	-	-	·04	-	-		6
7	-	·81	Snow ·23	·04	·03	-	-	-	·03	·03	-	·03		7
8	TR.	·04	Snow. ·28	TR	·01	·06	-	-	-	·05	·28	·63		8
9	-	·03	TR.	·42	·16	·04	·04	·02	·25	-	TR.	·11		9
10	TR.	-	·36	·08	·06	·40	·06	·01	TR.	-	TR.	·53		10
11	-	-	·44	TR	·22	TR	·04	-	TR.	TR.	TR	·28		11
12	·34	·24	·30	TR.	·44	·04	·01	·10	·48	-	-	·04		12
13	·24	TR.	·42.	·01.	·02.	·34	-	·12	·34	-	-	·85		13
14	·04	TR.	·04	TR.	·39.	·02	-	·36	·15	-	-	-		14
15	·04	·09.	-	·14.	·02.	·01	·34	-	·28	-	-	-		15
16	·04	·09	·21	·18	-	·01	TR.	·42	·03	-	TR.	·03		16
17	·39	TR.	·01	·22	TR.	·21	-	TR.	·42	-	·49	-		17
18	·48	·10.	TR.	TR.	·49.	·46	-	-	·26	-	·14	-		18
19	·08	·11.	·12.	·21	·02.	·14	·04	-	·04	-	-	-		19
20	·44	TR	·64	·31	·94	·03	-	TR	·03	TR	-	-		20
21	·38	·59	·46	·10	TR.	-	·02	·11	TR.	TR.	·01.	·03		21
22	·30	·02	·02	TR.	·06	·04	·01	-	-	·99	·62	·01		22
23	·06	TR	TR.	-	-	-	·04	-	-	·48	·02	-		23
24	·43.	·21	·01	-	TR.	-	-	-	·09	·18	-	·02		24
25	·31.	·28	·32	-	-	-	-	-	·24	·38	-	-		25
26	TR.	·26.	·13	-	-	-	-	-	-	·53	-	·01		26
27	-	·25.	TR.	·35.	-	-	-	-	·03	·13	-	-		27
28	Snow. ·06	·06.	-	TR.	-	·01	-	-	-	TR.	-	·12		28
29	Snow. ·12	X	TR	-	-	TR	-	-	-	·29	-	-		29
30	·28	✕	-	-	-	TR.	TR.	-	-	·34	·14	·15		30
31	·16	✕	-	✕	-	✕	·03	-	✕	·04	✕	·15		31
TOTAL	5·96	4·52	5·32	2·48	2·95	2·14	·84	1·14	2·40	4·40	2·31	5·32	Year's Total 40·08	✓ ✓
* Days with .01 in. or more.	22	20	14	13	14	14	12	4	14	14	9	20	146	✓ ✓
* Days with .04 in. or more.	22	16	14	12	9	9	4	5	10	12	6	14	136	✓ ✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) D. Leigh Pemberton [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 311

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at TORRY HILL, SITTINGBOURNE

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 494 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·02.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	Tr.	-	-	·14	·63	·08	-	·25	·02	·05	·08		1
2	-	-	-	·08	·14	-	·05	-	-	·33	Tr.	·01		2
3	·02	-	-	-	·34	-	Tr.	-	Tr.	·44	·05	-		3
4	·05	-	-	-	Tr.	·03	·25	·14	-	·05	Tr.	·10		4
5	·01	-	-	Tr.	-	-	·41	·13	Tr.	·32	Tr.	·01		5
6	·02	Tr.	-	-	-	-	·03	·03	·01	Tr.	Tr.	Tr.		6
7	Tr.	Tr.	-	-	-	Tr.	·01	·24	-	·19	Tr.	·04		7
8	·30	-	-	-	-	Tr.	·11	Tr.	·13	·12	Tr.	·01		8
9	·14	·02	-	Tr.	-	-	·02	·36	Tr.	·03	-	·49		9
10	·09	·09	-	-	-	·25	Tr.	·23	-	-	-	·44		10
11	·19	Tr.	-	-	-	·04	-	·56	-	Tr.	·09	·11		11
12	·24	-	-	-	Tr.	Tr.	Tr.	·09	-	·09	·03	Tr.		12
13	·48	·22	-	-	-	-	-	Tr.	-	·04	·04	·06		13
14	·15	·03	-	-	·48	-	-	·02	·09	-	-	·10		14
15	·02	·35	-	-	-	-	·22	Tr.	-	·36	Tr.	·05		15
16	·29	-	·03	-	Tr.	-	·08	·01	-	·12	-	·24		16
17	Tr.	·11	Tr.	-	·54	-	·04	-	-	·35	·01	Tr.		17
18	·05	-	-	Tr.	·06	-	·04	-	·04	·02	·49	-		18
19	Tr.	·01	-	-	·01	-	-	-	·04	-	·04	·10		19
20	Tr.	Tr.	-	·03	·11	-	-	-	·30	-	·45	·32		20
21	·03	-	-	Tr.	-	-	-	·09	·11	-	·12	·31		21
22	-	-	Tr.	·04	-	·02	-	·01	-	-	·16	·16		22
23	·01	-	-	·02	-	-	-	-	-	-	·01	·03		23
24	-	-	·13	-	·02	-	-	-	·05	-	·40	·03		24
25	·14	Tr.	·46	·03	·05	-	Tr.	-	·09	·02	·43	·03		25
26	·43	·12	·13	Tr.	-	-	·03	-	·30	·28	-	·44		26
27	·18	·10	·03	-	·13	·10	·36	-	·31	·34	·29	Tr.		27
28	·14	·04	Tr.	-	·28	·06	-	·35	·04	-	Tr.	Tr.		28
29	·24	-	-	·03	·18	-	-	-	·02	-	·02	·24		29
30	·08		-	·43	·05	·01	-	-	·06	·08	·24	Tr.		30
31	·24		-		·06		-	-		·16		·28		31
TOTAL	3·62	1·09	·48	·66	2·62	1·14	1·43	2·29	1·90	3·42	2·98	3·44	Year's Total 25·00	✓
* Days with .01 in. or more.	24	10	5	4	15	8	14	13	15	19	14	23	140	✓
* Days with .04 in. or more.	18	4	3	3	13	5	10	9	13	15	13	14	126	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) D. Leigh Pemberton

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 311

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Torry Hill, Sittingbourne,

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 497 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·02	·12	·67	—	—	TR.	TR.	—	·07	·02		1
2	·05	—	TR	TR	·04	—	·05	·40	—	·73	·01	—		2
3	·27	·01	—	·28	—	—	—	·25	·02	·04	·10	·31		3
4	·26	—	·25	·12	—	—	·01	·70	—	·60	·24	TR.		4
5	—	TR.	·02	·20	·02	—	·25	TR	—	·45	·30	·21		5
6	·45	TR.	·01	·02	—	—	·03	—	—	·02	·17	TR.		6
7	·16	·05	—	—	—	—	·01	·04	—	·11	·19	·09.		7
8	TR.	·04	·15	—	—	—	—	·12	—	·20	·02	·56		8
9	·04	·11	TR	—	—	—	—	·01	—	·71	1·10	·21		9
10	·10	—	—	—	—	·37	—	·07	·05	·04	·04	TR		10
11	·01	—	·33	—	·01	·20	—	—	—	1·02	—	·03		11
12	—	TR.	—	—	·03	·23	—	—	TR.	·01	—	·04		12
13	TR	—	·01	TR	—	·10	—	—	·02.	2·07	TR.	·12		13
14	·52	—	·07	·08	·14	TR	·12	—	·04.	·45	·56	·02		14
15	·67	TR	·01	—	·92	·02	TR	—	·67.	·70	·05	TR.		15
16	·20	—	·07	·03	·28	·36	·01	—	TR.	TR.	·49	—		16
17	·16	·24	·03	·04	·01	—	·09	—	—	—	·04	—		17
18	·33	TR	·05	—	·04	·08	·12	—	TR.	·44	·40	—		18
19	·36	—	TR.	—	—	TR.	·45	—	·02.	1·02	·01	·04		19
20	·27	—	TR.	—	—	·03	·04	·02	·37	—	—	·04		20
21	·14	—	·19	—	—	·05	·02	—	·09	—	—	—		21
22	·11	·23	·06	TR	—	·17	·11	—	·03	—	·02	—		22
23	·02	TR.	·02	·15	—	·01	·04	·11	—	·12	·60	—		23
24	·12	·01.	TR	·30	—	·14	·06	TR	—	·10	·02	·02		24
25	1·30	·53.	·09	·01	—	TR	·47	—	—	TR	·66	TR		25
26	·27	TR.	·20	TR.	—	·08	·06	—	·09	·16	·34	·01		26
27	·21	·12.	·22	—	—	TR	—	—	TR.	·46	·38	—		27
28	·01	·49	·07	TR.	—	·01	—	—	—	·10	·12	·10		28
29	—	×	—	·50	—	TR	—	—	—	·03	·05	·03		29
30	—	×	—	·80	—	·05	—	TR	—	TR	·13	TR		30
31	—	×	—	×	—	×	·14	·03	×	·01	×	·01		31
TOTAL	6·05	1·83	1·87	2·65	2·16	1·90	2·08	1·75	1·40	9·59	6·11	1·86	Year's Total 39·25	
* Days with .01 in. or more.	24	10	19	13	10	15	18	10	10	23	25	17	194	
* Days with .04 in. or more.	20	8	12	10	6	11	13	7	6	19	20	10	142	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) D. Leigh Pemberton

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 311.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Torry Hill, Sittingbourne,
in the County of Kent.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ... in.
,, Ground ,, Sea Level 497 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01	–	–	TR.	–	–	–	–	–	·05	–		1
2	–	TR.	–	·21	–	–	TR.	–	–	·30	·65	·02		2
3	–	·22	–	·04	–	–	TR.	–	–	·20	1·44	·04		3
4	–	·13	–	·11	–	–	TR.	–	–	·20	·08	·14		4
5	–	TR.	–	–	–	–	·18	–	–	–	·89	·12		5
6	·09	·10	–	–	–	–	·19	–	–	·55	·01	–		6
7	·23	·19	–	–	·02	–	·19	·03	–	–	–	·05		7
8	–	·01	–	·01	–	–	·02	–	·02	·34	TR.	·30		8
9	–	–	–	–	–	–	–	TR.	TR.	·06	·24	·01		9
10	–	–	–	–	–	TR.	·32	·04	TR.	·28	·14	·05		10
11	–	TR	–	·05	–	–	·01	–	–	–	1·05	·05		11
12	–	·05	·18	TR.	–	TR.	·61	–	·05	–	TR.	–		12
13	–	·04	·90	–	–	·40	–	–	·10	–	·98	–		13
14	–	–	·35	·08	–	–	–	–	–	·01	TR.	·35		14
15	TR.	–	·04	–	·14	·02	·93	–	·01	–	·41	–		15
16	·32	·22	·06	TR.	–	·60.	·31.	–	·12.	·43.	·80.	·04		16
17	–	–	·25	–	–	TR.	–	–	·01.	TR.	·15.	TR.		17
18	·11	·34	·32	·43	–	–	·14.	·03.	TR.	·34.	·11	·18.		18
19	–	·14.	·06	TR.	–	–	·02	–	·53.	–	·06	·20		19
20	–	TR.	TR.	–	–	·14.	–	·02	·14.	·19.	·16	–		20
21	·04	TR.	–	–	·06	–	·06	TR.	·03	·05	·22	–		21
22	·06	TR.	·06	TR.	·20	·20	–	–	·02	·05	TR.	–		22
23	–	·25	·01	·14	TR.	TR.	–	TR.	–	·06	·03	TR.		23
24	–	–	TR.	·14	–	–	·13	–	–	·14	TR.	·01.		24
25	–	·11	·46	–	–	–	·15	–	–	·32	TR.	·01		25
26	·49	–	·59	–	·03	–	–	–	–	·60	–	TR.		26
27	·28	·19	TR.	–	·02	–	·22	–	–	·02	·01	TR.		27
28	·16	·03	–.	TR.	·02	–	TR.	TR.	TR.	–	–	–		28
29	·12.	·06.	·09.	–.	·24.	–	–	–	·03	–	–	·19		29
30	·03	X	–	·32.	–	–	–	–	–	·04	–	·04		30
31	·06	X	–	X	–	X	–	–	X	·44	X	·09		31
TOTAL	2·32	2·12	3·64	1·59	·43	1·39	3·48	·15	1·09	4·71	4·48	1·95	Year's Total 30·68	✓
* Days with .01 in. or more.	12.	16.	13.	10.	8.	5.	15.	4.	11.	20.	19.	18.	151	✓
* Days with .04 in. or more.	11.	13.	12.	9.	4.	4.	12.	1	5.	18.	16.	14	119	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) D. Leigh Pemberton.

[P.T.O.

~~311~~|3

NEWNHAM P. S

1937 - 1940

062325001

780107

Section **A** for the entry … Station No. 311|3

AIR MINIS… …FALL ORGANIZATION

FORM 1090

REG… …937

…up Section C. X

Kept at Newnham …

in the County of Kent …

Diameter of Funnel of Gauge…

Height of top of Gauge above …

,, Ground ,, …

…G FORM.

…DED MONTHLY

THE MORNING MEASU… …OUS DAY

An observer who does not confor… …the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·66	·12		1
2											–	1·09		2
3											–	·55		3
4											–	–		4
5											–	·47		5
6											–	–		6
7											–	·01		7
8										·10	·26	·62		8
9										–	–	·12		9
10										–	–	·60		10
11										–	–	–		11
12										–	–	·28		12
13										–	–	·82		13
14										–	–	–		14
15										–	–	–		15
16										–	–	–		16
17										–	·57	–		17
18										–	·13	–		18
19										–	–	–		19
20										–	–	–		20
21										–	–	·01		21
22										1·06	·70	·06		22
23										–	·03	–		23
24										·66	–	–		24
25										·42	–	·02		25
26										·54	–	–		26
27										·09	–	–		27
28										–	–	·12		28
29										·24	·02	–		29
30		✕								–	·06	–		30
31		✕		✕		✕			✕	·18	✕	·11		31
TOTAL											2·43	5·00	Year's Total	
* Days with .01 in. or more.											8	15		
* Days with .04 in. or more.											6	12		

N

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ……………………………………… [P.T.O.

F. L. Ball Esq. C.E

ction **A** for the entry of Daily Observations

Station No. 311/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Newnham Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 107 ft.

Will you kindly fill up Section C.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·66	·12		1
2											—	1·09		2
3											—	·55		3
4											—	—		4
5											—	·47		5
6											—	—		6
7											—	·01		7
8										·10	·26	·62		8
9										—	—	·12		9
10										—	—	·60		10
11										—	—	—		11
12										—	—	·28		12
13										—	—	·82		13
14										—	—	—		14
15										—	—	—		15
16										—	—	—		16
17										—	·57	—		17
18										—	·13	—		18
19										—	—	—		19
20										—	—	—		20
21										—	—	·01		21
22										1·06	·70	·06		22
23										—	·03	—		23
24										·66	—	—		24
25										·42	—	·02		25
26										·54	—	—		26
27										·09	—	—		27
28										—	—	·12		28
29										·24	·02	—		29
30		✕								—	·06	—		30
31		✕		✕		✕			✕	·18	✕	·11		31
TOTAL											2·43	5·00	Year's Total	
* Days with .01 in. or more.											8	15		
* Days with .04 in. or more.											6	12		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. L. Ball Esq. C.E [P.T.O.

NEWNHAM P.S.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 311/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

[illegible] 1937

Kept at Newnham Pumping Station

in the County of Kent /3

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 107 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

Acc
£ 666583/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		—	—	—	·13	·32	·06	—	·32	—	·03	·06		1
2	·03	—	—	·05	·19	—	—	—	—	·29	—	—		2
3	—	—	—	—	·24	—	·01	—	—	·46	·03	—		3
4	·01	—	—	—	—	·02	·23	·22	—	·05	—	·07		4
5	·01	—	—	—	—	—	·27	—	·03	·25	—	—		5
6	—	—	—	·01	—	—	·09	·06	—	—	—	—		6
7	—	—	—	—	—	—	·01	·47	—	·19	—	·04		7
8	·27	·01	—	—	—	—	·06	—	·33	·09	—	~~·46~~		8
9	·18	·01	—	—	—	—	·02	·59	—	·02	—	·46		9
10	·07	·10	—	—	—	·24	—	·05	—	—	—	·29		10
11	·15	—	—	—	—	·03	—	·31	—	—	·09	·10		11
12	·22	·04	—	—	—	—	—	·01	—	·08	·03	—		12
13	·33	·08	—	—	—	—	—	—	—	·03	·04	·03		13
14	·16	·06	—	—	·27	—	—	—	·06	—	—	·06		14
15	·02	·08	—	—	—	—	·12	—	—	·36	—	·02		15
16	·18	·21	·01	—	—	—	·03	—	—	·03	—	·13		16
17	—	·11	—	—	·56	—	·05	—	—	·37	—	—		17
18	·03	—	—	—	·05	—	·02	—	·06	·01	·47	—		18
19	—	—	—	—	·01	—	—	—	·06	—	·07	—		19
20	—	—	—	·01	·01	—	—	—	·30	—	·69	·39		20
21	—	—	—	·01	—	—	—	·10	·12	—	·09	·16		21
22	·01	—	—	·01	—	·01	—	·01	—	—	·13	·15		22
23	—	—	—	·03	—	—	—	—	—	—	—	·03		23
24	—	—	·06	—	·05	—	—	—	·03	—	·41	·04		24
25	·08	—	·44	·04	·10	—	·01	—	·06	·01	·42	·07		25
26	·37	·12	·04	—	—	—	·05	—	·39	·26	—	·24	✓	26
27	·19	·05	—	—	·18	·06	·24	—	·22	·41	·30	—		27
28	·19	·02	—	—	·21	·05	—	·51	·17	—	—	·01		28
29	·28		—	·05	·16	—	—	—	·01	—	·05	·23		29
30	·04	✕	—	·35	·02	—	—	—	·02	·05	·25	—		30
31	·20	✕	—	✕	·03	✕	—	—	✕	·14	✕	·22		31
TOTAL	3·02	·89	·55	·56	2·21	·73	1·27	2·33	2·18	3·10	3·10	2·80	Year's Total 22·74	
* Days with .01 in. or more.	21	12	4	9	15	7	15	10	15	18	15	20	161	
* Days with .04 in. or more.	15	9	3	4	11	4	9	8	11	13	12	16	115	

Print
GB
14/3/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) F. L. BALL ESQ.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 311/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Newnham Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 107 ft.

TRAVELLING FORM
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01		·03	·15	·61						·01	·01		1
2	·03				·01		·01	·34	·06	·38				2
3	·23			·25				·13		·03	·06	·30		3
4	·16		·26	·05				·90		·45	·17	·01		4
5				·23			·09			·33	·29	·24		5
6	·45						·01			·06	·16			6
7	·09	·03					·01	·02		·13	·48	·03		7
8		·04	·15					·06		·15	·02	·48		8
9	·02	·06								·56	·95	·19		9
10	·09					·28		·04		·01				10
11	~~·48~~		·35		·02	·51				·77	·02	·02		11
12	~~·64~~				·03	·10				·03		·02		12
13	~~·19~~	·01	·01			·05			·02	1·70		·11		13
14	·48		·02	·02	·12		·11			·47	·46	·01		14
15	·69		·01		·82		·03		·69	·70	·02			15
16	·29		·05		·27	·22	·65				·37			16
17	·12	·08	·02	·03			·03				·03			17
18	·19		·04		·03	·04	·07			·33	·37			18
19	·25		·01				·21		·02	·93		·02		19
20	·21					·02	·07		·33			·04		20
21	·05		·20			·03	·06		·13	·02				21
22	·08	·18	·03			·14	·18							22
23	·02			·03			·02	·10		·07	·52			23
24	·14		·01	·31		·06	·30			·05	·02			24
25	1·20	·42	·07	·01			·40				·55	·01		25
26	·49	~~·42~~	·23			·04	·06		·05	·14	·27			26
27	·18	·10	·25							·66	·51	·11		27
28	·02	·37	·08			·01				·10	·10			28
29		×		·52						·03	·02			29
30				·52		·04					·05			30
31							·11							31
TOTAL	5·30	1·29	1·82	2·12	1·91	1·54	1·82	1·59	1·30	8·10	5·45	1·60	Year's Total 33·85	
* Days with .01 in. or more.	23	9	18	11	8	13	18	7	7	23	22	15	174	
* Days with .04 in. or more.	18	7	10	7	4	10	12	6	5	18	15	7	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 311/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~1~~0.

Kept at Newnham Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 107 ft.

January corrected for snow.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	/	/	/	/	·01	/	/	/	/	/	·03	/		1
2	/	·02	/	·14	/	/	·01	/	/	·31	·71	/		2
3	/	·13	/	·10	/	/	/	/	/	·11	1·31	·04		3
4	/	·08	/	·10	/	/	/	/	/	·16	·08	·15		4
5	/	·01	/	/	/	/	·12	/	/	/	·81	·11		5
6	(·50) ✓	·10	/	/	·01	/	·18	/	/	·46	·03	/		6
7	✓	·05	/	/	/	/	·17	·06	/	/	/	·02		7
8	/	/	/	/	/	/	/	/	·07	·27	/	·21		8
9	/	/	/	/	/	/	/	/	/	·07	·20	·10		9
10	/	/	/	/	/	/	·31	·09	·02	·22	·13	·02		10
11	/	/	/	/	/	/	/	/	/	/	1·00	·02		11
12	/	·09	·14	/	/	/	·38	/	·03	/	✓	/		12
13	/	·05	·78	/	/	1·18	/	/	·09	/	·91	/		13
14	/	/	·35	/	/	/	/	/	·01	/	/	·15		14
15	/	/	·02	/	·04	·13	1·49	/	/	/	·50	·09		15
16	·37	·12	·12	/	/	·34	·25	/	·09	·46	·59	·05		16
17	/	·02	·26	/	/	/	/	/	/	/	·09	/		17
18	·08	·32	·03	·40	/	/	·11	/	/	·23	·03	·15		18
19	/	·09	·20	/	/	/	/	/	·59	/	·03	·22		19
20	/	/	/	/	·24	·05	/	·02	·10	·08	·22	/		20
21	·06	/	/	/	/	/	·11	/	/	·06	·19	/		21
22	·09	/	·02	/	/	·10	/	/	·01	·07	·02	/		22
23	/	·22	/	·09	/	/	/	/	/	/	·01	·02		23
24	/	/	/	·17	/	/	·09	/	/	·19	/	/		24
25	/	/	·88	/	/	/	·27	/	/	·36	/	/		25
26	·70	·11	·58	·01	·01	/		/	/	·77	/	/		26
27	·13	·14	/	/	/	/	·21	/	/	/	/	·01		27
28	·07	·02	/	/	·54	/	/	/	/	/	/	/		28
29	·05	·03	·07	/	·04	/	/	/	·03	/	/	·22		29
30	·06	✕	/	·22	/	/	/	/	/	·06	/	·03		30
31	·03	✕	/	✕	/	✕	/	/	✕	·42	✕	/		31
TOTAL	2·14 ~~1·64~~	1·58	3·45	1·23	·89	1·80	3·70	·17	1·04	4·30	6·89	1·61	Year's Total 28·80	
* Days with .01 in. or more.	12 ~~10~~	17	12	8	7	5	13	3	10	17	19	17	149	
* Days with .04 in. or more.	11 ~~9~~	12	9	7	4	5	12	2	5	14	13	11	108	

Gauge broken. Figures taken from Charing (Station No 2877)

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. A. Parker

[P.T.O.

X Faversham (wea

O.S. map 116.G.!!

311/5

Kent/3

311/5

FAVERSHAM W. W.

1932 -1940

062327002 780107

NEG RA, 6K print

38, HOLBORN VIADUCT, E.C 22, REGENT STREET, W. 1.

Kept by Eng & Manager.

YEAR

1932.

At Faversham Water Works

Time of Observation 9. A.M.

County Kent.

Height above MSL 120'

OK print

Rules for observing Rainfall will be found on back of this Chart.

Date	*Jan.*	*Feb.*	*March.*	*April.*	*May.*	*June.*	*July.*	*Aug.*	*Sept.*	*Oct.*	*Nov.*	*Dec.*
	in.	*in.*	*in*	*in*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*
1	·05	·03.	-	·03	·58	-	·03	·04	-	·12	03	·
2	·01	-	-	·16	·10	-	-	·10	·03	-	-	·16
3	-	-	-	·18	·28	·01	-	·	·34	·02	·	·
4	-	-	·	-	-	·12	-	=	-	-	02	-
5	·11	-	-	-	·10	·04	·09	·07	·04	-	·	·
6	·45	-	-	·16	-	-	-	-	·05	-	·	·07
7	·09	-	·08	·04	-	-	-	=	·	-	-	·04
8	·	·04	·10	·03	·25	-	-	=	·01	1·36	02	·
9	·31	·02	·	·14	·78	-	-	-	-	·32	·	-
10	·67	-	-	·30	·03	=	-	-	·	·33	·	·
11	·46	SNOW. ·12	-	·15	-	·12	·04	-	-	·30	·	·
12	·18	-	-	·01	-	-	·01	-	·02	·30	·	·
13	·02	·03	-	·05	·03	-	·	-	·03	·62	-	·
14	·14	-	-	·14	·09	-	-	·04	-	·26	-	·
15	·	·03	-	·07	·09	-	-	-	-	·11	-	·
16	·03	-	-	·17	·03	-	·01	=	·01	-	·	·
17	·	-	-	·02	-	-	·03	-	-	·05	·	·02
18	-	-	-	-	-	-	·02	-	·03	-	·11	·
19	-	-	-	-	-	-	-	=	-	·10	·19	·
20	-	-	-	·04	·20	-	·09	-	·03	·76	·32	·
21	-	-	-	·02	·06	-	·	·06	-	·22	~~·34~~	·
22	-	·01	·31	·01	·21	·01	·09	-	·66	·15	·34	04
23	-	·12	-	·07	-	-	-	-	·33	·92	09	·06
24	-	·05	-	-	-	-	·58	·	·15	·06	02	·
25	-	·01	-	-	·04	-	·98	=	·16	·18	·03	·03
26	·	-	-	·03	-	-	·39	·13	-	·02	·03	·
27	-	-	·31	·10	·11	-	·07	-	·03	·34	·06	03
28	-	-	-	·03	·02	-	·10	-	·04	·05	-	
29	·	-	·46	·04	-	-	-	·27	·07	·41	·	
30	·	X	·08	·27	·09	·66	·	-	02	·04	·07	·03
31	·	X	·05	X	-	X	·05	-	X	-	X	·03
Totals	2·52	·46	1·39	2·26	3·09	·95	1·58	·71	2·05	7·09	1·34	·51
	12 9	10 4	7 7	24 16	18 14	6 4	15 10	7 7	18 9	23 21	13 7	10 5

24·95
168
173

No 78 180 2356



MONTHLY TOTALS

THE ENGINEER + MANAGER.

X Faversham (Weal

Circ! + sent 2/2/33.

311/5

OS mah 116. G.!!

Kent/3

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

OK print

METEOROLOGICAL INSTRUMENT MAKERS,

38, HOLBORN VIADUCT, E.C. 1; FACTORY: HALF MOON WORKS, BARNSBURY, N. 1; & 122, REGENT STREET, W. 1.

Kept by Eng & Manager.

YEAR 1932.

At Faversham Water Works.

Time of Observation 9. A.M.

County Kent.

Height above MSL 120'

OK. print.

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1	·05	·03.	-	·03	·58	-	·03	·04	-	·12	03	.
2	·01	-	-	·16	·10	-	-	·10	·03	-	-	·16
3	-	-	-	·18	·28	·01	-	-	·34	·02	.	.
4	-	-	.	-	-	·12	-	=	-	-	·02	-
5	·11	-	-	-	·10	·04	·09	·07	·04	-	.	.
6	·45	-	-	·16	-	-	-	-	·05	-	-	·07
7	·09	-	·08	·04	-	-	-	=	.	-	-	·04
8	.	·04	·10	·03	·25	-	-	=	·01	1·36	·02	.
9	·31	·02	-	·14	·78	-	.	-	-	·32	.	-
10	·67	-	-	·30	·03	=	-	-	.	·33	-	.
11	·46	SNOW. ·12	-	·15	-	·12	·04	-	-	·30	.	.
12	·18	-	-	·01	-	-	·01	-	·02	·30	-	.
13	·02	·03	-	·05	·03	-	.	-	·03	·62	-	.
14	·14	-	-	·14	·09	-	-	·04	-	·26	-	.
15	.	·03	-	·07	·09	-	-	-	-	·11	-	.
16	·03	-	-	·17	·03	-	·01	=	·01	-	.	.
17	-	-	-	·02	-	-	·03	=	-	·05	.	·02
18	-	-	-	-	-	-	·02	-	·03	-	·11	.
19	-	-	-	-	-	-	-	=	-	·10	·19	.
20	-	-	-	·04	·20	-	·09	-	·03	·76	·32	.
21	-	-	-	·02	·06	-	.	·06	-	·22	[illegible]	.
22	-	·01	·31	·01	·21	·01	·09	-	·66	·15	·34	·04
23	-	·12	-	·07	-	.	-	-	·33	·92	·09	·06
24	-	·05	-	-	-	-	·58	.	·15	·06	·02	.
25	-	·01	-	-	·04	-	·98	=	·16	·18	·03	·03
26	.	-	-	·03	-	-	·39	·13	-	·02	·03	.
27	-	-	·31	·10	·11	=	·07	-	·03	·34	·06	·03
28	-	-	-	·03	·02	-	·10	-	·04	·05	-	
29	-	-	·46	·04	-	-	-	·27	·07	·41	.	
30	..	X	·08	·27	·09	·65	.	-	·02	·04	·07	·03
31	.	X	·05	X	-	X	·05	-	X	-	X	·03
Totals	2·52	·46	1·39	2·26	3·09	·95	2·58	·71	2·05	7·09	1·34	·51
	12 9	10 4	7 7	24 16	18 14	6 4	15 10	7 [illegible]	18 9	23 21	13 7	10 5

24·95
163
113

N 78 180 258



MONTHLY TOTALS

Parrott
THE ENGINEER + MANAGER.

311/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~34/5~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Faversham Water Works

in the County of Kent

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·19	·08	-	-	-	-	-	-	·05	·04	-		1
2	·11	-	·36	-	·63	-	-	-	-	·08	·03	-		2
3	·03	·07	·23	-	·16	-	-	-	-	·29	-	-		3
4	-	-	-	-	-	-	-	-	-	-	-	-		4
5	·32	-	·13	-	·12	-	-	-	-	-	-	-		5
6	-	·08	·15	-	·36	-	-	-	-	·02	·09	-		6
7	·38	·03	·04	-	·10	-	-	-	-	·21	·01	·05		7
8	·16	-	-	-	·05	-	·12	-	-	·09	-	-		8
9	-	-	-	-	·05	-	·03	-	-	-	·08	-		9
10	-	·07	-	-	-	·03	·06	-	-	·14	·03	-		10
11	·14	-	-	-	·02	·05	·03	·08	·15	-	·07	·01		11
12	-	-	-	·02	-	·19	·05	-	·44	-	·04	-		12
13	·02	-	-	-	·13	-	·17	-	·50	·09	·16	-		13
14	-	-	-	-	·08	-	-	·03	-	·19	·16	·01		14
15	·15	-	·04	-		-	·13	·14	-	-	·05	·04		15
16	·15	-	·79	-		·20	·43	-	-	·02	-	-		16
17	-	-	·39	-		-	-	·08	·07		·03	-		17
18	·12	-	·03	·08		·16	-	-	-		-	-		18
19	-	-	·22	·14		·18	-	-	·03		-	-		19
20	-	·04	-	·07		·07	-	-	·03		-	·01		20
21	-	-	-	·02		·03	-	·19	·73		-	-		21
22	-	-	-	-		-	-	·20	-	·06	-	-		22
23	-	-	-	·06	·07	-	-	-	·73	-	-	-		23
24	-	·16	-	·16	·03	·13	-	-	·47	-	·10	-		24
25	-	-	-	·26	·02	-	-	-	-	·06	·60	·04		25
26	-	·38	-	-	-	·21	-	-	·02	·02	·10	·10		26
27	-	·13	-	-	·01	-	-	-	-	·16	-	·07		27
28	-	-	-	-	-	-	·06	-	-	·15	-	·05		28
29	-	-	-	-	·01	-	·23	-	-	·02	-	-		29
30	·08	X	·12	·03	-	-	·01	-	·11	·04	-	·06		30
31	·07	X		X	-	X	-	·08	X	-	X	-		31
TOTAL	1·75	1·15	2·57	·84	1·84	1·25	1·32	·80	3·28	1·69	1·59	·44	Year's Total 18·52 ✓	
*Days with ·01 in. or more.	13	9	12	9	15	10	11	7	11	17	15	·10	139	
*Days with .04 in. or more.	10	8	11	6	10	8	8	6	8	13	11	7	106	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. W. Dettatree [P.T.O.

Eng & Manager.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 311/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Faversham Water Works.

in the County of Kent.

Diameter of Funnel of Gauge 8" in. 8"

Height of top of Gauge above Ground 1' ft 6" in.

,, Ground ,, Sea Level 130 ft.

Days
all

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·19	·07	·18		·16		1
2	·06		·16	01				·	·40	73		·20		2
3	·02	·05		05	·21			·04		·48	·01	·02		3
4	·17	·02			·07					9	·06	·71		4
5	·02		01		·12	·02				·	·01	·14		5
6	·		·33	·14	·13	·24		·10		·21	·02	·43		6
7	·03	·01		·01				·03		8		·15		7
8	·			·32	22			04		·	1·29	·01		8
9	·		02	02						·	·58	·16		9
10	·		·23	·19				·01		·05	·19	·01		10
11	·72		27	·11			·20	·05			·01	·37		11
12	·17		·12	·			·05	·31				·09		12
13	·50		·13	·01			·05	·32				·02		13
14	·22		·47	·09	03		06			·16	·18	·23		14
15	·03				·04						·12	·55		15
16	·12	·01	25	01	·10					·05	·	·02		16
17	·07		39	21	·04				1·00	·06	·05	·29		17
18	·10		03				·11				·03	·15		18
19	·		·32						·12			·12		19
20	·		·12	·06			·09					·01		20
21	·					·06				·01		·01		21
22	·						·03	·16	·16			·		22
23	·			48		·27				·01		·17		23
24		·02		·04	·06	·14	·36		·06			·		24
25	·04			·13		·08				·02		·26		25
26	·09			·11		·09			·01			·02		26
27	·	·02		·15		·01						·19		27
28	·01	·05		·20		·03		·37			·02	·11		28
29	·04			·		·	·15		·26		·01	·11		29
30	·15	×		·		·				·02		·32		30
31	·	×		×		×			×		×	·12		31
TOTAL	2·56	·18	2·85	2·34	1·02	·94	1·10	1·62	2·08	2·15	2·58	5·05	Year's Total. 24·47	
* Days with .01 in. or more.	18	7	14	19	10	9	9	11	8	14	14	29	162	
* Days with .04 in. or more.	13	2	11	14	9	6	8	9	7	10	7	20	116	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. M. Settatree

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 311/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Faversham Water Works

in the County of Kent

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	·03	·	·05	·	·14	·09	·	·17	·10	·07	·		1
2	·17	·	·16	·01	·	·	·	·	·13	·28	·03	·		2
3	·02	·05	·14	·05	·	·03	·	·	·07	·19	·08	·		3
4	·	·04	·	·26	·	·09	·	·	·40	·46	·	·12		4
5	·	·45	·03	·07	·	·15	·	·	·54	·09	·	·02		5
6	·13	·02	·	·20	·	·17	·	·	·	·02	·09	·01		6
7	·14	·03	·	·15	·	·23	·	·	·	·03	·93	·03		7
8	·	·	·	·35	·	·	·	·57	·	·26	·32	·01		8
9	·	·	·	·06	·	·21	·	·	·	·70	·25	·04		9
10	·02	·02	·	·	·	·10	·	·	·	·	·04	·11		10
11	·09	·	·	·08	·	·02	·	·	·	·02	·29	·		11
12	·	·	·	·	·	·15	·	·59	·	·	·36	·		12
13	·04	·13	·	·09	·05	·	·	·	·	·	·08	·31		13
14	·04	·	·	·20	·38	·06	·	·	·	·	·01	·06		14
15	·	·13	·	·46	·02	·04	·	·	·35	·	·20	·08		15
16	·	·01	·	·13	·01	·07	·	·	·24	·	·77	·01		16
17	·08	·	·07	·04		·13	·	·02	·01	·	·58	·		17
18	·	·	·	·15		·02	·26	·	·39	·08	·	·02		18
19	·	·	·	·03	·40	·04	·04	·	·02	·	·02	·09		19
20	·	·47	·	·13	·02	·05	·34	·	·02	·	·03	·		20
21	·01	·45	·	·01		·	·	·	·	·12	·06			21
22	·	·05	·	·		·	·	·03	·02	·	·05			22
23	·	·	·	·		·	·	·36	·	·	·03	·08		23
24	·06	1·09	·01	·	·42	·	·	·30	·49	·16	·	·29		24
25	·11	·21	·	·26	·08	·21		·	·	·01	·02	·35		25
26	·06	·	·	·		·	·	·09	·01	·07	·01	·44		26
27	·16	·58	·	·	·34	·	·	·08	·04	·	·11	·13		27
28	·	·06	·	·	·27	·	·	·	·03	·05	·01	·18		28
29	·	·	·01	·	·	·	·	·	·35	·	·	·44		29
30	·08	×	·	·11	·05	·	·	·95	·08	·07	·39	·33		30
31	·	×	·	×		×	·	·01	×	·18	×	·62		31
TOTAL	1·47	3·82	·42	2·89	2·04	1·91	·73	3·00	3·36	2·88	4.83	3·77	Year's Total 31·12	
* Days with .01 in. or more.	16	17	6	21	11	18	4	10	18	18	25	22	186	
* Days with .04 in. or more.	13	13	3	18	8	15	4	7	12	14	17	16	140	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. H. Settatree [P.T.O.

Eng & Manager.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 311/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Faversham Water Co.

in the County of Kent.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	·16	·03	·09	·	·33	·11	·04		·	·02	·09		1
2	·06	·12	-	·02	·	·26	·05	·09		·	·	·18		2
3	·	-	·01	·28	·16	·08	·05	·	·01	·	·25	-		3
4	·	-	·03	·	-	·16		·	·24	-	·02	·02		4
5	·26	·	-	·02	-	·		·02	·06	·24	·03	·04		5
6	·21	·	·	-	·	·03		·03	·14	·45	·66	-		6
7	·24	-	·04	·	-	·05	·03	·	·01	·23	·47	-		7
8	·27	-	·02	-	-	·	·05	-	·	·	·68	·25		8
9	·40	·	·04	-	·01	-	·38	·04	·02	·04	·22	·		9
10	·	-	-	-	·02	·03	·22	·87	·01	·56	-	·		10
11	-	-	·	·10	·02	-	·16	·01	·	·	·75	·		11
12	·	·	·	·01	-	·03	·13	·	·02	·01	·20	·05		12
13	-	-	·	·	-	·04	·08	·	-	·	-	·19		13
14	-	·04	-	-	-	·05	·77	·	-	·08	·11	·52		14
15	·	·05	-	-	-	-	-	·	·17	·	·	·11		15
16	·22	·05	-	·	·02	-	·	-	·01	·	·29	·21		16
17	·14	·75	-	-	-	·12	·	-	·	·	·30	·26		17
18	·12	·10	-	-	·	·	·14	-	·	·02	·58	·06		18
19	·20	·05	-	-	-	·10	-	·09	·	·06	·01	-		19
20	·18	·19	-	·30	-	·	-	·	·58	-	·	-		20
21	-	·	-	·20	-	1·03	·07	·	·	-	·	-		21
22	·04	·36	·01	·05	·06	·01	·05	·	·01	-	-	·14		22
23	·	·	-	·07		-	·26	·	·	·01	·	-		23
24	·09	·15	·	·		·	·	·	·	·31		-		24
25	·50	-	·07	·16		·12	·13	·	·22	·04	·05	-		25
26	[illegible]	·08	·07	·		·	·	·	·05	·25	-	·03		26
27	·17	·02	·	·02		·	·29	·	·31	·03	·03	·		27
28	·75	[illegible]	·02	·		·15	·17	·	·16	-	·01	·02		28
29	·05	·03	·15	·		·82	·85	·	·04	·01	·09	-		29
30	·05	✕	·	-	·11	·11	·01	·	·01	·08	-	·		30
31	·26	✕	·18	✕	·03	✕	·14	·	✕	·41	✕	·07		31
TOTAL	4·51	2·15	·67	1·32	·43	3·52	4·14	1·20	2·07	2·83	4·77	2·24 ~~22·4~~	Year's Total 29·85	
* Days with .01 in. or more.	20	14	12	12	8	18	21	8	18	17	19	16	183	
* Days with .04 in. or more.	20	12	6	7	3	14	19	5	10	12	13	13	134	

74
150
224

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Eng. & Manager
Faversham Water Co.

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 311/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at FAVERSHAM WATER WORKS

in the County of KENT

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	83	01		07				01			31	12		1
2		22	05	52						01		83		2
3		08	01							01	01	53		3
4	10	67								35		s 33		4
5	20	16	s 41				17			07		19		5
6	07		s 48	04	15					01				6
7		70	s 25	04	01				03	12		01		7
8		03	s 14		02	06					23	79		8
9		01	02	37	12	04	03		20			15		9
10			35	09	12	65	07	05				48		10
11			45		20		04		01			18		11
12	22	22	38		54	03	01		27			05		12
13	26		43	02	01	27		12	30			82		13
14	06	01	11		46			27	04			06		14
15	07	06		12	01	06	29	13	12					15
16	02	07	17	13		09			04					16
17	47	02	03	22		18		35	67		38			17
18	45	06		01	47	31			21		11			18
19	09	24	11	13	02	18	05		13					19
20	47		52	33	83	03			02					20
21	32	54	22	02			01					01		21
22	33	02			03	02	01			88	32	08		22
23	03	02			01		01			50	02			23
24	52	20							13	16				24
25	23	32	34						19	32				25
26		35	09							56				26
27		21		31						08				27
28	s 04	05	02	02		02						14		28
29	s 09		02							16	03	01		29
30	26	✕								24	06	05		30
31	22	✕		✕		✕			✕	01	✕	05.		31
													Year's Total	
TOTAL	5·34	4·07	4·60	2·40	3·00	1·93	·69	·93	2·36	3·48	1·46	4·88	35·14	✓
* Days with .01 in. or more.	22	23	21	15	15	13	10	6	14	15	9	19	182	✓
* Days with .04 in. or more.	20	16	16	11	8	9	5	5	11	11	6	16	134	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....

Eng & Manager

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 311/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Faversham Water Works.
in the County of Kent
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 130 ft.

appears as 8" on ~~[illegible]~~ British Rainfall 1938

notified 21/2/39

corr for Dec 19–26 snow. W.J.T.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02				14	30	09		30		04	05		1
2				07	17					23				2
3					23		01			50	03			3
4	02					03	20	26		09		07		4
5	02			01			36			28				5
6	02						04	07	04					6
7								60		21		04		7
8	25						07		35	09				8
9	25	02					04	67		03		49		9
10	08	08				17		09				21		10
11	16	01						19			07	09		11
12	24	01 s								08	02			12
13	38	12 s								03	04	02		13
14	13	06 s			22				10			04		14
15	02	33 s					20			15		04		15
16	23		01				04			10	02	15		16
17		09			57		04			30				17
18	04				06		02		03	03	48			18
19					01				04		03	✓ ~~02~~ s		19
20					02				33		57	x ~~64~~ s		20
21	01							05	13		09	* ~~08~~ s		21
22				01							11	x ~~36~~ s		22
23				01								x ~~04~~ s	1·77	23
24			05		06				10		41	x ~~04~~ s		24
25	08		40	09	08		01		08	02	57	✓ ~~03~~ s		25
26	41	10	04		01		06		46	28		x 16 s		26
27	14	05			23	08	22		26	38	28			27
28	19	02			20	03		63	10					28
29	19			06	16				01		04	26		29
30	04	✕		25	02	05			02	05	26			30
31	22	✕		✕	03	✕			✕	11	✕			31
TOTAL	3·14	·89	·50	·50	2·21	·68	1·40	2·56	2·35	2·96	3·06	(3·23) ~~3·83~~	Year's Total ~~24·08~~	✓ 23·48
* Days with .01 in. or more.	22	11	4	7	16	7	14	8	15	18	16	19	157	✓
* Days with .04 in. or more.	16	7	3	4	11	4	11	8	12	14	13	16	119	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....
Eng & Manager.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations 739186/38 Station No. 311/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Faversham Water Works.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	.	02	12	61	.	.	.		-	.	01		1
2	·02	.	-	-			01	37	07	47	01	-		2
3	·21	-	.	17			-	23		04	05	33		3
4	·20		25	03			-	75		57	10	.		4
5	-	.	.	21			06	-		40	35	26		5
6	·36	.	02	-			-	-		07	11	-		6
7	·12	·05	-	-			02	03		19	16	03		7
8	-	·04	14	-				03		15	02	52		8
9	·02	06	-	-				.		59	86	19		9
10	·08	.	-	-		28		04	01	01	01	-		10
11	-	.	31	-	03	35				77	-	02		11
12	-	.	-	.	07	35				02	.	01		12
13	.	01	·01	-	-	04			02	1·71	47	10		13
14	49	.	·02	-	10	-	08		.	44	03	01		14
15	52	.	01	.	93	.	04		29	69	36	.		15
16	22	.	05	-	31	16	16			-	03	.		16
17	12	06	01.5	-	.	.	02			.	42	.		17
18	18	.	07	-	02	03	04			39	-	.		18
19	21	.	-	-	-	-	30			80	-	01		19
20	22	.	.	-	-	01	23		31	.	-	06		20
21	05	.	16	.		03	14		08	04	-			21
22	10	19	05	03		16	15		02	-	46			22
23	01	01	01	37		01	06	16		09	02			23
24	18	02	-			08	14			02	55			24
25	1·16	42	06			01	47			.	29			25
26	47	03	20			10	09			12	56	01		26
27	18	09	28				.		01	68	13	.		27
28	03	38	08				-			12	02	12.5		28
29	.	.	.	49			.			04	05	.		29
30	.	✕	.	54		02	.			.	.	.		30
31	.	✕	.	✕		✕	09		✕	01	✕	.		31
TOTAL	5·17	1·36	1·75	1·96	2·07	1·63	2·10	1·55	·81	8·43	5·07	1·68	Year's Total 33·58	
* Days with .01 in. or more.	23	12	18	8	7	14	17	7	8	24	22	14	174	
* Days with .04 in. or more.	18	8	11	6	5	8	14	6	4	20	15	7	121	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 311/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Faversham Water Works.

in the County of Kent

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 130 ft.

Jan cord for snow. Circ sent 7/3/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·02								28	02			1
2		·		17						12	60			2
3		·15		11						15	1·35	03		3
4		·07		07						·01	09	10		4
5		·					11			41	53	11		5
6	·16	05					16			·	03			6
7	·21	·09					15	10		28				7
8		·		02					28	08		20		8
9										·30	14	08		9
10							25	15	02		16	02		10
11		01		06							99			11
12		01	18	01			34		06					12
13		02	71			54			09	01	81			13
14		02	s 28	09								24		14
15			02		03	14	1·20			44	33	01		15
16	s. (·50) ~~80~~	11	09			33	41		09		51	04		16
17			25						02	18	05	·		17
18	s (·05) ~~45~~	31	28	43			07				01	24		18
19	·	09	04						59	05	02	18		19
20	s ·10 ~~90~~	01	01			09		01	24	02	25			20
21	·02				05		18		03	07	19			21
22	70		03		25	05			03	02	01			22
23	s ·14	20		10						41		s 02		23
24	02			11	·		09		·	18				24
25	02		81				22			66				25
26	06	11	58				04			01		01		26
27	04	12					06							27
28		02			08									28
29		01	04		02				01	06		17		29
30		✕		24						43		01		30
31		✕		✕		✕			✕		✕	03		31
TOTAL	2·01 ~~3·51~~	1·42	3·32	1·41	·43	1·15	3·27	·26	1·46	4·23	6·09	1·49	Year's Total ~~28·04~~	26·54
* Days with .01 in. or more.	12	18	13	11	5	5	13	3	11	21	18	16	146	✓
* Days with .04 in. or more.	9	10	10	9	3	5	13	2	6	16	13	9	105	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

312

Section A for the entry of Daily Obser

AIR MINISTRY.—METEORO

FORM 1090.

REGISTER O

312

OSPRINGE - QUEENS COURT

1931 - 1940

062327004 780107

FOR OFFICIAL USE.

AINFALL ORGANIZATION.

193 1 .

Kept at Queen Court Ospr

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 50 ft.

corr. for WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·19	·20										1
2		·05						·22					2
3	·15	·15		·15	·14			·02	·43		·03		3
4		·18		·08	·98			·31	·75		·03	·17	4
5					·03			·04	·08		·03		5
6				·24		·58	·03	·30				·14	6
7				·05						·15	·34		7
8					·03		·55	·10			·06		8
9		·09	·15		·03			·11			·15	·05	9
10		·08		·02					·16		·49	·08	10
11		·19				·04	·03	·12			1·51		11
12	·24	·65				·04					·51		12
13	·20							·05	·53			·03	13
14					·11	·04		·05			·03		14
15	·12	·10			·05	·05	·28	·20					15
16		·04		·45	·20	·03	·11	·21				·12	16
17	·05	·13		·15		·02	·05	·11					17
18		·09		·25		·04	·17	·13					18
19	·03			·27			·04	·21			·41		19
20	·02	·25		·76			·25	·27	·36		·07		20
21		·06		·25			·33	·36					21
22					·48			·10					22
23	·22				·03			·05	·11				23
24	·35	·13			·07	·04					·15		24
25			·04	·40		·04		·13	·03			·02	25
26	·08			·47	·25		·64						26
27	·05			·22			·28			·11	·23		27
28	·07	29		·02			·04						28
29	·09			·02								·12	29
30	·17	✕		·09	·07		·04			·25		·03	30
31	·07	✕ ·20	–	✕	–	✕	–	–	✕	–	✕	–	31
TOTAL	·19 ~~1·96~~ 2·10	~~2·67~~ 2·68	~~·39~~ ·19	3·89	2·47	·92	2·84	3·09	2·45	·51	4·04	·76	YEAR'S TOTAL 25·94 ~~25·99~~
*Days with ·01 in. or more.	16	16	~~3~~2	17	13	10	14	20	8	3	14	9	142
*Days with ·04 in. or more.	14	16	~~3~~2	14	9	8	12	19	7	3	10	6	120

40-9999

(Signed) Lewis [illegible] [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** **for the entry of Daily Obser**

UGUST

312

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Queen Court Ospringe

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 50 ft.

WD

corr. for WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·19	·20										1
2		·05						·22					2
3	·15	·15		·15	·14			·02	·43		·03		3
4		·18		·08	·98			·31	·75		·03	·17	4
5					·03			·04	·08		·03		5
6				·24		·58	·03	·30				·14	6
7				·05						·15	·34		7
8					·03		·55	·10			·06		8
9		·09	·15		·03			·11			·15	·05	9
10		·08		·02					·16		·49	·08	10
11		·19				·04	·03	·12			1·51		11
12	·24	·65				·04					·51		12
13	·20							·05	·53			·03	13
14					·11	·04		·05			·03		14
15	·12	·10			·05	·05	·28	·20					15
16		·04		·45	·20	·03	·11	·21				·12	16
17	·05	·13		·15		·02	·05	·11					17
18		·09		·25		·04	·17	·13					18
19	·03			·27			·04	·21			·41		19
20	·02	·25		·76			·25	·27	·36		·07		20
21		·06		·25			·33	·36					21
22					·48			·10					22
23	·22				·03			·05	·11				23
24	·35	·13			·07	·04					·15		24
25			·04	·40		·04		·13	·03			·02	25
26	·08			·47	·25		·64						26
27	·05			·22			·28			·11	·23		27
28	·07	29		·02			·04						28
29	·09			·02								·12	29
30	·17	✗		·09	·07		·04			·25		·03	30
31	·07	✗ ·20	–	✗	–	✗	–	–	✗		✗	–	31
TOTAL	·19 ~~1·96~~ 2·10	~~2·67~~ 2·68	~~·39~~ ·19	3·89	2·47	·92	2·84	3·09	2·45	·51	4·04	·76	YEAR'S TOTAL ~~25·99~~ 25·94
*Days with ·01 in. or more.	16	16	32	17	13	10	14	20	8	3	14	9	142
*Days with ·04 in. or more.	14	16	32	14	9	8	12	19	7	3	10	6	120

40-9999

(*Signed*) Lewis H [illegible] [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 312

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at QUEEN COURT, OSPRINGE

in the County of KENT

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·04	·33		·62	·06		·02			1
2	·05	·05			·53		·03	·02					2
3				·20	·14				·05		·03	·33	3
4					·32	·04			·33				4
5						·18					·06		5
6	·12			·06	·12		·12	·08		·01			6
7	·45			·46		·01			·06				7
8	·13		·10	·06	·02					·03		·15	8
9		·06	·09		·27				·03	1·46			9
10	·32			·18	·82					·36			10
11	·67				·04	·12				·18			11
12	·34			·29			·04			·25			12
13	·16	·20					·03			·24			13
14	·02			·05	·04				·04	·71		·03	14
15	·12			·12	·11			·03		·37			15
16	·02	·05		·08			·02			·11			16
17	·04									·05			17
18				·23			·06					·01	18
19											·12	·01	19
20										·15			20
21				·05	·45		·10		·04	·75	·22		21
22			·03	·02	·05			·07		·24	·34		22
23			·34		·19		·20		·66	·21	·32		23
24		·14							·34	1·05	·14	·08	24
25		·04					·44		·15	·06	·05		25
26		·01			·07		1·03			·05	·03		26
27				·13			·75	·09					27
28			·28	·10	·13		·12			·38			28
29			·04	·02			·12			·08			29
30		×	·33		·07			·31	·25	·43			30
31		×	·09	×		×			×	·04	×	·08	31
TOTAL	2·44	·55	1·30	2·09	3·70	·35	3·68	·66	1·95	7·23	1·31	·69	YEAR'S TOTAL 25·95
*Days with ·01 in. or more.	~~12~~	~~7~~	~~8~~	~~16~~	~~17~~	~~4~~	~~14~~	~~7~~	~~10~~	~~23~~	~~9~~	~~7~~	~~134~~
*Days with ·04 in. or more.	10	6	7	14	16	3	11	5	9	20	7	3	111

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 312

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Queen Court Ospringe

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 50 ft.

Days K.

WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02								·07					1
2	·01	·25	·13						·02	·09				2
3	·10		·40		·66									3
4	·03		·21		·14					·30				4
5	·04	·08	·02		·12									5
6	·33		·12		·02									6
7			·15		·54						·15			7
8	·43				·09					·14				8
9	·12				·04		·11			·10				9
10		·04			·05						·10			10
11		·16									·02			11
12	·16							·05	·09		·10			12
13						·25			·47			·03		13
14					·20		·33		·56		·19			14
15					·04		·03			·44	·16			15
16	·17		·15				·20	·09						16
17	·17		·87			·20	·43							17
18	·12		·18			·02		·07	·07		·07			18
19			·22			·19								19
20				·04		·19								20
21	·01	·05		·10		·09								21
22		·22		·07		·20	·02	·19	·74					22
23					·05			·18	·04					23
24				·06	·06	·13			·52					24
25		·16		·78					·49		·14			25
26				·26		·35				·16	·62			26
27		·35		·02	·03				·03			·15		27
28							·02			·17		·15		28
29										·14				29
30		×		·04			·42		·10					30
31	·09	×		×		×			×	·08	×	·10		31
TOTAL	1·78 ~~1·80~~	1·31	2·45	·77	2·07	1·62	1·56	+·07 ·65 ~~·58~~	3.13 ~~3·20~~	1·65	1·55	·43	Year's Total 18·97	
*Days with ·01 in. or more.	13 ~~11~~	8	10	8	13	9	8	6 ~~8~~	11 ~~12~~	9	9	4	**108 ~~107~~	
*Days with .04 in. or more.	10	8	9	7	11	8	5	6 ~~8~~	9 ~~10~~	9	8	3	93	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) L. H. Finn

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 312

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

WD

Kept at Queen Court, Ospringe

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·29

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·02												1
2	·05							·23	·09			·24		2
3			·14					·03	·39	·20		·13		3
4	·02			·08	·20			·15	·04	·83		·03		4
5	·15	·07								·48	·04	·79		5
6			·03		·17							·17		6
7	·02		·35	·15	·13	·29		·08		·28		·44		7
8				·35				·05		·21	·03	·16		8
9		·02			·22			·03			1·26	·02		9
10											·50	·17		10
11	·04		·27	·18				·02		·05	·31	·30		11
12	·60	·03	·19	·15			·13	·03						12
13	·66		·18				·08	·32				·13		13
14			·08	·05			·05	·43				·04		14
15	·24		·43	·04		·03	·06			·27	·25	·26		15
16			·01		·04				·03		·16	·54		16
17	·14		·24		·10				·73			·04		17
18	·05		·41							·12		·26		18
19	·12		·04	·19			·13					·26		19
20			·29						·13			·20		20
21			·13				·03							21
22				·07		·04			·15					22
23							·03	·13						23
24				·43		·26						·16		24
25				·04			·34		·07		·04			25
26	·06	·05		·13		·32				·06	·03	·24		26
27				·26	·08							·03		27
28	·15	·06		·04								·14		28
29				·29		·04		·36				·17		29
30		×		·02			·18		·29			·08		30
31	·19 +·02	×		×		×			×		×	·14 ·29		31
TOTAL	2·51 ~~2·49~~	·23 ~~·25~~	2·49	2·47	·94	·98	1·03	1·86	1·92	2·50	2·62	5·43 ~~5·14~~	Year's Total. ~~24·99~~	25·28
* Days with .01 in. or more.	15 ~~14~~	5 ~~6~~	14	16	7	6	9	12	9	9	9	26 ~~25~~	137	
* Days with .04 in. or more.	12	3	12	15	7	5	7	8	8	9	7	23 ~~22~~	116	

"d"

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. H. Finn

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 312

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Queen Court Ospringe

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·02		·03		·16	·05		·15	·19	·12			1
2	·38		·09	·01						·28				2
3	·02		·14	·05					·13	·23				3
4				·36		·12			·46	·34		·18		4
5		·53		·07		·14	·03		·57	·16				5
6	·12		·05	·20		·18				·02	·17			6
7		·04		·15		·28				·03	·94			7
8	·13			·34				·49		·35	·31	·09		8
9				·05		·20				·43	·23			9
10				·05		·10				·10	·09			10
11	·15					·15					·28			11
12		·36						·48			·29			12
13	·07			·08								·43		13
14				·06	·34	·06						·08		14
15		·05		·43	·03	·04			·35		·23	·04		15
16	·03	·10		·12				·03	·31		·78			16
17	·07		·08	·01			·03				·57	·02		17
18				·23		·23	·19		·37	·10				18
19	·01			·04	·37	·04	·04				·02			19
20		·49		·03		·03	·30				·02			20
21	·03	·43		·04					·04	·15				21
22		·05		·03				·02						22
23								·39			·09	·04		23
24	·08	1·18			·35			·36	·47	·13		·38		24
25	·11	·20		·29	·19	·34						·33		25
26	·12	·07						·04		·03	·13	·40		26
27		·42			·39			·21				·13		27
28		·09			·28				·06	·05		·18		28
29					·05				·30			·35		29
30	·32	✕		·12				·97		·13	·37	·34		30
31		✕		✕		✕		·06	✕	·11	✕	·62		31
TOTAL	1.86	4·03	·36	2·79	2·00	2·07	·64	3·05	3·21	2·83	4·64	3·61	Year's Total 31·09	"d"
* Days with .01 in. or more.	15	14	4	22	8	14	6	10	11	17	16	15	~~152~~	
* Days with .04 in. or more.	11	13	4	17	7	13	4	8	11	14	14	14	130	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. H. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 312

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Queen Court Ospringe

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	·18	·09	·11		·23	·23	·02		·03		·03		1
2		·14				·09	·06	·12				·24		2
3	·01			·29	·15	·14	·04		·01		·27			3
4	·02		·04			·19			·23					4
5	·29			·04		·03	·01	·01		·24		·08		5
6	·12							·04	·20	·52	·61	·01		6
7	·30		·04				·02			·22	·53			7
8	·72		·02			·02					·79	·02		8
9							·38							9
10							·72	·90	·07	·49	·01	·02		10
11					·02		·18				·81			11
12					·02	·05	·14				·25			12
13						·04	·12				·04	·20		13
14						·04	·74		·14	·10		·18		14
15				·01			·02					·40		15
16	·33	·08				·10	·01		·02		·29	·27		16
17	·14	·80					·03		·01		·35	·06		17
18		·10				·07	·06			·01	·54	·40		18
19	·30	·06				·12		·11			·01			19
20	·12			·25					·71	·04				20
21				·20		1·05	·12							21
22		·38		·04	·06					·02		·18		22
23		·01		·02			·30			·03				23
24	·06	·10	·04	·02						·22	·02			24
25	·50			·20		·12	·18		·37					25
26			·13			·03	·30		·09	·28		·01		26
27	·28	·04					·19			·02				27
28	·61	·08	·03			·85	·33		·27		·01			28
29	·06	·02	·13		·15	·01	·95		·08	·01	·15			29
30	·05	✕	·17			·03	·02			·01				30
31	·20	✕		✕		✕	·14		✕	·51	✕	·05		31
													Year's Total	print days
TOTAL	4·42	1·99	·69	1·18	·40	3·21	5·29	1·20	2·20	2·75	4·68	2·15	30·16	✓
* Days with .01 in. or more.	18	12	9	10	5	18	24	6	12	16	15	15	160	✓
* Days with .04 in. or more.	16	10	7	7	3	13	18	4	9	9	11	10	117	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) [P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** Station No. 312

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Queen Court, Ospringe
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·77		·01	·09							·01	·10		1
2		·18		·47								·85		2
3		·04	·03									·54		3
4	·10	·62	·02									·45		4
5	·18	·17	·43				·16			·75				5
6	·06		·39		·19					·15				6
7		·68	·38									·03		7
8	·01		·23		·07	·05			·02	·06	·23	·72		8
9			·30	·39	·16		·03		·20			·14		9
10				·13	·17	·75		·03				·51		10
11			·44		·20		·10					·18		11
12	·14	·22	·26		·52			·06	·35					12
13	·26		·46		·03	·35		·26	·24			·72		13
14	·02	·02	·02		·45			·12	·30					14
15	·06		·01	·10	·01	·10	·32		·02			·02		15
16		·02	·25	·15		·28		·33						16
17	·50	·03		·20			·03		·87		·36			17
18	·01	·10		·02	·45	·33			·24		·13			18
19	·05		·05	·11	·07	·25			·18					19
20	·42		·63	·29	·90	·03								20
21		·50	·23	·01	·01			·04				·03		21
22	·38		·03	·01	·01	·02				·88	·39	·05		22
23	·02						·03			·60	·02	·01		23
24	·52	·34							·12	·17				24
25	·27	·25	·36						·18	·27				25
26	·62	·22								·62				26
27		·23	·11	·37										27
28						·01						·12		28
29										·17	·03			29
30	·41	✕								·02	·10	·11		30
31	·20	✕		✕		✕	·02		✕	·55	✕	·05		31
TOTAL	5·00	3·62	4·64	2·34	3·24	2·17	·69	·84	2·72	4·24	1·27	4·63	Year's Total 35·40	✓
* Days with .01 in. or more.	20	15	20	13	14	10	7	6	11	11	8	17	152	✓
* Days with .04 in. or more.	16	12	14	10	10	7	3	5	9	10	5	13	114	✓

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 312

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Queen Court, Ospringe

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 50 ft.

Dec Snow ~~noted 20/1/39~~

corr. for Dec 19–26 snow. 10 f.7.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					·15	·27	·08		·34		·08	·05		1
2					·16					·37				2
3	·02				·24		·06			·47				3
4								·27		·03		·07		4
5	·01						·46		·04	·37				5
6							·10	·06						6
7	·02							·67		·16				7
8	·25						·07		·34	·05				8
9	·20	·02					·04	·54				·53		9
10	·02	·06				·26		·10				·23		10
11	·20	·02						·29			·09	·10		11
12	·23	·03						·02		·09	·03			12
13	·40													13
14	·14				·21				·12					14
15		·18					·15			·22		·03		15
16	·22	·40					·04					·22		16
17		·04			·59		·07			·37				17
18	·03				·05					·09	·50			18
19	·01				·01				·03		·05	4		19
20					·01				·27		·58	4		20
21								·04	·16		·09	4		21
22				·01							·12	~~(10)~~		22
23				·02								4		23
24					·06				·07		·39	4		24
25	·03		·46	·08	·09		·01		·09	·02	·48	4		25
26	·43	·11	·03				·06		·35	·27		4		26
27	·14	·05			·20	·02	·23	·07	·25	·34	·27			27
28	·17	·01			·18	·06		·54	·13			·93		28
29	·20			·05	·13					·02		·25		29
30	·03	✕		·28						·06				30
31	·22	✕	·04	✕		✕			✕	·07	✕	·21		31
TOTAL	2·97	·92	·53	·44	2·08	·61	1·37	2·55	2·19	3·00	2·68	~~2·79~~ 2·62	Year's Total ~~21·96~~	Corr ~~22·15~~
* Days with .01 in. or more.	20	10	3	5	13	4	12	10	12	16	11	16 ~~11~~	~~127~~	✓ 132
* Days with .04 in. or more.	12	6	2	3	11	3	11	8	11	13	10	14 ~~9~~	~~99~~	✓ 104

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. H. Fremlin

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 3182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Queen Court
in the County of Ospringe
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·13	·59				·01			·01		1
2								·35	·05	·48				2
3	·25			·20			·03	·22			·05	·34		3
4	·17		·25	·04			·02	1·17		·70	·20	·01		4
5			·01	·22			·12			·28	·30	·21		5
6	·37						·01				·01	·01		6
7	·10	·04					·01	·03		·25	·30	·03		7
8		·07	·15							·17	·02	·48		8
9		·05								·46	·98	·18		9
10						·36		·17	·01	·05		·02		10
11	·05		·34		·02	·31				·65		·02		11
12					·07	·50						·01		12
13			·01			·04				1·77	·02	·11		13
14	·58				·09		·08			·45	·47			14
15	·61				·95		·04		·26	·70	·02			15
16	·20		·02	·02		·17					·36			16
17	·10	·05	·08	·02	·33		·08				·45			17
18	·15		·09							·35				18
19	·19						·30			·90		·02		19
20	·21					·02	·09		·26			·02		20
21	·04		·18			·08	·11		·05	·04				21
22	·08	·17	·04			·17	·20		·01					22
23	·17			·03			·03	·10	·02	·12	·47			23
24		·44	·10	·35		·05	·23							24
25	1·05						·51			·08	·52			25
26	·60		·27			·05	·07			·25	·18			26
27	·18	·05	·29							·70	·55			27
28		·43	·10							·15	·08			28
29				·52						·10				29
30		✕		·54							·05			30
31		✕		✕		✕	·11		✕		✕			31
TOTAL	5·10	1·30	1·93	2·07	2·05	1·75	2·04	2·04	·67	8·65	5·03	1·47	Year's Total 34·10	
* Days with .01 in. or more.	18	8	14	10	6	10	17	6	8	20	18	14	149	
* Days with .04 in. or more.	17	8	11	7	5	9	12	5	4	20	14	5	117	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. H. Finn

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 312

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Queen Court Ospringe

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·03												1
2				·16							64			2
3		·13		·07			·01			·10	143	·04		3
4		·07		·15						·15		·08		4
5							·15				·68	·10		5
6	14	04					·18			·45	·05			6
7	18	·10					·16	·05						7
8		·02							·08	·25		·17		8
9										·22	·19	·21		9
10							·43	·10		·09		·03		10
11											·98			11
12			·19				·27	·02		·02				12
13			·70	·03		·68	·02				·93			13
14			·45	·07		·01			·15		·09	·25		14
15					·04	·13	1·59		·02		·42			15
16	·68					·32	·38			·46	·65	·06		16
17			·25				·01		·10	·19	·07			17
18	·10		·12	·46			·10					·17		18
19		·47	·28						·63			·22		19
20		·09									·03	·01		20
21						·06		·02		·05	·23			21
22			·09		·04		·12			·05	·18			22
23		·20		·10	·20	·08	·09			·08				23
24				·12						·32	·10	·03		24
25			·78			·09	·35			·33				25
26	·70		·60				·07			·61				26
27	·14	·12					·18							27
28	·03	·10			·05									28
29	·03		·03		·02				·02			23		29
30		✕		·27						·05		·08		30
31	·08	✕		✕		✕			✕	·41	✕	·06		31
TOTAL	2·08	1·37	3·49	1·38	·35	1·37	4·11	·19	1·00	3·83	6·67	1·74	Year's Total 27·58	
* Days with .01 in. or more.	9	11	10	9	5	7	16	4	6	17	15	15	124	
* Days with .04 in. or more.	7	8	9	7	4	6	13	1	4	16	14	12	101	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

313

Section A for the ent

AIR MINI

FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090. **REG** 931.

Kept at Lorenden

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above G

,, Ground ,, S

THE MORNING ME DAY.

An observer who does not confor *f the following year in the space on the right*

—

313

OSPRINGE

LORENDEN

1931 - 1940

062327005 780107

Jan. 1, following
Nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·22											1
2		·06	·22	·03				·18					2
3	·10	·12		·09	·01			·02	·25				3
4	·10	·09	·01	·06	1·00			·20	·60		·04	·08	4
5		·07			·01			·02	·07				5
6				·21		·41	·02	·27			·01	·12	6
7				·03				·05		·14	·34		7
8	·06	·05			·01	·02	·50			·01	·06		8
9	·03	·02			·03	·05	·01	·02			·05	·03	9
10	·02	·06	·08					·18	·15		·53	·01	10
11	·01	·15				·02		·07			1·20	·06	11
12	·10	·64							·01		·42		12
13	·11							·05	·57			·02	13
14	·15	·02			·09			·06					14
15						·03	·23	·13			·01		15
16	·02	·05		·44	·02		·08	·18				·09	16
17		·11		·12	·17		·03	·09					17
18		·04		·20		·01	·17	·05	·06				18
19	·03	·24		·30		·03	·03	·17			·43		19
20	·01			·64			·12	·30	·25		·07		20
21		·01		·13			·32	·17		·03			21
22	·01	·06			·47			·05					22
23	·04		·01		·02			·04	·09				23
24	·50	·12			·03						·14		24
25			·02	·35		·04		·06	·02			·02	25
26	·08			·40			·52				·01		26
27		·04		·26			·28			·04	·21		27
28	·08	·27		·02	·22		·02				·01		28
29	·08	×		·02	·02							·10	29
30	·11	×		·05	·05		·04			·23	·01	·03	30
31	·12	×		×		×	·01	·01	×		×		31 22·02
TOTAL	·22 ~~1·80~~ 1·98	~~2·44~~ 2·22	·34	3·35	2·15	·61	2·38	2·37	2·07	·45	3·54	·56	YEAR'S TOTAL ~~22~~·06
*Days with ·01 in. or more.	21	19 ~~20~~	5	17	14	8	14	22	10	5	16	10	161
*Days with ·04 in. or more.	14	16 ~~17~~	2	13	5	3	9	18	8	3	11	5	107

40-9999

(Signed) Lewis G. H. Finn [P.T.O.

*See Instruction 2 (*f*) on other side.

313

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Lorenden, Ospringe

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 175 ft.

3 WD

corr. for WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: Nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·22											1
2		·06	·22	·03				·18					2
3	·10	·12		·09	·01			·02	·25				3
4	·10	·09	·01	·06	1·00			·20	·60		·04	·08	4
5		·07			·01			·02	·07				5
6				·21		·41	·02	·27			·01	·12	6
7				·03				·05		·14	·34		7
8	·06	·05			·01	·02	·50			·01	·06		8
9	·03	·02			·03	·05	·01	·02			·05	·03	9
10	·02	·06	·08					·18	·15		·53	·01	10
11	·01	·15				·02		·07			1·20	·06	11
12	·10	·64							·01		·42		12
13	·11							·05	·57			·02	13
14	·15	·02			·09			·06					14
15						·03	·23	·13			·01		15
16	·02	·05		·44	·02		·08	·18				·09	16
17		·11		·12	·17		·03	·09					17
18		·04		·20		·01	·17	·05	·06				18
19	·03	·24		·30		·03	·03	·17			·43		19
20	·01			·64			·12	·30	·25		·07		20
21		·01		·13			·32	·17		·03			21
22	·01	·06			·47			·05					22
23	·04		·01		·02			·04	·09				23
24	·50	·12			·03						·14		24
25			·02	·35		·04		·06	·02			·02	25
26	·08			·40			·52				·01		26
27		·04		·26			·28			·04	·21		27
28	·08	·27		·02	·22		·02				·01		28
29	·08			·02	·02							·10	29
30	·11	×		·05	·05		·04			·23	·01	·03	30
31	·12	×		×		×	·01	·01	×		×		31 22·02
TOTAL	·22 ~~1·80~~ 1·98	~~2·44~~ 2·22	·34	3·35	2·15	·61	2·38	2·37	2·07	·45	3·54	·56	YEAR'S TOTAL ~~22·06~~
*Days with ·01 in. or more.	21	19 ~~20~~	5	17	14	8	14	22	10	5	16	10	161
*Days with ·04 in. or more.	14	16 ~~17~~	2	13	5	3	9	18	8	3	11	5	107

40-9999

(Signed) Lewis G. H. Fi[illegible] [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations

Station No. 313

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1931

cop-1

Kept at Lorenden Ospringe

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·06	—	·03				·18						1
2	·10	·12		·09	·01			·02	·25					2
3	·10	·09	·01	·06	1·00			·20	·60		·04	·08		3
4		·07			·01			·02	·07					4
5				·21		·41	·02	·27			·01	·12		5
6				·03				·05		·14	·34			6
7	·06	·05			·01	·02	·50			·01	·06			7
8	·03	·02			·03	·05	·01	·02			·05	·03		8
9	·02	·06	·08					·18	·15		·53	·01		9
10	·01	·15				·02		·07			1·20	·06		10
11	·10	·64							·01		·42			11
12	·11							·05	·57			·02		12
13	·15	·02			·09			·06						13
14						·03	·23	·13			·01			14
15	·02	·05		·44	·02		·08	·18				·09		15
16		·11		·12	·17		·03	·09						16
17		·04		·20		·01	·17	·05	·06					17
18	·03	·24		·30		·03	·03	·17			·43			18
19	·01			·64			·12	·30	·25		·07			19
20		·01		·13			·32	·17		·03				20
21	·01	·06			·47			·05						21
22	·04		·01		·02			·04	·09					22
23	·50	·12			·03									23
24			·02	·35		·04		·06	·02		·14			24
25	·08			·40			·52					·02		25
26		·04		·26			·28			·04	·01			26
27	·08	·27		·02	·22		·02				·21			27
28	·08	·22		·02	·02						·01			28
29	·11	X		·05	·05		·04			·23		·10		29
30	·12	X					·01	·01			·01	·03		30
31	·22	X		X		X			X		X			31
TOTAL	1·98	2·44	·12	3·35	2·15	·61	2·38	2·37	2·07	·45	3·54	·56	Year's Total 22·02	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Lorenden, Ospringe

in the County of Kent

wD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·06	·23		·43	·02		·04		·06	1
2	·05	·02		·03	·37		·16	·01		·09	·03	·05	2
3	·01			·18	·09			·13	·02	—		·14	3
4				·14	·34	·04			·25	·03			4
5						·14					·01		5
6	·12		·02		·07	·03	·10	·06	·02				6
7	·40			·16					·03			·08	7
8	·11		·05	·01								·04	8
9		·03	·10	·02	·22				·02	·95	·01		9
10	·26	·06		·03	·67					·30			10
11	·63			·22	·04				·01	·19			11
12	·31			·12	·01	·08	·03		·01	·28			12
13	·12	·04		·01			·02			·27			13
14	·05	·02		·05	·02				·01	·48			14
15	·10			·11	·09			·01		·34			15
16		·03		·04	·07					·10		·01	16
17	·03			·17	·03		·01					·01	17
18				·01			·02			·05			18
19							·01		·04		·10		19
20										·10	·18		20
21				·03	·37		·07		·02	·71	·31		21
22				·01	·06					·23		·01	22
23			·30	·01	·15	·01	·06	·02	·40	·15	·35	·02	23
24		·11		·04					·51	·95	·11	·05	24
25		·05			·02		·48		·18	·05	·02		25
26		·01			·03		·95		·12	·19	·01	·02	26
27				·04			·34	·05			·02		27
28			·28	·09	·10		·07			·38	·06	·01	28
29			·01	·02	·02		·08		·07	·07			29
30		✗	·31	·03				·18	·04	·42		·01	30
31		✗	·10	✗	·04	✗			✗	·04	✗	·03	31 wD
													YEAR'S TOTAL
TOTAL	2·19	·37	1·17	1·63	3·04	·30	2·83	·48	1·75	6·41	1·21	·54	21·92
*Days with ·01 in. or more.	12	9	8	24	21	5	15	8	16	23	12	14	167
*Days with .04 in. or more.	9	4	6	13	15	3	10	4	9	22	6	6	107

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

Section A **for the entry of Daily Observations** **Station No.** 313

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 196 32

Kept at [illegible]

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Copy.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·02		·03	·37		·16	·01		·09	·03	·05		1
2	·01			·18	·09			·13	·02			·14		2
3				·14	·34	·04			·20	·03				3
4						·14					·01			4
5	·12		·02		·07	·03	·10	·06	·02					5
6	·40			·16					·03			·08		6
7	·11		·05	·01								·04		7
8		·03	·10	·02	·22				·02	·95	·01			8
9	·26	·06		·03	·67					·30				9
10	·63			·22	·04				·01	·19				10
11	·31			·12	·01	·08	·03		·01	·28				11
12	·12	·04		·01			·02			·27				12
13	·05	·02		·05	·02				·01	·48				13
14	·10			·11	·09			·01		·34				14
15		·03		·04	·07					·10		·01		15
16	·03			·17	·03		·01					·01		16
17				·01			·02			·05				17
18							·01		·04		·10			18
19										·10	·18			19
20				·03	·37		·07		·02	·71	·31			20
21				·01	·06					·23		·01		21
22			·30	·01	·15	·01	·06	·02	·40	·15	·35	·02		22
23		·11		·04					·51	·95	·11	·05		23
24		·05			·02		·48		·18	·05	·02			24
25		·01			·03		·95		·12	·19	·01	·02		25
26		~~·01~~		·04			·34	·05			·02			26
27			·28	·09	·10		·07			·38	·06	·01		27
28			·01	·02	·02		·08		·07	·07				28
29			·31	·03				·18	·04	·42		·01		29
30		X	·10	·23	·04	·43			·04	·04	·06	·03		30
31		X	·06	X		X	·02		X		X	·02		31
TOTAL	2·19	·37	1·23	1·80	2·81	·73	2·42	·46	1·79	6·37	1·27	·50	Year's Total 21·94	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kent/3

Kept at (Chorenden) Parsonage

in the County of Kent

1932 low up

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

cf 312 315

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: Nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·10			·05				·07	·11				1
2	·01	·20	·06								·05			2
3	·10		·33		·83					·16	·01			3
4	·02	·06	·25		·18					·28				4
5														5
6	·36		·10		·11									6
7		·06	·14		·39					·03	·10			7
8	·35		·03		·11					·16	·01	·06		8
9	·19				·04		·10			·09.				9
10					·04						·08			10
11		·09				·02	·04			·13				11
12	·16				·02	·02	·03	·06	·15		·10			12
13				·02		·24	·06		·40		·02			13
14					·10	·01	·14		·66	·06	·16			14
15					·11			·01		·23	·10			15
16	·14		·02				·19	·15		·01	·09			16
17	·13	·03	·49			·22	·28			·01				17
18			·38			·02		·08	·06		·03			18
19	·18		·02	·05		·18								19
20			·20	·11		·12			·02					20
21				·06		·10						·04		21
22		·24				·21		·14.	·41					22
23						·02		·20		·06	·02			23
24				·03	·06				·63					24
25		·05		·18	·02	·12			·34		·01			25
26				·24	·03					·04	·56	·02		26
27		·33				·24			·01		·11	·08		27
28		·15			·01					·15	·01	·06		28
29						·02				·13		·03		29
30		X			·03		·40			·01				30
31		X	·16	X		X			X	·04.	X	·05		31
TOTAL	1·65	1·34	2·51	·72	2·16	1·54	1·30	·67	3·08	1·73	1·46	·34	Year's Total 18·50	
*Days with ·01 in. or more.	11	10	12	7	16	14	8	6	10	17	16	7	134	
*Days with .04 in. or more.	8	9	9	5	11	8	7	5	8	13	9	5	97	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) L. H. Finn

X L H FINN ESQ X

FM

P.T.O.

Section **A** for the entry of Daily Observations

Station No. 313

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 196 33

Kept at Lorenden Ospringe

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·20	·06								·05			1
2	·10		·33		·83					·16	·01			2
3	·02	·06	·25		·18					·28				3
4														4
5	·36		·10		·11									5
6		·06	·17		·39					·03	·10			6
7	·35		·03		·11					·16	·01	·06		7
8	·19				·04		·10			·09				8
9					·07						·08			9
10		·09				·02	·07			·13				10
11	·16				·02	·02	·03	·06	·15		·10			11
12				·02		·24	·06		·40		·02			12
13					·10	·01	·17		·66	·06	·16			13
14					·11			·01		·23	·10			14
15	·14		·02				·19	·15		·01	·09			15
16	·13	·03	·79			·22	·28			·01				16
17			·38			·02		·08	·06		·03			17
18	·18		·02	·05		·18								18
19			·20	·11		·12			·02					19
20				·06		·10						·04		20
21		·27				·21		·17	·71					21
22						·02		·20		·06	·02			22
23				·03	·06				·63					23
24		·05		·18	·02	·12			·37		·01			24
25				·27	·03					·07	·56	·02		25
26		·33				·24			·01		·11	·08		26
27		·15			·01					·15	·01	·06		27
28						·02				·13		·03		28
29	·01	X			·03		·40			·01				29
30	·08	X	·16	·05					·11	·04		·05		30
31	·01	X		X		X		·07	X		X			31
TOTAL	1·74	1·24	2·51	·77	2·11	1·54	1·30	·74	3·12	1·62	1·46	·34	Year's Total 18·49	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Lorenden, Ospringe

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·24

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			·05					·26	·10	·16	·01	·13		1
2		·01							·44	·75		·25		2
3	·04		·14					·07	·01	·50	·01	·02		3
4		·05		·07	·08					·07	·06	·77		4
5	·19	·01	·01		·12						·02	·17		5
6					·12	·30		·08		·19	·03	·46		6
7			·35	·14	·15			·04		·10		·15		7
8	·03			·01				·04			1·33			8
9		·02		·34	·23						·54	·16		9
10	·02	·01	·01	·02				·02		·05	·25	·02		10
11			·15	·16			·10	·03			·01	·32		11
12	·64		·29	·14			·09	·29				·10		12
13	·23		·15				·03	·26				·02		13
14	·47		·09	·01			·03	·01		·08	·20	·25		14
15	·21		·49	·07	·02				·01		·15	·48		15
16	·04									·03		·02		16
17	·11		·26		·12				·75	·07	·05	·28		17
18	·06		·43	·01	·04		·12		·01		·03	·18		18
19	·11			·21					·14			·12		19
20			·28				·02					·01		20
21			·13			·06	·04			·01		·01		21
22				·06			·01	·15	·17					22
23						·33				·01		·16		23
24				·45			·40		·07	·03				24
25		·02	·01	·04		·35						·27		25
26	·05	·01		·14	·04	·04			·02			·01		26
27	·09			·10		·05						·12		27
28	·03			·27		·03		·38				·17		28
29				·57			·12		·27		·01			29
30		×						·02				·16		30
31	·17	×		×		×			×	·04	×	·27		31
TOTAL	2·49	·13	2·84	2·81	·92	1·16	·96	1·65	1·99	2·09	2·70	5·08	Year's Total. 24·82	
* Days with .01 in. or more.	16	7	15	18	9	7	10	13	11	14	14	27	161	
* Days with .04 in. or more.	13	1	12	14	8	6	6	9	7	10	7	20	113	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

Section **A** for the entry of Daily Observations

Station No. 313

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 196 34

Kept at Lorenden, Ospringe

in the County of

Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	†	
1		·01						·26	·10	·16	·01	·13		**1**
2	·04		·14						·44	·75		·25		**2**
3	—	·05		·07	·08			·07	·01	·50	·01	·02		**3**
4	·19	·01	·01		·12					·07	·06	·77		**4**
5	—				·12						·02	·17		**5**
6			·35	·14	·15	·30		·08		·19	·03	·46		**6**
7	·03			·01				04		·10		·15		**7**
8		·02		·34	·23			·04			1·33			**8**
9	·02	·01	·01	·02							·54	·16		**9**
10			·15	·16				·02		·05	·25	·02		**10**
11	·64		·29	·14			·10	·03			·01	·32		**11**
12	·23		·15				·09	·29				·10		**12**
13	·47		·09	·01			·03	·26				·02		**13**
14	·21		·49	·07	·02		03	·01		·08	·20	·25		**14**
15	04								·01		·15	·48		**15**
16	·11		·26		·12					·03		·02		**16**
17	·06		·43	·01	·04		—		·75	·07	·05	·28		**17**
18	·11			·21			·12		·01		·03	·18		**18**
19			·28				—		·14			·12		**19**
20			·13			=	·02					·01		**20**
21				·06		·06	·04			·01		·01		**21**
22							·01	·15	·17					**22**
23				·45		·33	—			·01		·16		**23**
24		·02	·01	·04		—	·40		·07	·03				**24**
25	·05	·01		·14	·04	·35						·27		**25**
26	·09			·10		·04			·02			·01		**26**
27	·03			·27		·05						·12		**27**
28		·05		·57		·03	—	·38				·17		**28**
29		X					·12		·27		·01			**29**
30	·17	**X**						·02				·16		**30**
31		**X**		**X**		**X**	—		**X**	·04	**X**	·27		**31**
TOTAL	2·49	·18	2·79	2·81	·92	1·16	·96	1·65	1·99	209	2·70	5·08	24·82	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Provender Ospringe

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24	·02		·03		·14	·08		·12	·08	·08			1
2	·20		·13	·01					·07	·31	·02			2
3	·02	·03	·15	·05		·01			·03	·19	·07			3
4		·05		·27		·10			·59	·55		·17		4
5		·47	·01	·07		·13	·03		·52	·12	·01	·05		5
6	·09	·02	·03	·20		·18				·02	·09			6
7	·12	·02		·18		·21				·01	·96	·07		7
8				·32				·53		·27	·33	·02		8
9				·05		·17				·62	·24	·02		9
10	·02	·03		·01		·01				·07	·10	·10		10
11	·10			·08		·12				·02	·29			11
12	·01	·01				·14		·54			·37			12
13	·04	·13		·07	·36				·01		·18	·30		13
14	·04			·04		·06						·07		14
15		·14		·44	·03	·02			·34		·20	·08		15
16		·01		·16	·02	·10	·02		·25		·81	·01		16
17	·07		·04	·04		·12	·24		·03		·58			17
18				·17		·03	·03		·39	·06				18
19				·02	·42	·03			·04		·02	·04		19
20		·54		·10	·03	·03	·23		·07	·04	·03			20
21	·01	·40		·01						·07	·06			21
22		·07						·01	·03					22
23								·36			·06	·01		23
24	·05	97			·32			·32	·48	·11	[illegible]	·33		24
25	·10	39		·26	·22	·33				·04	·03	·31		25
+26	·03							·07	·02	·07	·01	·48		26
27	·11	51			·25			·12	·03		·11	·12		27
28	·18	·08			·27			·02	·03	·04		·13		28
29		×							·35			·48		29
30	·09	×		·06	·05			·97	·08	·07	·40	·33		30
31		×		×	·01	×		·02	×	·18	×	·63		31
TOTAL	1·52	3·89	·36	2·64	1·98	1·93	·63	2·96	3·43	2·94	5·05	3·75	Year's Total 31·08	
* Days with .01 in. or more.	18	17	6	22	11	18	6	10	19	20	23	20	190	
* Days with .04 in. or more.	12	10	4	17	7	12	3	7	11	17	17	16	133	

40-9999.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Totals

Kept at Rovenden, Cranbrook

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	·27	·04	·13		·26	·13	·05			·02	·08		1
2	·03	·15	·02			·14	·04	·09				·15		2
3				·27	·10	·20	·04		·03		·26			3
4			·02			·17			·24	·01	·02			4
5	·26		·01	·02				·01	·05	·25	·04	·06		5
6	·28					·03		·03	·12	·40	·63			6
7	·29		·03			·04			·01	·13	·60			7
8	·27		·02				·04			·05	·60	·23		8
9	·41		·04				·45		·02	·04	·32			9
10					·02	·02	·13	1·09	·06	·56				10
11				·10	·01		·15				·78			11
12				·01		·04	·14				·23	·04		12
13						·02	·08			·01	·01	·18		13
14		·05				·05	·73			·08	·09	·52		14
15		·06							·14		·02	·10		15
16	·31	·05		·02					·01		·26	·25		16
17	·11	·68				·06					·29	·24		17
18	·17	·09				·08	·11				·56	·05		18
19	·16	·07				·08		·07		·08				19
20	·13	·17		·32					·60					20
21				·18		·78	·06		·01					21
22	·03	·37		·03	·05		·05					·16		22
23				·06			·25							23
24	·07	·11								·14				24
25	·40	·02	·07	·18		·13	·16		·20	·18	·06	·02		25
26		·07	·07						·07	·29		·03		26
27	·15	·04					·26		·15	·03	·04			27
28	·75					·08	·15		·16			·03		28
29	·06	·01	·16			·85	·68		·02		·07	·01		29
30	·06	×			·10	·11				·04				30
31	·13	×	·15	×	·01	×	·12		×	·52	×	·05		31
TOTAL	4·37	2·21	·63	1·32	·29	3·14	3·77	1·34	1·89	2·81	4·90	2·20	Year's Total 28·87	
* Days with .01 in. or more.	20	15	11	11	6	18	19	6	16	16	19	17	174	
* Days with .04 in. or more.	18	13	6	6	3	15	19	4	10	13	15	13	135	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. H. [illegible] [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Lorenden Ospringe

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 175 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·88	·01		·04							·37	·07		1
2		·21	·04	·45								·88		2
3		·08								·02		·56		3
4	·10	·63										·25		4
5	·19	·21	·48				·10			·62		·20		5
6	·08		·32		·12		·05			·06				6
7		·67	·26	·03	·02				·02	·02				7
8		·03	·14			·03				·08	·25	·73		8
9		·02		·33	·14	·03	·02	·05	·22			·13		9
10			·30	·09	·27	·89	·10					·53		10
11			·49		·23		·04					·18		11
12	·23	·20	·28		·50			·02	·22			·02		12
13	·27		·33		·03	·36		·21	·36			·75		13
14	·05	·01	·22		·43			·19	·05			·02		14
15	·05	·06		·12	·02		·30		·12					15
16	·06	·08	·15	·10		·05		·33	·06			·03		16
17	·45		·04	·22		·11			·89		·39			17
18	·47	·06		·01	·47	·35			·23		·12			18
19	·07	·04	·12	·15		·11	·04		·23					19
20	·50		·43	·33	·84	·09			·01					20
21	·31	·48	·40	·01	·05			·03						21
22	·28	·07	·03		·02	·01				·94	·40	·08		22
23	·04						·02			·62	·04	·01		23
24	·54	·21							·12	·15				24
25	·26	·29	·31						·20	·28				25
26	·01	·27	·10							·60				26
27		·25		·30						·08				27
28	·03	·04		·02								·13		28
29	·07	×								·19	·04	·02		29
30	·27	×								·17	·06	·08		30
31	·20	×		×		×	·01		×	·01	×	·04		31
TOTAL	5·41	3·92	4·44	2·20	3·14	2·03	·68	·83	2·73	3·84	1·67	4·71	Year's Total 35·60	
* Days with .01 in. or more.	23	21	18	14	13	10	9	6	13	14	8	19	168	
* Days with .04 in. or more.	21	17	17	10	9	7	6	4	11	11	8	14	135	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. H. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Lorenden, Ospringe

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03				·23	·24	·08		·32	·02	·05	·06		1
2	·01			·04	·06					·25				2
3					·36		·01			·52	·04			3
4	·02					·02	·13	·21				·08		4
5	·01						·34			·33				5
6	·02						·09	·01	·02					6
7								·63		·19		·04		7
8	·25						·08		·28	·09				8
9	·21	·02					·03	·66		·03		·49		9
10	·08	·09				·18		·07				·24		10
11	·15					·02		·39			·10	·09		11
12	·24	·03								·07	·03	·01		12
13	·38	·09								·05	·04			13
14	·14	·06			·25				·08			·07		14
15	·01	·27					·14			·09		·03		15
16	·24	·10	·01				·04			·20	·02	·15		16
17					·56		·04			·37				17
18	·05				·05		·02		·04	·03	·46			18
19					·01				·04		·04	·05		19
20				·01	·04				·32		·59	·35		20
21								·09	·13		·08	·30		21
22				·03		·01		·01			·14	·22		22
23				·02							·02			23
24			·04		·06				·08		·28	·13		24
25	·08		·45	·08	·11		·01		·06	·05	·56			25
26	·39	·13	·03				·06		·37	·26		·28		26
27	·08	·05			·18	·08	·24		·25	·35	·29			27
28	·22	·02			·22	·04		·55	·12			·02		28
29	·27	×		·06	·16				·01		·02	·25		29
30	·05	×		·18	·02	·05			·04	·05	·28			30
31	·23	×		×	·03	×			×	·12	×	·19		31
TOTAL	3·16	·86	·53	·42	2·34	·64	1·31	2·62	2·16	3·07	3·04	3·05	Year's Total 23·20	
* Days with .01 in. or more.	22	10	4	7	15	8	14	9	15	18	17	19	158	
* Days with .04 in. or more.	16	7	2	4	12	5	10	7	13	15	13	16	120	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. H. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 217 3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Lorenden Ospringe

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·03	·13	·62									1
2	·09				·01		·03	·32	·04	·42	·04			2
3	·15			·21				·20		·02	·04	·30		3
4	·24		·26	·06				1·10		·58	·21			4
5				·22	·01		·13			·33	·36	·24		5
6	·32			·01							·11			6
7	·18	·05					·02	·02		·27	·25	·03		7
8		·04	·17					·03		·10	·02	·51		8
9	·02	·05						·02		·67	·89	·19		9
10	·09					·18		·04	·01	·03				10
11			·34		·02	·50				·68		·03		11
12					·06	·29				·02				12
13		·01				·06			·02	1·70		·12		13
14	·49		·04		·09		·10			·55	·52			14
15	·56		·01		·96		·02		·18	·77				15
16	·22		·08		·37	·18	·05				·41			16
17	·12	·08	·04	·05			·02				·03			17
18	·15		·05		·03	·03	·05			·36	·42			18
19	·24		·04				·20			·97		·03		19
20	·17					·14	·12		·30			·05		20
21	·07		·19			·02	·16		·08	·04				21
22	·11	·18	·04			·05	·18							22
23	·02	·01		·02		·02		·11		·07	·50			23
24	·16			·32		·06	·35		·03	·05				24
25	1·12	·45	·08				·40				·58			25
26	·40		·25			·07	·12			·10	·26			26
27	·22		·33							·77	·55			27
28	·03	·47	·07							·10	·11	·14		28
29		✗		·48						·06	·01			29
30		✗		·59		·03					·07			30
31		✗		✗		✗	·11		✗		✗			31
TOTAL	5·17	1·34	2·02	2·09	2·17	1·63	2·06	1·84	·66	8·66	5·38	1·64	Year's Total 34·66	
* Days with .01 in. or more.	22	9	16	10	9	13	16	8	7	22	19	10	161	
* Days with .04 in. or more.	19	7	14	8	5	9	12	5	4	19	16	7	125	

† Spare column, no entries required.

(Signed) L. H. [illegible]

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 3113

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Lorenden Ospringe

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·03												1
2				·16						·25	·62			2
3		·14		·10						·14	1·41			3
4		·06		·09						·17	·13	·08		4
5							·16				·68	·11		5
6	·15	·04					·17			·46	·06	·10		6
7		·10					·16	·16						7
8		·02							·14	·22		·22		8
9										·08	·20	·08		9
10								·15	·04	·25	·15	·07		10
11				·02			·30				1·02	·01		11
12		·08	·19	·07			·29		·02					12
13		·05	·73			·78	·01		·10		·88			13
14			·47	·07					·01			·24		14
15			·02	·04	·03	·11	1·27				·47	·02		15
16	·68	·15	·07			·34	·33		·09	·49	·66			16
17			·26						·02		·07			17
18	·10	·26	·30	·43			·08			·21	·03	·20		18
19		·13	·04						·64			·20		19
20			·01			·08		·02	·23		·26			20
21	·07				·01		·18		·03	·10	·20			21
22			·02		·22	·10			·02	·05	·03			22
23		·22		·05						·03				23
24				·19			·10			·22				24
25			·74				·20			·40				25
26	·70	·12	·75		·01		·04			·65				26
27	·14	·12					·09							27
28	·03	·02			·06									28
29	·03		·07		·02							·21		29
30		✕		·22						·08		·04		30
31	·08	✕		✕		✕			✕	·48	✕	·06		31
TOTAL	1·98	1·54	3·67	1·44	·35	1·41	3·38	·33	1·34	4·28	6·87	1·59	Year's Total 28·18	
* Days with .01 in. or more.	9	15	13	11	6	5	14	3	11	17	16	14	134	
* Days with .04 in. or more.	7	12	10	10	2	5	13	2	6	15	14	11	107	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. H. Finn

[P.T.O.

314/5

Section **A** for the entry of
AIR MINISTRY

COPY FOR OFFICIAL USE.
LL ORGANIZATION. Kent 3

FORM 1090.

REGIST

I.

314/5

FAVERSHAM

1931 - 1932

062327007

7801 27

Kept at FAVERSHAM

in the County of KENT.

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

Clow up 1930

3 2202
23+1 } OK
15 2431

THE MORNING MEASU

Y.

An observer who does not conform to
year in the space on the right of thi

following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07	SNOW ·01	·06				·19	x		tr	·01	1
2	·12	·12		·10	·13		tr.	·02	·80				2
3	·10	·08	·01	·07	·98			·27	x			·10	3
4		·10		tr.				·03	·11		·01		4
5				·22		·51	·02	·25	·01		tr	·12	5
6		·02						·01		·12	·26		6
7	·07	·03			·01	from 3 to 4.30 after	·84 ·01	·05		·01	·05		7
8	·03	·02	SNOW ·09		·03	·06	·02	·15			·03	·02	8
9	·01	·06	SNOW ·09	·01		·01		·01	·03		·55	·07	9
10	·02	·19	SNOW. ·01			·03	·01	·13	·02		1·29	·02	10
11	·12	·63								·01	·45		11
12	·13	·01					tr	·04	·55		tr	·02	12
13	·14	·02			·10		·01	·05	·01		·01		13
14	·02	SNOW ·07				·04	·28	·15					14
15	·02	·02		·43	·03		·10	·15				·10	15
16	·03	SNOW ·11		·15	·19		·05	·14	·07				16
17		·06		SLEET. ·22	tr.	·02	·17	·10					17
18	·02	·22		·26		·05	·03	·21					18
19	·01			·63		·01	·19	·24	·22	·03	·42		19
20		·02		·13	·01		·28	·24					20
21		·05		·01	·40		·01	·06			·01		21
22	·07		·01		·03			·04	·10		~~·01~~		22
23	·37	·08	tr.	·24	·04				·01		·10	·01	23
24		·01	·02	·20	tr	·06	·01	·11	·01			·01	24
25	·06		tr.	·65			·57				tr		25
26		·03	·01	·23	tr.		·29				·18		26
27	·05	·25		·02	·24		·03				·01		27
28	·08	SNOW ·23		·01			~~·04~~				tr	·08	28
29	·11			·09	·08		·04			·25	·02	·03	29
30	·10	×		-			·01	·01					30
31	·17	×		×	·01	×			×		×		31
TOTAL	1·85	2·50	·25	3·73	2·28	·79	2·97	2·65	1·94	·42	3·39	·59	YEAR'S TOTAL 23·36
*Days with ·01 in. or more.	22	24	8	19	14	9	19	23	13	5	14	12	182
*Days with ·04 in. or more.	14	15	2	15	7	5	10	17	[illegible]	2	8	5	107

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. Hooper

[P.T.O.

Section **A** for the entry of Daily Observations.

3Φ4/5

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. Kent 3

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at FAVERSHAM (LONDON ROAD)
in the County of KENT.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. in.
,, Ground ,, Sea Level 50 ft.

Clamp 1930

313 2202
2341
31 } OK

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07	SNOW ·01	·06				·19	x		tr	·01	1
2	·12	·12		·10	·13		tr.	·02	·80				2
3	·10	·08	·01	·07	·98			·27	x			·10	3
4		·10		tr.				·03	·11		·01		4
5				·22		·51	·02	·25	·01		tr	·12	5
6		·02						·01		·12	·26		6
7	·07	·03			·01	{from 3 to 4.30 after	·84 ·01}	·05		·01	·05		7
8	·03	·02	SNOW ·09		·03	·06	·02	·15			·03	·02	8
9	·01	·06	SNOW ·09	·01		·01		·01	·03		·55	·07	9
10	·02	·19	SNOW. ·01			·03	·01	·13	·02		1·29	·02	10
11	·12	·63								·01	·45		11
12	·13	·01					tr	·04	·55		tr	·02	12
13	·14	·02			·10		·01	·05	·01		·01		13
14	·02	SNOW ·07				·04	·28	·15					14
15	·02	·02		·43	·03		·10	·15				·10	15
16	·03	SNOW ·11		·15	·19		·05	·14	·07				16
17		·06		SLEET. ·22	tr.	·02	·17	·10					17
18	·02	·22		·26		·05	·03	·21					18
19	·01			·63		·01	·19	·24	·22	·03	·42		19
20		·02		·13	·01		·28	·24					20
21		·05		·01	·40		·01	·06			·01		21
22	·07		·01		·03			·04	·10		~~·01~~		22
23	·37	·08	tr.	·24	·04				·01		·10	·01	23
24		·01	·02	·20	tr	·06	·07	·11	·01			·01	24
25	·06		tr.	·65			·57				tr		25
26		·03	·01	·23	tr.		·29				·18		26
27	·05	·25		·02	·24		·03				·01		27
28	·08	SNOW ·23		·01			~~·04~~				tr	·08	28
29	·11			·09	·08		·04			·25	·02	·03	29
30	·10	X		-			·01	·01					30
31	·17	X		X	·01	X			X		X		31
TOTAL	1·85	2·50	·25	3·73	2·28	·79	2·97	2·65	1·94	·42	3·39	·59	YEAR'S TOTAL 23·36
*Days with ·01 in. or more.	22	24	8	19	14	9	19	23	13	5	14	12	182
*Days with ·04 in. or more.	14	15	2	15	7	5	10	17	7	2	8	5	107

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G. Hooper [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 314/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at FAVERSHAM

in the County of KENT

Diameter of Funnel of Gauge ... in.

Height of top of Gauge above Ground ... ft ... in.

,, Ground ,, Sea Level ... ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·02		·02	·53		·03	·01		·12	·03	·03	1
2					·10			·11	·03			·15	2
3				·32	·30	·02		·01	·36	·02			3
4				·01	tr	·14		tr	·01		·01		4
5	·12		tr		·12	·03		·05	·03			·11	5
6	·39			·14	tr				·05				6
7	·11	·01	·08	·04									7
8	·01	·06	·11	·05	·31					1·56	·03		8
9	·18	SNOW ·05		·10	·81					·16			9
10	·43	SNOW ·04		·20	·04					·19			10
11	·40	SNOW ·17	SNOW ·02	·10	·01	·12	·04		·02	·23			11
12	·09	SNOW ·02		·02						·24			12
13	·12	·02		·04	·03					·64		·01	13
14		·01		·08	·09		·02	·05		·20			14
15	tr	·04		·04	·10		tr			·10			15
16	·04	tr		·19	·03								16
17	·01			·01			·02			·05			17
18							·02		·06		·12		18
19					·23					·10	·50		19
20				·05			·07		·04	·71		tr	20
21				·01	·06		·12	·03		·21	·01	·02	21
22		·01	·32	·02	·18	·02	tr		·44	·15	·28		22
23		·12		·07	tr		tr		·52	·95	·10	·04	23
24		·04			·01		·40		·15	·05	·02		24
25					·07	tr	·88 8AM ·03 6PM		·12	·15	·02		25
26			tr	·03			·61	·11		tr	·02		26
27			·27	·08	·11		·10		·02	·39		·03	27
28			tr		·02		·08		·03	·05			28
29			·35	·04	tr			·25	·05	·32	·05		29
30		×	·08	·28	·04	·49		tr	·03	·02	·03	·03	30
31		×	·04	×		×	·02		×		×	·01	31
TOTAL	1·95	·61	1·27	1·94	3·19	·82	2·44	·62	1·96	6·61	1·22	·43	YEAR'S TOTAL 23·06
*Days with ·01 in. or more.	12	13	8	23	2~~8~~0	6	13	8	16	23	1~~4~~3	10	165
*Days with .04 in. or more.	10	7	7	16	1~~1~~5	3	8	5	8	20	~~6~~5	3	107

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. T. Hooper

P.T.O.

Section **A** for the entry of
AIR MINISTR

Station No. ~~318~~ (3/4/5/3)
LL ORGANIZATION

FORM 1090

REGIS

9

Kept at HIGHSTED WATERWOR

in the County of KENT

Diameter of Funnel of Gauge........

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASURE ... **DAY**

An observer who does not conform to ... following
year in the space on the right of this

Jan. 1, following

Please read the Notes and Instructions Overleaf

not notified

1/6

314/5/3
SITTINGBOURNE
1939-1940

780107

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			.45	.13							.06			1
2			.02		.62		.02	.29	.10	.77	.02			2
3				.25	.065			.18		.07	.06	.37		3
4				.11			.05	.91		.53	.11	.01		4
5				.15			.19			.44	.28	.18		5
6							.03				.12			6
7		.05						.04		.06	.13	.05		7
8		.03						.19		.26	.15	.44		8
9		.07								162	.90	.16		9
10						.44		.03	.02	.02	.01			10
11			.38		.01	.19				1.07				11
12					.02	.18				.14		.09		12
13	NOT RECORDED					.06			.04	2.14		.08		13
14			.06		.18		.05		.04	.34	.52			14
15			.01		.88				.21	.65	.06			15
16			.8		.21	.33					.36			16
17							.05			.34	.03	.01		17
18			.05			.03	.16			.90	.39			18
19							.39					.03		19
20		.09				.07	.01		.29			.03		20
21			.19				.16		.05					21
22			.06			.14	.07			.08	.01			22
23				.18			.20	.10		.07	.61			23
24				.18		.11	.48		.01		.01			24
25		.21	.08	.01						.14	.60			25
26			.15			.02			.05		.32	.02		26
27		.04	.18							.30	.29			27
28		.60	.08	.065		.02				.09	.12	112		28
29		.12		.46							.07			29
30		X		.76							.05			30
31		X		X		X	.31	.03	X	.42	X			31 (3343)
TOTAL	(4.40) –	1.21	1.49	2.235	1.925	1.59	2.17	1.77	.72 8.1	9.05	5.28	1.59	Year's Total ~~891150~~	11 MONTHS TOTAL ~~(335)~~
* Days with .01 in. or more.	(22) –	8	13 7	10	7	11	14	8	9 3	21	24	13	~~138~~	(160)"d
* Days with .04 in. or more.	(18) –	7	11	9	4	8	11	6	6	19	19	8	~~108~~	(126)

Aw WH.

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Section **A** for the entry of ~~Daily Observations~~

Station No. ~~318~~ 3/4/5/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at HIGHSTED WATERWORKS, SITTINGBOURNE

in the County of KENT

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ......138.......ft.

Estimate Jan. not notified

1/6

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.45	.13							.06			1
2			.02		.62		.02	.29	.10	.77	.02			2
3				.25	.005			.18		.07	.06	.37		3
4				.11			.05	.91		.53	.11	.01		4
5				.15			.19			.44	.28	.18		5
6							.03				.12			6
7		.05						.04		.06	.13	.05		7
8		.03						.19		.26	.15	.44		8
9		.07								162	.90	.16		9
10						.44		.03	.02	.02	.01			10
11			.38		.01	.19				1.07				11
12					.02	.18				.14		.09		12
13	NOT RECORDED					.06			.04	2.14		.08		13
14			.06		.18		.05		.04	.34	.52			14
15			.01		.88				.21	.65	.06			15
16			.8		.21	.33					.36			16
17							.05			.34	.03	.01		17
18			.05			.03	.16			.90	.39			18
19							.39					.03		19
20		.09				.07	.01		.29			.03		20
21			.19				.16		.05					21
22			.06			.14	.07			.08	.01			22
23				.18			.20	.10		.07	.61			23
24				.18		.11	.48		.01		.01			24
25		.21	.08	.01						.14	.60			25
26			.15			.02			.05		.32	.02		26
27		.04	.18							.30	.29			27
28		.60	.08	.005		.02				.09	.12	112		28
29		.12		.46							.07			29
30		×		.76							.05			30
31		×		×		×	.31	.03	×	.42	×			31 (33.43)
TOTAL	(4.40) –	1.21	1.49	2.235	1.925	1.59	2.17	1.77	.72	9.05	5.28	1.59	~~Year's Total~~ ~~29.030~~	11 MONTHS TOTAL ~~(235)~~
* Days with .01 in. or more.	(22) –	8	13	10	7	11	14	8	9	21	24	13	~~138~~	(160)
* Days with .04 in. or more.	(18) –	7	11	9	4	8	11	6	6	19	19	8	~~108~~	(126)

A. W.H.

N

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

314/53

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. ~~314/8/3818~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

~~REGISTER OF~~ RAINFALL IN 19~~3~~40.

Kept at Highsted Waterworks, Sittingbourne

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

,, Ground ,, Sea Level 138 ft.

956248/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·02									·04	·01		1
2		·01					·01			·32	·80	·01		2
3		·18					·01			·11	1·32	·04		3
4		·10								·12	·10	·13		4
5							·03				·74	·14		5
6	·07	·08			·01		·14			·51	·03			6
7	·21	·12			·01		·16	·03			·01	·04		7
8				·01			·01			·26		·30		8
9		·01								·08	·18	·08		9
10						·01	·45	·13		·21	·09	·11		10
11				·04			·20				·94	·04		11
12		·05	·11				·09		·08					12
13		·04	·89			·77		·01	·05		·99			13
14	·01		·31	·13					·01			·22		14
15			·02		·13	·28	1·26				·50	·01		15
16	·30	·17	·17			·22	·29		·09	·47	·67	·06		16
17			·30				·01				·15	·01		17
18	·06	·35	·22	·42			·08		·01	·29	·03	·15		18
19		·14	·06				·01		·42		·13	·16		19
20						·12		·03	·04	·27	·12			20
21					·11		·10			·01	·19			21
22	·08	·01	·02		·11	·23			·01	·08	·01	·03		22
23		·21	·02	·17	·01					·05	·01			23
24				·12			·13			·11				24
25			·98				·40			·18				25
26	·91	·08	·60			·01	·02			·54				26
27	·20	·19		·01	·04		·07					·01		27
28	·09	·01		·01	·01									28
29	·08	·07	·06		·06				·03			·22		29
30	·09	✕		·32	·13					·07		·03		30
31	·04	✕		✕		✕			✕	·47	✕	·07		31
TOTAL	2·14	1·84	3·66	1·23	·62	1·64	3·47	·20	·74	4·15	7·05	1·87	Year's Total 28·61	Print
* Days with .01 in. or more.	12	18	13	9	10	7	19	4	9	18	20	21	160	WH
* Days with .04 in. or more.	11	13	10	6	6	5	12	+	5	17	14	14	114	

† Spare column, no entries required.

* See Instruction 3 (f) on other side. SITTINGBOURNE U.D.C. (Signed) Engineer. [P.T.O.

Section **A** for the entr
AIR MIN

Form 1090 ~~...~~ REC

Kept at ~~Faversham~~ (
in the County of ...Kent
Diameter of Funnel of Gauge.
Height of top of Gauge above
,, Ground ,, S

314/6.

FAVERSHAM S.W.

1938 – 40

062327003

780107

Station No. 314/6.
LL ORGANIZATION
8

letter written re exposure GB 3/4/39

THE MORNING MEASUR ... DAY

An observer who does not conform to ... following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	NIL	·035	NIL	·22	·305	·160	NIL	·31	T	NIL	·04		1
2	·015	NIL	NIL	·035	·06	NIL	·01	NIL	NIL	·19	NIL	NIL		2
3	T	NIL	NIL	NIL	·330	NIL	T	NIL	NIL	·485	·045	NIL		3
4	NIL	NIL	NIL	NIL	NIL	·03	·155	·26	T	NIL	T	·05		4
5	·03	NIL	NIL	·01	NIL	NIL	·340	T	NIL	·32	NIL	NIL		5
6	·01	NIL	NIL	NIL	NIL	NIL	·110	T	·045	NIL	NIL	NIL		6
7	NIL	NIL	NIL	NIL	NIL	NIL	T	·975	NIL	·16	NIL	·04		7
8	·23	NIL	NIL	NIL	NIL	T	·06	NIL	·3	·05	NIL	NIL		8
9	·20	·015	NIL	T	NIL	NIL	·045	·40	T	·02	NIL	·51		9
10	·08	·08	NIL	NIL	NIL	·31[illegible]	·015	·08	NIL	NIL	NIL	·165		10
11	·15	T	NIL	NIL	NIL	NIL	NIL	·105	NIL	NIL	·05	·07		11
12	·20	·035	NIL	NIL	T	NIL	T	T	NIL	·06	·02	NIL		12
13	·47	·085	NIL	NIL	T	NIL	NIL	T	NIL	·025	·03	NIL		13
14	·135	·025	NIL	NIL	·2	NIL	NIL	·04	·2	NIL	NIL	·05		14
15	T	·27	NIL	NIL	T	NIL	·24	NIL	NIL	·07	NIL	·015		15
16	·19	T	·01	NIL	NIL	NIL	·03	T	NIL	·155	·035	·14		16
17	NIL	·085	T	NIL	·63	NIL	·03	NIL	T	·29	T	NIL		17
18	·02	NIL	NIL	T	·06	T	·015	NIL	·025	·01	·44	NIL		18
19	NIL	NIL	NIL	·015	·065	NIL	NIL	T	·025	NIL	·04	·01		19
20	NIL	NIL	NIL	T	·035	NIL	NIL	NIL	·37	NIL	·535	·5		20
21	·01	NIL	NIL	·015	NIL	NIL	NIL	·08	·18	NIL	·06	·25		21
22	T	NIL	NIL	·04	NIL	·02	NIL	T	NIL	NIL	·09	·2		22
23	NIL	NIL	NIL	·01	T	T	NIL	NIL	NIL	NIL	·01	·02		23
24	T	NIL	·07	T	·005	NIL	NIL	NIL	·09	NIL	·25	·075		24
25	·055	NIL	·425	·11	·07	NIL	·04	NIL	·075	·02	·59	·04		25
26	·345	·12	·04	T	·005	T	·06	·005	·51	·28	NIL	·23		26
27	·05	·035	NIL	NIL	·205	·06	·22	N	·225	·39	·22	NIL		27
28	·195	·01	NIL	NIL	·155	·03	NIL	·585	·08	NIL	T	·015		28
29	·140	✕	NIL	·07	·135	NIL	NIL	·045	·005	NIL	·05	·25		29
30	·04	✕	NIL	·155	·03	T	NIL	NIL	T	·08	·235	NIL		30
31	·21	✕	NIL	✕	·02	✕	NIL	NIL	✕	·085	✕	·16		31
TOTAL	2·775	·78	·57	·44	2·195	·735	1·51	2·55	2·41	2·67	2·68	2·81	Year's Total 2 22·~~145~~	Print
* Days with .01 in. or more.	21.	10	5	9	14	14 6.	15	9	13	17	16	20	155	96
* Days with .04 in. or more.	14.	6.	3	2	10	3	9	8	11	13	12	15	106	12/3/39

* See Instruction 3 (f) on other side.

N

COLIN WALTON ESQ

† Spare column, no entries required.

(Signed) ......Col Walton...... [P.T.O.

Section **A** for the entry of Daily Observations Station No. 314/6.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ~~Faversham~~ (Sewage Disposal Works)

in the County of Kent /3

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 22 ft.

7 817235/38

letter written re exposure GB 3/4/39

(Records date from 1913)

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	Nil	·035	Nil	·22	·305	·160	Nil	·31	T	Nil	·04		1
2	·015	Nil	Nil	·035	·06	Nil	·01	Nil	Nil	·19	Nil	Nil		2
3	T	Nil	Nil	Nil	·330	Nil	T	Nil	Nil	·485	·045	Nil		3
4	Nil	Nil	Nil	Nil	Nil	·03	·155	·26	T	Nil	T	·05		4
5	·03	Nil	Nil	·01	Nil	Nil	·340	T	Nil	·32	Nil	Nil		5
6	·01	Nil	Nil	Nil	Nil	Nil	·110	T	·045	Nil	Nil	Nil		6
7	Nil	Nil	Nil	Nil	Nil	Nil	T	·975	Nil	·16	Nil	·04		7
8	·23	Nil	Nil	Nil	Nil	T	·06	Nil	·3	·05	Nil	Nil		8
9	·20	·015	Nil	T	Nil	Nil	·045	·40	T	·02	Nil	·51		9
10	·08	·08	Nil	Nil	Nil	·31	·015	·08	Nil	Nil	Nil	·165		10
11	·15	T	Nil	Nil	Nil	Nil	Nil	·105	Nil	Nil	·05	·07		11
12	·20	·035	Nil	Nil	T	Nil	T	T	Nil	·06	·02	Nil		12
13	·47	·085	Nil	Nil	T	Nil	Nil	T	Nil	·025	·03	Nil		13
14	·135	·025	Nil	Nil	·2	Nil	Nil	·04	·2	Nil	Nil	·05		14
15	T	·27	Nil	Nil	T	Nil	·24	Nil	Nil	·07	Nil	·015		15
16	·19	T	·01	Nil	Nil	Nil	·03	T	Nil	·155	·035	·14		16
17	Nil	·085	T	Nil	·63	Nil	·03	Nil	T	·29	T	Nil		17
18	·02	Nil	Nil	T	·06	T	·015	Nil	·025	·01	·44	Nil		18
19	Nil	Nil	Nil	·015	·065	Nil	Nil	T	·025	Nil	·04	·01		19
20	Nil	Nil	Nil	T	·035	Nil	Nil	Nil	·37	Nil	·535	·5		20
21	·01	Nil	Nil	·015	Nil	Nil	Nil	·08	·18	Nil	·06	·25		21
22	T	Nil	Nil	·04	Nil	·02	Nil	T	Nil	Nil	·09	·2		22
23	Nil	Nil	Nil	·01	T	T	Nil	Nil	Nil	Nil	·01	·02		23
24	T	Nil	·07	T	·005	Nil	Nil	Nil	·09	Nil	·25	·075		24
25	·055	Nil	·425	·11	·07	Nil	·04	Nil	·075	·02	·59	·04		25
26	·345	·12	·04	T	·005	T	·06	·005	·51	·28	Nil	·23		26
27	·05	·035	Nil	Nil	·205	·06	·22	N	·225	·39	·22	Nil		27
28	·195	·01	Nil	Nil	·155	·03	Nil	·585	·08	Nil	T	·015		28
29	·140	✕	Nil	·07	·135	Nil	Nil	·045	·005	Nil	·05	·25		29
30	·04	✕	Nil	·155	·03	T	Nil	Nil	T	·08	·235	Nil		30
31	·21	✕	Nil	✕	·02	✕	Nil	Nil	✕	·085	✕	·16		31
TOTAL	2·775	·78	·57	·44	2·195	·735	1·51	2·55	2·41	2·67	2·68	2·81	Year's Total 2 22·1~~4~~5	Print
* Days with .01 in. or more.	21	10	5	9	14	14 6	15	9	13	17	16	20	155	96
* Days with .04 in. or more.	14	6	3	2	10	3	9	8	11	13	12	15	106	17/3/39

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

COLIN WALTON ESQ

(Signed) Col walton

[P.T.O.

~~FAVERSHAM (SEW. DISP. WKS)~~

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 314/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Faversham Sewage Works.

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ......ft......in.

,, Ground ,, Sea Level 22 ft.

F. 817235/38.

Totals ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	N	T	·1	·64	N	N	T	N	T	·01	T		1
2	T	N	N	T	·01	N	·02	·33	·04	·46	T	T		2
3	·24	N	N	·14	N	N	N	·19	N	·01	·05	·28		3
4	·13	N	·22	·03	N	N	T	·93	N	·4	·08	·01		4
5	N	N	T	·19	T	N	·03	·01	N	·20	·35	·21		5
6	·34	N	·02	·01	N	N	·08	N	N	·11	·17	N		6
7	·07	·07	N	N	N	N	·01	T	N	·14	·19	·02		7
8	T	·03	·13	N	N	N	T	T	N	·08	·02	·47		8
9	·02	·07	N	N	N	N	N	T	N	·70	·99	·15		9
10	·07	N	N	N	N	·17	N	·03	·01	·02	·02	N		10
11	N	N	·32	N	·04	·38	N	N	N	·66	·01	·03		11
12	N	N	N	N	·08	·26	N	N	T	·03	N	·01		12
13	N	·01	·01	T	N	·05	N	N	·04	1·45	T	·17		13
14	·45	N	·01	T	·09	T	·05	N	N	·46	·36	·02		14
15	·53	N	·01	N	·85	T	·03	N	·22	·53	·02	N	|	15
16	·18	N	·04	T	·34	·18	·08	N	N	N	·32	T		16
17	·09	·03	·01	·06	T	N	·02	N	T	N	·03	N		17
18	·16	N	·05	N	·01	·05	·03	N	T	·38	·42	N		18
19	·15	T	T	N	N	·01	·22	N	·03	1·03	·01	T		19
20	·19	N	T	N	N	·02	·24	N	·24	N	N	·05		20
21	·04	N	·13	N	N	T	·12	N	·1	·06	N	N		21
22	·08	·17	·06	T	N	·15	·12	N	·01	N	T	N		22
23	·01	N	·01	·02	N	·01	T	·09	N	·10	·37	N		23
24	·11	·01	·01	·48	N	·06	·22	T	N	·02	·02	N		24
25	1·19	·39	·10	T	N	N	·47	T	N	N	·58	N		25
26	·38	N	·27	N	N	·06	·12	N	N	·15	·14	T		26
27	·24	N	·30	T	N	N	T	N	T	·84	·54	N		27
28	·05	·43	·09	N	N	T	N	N	N	·12	·11	·2		28
29	N	x	N	·43	N	N	N	N	N	·22	T	N		29
30	N		N	·62	T	·03	N	N	N	N	·04	N		30
31	N		N		T		·13	T		T		N		31
TOTAL	4·74	1·21	1·29	2·08	2·06	1·43	1·99	1·58	·69	8·43	4·85	1·62	Year's Total 31·97	Print wt
* Days with .01 in. or more.	22	9	18	10	8	13	17	6	8	23	23	12	169	
* Days with .04 in. or more.	19	5	11	7	6	9	11	4	5	19	15	7	118.	

~~COLIN WALTON~~

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Colin Walton

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 314/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Faversham Sewage works

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 22 ft.

F. 817235/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	T	·05	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	·03	NIL		1
2	NIL	T	NIL	·12	NIL	NIL	·01	NIL	NIL	·22	·57	·02		2
3	NIL	·10	NIL	·07	NIL	NIL	T	NIL	NIL	·10	1·51	·03		3
4	NIL	·10	NIL	·06	NIL	NIL	NIL	NIL	NIL	·13	·08	·08		4
5	NIL	·02	NIL	NIL	NIL	NIL	·08	NIL	NIL	T	·53	·14		5
6	·17	·04	T	NIL	·01	NIL	·15	NIL	NIL	·40	·08	NIL		6
7	·22	·07	NIL	NIL	T	NIL	·16	·04	NIL	NIL	NIL	NIL		7
8	T	·02	NIL	·03	NIL	NIL	NIL	NIL	·23	·24	T	·20		8
9	NIL	T	NIL	NIL	NIL	NIL	NIL	NIL	NIL	·05	·16	·08		9
10	NIL	NIL	NIL	NIL	NIL	T	·16	·06	·01	·36	·12	·04		10
11	NIL	T	T	·01	NIL	NIL	NIL	NIL	NIL	NIL	·81	T		11
12	NIL	·10	·16	·05	NIL	NIL	·21	NIL	·02	NIL	T	T		12
13	NIL	·10	·65	NIL	NIL	·57	NIL	T	·13	NIL	·80	NIL		13
14	NIL	T	·36	·07	NIL	·01	NIL	NIL	T	NIL	T	·24		14
15	NIL	NIL	·03	·01	·03	·22	1·90	NIL	NIL	NIL	·35	·01		15
16	·30	·20	·05	NIL	NIL	·37	·41	NIL	·06	·42	·57	·04		16
17	T	T	·30	NIL	NIL	NIL	NIL	NIL	T	NIL	·05	T		17
18	·20	·26	·24	·40	NIL	NIL	·05	T	NIL	·21	·14	·14		18
19	NIL	·15	·06	T	NIL	T	NIL	NIL	·62	NIL	·01	·22		19
20	T	·02	T	NIL	NIL	·07	NIL	·02	·04	NIL	·32	T		20
21	·15	NIL	T	NIL	·03	NIL	·19	·02	NIL	·12	·15	NIL		21
22	·05	NIL	·02	NIL	·18	·06	NIL	NIL	·05	·07	·01	NIL		22
23	NIL	·16	NIL	·05	NIL	NIL	T	NIL	NIL	·02	T	·03		23
24	NIL	NIL	NIL	·19	NIL	NIL	·10	NIL	NIL	·26	NIL	T		24
25	NIL	NIL	·63	NIL	T	NIL	·41	NIL	NIL	·35	NIL	T		25
26	·74	·08	·63	NIL	T	·03	·06	NIL	NIL	·80	NIL	T		26
27	·17	·08	T	NIL	NIL	NIL	·09	NIL	NIL	·03	T	NIL		27
28	·01	·02	NIL	NIL	·45	NIL	NIL	NIL	T	T	NIL	NIL		28
29	·10	·02	·04	·01	·02	NIL	NIL	NIL	·01	NIL	NIL	·12		29
30	·05	✕	NIL	·30	NIL	NIL	T	NIL	T	·05	NIL	·03		30
31	·03	✕	NIL	✕	NIL	✕	NIL	NIL	✕	·46	✕	·05		31
TOTAL	2·190	1·590	3·170	1·370	·720	1·330	3·980	·140	1·170	4·290	6·290	1·470	Year's Total 27·710	[illegible]
* Days with .01 in. or more.	12	18	12	13	6	7	14	4	9	18	18	16	147	
* Days with .04 in. or more.	10	13	10	9	2	5	13	2	6	16	15	11	112	

† Spare column, no entries required

(Signed) Colin Wallon

[P.T.O.

* See Instruction 3 (f) on other side.

WHITSTABLE (COURTLEES)

314|9

WHITSTABLE COURTLEES

1937 -1940

06241100,

780107

Section A for the entry of Da
. AIR MINISTRY.-

tion No. 314|9
ORGANIZATION

FORM 1090

REGIST

Kept at Greenlees, Courtlees, Pean

in the County of .... Kent 13

Diameter of Funnel of Gauge.... 5

Height of top of Gauge above Groun

,, Ground ,, Sea Le

THE MORNING MEASUREM ... **DAY**

An observer who does not conform to t ... *llowing year in the space on the right of this paragraph.*

Jan. 1, following
✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1										–	·45	·28		1
2										·01	–	·67		2
3										·01	–	·47		3
4										·01	–	·36		4
5										·21	–	·07		5
6										·04	–	·03		6
7										–	–	·03		7
8										·15	–	·81		8
9										–	–	·22		9
10										–	–	·47		10
11										·01	–	·15		11
12										–	–	·05		12
13										–	–	·75		13
14										–	·01	·10		14
15										–	·02	·02		15
16										–	–	–		16
17										·01 dew	·33	–		17
18										– ~~·01~~ dew.	·07	–		18
19										–	–	·01		19
20										·01 dew	–	–		20
21										·01 dew.	·01	–		21
22									–	·91	·03	·03		22
23									–	·46	–	·01		23
24									·34	·09	·02	–		24
25									–	·40	–	·02		25
26									–	·46	–	–		26
27									–	·05	·02	–		27
28									–	–	–	·15		28
29									–	·10	·05	–		29
30		✕							–	·40	·07	·07		30
31		✕		✕		✕			✕	·01	✕	·07		31
TOTAL									imp ~~·34~~ ?	3·35"	1·08	4·84	Year's Total	✓
* Days with .01 in. or more.									~~1~~ ?	1~~9~~8	11	22		
* Days with .04 in. or more.									~~1~~ ?	11	5	15		

n.b. Up till September 21st the rainfall was kept at Smeeth School Near Ashford, Kent.

As I intend keeping rainfall at above address, will you kindly allot me a station number?

I do not see any Whitstable observer in the rainfall year book

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. H. Wetherell [P.T.O.

N

W. H. WETHERELL

WHITSTABLE (COURTLEES)

Section **A** for the entry of Daily Observations — Station No. 314/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Green Lees, Court Lees, Pean Hill, Whitstable, K.

in the County of Kent 3

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level Do not know, will find out ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1										-	·45	·28		1
2										·01	-	·67		2
3										·01	-	·47		3
4										·01	-	·36		4
5										·21	-	·07		5
6										·04	-	·03		6
7										-	-	·03		7
8										·15	-	·81		8
9										-	-	·22		9
10										-	-	·47		10
11										·01	-	·15		11
12										-	-	·05		12
13										-	-	·75		13
14										-	·01	·10		14
15										-	·02	·02		15
16										-	-	-		16
17										~~·01 dew~~	·33	-		17
18										~~·01~~ dew	·07	-		18
19										-	-	·01		19
20										·01 dew	-	-		20
21										·01 dew	·01	-		21
22									-	·91	·03	·03		22
23									-	·46	-	·01		23
24									·34	·09	·02	-		24
25									-	·40	-	·02		25
26									-	·46	-	-		26
27									-	·05	·02	-		27
28									-	-	-	·15		28
29									-	·10	·05	-		29
30		☒							-	·40	·07	·07		30
31		☒		☒		☒			☒	·01	☒	·07		31
TOTAL									imp ~~·34~~?	3·35"	1·08	4·84	Year's Total	✓ imp ?
* Days with .01 in. or more.									~~1~~?	1~~9~~8	11	22		
* Days with .04 in. or more.									~~1~~?	11	5	15		

n.b. Up till September 21st the rainfall
was kept at Smeeth School
Near Ashford, Kent.
As I intend keeping rainfall
at above address, will you
kindly allot me a Station
number?
I do not see any Whitstable
observer in the rainfall year book ✓

W.H.W.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W.H. Wetherell [R.T.O.

N

W.H. WETHERELL

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 314/9.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Green Lees, Pean Hill, Whitstable. (Green Lees)

in the County of Kent. 13

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 125 ft.

c imp 1937

f 824622/28

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	·07	-	·12	·39	·65	-	·29	-	·02	·04		1
2	·02	-	-	·08	·17	-	-	-	-	·24	-	·01		2
3	·01	-	-	-	·21	-	·01	-	-	·48	·01	-		3
4	·02	-	-	-	-	·06	·09	·19	-	·02	-	·04		4
5	-	-	-	-	-	·01	·52	-	-	·38	-	-		5
6	-	·01	-	-	-	-	·30	·07	·03	·01	-	·01		6
7	-	-	·02	-	-	-	·02	1·11	-	·17	·01	·04		7
8	·19	-	-	-	-	·01	·06	-	·12	·06	-	-		8
9	·16	-	-	-	-	-	·03	·43	-	·02	·01	·52		9
10	·10	·12	-	·02	-	·23	·01	·05	-	-	·05	·14		10
11	·17	·01	-	-	-	·01	-	-	-	-	·03	·06		11
12	·15	·07	·01	·01	-	-	·03	-	·01	·07	-	·02		12
13	·44	-	·01	-	-	-	-	·01	·01	-	·03	·02		13
14	·14	·02	-	-	·16	-	-	-	·21	-	·01	·04		14
15	·03	·33	-	-	-	-	·19	-	-	·16	·01	·01		15
16	·13	-	-	-	-	-	·09	-	-	·05	·07	·20		16
17	-	·11	-	-	·74	-	·05	-	-	·35	·02	·01		17
18	·02	-	-	-	·06	-	·02	-	·02	·03	·40	-		18
19	-	·01	-	-	·02	-	-	-	·02	-	·04	·04		19
20	-	-	-	·02	·08	-	-	-	·50	·01	·32	·10		20
21	·02	-	-	·06	-	-	-	·03	·19	·01	·05	·14		21
22	-	-	-	·05	-	·05	-	·01	·01	-	·10	·14		22
23	-	·01	·01	-	-	-	-	-	-	·01	-	·03		23
24	-	-	·15	-	·02	-	-	-	·10	·01	·33	·12		24
25	·05	-	·34	·07	·09	-	·08	-	·14	·03	·45	·04		25
26	·35	·08	·07	·01	-	-	·03	·01	·40	·28	-	·25		26
27	·05	·12	-	-	·30	·06	·18	-	·38	·45	·21	-		27
28	·18	·01	-	-	·14	·02	-	·70	·06	·01	-	·01		28
29	·15	×	-	·05	·15	-	-	-	-	-	·03	·25		29
30	·01	×	-	·17	·02	-	-	·20	·02	·04	·20	-		30
31	·16	×	-	×	·03	×	-	-	×	·05	×	·15		31
TOTAL	2·57	·90	·68	·54	2·31	·84	2·36	2·81	2·51	2·94	2·40	2·43	Year's Total 23·29	Remit
* Days with .01 in. or more.	22	12	8	10	15	9	17	11	17	23	21	25	190	
* Days with .04 in. or more.	14	6	4	6	11	5	10	7	10	13	11	17	114	

W. H. WETHERELL ESQ

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. H. Wetherell.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 314/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "Green Lees" Pean Hill, Whitstable

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	-	·01	·11	·65	-	·01	·01	·03	-	·01	-		1
2	·02	-	-	-	·02	-	·02	·38	·01	·57	·01	-		2
3	·26	·02	-	·17	-	-	-	·18	·01	·02	·07	·26		3
4	·12	·01	-	·04	-	-	-	·52	-	·28	·04	-		4
5	-	·02	·20	·26	·01	-	·05	-	-	·22	·36	·20		5
6	·34	·02	·03	·02	-	-	-	-	-	·02	·05	·02		6
7	·10	·08	-	-	-	-	·01	-	-	·09	·10	·04		7
8	-	·03	·12	-	-	-	-	·02	-	·15	-	·33		8
9	·02	·07	-	-	-	-	-	-	-	1·07	·60	·17		9
10	·10	-	·01	-	-	·22	-	·07	·01	·04	·01	·01		10
11	·04	-	·28	-	·02	·10	-	-	-	·80	·01	·03		11
12	·01	-	-	-	·02	·25	-	-	-	·02	·01	·02		12
13	·01	·01	·02	-	-	·02	-	-	·03	1·53	·01	·13		13
14	·45	·01	·03	-	·11	-	·04	-	·02	·32	·38	·01		14
15	·40	-	·01	-	1·21	-	·02	-	·27	·61	·03	-		15
16	·20	-	·10	·01	·32	·08	·08	-	·02	·04	·30	-		16
17	·12	·07	·04	·06	-	-	·01	-	·02	·01	·02	-		17
18	·20	-	·05	-	-	·01	·06	-	[illegible]*	·64	·40	-		18 - *
19	·16	-	·02	-	-	·02	·25	-	·33*	1·30	·01	·02		19 ·33*
20	·13	·01	-	-	-	-	·02	-	·16	-	-	-		20
21	·05	-	·15	-	-	·03	-	·35	·25	·05	-	-		21
22	·09	·21	·10	-	-	·13	·15	-	-	-	·03	-		22
23	·01	·02	-	·04	-	·02	·17	·06	-	·12	·33	-		23
24	·10	·01	·03	·37	-	·08	·05	-	-	·02	·02	·02		24
25	1·33	·40	·04	-	-	-	·21	-	-	-	·35	·10		25
26	·46	-	·11	-	-	·15	·06	-	-	·61	·20	-		26
27	·16	·06	·11	·05	-	-	-	-	-	1·15	·43	-		27
28	·05	·35	·15	-	-	-	-	-	-	·48	·15	-		28
29	-	✕	·02	·50	-	·01	-	-	-	·03	·02	·08		29
30	-	✕	·02	·50	-	·04	·01	-	-	-	·02	-		30
31	-	✕	-	✕	-	✕	·10	·01	✕	-	✕	-		31
TOTAL	4·94	1·40	1·65	2·13	2·36	1·16	1·32	1·60	1·16	10·19	3·97	1·44	Year's Total 33·32	
* Days with .01 in. or more.	26	17.	22	12	8	14	18	9	12	25.	27	15	205	
* Days with .04 in. or more.	20	7	12	10.	4	8.	11	6	4.	19	14	8	123	

† Spare column, no entries required.

(*Signed*) Walter Harold Wetherell [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 314/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Green Lees, Pean Hill, Whitstable

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 125 ft.

Jan 25th – 31st estd. from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	·02	·01		1
2	-	-	-	·10	-	-	-	-	-	·27	·54	-		2
3	-	-	-	·05	-	-	·05	-	-	·07	1·84	·05		3
4	-	·45	-	·04	-	·01	-	-	-	·08	·08	·10		4
5	-	·04	-	-	-	-	·03	-	-	-	·70	·12		5
6	·15	·04	-	-	-	-	·23	-	-	·35	·12	-		6
7	·23	·07	-	-	-	-	·30	·14	-	-	·02	-		7
8	-	·04	-	·02	-	-	·03	-	1·09	·22	-	·16		8
9	-	-	-	-	-	-	-	-	·01	·03	·14	·08		9
10	-	-	-	-	-	·01	·03	·17	·01	·23	·15	·06		10
11	-	·02	·02	·04	-	-	-	-	-	-	·81	-		11
12	-	-	·11	-	-	-	·27	-	·05	·01	-	-		12
13	-	·15	·57	-	-	·76	·05	-	·12	-	·94	·01		13
14	-	-	·37	·10	-	-	-	-	-	·02	-	·21		14
15	-	-	·01	-	·10	·17	1·50	-	-	-	·31	·01		15
16	·15	·15	·17	-	-	·30	·50	-	·06	·35	·57	·04		16
17	·14	-	·31	-	-	-	-	-	-	·01	·18	·02		17
18	-	·38	·30	·45	-	-	-	-	-	·16	·05	·16		18
19	-	·12	·03	-	-	-	-	-	·75	·01	·03	·12		19
20	·08	·01	·02	·01	-	·07	-	·01	·05	·03	·18	-		20
21	·05	·01	-	-	-	-	·40	-	·01	·03	·15	-		21
22	-	·01	·04	-	·13	-	-	·01	-	·08	·02	-		22
23	-	·12	-	·08	-	-	-	·03	·01	-	-	·01		23
24	-	-	-	-	-	-	·16	-	-	·29	·01	-		24
25	-	·02	·58	·15	-	-	·50	-	-	·15	-	-		25
26	✓	-	·54	-	-	-	·06	-	-	·49	-	·01		26
27	~~·52~~ ✓	-	-	·01	-	-	·05	-	-	·04	-	-		27
28	(1·00) ✓	·15	-	-	·71	-	-	-	-	-	-	-		28
29	- ✓	-	·04	-	·04	-	-	-	·05	-	-	·10		29
30	- ✓	✕	-	·22	-	-	-	-	·02	·05	-	-		30
31	- ✓	✕	-	✕	-	✕	-	-	✕	·40	✕	·06		31
TOTAL	1·82 ~~1·32~~	1·78	3·11	1·27	·98	1·32	4·16	·36	2·23	3·37	6·86	1·33	Year's Total ~~28·09~~	28·59
* Days with .01 in. or more.	12 7	16	14	12	4	6	15	5	12	22	20	18	~~154~~	156
* Days with .04 in. or more.	10 7	11	10	9	4	4	12	2	7	15	15	12	~~108~~	111

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. H. Wetherell.

[P.T.O.

Section **A** for the entry

AIR MINIST ALL ORGANIZATION.

Station No. 314/8

FORM 1090.

REGIS 33.

Kent /3.

314/8

GRAVENEY COURT
1933

780107

Kept at Graveney

in the County of Ke

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASU Y.

An observer who does not conform to following year in the space on the right of this paragraph.

Jan. 1, following
nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07							·04	·04				1
2		·12												2
3	·11				}					·04				3
4		·09	·39		·60					·23				4
5											·10			5
6	·33													6
7			·14		·45									7
8			·03		·10					·25				8
9	·40						·14			·08				9
10	·18				·09									10
11							·03			·12	·08			11
12	·14						·02		·08					12
13						·17	·02		·32		·06			13
14					·20		·13		·64		·16			14
15					·09					·26	·07			15
16	·14						·13	·17						16
17	·13		·70			·14	·32							17
18			·29						·09		·04			18
19	·12					·14		·03						19
20				·15		·20			·12					20
21				·10		·05			·05					21
22								·08	·67					22
23						·10		·17		·10				23
24				·05	·05				·50					24
25				·15		·06			·33					25
26				·05	·03				·07		·58			26
27		·71		·21		·50			·08			·27		27
28					·03						·15	·12		28
29										·31				29
30		×					·33							30
31		×	·24	×		×			×		×			31
TOTAL	1·55	·99	1·79	·71	1·64	1·36	1·12	·45	3·02	1·49	1·24	·39	Year's Total 15·75	
*Days with ·01 in. or more.	~~8~~	~~4~~	~~6~~	~~6~~	~~9~~	~~8~~	~~8~~	~~4~~	~~12~~	~~9~~	~~8~~	~~2~~	~~87~~	
*Days with .04 in. or more.	~~8~~	~~4~~	~~5~~	~~6~~	~~7~~	~~8~~	~~5~~	~~3~~	~~12~~	~~9~~	~~8~~	~~2~~	~~77~~	

40-9999

*See Instruction 2 (*f*) on other side.

D N

† Spare column, no entries required.

(*Signed*) L. H. Finn

G.W. Finn & Sons

[P.T.O.

~~COPY FOR OFFICIAL USE.~~

Section **A** **for the entry of Daily Observations.** **Station No.** 314/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kent /3.

Kept at Graveney Court

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 4 ft 3 in.

,, Ground ,, Sea Level 45 ft.

314
cf 317
314/5

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07							·04	·04				1
2		·12												2
3	·11				}					·04				3
4		·09	·39		·60					·23				4
5											·10			5
6	·33													6
7			·14		·45									7
8			·03		·10					·25				8
9	·40						·14			·08				9
10	·18				·09									10
11							·03			·12	·08			11
12	·14						·02		·08					12
13						·17	·02		·32		·06			13
14					·20		·13		·64		·16			14
15					·09					·26	·07			15
16	·14						·13	·17						16
17	·13		·70			·14	·32							17
18			·29						·09		·04			18
19	·12					·14		·03						19
20				·15		·20			·12					20
21				·10		·05			·05					21
22								·08	·67					22
23						·10		·17		·10				23
24				·05	·05				·50					24
25				·15		·06			·33					25
26				·05	·03				·07		·58			26
27		·71		·21		·50			·08			·27		27
28					·03						·15	·12		28
29										·31				29
30		×					·33							30
31		×	·24	×		×			×		×			31
TOTAL	1·55	·99	1·79	·71	1·64	1·36	1·12	·45	3·02	1·49	1·24	·39	Year's Total 15·75	
*Days with ·01 in. or more.	~~8~~	~~4~~	~~6~~	~~6~~	~~9~~	~~8~~	~~8~~	~~4~~	~~12~~	~~9~~	~~8~~	~~2~~	~~84~~	
*Days with .04 in. or more.	~~8~~	~~4~~	~~5~~	~~6~~	~~7~~	~~8~~	~~5~~	~~3~~	~~12~~	~~9~~	~~8~~	~~2~~	~~77~~	

*See Instruction 2 (*f*) on other side.

D N

† Spare column, no entries required.

(*Signed*) L. H. Finn

G.W. Finn & Sons

P.T.O.

FORM 1090. **B** Mont
Sum

315

NORTON COURT
1931 - 1937

062321001

780107

315

*** **The following register of monthly** **and also the space for**
&c., is NOT required if daily or
values are given on the other side

egister should be sent:—

RAINFALL IN 193~~2~~4

At Norton Court
In the County of Kent

IHAM Kent

in Summer 7.30

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 *ft*
Height of Ground above Sea Level 90 *ft.*

2 miles Direction from gauge N.
100 yds Direction from gauge S

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·19	·67	23	20	14
FEB.	2·43	·68	11	20	15
MAR.	·19	·10	1	3	2
APRIL	3·70	·74	19	16	15
MAY	2·61	·58	21	10	7
JUNE	·85	·47	5	8	6
JULY	2·25	·53	20	13	9
AUG.	3·03	·41	14	21	20
SEPT.	2·21	·67	3	9	8
OCT.	·51	·22	29	5	3
NOV.	3·71	1·50	10	12	10
DEC.	·63	·17	3	8	5
Total	24·31			145	114

Signature A. A. Mercer

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge				
Heights of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

315

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193~~2~~1

At Norton Court

In the County of Kent

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* 6 *in.*

Height of Ground above Sea Level 90 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·19	·67	23	20	14
FEB.	2·43	·68	11	20	15
MAR.	·19	·10	1.	3	2
APRIL	3·70	·74	19	16	15
MAY	2·61	·58	21	10	7
JUNE	·85	·47	5	8	6
JULY	2·25	·53	20	13	9
AUG.	3·03	·41	14	21	20
SEPT.	2·21	·67	3	9	8
OCT.	·51	·22	29	5	3
NOV.	3·71	1·50	10	12	10
DEC.	·63	·17	3	8	5
Total	24·31			145	114

Signature A L Mercer

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Norton Court, TEYNHAM Kent

Hour of observation by the clock—in Winter 7.30 in Summer 7.30

Nearest Railway Station Teynham Distance 2 miles Direction from gauge N.

Nearest Parish Church at Norton Distance 100 yds Direction from gauge S

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B Monthly Summary.

C Particulars of Station.

315

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Norton Court

In the County of Kent

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 6 *in.*
Height of Ground above Sea Level 90 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2.46	·71	10	13	10
FEB.	·38	·16	13	6	3
MAR.	1.28	·40	22	9	7
APRIL	2.27	·34	30	23	18
MAY	3.32	1.0 ~~·42~~	29 ~~20~~	19	15
JUNE	·39	·13	4	4	4
JULY	3.34	1·07	25	15	13
AUG.	·49	·23	29	5	4
SEPT.	1.96	·50	23	14	10
OCT.	6.34	1·07	23	23	19
NOV.	1.24	·33	20	11	9
DEC.	·53	·21	2	9	4
Total	24-			151	116

Signature Arthur L Mercer

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Arthur L Mercer
Norton Court, Nr. Sittingbourne

Hour of observation by the clock—in Winter 8.0 in Summer 7.0

Nearest Railway Station Teynham Distance 1½ mile Direction from gauge N.

Nearest Parish Church at Norton Distance 100 yards Direction from gauge S.

Nature of objects nearest to gauge	Trees			
Heights of objects	40-50 ft.			
Distances ..	100 yards			
Directions from gauge ..	S.W.			

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

days

M.O. 7
5 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 315

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Norton Court, Nr. Sittingbourne

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0·23	0·05								0·07			1
2	0·11	6	0·31		0·50					0·07	0·02			2
3	0·05	0·07	0·28		0·35					0·16				3
4	0·04		0·02											4
5	0·36		0·09		0·13									5
6		0·08	0·18		0·30					0·02	0·10			6
7	0·33	0·07			0·19					0·19		0·05		7
8	0·21				0·10					0·04				8
9							0·20			0·02	0·07			9
10		0·13				0·02	0·07			0·13	0·03			10
11	0·16					0·03		0·03	0·10	0·02	0·10			11
12				0·04		0·32	0·03		0·28		0·03			12
13				~~0·07~~	0·10	0·01	0·20		0·78	0·03	0·18			13
14					0·08		0·02			0·16	0·02			14
15	0·16						0·25	0·10			0·22			15
16	0·16		0·91			0·18	0·05			0·02				16
17			0·35			0·02		0·07	0·06		0·03			17
18	0·11		0·03			0·16								18
19			0·21	0·07		0·17								19
20		Snow 0·02		0·08		0·09			0·05		0·02			20
21				0·04		0·18		0·13	0·65					21
22		Snow 0·20						0·19	0·03	0·06	0·01			22
23				0·03	0·06				0·86					23
24		Snow 0·12		0·20		0·14			0·29					24
25				0·27	0·04				0·05	0·01	0·34	0·03		25
26		0·25				0·29			0·15		0·16	0·10		26
27		0·18								0·16		0·07		27
28						0·02				0·15		0·06		28
29					0·06		0·38			0·03				29
30	0·07	×	0·13	0·03			0·01		0·10	0·05		0·06		30
31		×		×		×		0·06	×		×			31
TOTAL	1·76	1·35	2·56	0·76	1·91	1·63	1·21	0·58	3·39	1·32	1·40	0·37	Year's Total 18·24 ✓	
*Days with ·01 in. or more.	11	10	11	8	11	13	9	6	12	17	15	6	129	
*Days with ·04 in. or more.	11	~~10~~ 9	9 ~~10~~	6 ~~8~~	11 ~~10~~	8 ~~13~~	6 ~~9~~	5 ~~6~~	11 ~~12~~	10 ~~17~~	~~15~~ 8	~~6~~ 5	~~124~~ 5 99	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

FORM 1090.

B Monthly Summary.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193 5 SB. 1934

At Norton Court

In the County of Kent

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 6 *in.*
- *Height of Ground above Sea Level* 90 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2.64	·68	11		
FEB.	·14	·05	28		
MAR.	2.77	·46	14		
APRIL	2.57	·46	23		
MAY	·91	·23	9		
JUNE	·89	·29	6		
JULY	1.22	·42	24		
AUG.	1.60	·40	28		
SEPT.	1.71	·28	2		
OCT.	2.01	·77	2		
NOV.	2.50	·45	9		
DEC.	5.99	·76	4		
Total	24.05				

Signature Arthur L Mercer

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent—

A.L. MERCER, Norton Court, N^r^ Sittingbourne Kent

Hour of observation by the clock—in Winter 8.0 a.m. in Summer 7.0 a.m.

Nearest Railway Station Teynham Distance 1½ Direction from gauge N.

Nearest Parish Church at Norton Distance 75 yards Direction from gauge S.

Nature of objects nearest to gauge	No alteration			
Height of objects				
Distances	A.L.M.			
Directions from gauge				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

315

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Norton Court

In the County of Kent

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 6 *in.*
- *Height of Ground above Sea Level* 90 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1.54	·23	1	18	12
FEB.	3.90	·90	24	18	11
MAR.	·35	·24	3	4	2
APRIL	2.58	·42	15	22	16
MAY	2.28	·43	25	11	10
JUNE	1.99	·22	7	18	14
JULY	·85	·43	20	5	4
AUG.	3.22	1·05	30	11	10
SEPT.	3.20	·61	5	19	14
OCT.	2.96	·65	4	17	17
NOV.	5.03	·94	16	23	17
DEC.	3.51	·45	26	19	14
Total	31.41			185	141

Signature A L Mercer

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 7.30 am in Summer 7.0 am

Nearest Railway Station Teynham Distance 2 miles Direction from gauge N

Nearest Parish Church at Norton Distance 100 yards Direction from gauge S

Nature of objects nearest to gauge	Church			
Height of objects				
Distances ..	100 yards			
Directions from gauge ..	S.			

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
3 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Norton Court

In the County of Kent

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 6 *in.*
- *Height of Ground above Sea Level* 90 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4.48	·80	28	21	19
FEB.	2.39	·72	17	17	13
MAR.	·73	·17	29	11	6
APRIL	1.41	·31	20	12	5
MAY	·46	·16	30	7	3
JUNE	3.39	·81	21	17	14
JULY	4.26	·80	10	18	17
AUG.	1.21	·94	10	5	3
SEPT.	2.09	·72	20	16	10
OCT.	2.39	·47	31	15	11
NOV.	4.51	·79	11 ~~18~~	18	14
DEC.	2.33	·55	14	17	12
TOTAL	29.65			174	127

Signature Arthur L Mercer

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

A L Mercer

Norton Court, Nr Sittingbourne Kent

Hour of observation by the clock—in Winter 8.0 am in Summer 7.30 am

Nearest Railway Station Teynham Distance 2 miles Direction from gauge N

Nearest Parish Church at Norton Distance 100 yds Direction from gauge 100 yds

Nature of objects nearest to gauge	Trees			
Height of objects	40–50 ft			
Distances ...	100 yds			
Directions from gauge ...	S W			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Totals

M.O. 7
11 JAN 1937

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Norton Court, W. Sittingbourne

In the County of Kent

Rain Gauge:
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 6 *in.*
- *Height of Ground above Sea Level* 90 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5.58	·88	1	21	19
FEB.	3.93	·65	7	21	18
MAR.	4.26	·53	11	23	15
APRIL	2.31	·42	2	15	11
MAY	3.14	·92	20	14	11
JUNE	2.36	·94	10	12	7
JULY	·62	·28	15	9	5
AUG.	·91	·31	16	5	3
SEPT.	2.53	·50	17	12	10
OCT.	4.17	1.07	22	14	11
NOV.	2.06	·63	1	9	6
DEC.	4.76	1.11	1	19	14
TOTAL	36.63 ✓			174 ✓	130 ✓

Signature A. H. Mercer

* See Instruction 3 (*f*) below.

C Particulars of Station.

315

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
A. H. Mercer, Norton Court, W. Sittingbourne
Kent

Hour of observation by the clock—in Winter 8.0 am in Summer 9.0 am

Nearest Railway Station Teynham Distance 2 miles Direction from gauge

Nearest Parish Church at Norton Distance 120 yds. Direction from gauge 60 yards

Nature of objects nearest to gauge	Trees			
Height of objects	40-60 ft			
Distances	80 yards			
Directions from gauge	"			

If gauge has been moved during the year state—

Date of move no Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Totals

A
3 JAN. 1938

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* ~~An entry ·005 is not to be made in the register.~~

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999